

Fleet ROR

Questions only

Scenario-based exam stems from Fleet papers. No answers or marking scheme.

452 items across 13 papers · Generated 2026-03-24

Paper 1 of 13

Fleet ROR APR 14

20140401-Fleet ROR Apr 14 Final-U.pdf

SCENARIO

FLEET RULE OF THE ROAD TEST APR 14

This test is based on: The International Regulations for Preventing Collisions at Sea (1972) with amendments in force up to December 2009 as detailed in "A Seaman's Guide Pocket Book of The International Regulations for Preventing Collisions at Sea" (BR 453 Supp), ATP1(E)Vol I and the Mariners Handbook (NP100).

BR454 "A Guide to the Collision Avoidance Rules" 6

th

Edition by Cockcroft and Lameijer

was categorised as obsolescent by NCHQ in August 2011. Care should be taken when utilising the 6

th

Edition as the information contained within may not reflect the most recent changes to the regulations.

The test is designed to be given to any Warfare Officer, Deck officer, Officer undertaking bridge watch-keeping duties or Young Officer/Cadet. The test should be administered under written exam conditions, the results should be recorded in the ROR/training logbook for inspection by FLEET/FOST navigation staff.

In this test, any change in the status of the ship or of the environment will be indicated in the script. Rules 1 to 19, 34, 35 and Annex IV must be known instinctively for instant application. A thorough knowledge of the other rules is required. The pass mark is 90%.

Answers are provided for uniformity of marking. This test is completely scenario based.

You are OOW1 on a Type 45 Destroyer, sailing from Faslane to Portsmouth; you have the Forenoon and have just taken the ship from the NO on passing Cloch Point. The NO has confidently forecast light winds and good visibility for the entire passage.

Question 1 20140401-q1

3 marks · R1e

1. As you proceed down the Firth of Clyde Channel, you note that a USN SSN is due to visit soon after your departure. The CO asks the SFT YO whether or not the SSN must comply with the provisions of the Rules with regard to the display of navigation lights. What do the Rules state?

(3 marks) (R1e)

Question 2 20140401-q2a

2 marks · R9c

2. The SFT YO has prepared a pilotage run which takes the ship through Hunterston Channel.

Whilst proceeding down this narrow channel the QM spots a small vessel engaged in fishing within the channel, at Green 15 range 5 cables.

a. What are the responsibilities of the respective vessels within this Narrow Channel in terms of who should avoid impeding whom, and why? (2 marks) (R9c)

Question 3 20140401-q2b

2 marks · R8f, iii

2. The SFT YO has prepared a pilotage run which takes the ship through Hunterston Channel.

Whilst proceeding down this narrow channel the QM spots a small vessel engaged in fishing within the channel, at Green 15 range 5 cables.

b. Who is the Give Way Vessel between the fishing vessel and you if risk of collision exists and why? (2 marks) (R8f, iii)

Question 4 20140401-q3

2 marks · R8e

3. You pass through Hunterston Channel and encounter a yacht race. Traffic is exceptionally heavy and it is becoming difficult to assess the situation and likelihood of risk of collision. What action shall you take? (2 marks) (R8e)

Question 5 20140401-q4a

2 marks · R20

4. You take back the con and clear the yacht race. Contrary to the NO's brief you sight a thick fog bank approximately 1 NM away.

a. At what point shall you turn on your navigation lights and why? (2 marks) (R20)

Question 6 20140401-q4b

1 mark · R19b

4. You take back the con and clear the yacht race. Contrary to the NO's brief you sight a thick fog bank approximately 1 NM away.

b. Just as you enter the fog bank the MEO enters the bridge and requests to take the stbd engine to one hours notice in order to carry out some maintenance. Is this appropriate? (1 mark) (R19b)

Question 7 20140401-q4c

3 marks · R19e

4. You take back the con and clear the yacht race. Contrary to the NO's brief you sight a thick fog bank approximately 1 NM away.

c. You hear one prolonged blast ahead of the ship but are unsure as to the exact direction it came from. What action shall you take? (3 marks) (R19e)

Question 8 20140401-q4d

3 marks · R35c

4. You take back the con and clear the yacht race. Contrary to the NO's brief you sight a thick fog bank approximately 1 NM away.

d. Your foc'sle lookout reports a sound signal of one prolonged blast followed by two short blasts. What sort of vessel could this be? (3 marks) (R35c)

Question 9 20140401-q4e

1 mark · R35g

4. You take back the con and clear the yacht race. Contrary to the NO's brief you sight a thick fog bank approximately 1 NM away.

e. As you pass the entrance to Brodick Bay the Stbd Bridge wing lookout reports hearing a sound signal consisting of one short, one prolonged and one short sounded in succession. What precisely does this signify? (1 mark)(R35g)

Question 10 20140401-q5

4 marks · R24a

Includes light diagram (W / R / G) in stem below.

5. This vessel passes clear and, still in restricted visibility, you next make out the following lights passing down your starboard side. What do they indicate? (4 marks) (R24a)

W

R W

W W

R

G G

Question 11 20140401-q6

3 marks · R26b, i, ii and Annex II

6. Next you encounter a solitary vessel displaying the following lights. What do they signify? (3 marks) (R26b, i, ii and Annex II)

G

W

R

R

G

Question 12 20140401-q7

3 marks · R35g

7. You are just about to go off watch when the SCC informs you that it has detected excessive vibration on the port shaft and as you are well ahead of the SOA the CO decides to go to anchor. What sound signals would you make at anchor in restricted visibility and what additional measures can you take to warn other vessels of your position? (3 marks) (R35g)

Question 13 20140401-q8

6 marks · R6b

8. Whilst off watch the defect is fixed and you return for your next watch to find the ship back underway although visibility remains reduced. The CO asks for your assessment of safe speed. All radars appear to be working, list six considerations you should make regarding radar in determining your answer. (6 marks) (R6b)

Question 14 20140401-q9

1 mark · ATP1E

9. Your next watch starts just as you round Land's End and with the visibility also improving the Flight become increasingly keen to disembark before the ship commences a busy period in Portsmouth so you take the ship to flying stations. As you give a green light you spot a minehunter engaged in clearance operations on a steady bearing, range 2 NM. Who has right of way? (1 mark) (ATP1E)

Question 15 20140401-q10

1 mark · R18

10. With the helo feet dry you fall out from flying stations and refocus on your SOA to Portsmouth. You sight a small vessel engaged in fishing at GREEN 30, range 3 miles. The bearing is steady and the range is closing. What action is required by the Rules? (1 mark)(R18)

Question 16 20140401-q11a

1 mark · R15

11. The busy watch continues and you sight a coaster at RED 40, range 6 miles (60° on her stbd bow) . The range is closing and the bearing is moving very slowly right.
a. What action is required by the Rules? (1 mark)(R15)

Question 17 20140401-q11b

1 mark · R34d

11. The busy watch continues and you sight a coaster at RED 40, range 6 miles (60° on her stbd bow) . The range is closing and the bearing is moving very slowly right.
b. You become concerned with the developing situation. Would a sound signal be appropriate and what should be sounded? (1 mark)(R34d)
(1)

Question 18 20140401-q11c

1 mark

11. The busy watch continues and you sight a coaster at RED 40, range 6 miles (60° on her stbd bow) . The range is closing and the bearing is moving very slowly right.
c. When do the Rules allow the stand-on vessel to manoeuvre? (1 mark)(17a)
(1)

Question 19 20140401-q11d

1 mark · R17c

11. The busy watch continues and you sight a coaster at RED 40, range 6 miles (60° on her stbd bow) . The range is closing and the bearing is moving very slowly right.

d. What specifically should be avoided if the stand-on vessel manoeuvres by altering course? (1 mark)(R17c)

Question 20 20140401-q12

1 mark · R30d

12. You sight a vessel close in, apparently stopped off Fowey. How can you determine if the vessel is aground? (1 mark)(R30d)

Question 21 20140401-q13a

1 mark · R27b/18

13. As you alter to pass Dodman Point, you sight a small vessel displaying three shapes in a vertical line, the highest and lowest are ball shaped and the middle one a diamond.

a. How should you approach this vessel? (1 mark)(R27b/18)

Question 22 20140401-q13b

2 marks · R3g

13. As you alter to pass Dodman Point, you sight a small vessel displaying three shapes in a vertical line, the highest and lowest are ball shaped and the middle one a diamond.

b. List two operations which this small vessel could be engaged in. (2 marks)(R3g)

Question 23 20140401-q14

1 mark · R27e

14. As you approach Rame Head in preparation for a boat transfer in Plymouth Sound to disembark the WEO, the lookout reports an open boat showing a rigid replica of a flag, which you identify as International Code flag "A". What does this signify? (1 mark)(R27e)

SCENARIO

The BTX is complete and it's almost time to handover but light is starting to fade.

Question 24 20140401-q15

1 mark · R20c

15. Can you exhibit navigation lights before sunset? Explain your answer. (1 mark)(R20c)

Question 25 20140401-q16

3 marks · R 37/Annex IV

16. List three visual methods by which a small yacht without VHF could indicate distress by day. (Do not include light signals.) (3 marks)(R 37/Annex IV)

Fleet ROR JUN 14

20140601-Fleet ROR Jun 14 Final-U.pdf

SCENARIO

FLEET RULE OF THE ROAD TEST JUN 14

This test is based on: The International Regulations for Preventing Collisions at Sea (1972) with amendments in force up to December 2009 as detailed in "A Seaman's Guide Pocket Book of The International Regulations for Preventing Collisions at Sea" (BR 453 Supp), ATP1(E) Vol I and the Mariners Handbook (NP100).

BR454 "A Guide to the Collision Avoidance Rules" 6

th

Edition by Cockcroft and Lameijer

was categorised as obsolescent by NCHQ in August 2011. Care should be taken when utilising the 6

th

Edition as the information contained within may not reflect the most recent changes to the regulations.

The test is designed to be given to any Warfare Officer, Deck officer, Officer undertaking bridge watch-keeping duties or Young Officer/Cadet. The test should be administered under written exam conditions, the results should be recorded in the ROR/training logbook for inspection by FLEET/FOST navigation staff.

In this test, any change in the status of the ship or of the environment will be indicated in the script. Rules 1 to 19, 34, 35 and Annex IV must be known instinctively for instant application. A thorough knowledge of the other rules is required. The pass mark is 90%.

Answers are provided for uniformity of marking. This test is completely scenario based.

You are the OOW in HMS SOMERSET deployed on OP KIPION in the Gulf of Oman. You have just sailed from Fujairah, it is the morning watch with clear skies and good visibility but METO did forecast haze later in the day. As you pass through the breakwaters you slow down to disembark the pilot and a dhow which departed shortly after you begins to close.

Question 1 20140601-q1-p1

R.3

1. The port lookout reports the dhow is dragging a net through the water each side of her. How would you classify this dhow (explain)? (R.3) (1)

Question 2 20140601-q2-p1

R.26

2. What shapes would you expect the dhow to be displaying? (R.26) (1)

Question 3 20140601-q3-p1

R.13

3. The dhow is closing on a steady bearing from R150. Who is the give way vessel and why? (R.13) (2)

Question 4 20140601-q4-p1

R.1

4. Who can make such local rules and what caveat is put on them? (R.1) (2)

Question 5 20140601-q5-p1

R.6

5. What factors would you (and all vessels) take into account when deciding on a safe speed? (R.6) (6)

Question 6 20140601-q6a-p1

R.7

6. (a) What factors would you consider when ascertaining whether a risk of collision exists? (R.7) (2)

Question 7 20140601-q6b-p1

R.7

(b) If there is any doubt what should you do? (R.7) (1)

Question 8 20140601-q6c-p1

R.7

(c) What should you not make assumptions based upon? (R.7) (1)

Question 9 20140601-q7a-p1

R.14

7. (a) What kind of situation is developing? (R.14) (1)

Question 10 20140601-q7b-p1

R.14 & R.34a

(b) What action will you take? (R.14 & R.34a) (2)

Question 11 20140601-q8a-p1

R.8

8. (a) What should be the result of your action in Q.7? (R.8) (1)

Question 12 20140601-q8b-p1

R.8

(b) How will you assess if your action in Q.7 is sufficient? (R.8) (1)

Question 13 20140601-q9-p1

R.3

9. What condition do you now find yourself navigating in? (R.3) (1)

Question 14 20140601-q10-p1

R.19

10. What speed and what machinery configuration should you now adopt? (R.19) (2)

Question 15 20140601-q11-p1

R.19

11. What action do you take, when do you take it and what specifically should be avoided? (R.19)
(3)

Question 16 20140601-q13-p1

R.35

13. What sound signal would you expect to hear from her? (R.35) (1)

Question 17 20140601-q14-p1

R.15

14. Does the fact the visibility has lifted sufficiently for you to see her change the action you would take, what would you do differently and why? (R.15) (2)

Question 18 20140601-q15-p1

R.26

15. What are these vessels likely to be? (R.26) (1)

Question 19 20140601-q16-p1

16. What specifically might these vessels be engaged in? (ICS) (1)

You pass all of the vessels safely and hand over the watch to head below for lunch. Later, you're back on watch for the evening, the sun has long since set and with no moon it is a particularly black night and good for star spotting. You see the following lights at G45:

R

W R

W

Question 20 20140601-q17a-p1

R.30

17. (a) What type of vessel is it? (R.30) (1)

Question 21 20140601-q17b-p1

R.30

(b) What shape(s) would this vessel display by day? (R.30) (1)

Question 22 20140601-q18a-p1

R.24

18. (a) What type of vessel is it? (R.24) (3)

Question 23 20140601-q18b-p1

R.24

(b) What shapes would you see by day? (R.24) (3)

Question 24 20140601-q19-p1

R.15

19. Who is the give way vessel? (R.15) (1)

Question 25 20140601-q20a-p1

R.17

20. (a) What may you do and when may you do it? (R.17) (1)

Question 26 20140601-q20b-p1

R.17

(b) If you took this action, what should you avoid? (R.17) (1)

Question 27 20140601-q21-p1

R.17

21. What action shall you take? (R.17) (1)

Question 28 20140601-q22a-p1

R.27

22. (a) What type of vessel is it? (R.27) (1)

Question 29 20140601-q22b-p1

R.27

(b) What shapes would this vessel display by day? (R.27) (1)

Question 30 20140601-q23-p1

R.16

23. What do the Rules dictate your action should be and when should you take it? (R.16)
(1)

Question 31 20140601-q24-p1

R.3,14,16&18

24. Are you justified in turning to port to avoid this vessel? Why? (R.3,14,16&18)
(2)

20140601-Fleet ROR Jun 14 Final-U.pdf

20140601-Fleet ROR Jun 14 Final-U.pdf

SCENARIO

You are the OOW in HMS SOMERSET deployed on OP KIPION in the Gulf of Oman. You have just sailed from Fujairah, it is the morning watch with clear skies and good visibility but METO did forecast haze later in the day. As you pass through the breakwaters you slow down to disembark the pilot and a dhow which departed shortly after you begins to close.

Question 1 20140601-q1-p2

R.3

1. The port lookout reports the dhow is dragging a net through the water each side of her. How would you classify this dhow (explain)? (R.3) (1)

Question 2 20140601-q2-p2

R.26

2. What shapes would you expect the dhow to be displaying? (R.26) (1)

Question 3 20140601-q3-p2

R.13

3. The dhow is closing on a steady bearing from R150. Who is the give way vessel and why? (R.13) (2)

Question 4 20140601-q4-p2

R.1

4. Who can make such local rules and what caveat is put on them? (R.1) (2)

Question 5 20140601-q5-p2

R.6

5. What factors would you (and all vessels) take into account when deciding on a safe speed? (R.6) (6)

Question 6 20140601-q6a-p2

R.7

6. (a) What factors would you consider when ascertaining whether a risk of collision exists? (R.7) (2)

Question 7 20140601-q6i-p2

- (i) such risk shall be deemed to exist if the compass bearing of an approaching vessel does not appreciably change (1);
- (ii) such risk may sometimes exist even when an appreciable bearing change is evident, particularly when approaching a very large vessel or a tow or when approaching a vessel at close range (1).

Question 8 20140601-q6b-p2

R.7

(b) If there is any doubt what should you do? (R.7) (1)

Question 9 20140601-q6c-p2

R.7

(c) What should you not make assumptions based upon? (R.7) (1)

Question 10 20140601-q7a-p2

R.14

7. (a) What kind of situation is developing? (R.14) (1)

Question 11 20140601-q7b-p2

R.14 & R.34a

(b) What action will you take? (R.14 & R.34a) (2)

Question 12 20140601-q8a-p2

R.8

8. (a) What should be the result of your action in Q.7? (R.8) (1)

Question 13 20140601-q8b-p2

R.8

(b) How will you assess if your action in Q.7 is sufficient? (R.8) (1)

Question 14 20140601-q9-p2

R.3

9. What condition do you now find yourself navigating in? (R.3) (1)

Question 15 20140601-q10-p2

R.19

10. What speed and what machinery configuration should you now adopt? (R.19)
(2)

Question 16 20140601-q11-p2

R.19

11. What action do you take, when do you take it and what specifically should be avoided? (R.19)
(3)

Question 17 20140601-q13-p2

R.35

13. What sound signal would you expect to hear from her? (R.35) (1)

Question 18 20140601-q14-p2

R.15

14. Does the fact the visibility has lifted sufficiently for you to see her change the action you would take, what would you do differently and why? (R.15) (2)

Question 19 20140601-q15-p2

R.26

15. What are these vessels likely to be? (R.26) (1)

Question 20 20140601-q16-p2

16. What specifically might these vessels be engaged in? (ICS) (1)

Pair trawling (1)

You pass all of the vessels safely and hand over the watch to head below for lunch. Later, you're back on watch for the evening, the sun has long since set and with no moon it is a particularly black night and good for star spotting. You see the following lights at G45:

R

W R

W

Question 21 20140601-q17a-p2

R.30

17. (a) What type of vessel is it? (R.30) (1)

Question 22 20140601-q17b-p2

R.30

(b) What shape(s) would this vessel display by day? (R.30) (1)

Question 23 20140601-q18a-p2

R.24

18. (a) What type of vessel is it? (R.24) (3)

Question 24 20140601-q18b-p2

R.24

(b) What shapes would you see by day? (R.24) (3)

Question 25 20140601-q19-p2

R.15

19. Who is the give way vessel? (R.15) (1)

Question 26 20140601-q20a-p2

R.17

20. (a) What may you do and when may you do it? (R.17) (1)

Question 27 20140601-q20b-p2

R.17

(b) If you took this action, what should you avoid? (R.17) (1)

Question 28 20140601-q21-p2

R.17

21. What action shall you take? (R.17) (1)

Question 29 20140601-q22a-p2

R.27

22. (a) What type of vessel is it? (R.27) (1)

Question 30 20140601-q22b-p2

R.27

(b) What shapes would this vessel display by day? (R.27) (1)

Question 31 20140601-q23-p2

R.16

23. What do the Rules dictate your action should be and when should you take it? (R.16)

(1)

Question 32 20140601-q24-p2

R.3,14,16&18

24. Are you justified in turning to port to avoid this vessel? Why? (R.3,14,16&18)

(2)

20140901-Fleet ROR Sep 14 Final-U.pdf

20140901-Fleet ROR Sep 14 Final-U.pdf

SCENARIO

FLEET RULE OF THE ROAD TEST

ANSWERS

Question 1 20140901-q1 R.3

1. Do the Rules apply to the Sea Plane? (R.3) (1)

Question 2 20140901-q2 R.18e

2. If so, how should the Sea Plane operate, once it has landed? (R.18e) (2)

Question 3 20140901-q3 R.8fiii

3. As you assess there is a risk of collision, does this change any obligations between you and the Sea Plane? (R.8fiii)(2)

Question 4 20140901-q4 R.10di

4. Are you correct to use the ITZ? Justify your answer. (R.10di)(2)

Question 5 20140901-q5 R.10dii

5. When can you use the ITZ in accordance with the Rules? (R.10dii)(2)

Question 6 20140901-q6 R.10c

6. What do the IRPCS say about crossing traffic lanes within a TSS?(R.10c)(2)

Question 7 20140901-q7 R.10a

7. How would you know if the TSS had been adopted by the IMO? Would it make any difference to your answer above? (R.10a)(2)

Question 8 20140901-q8 R.10k/l

8. What vessels are exempt from complying with the rules regarding TSS's and to what extent? (R.10k/l)(4)

Question 9 20140901-q9

9. Who has priority between the RAS group and the unit launching her helo?

Question 10 20140901-q10
R.5

10. What do the rules state about keeping a good lookout?(R.5)(1)

Question 11 20140901-q11
R.6

11. Do you consider this to be a safe speed? Justify your answer (R.6)(1)

Question 12 20140901-q12
R.7b

12. How should radar be used to assist you in determining if RoC exists?
(R.7b)(2)

Question 13 20140901-q13
R.6b

13. What factors shall be among those taken into account, assuming your radar is operational?(R.6b)(3)

Question 14 20140901-q14
R.3l

14. How do the rules define restricted visibility? (R.3l)(1)

Question 15 20140901-q15
R.22a

15. What are you expecting him to reply with?(R.22a)(2)

Question 16 20140901-q16
R.19e

16. Your lookout reports hearing a sound signal apparently forward of the beam, but you have nothing on your radar. What do the rules state you should do?
(R.19e)(2)

Question 17 20140901-q17
R.1e

17. How is this allowed in accordance with the IRPCS? (R.1e)(2)

Question 18 20140901-q18
R.12b

18. How do the Rules describe the windward side of a sailing vessel? (R.12b)(1)
The windward side shall be deemed to be the side opposite to that on which the mainsail is carried, or, in the case of a square rigged vessel, the side opposite to that on which the largest fore-and-aft sail is carried.(1)

Question 19 20140901-q19
R.3

19. As the situation with the sailing vessel is being resolved, the SCC request an “Emergency Stop” on both shafts. What condition can you now claim?(R.3)(1)

Question 20 20140901-q20

R.27

20. What shapes, if any, will you now show? (R.27)(1)

Question 21 20140901-q21

R.18b

21. If a Risk of collision existed between you and the sailing vessel, would this change the situation (R.18b) (1)

Question 22 20140901-q22

R.35

22. If this defect had occurred whilst you were in reduced visibility, what sound signal (if any) should you be making? (R.35) (1)

Question 23 20140901-q23

R.27d

23. What type of vessel is this? (R.27d)(3)

Question 24 20140901-q24

R.35

24. What sound signal would this vessel make in restricted visibility? (R.35) (1)

Question 25 20140901-q25

R.8e

25. If you needed more time to ascertain the exact developing situation, what would you do? (R.8e) (1)

Question 26 20140901-q26

R.7d

26. When determining whether or not a risk of collision exists what should you take into consideration and what should avoid when making assumptions? (R.7d) (3)

Question 27 20140901-q27

R.8c

27. If there is sufficient sea room, what may be the most effective action to avoid a close quarters situation?(R.8c)(1)

Question 28 20140901-q28

R.9

28. What vessels shall not impede the passage of a vessel which can safely navigate only within a Narrow Channel or Fairway?(R.9)(2)

Fleet ROR OCTOBER 2014

20141001-Fleet ROR Oct 14 Final-U.pdf

SCENARIO

FLEET RULE OF THE ROAD TEST OCTOBER 2014

This test is based on: The International Regulations for Preventing Collisions at Sea (1972) with amendments in force up to December 2009 as detailed in "A Seaman's Guide Pocket Book of The International Regulations for Preventing Collisions at Sea" (BR 453 Supp), ATP1(E)Vol I and the Mariners Handbook (NP100).

BR454 "A Guide to the Collision Avoidance Rules" 6

th

Edition by Cockcroft and Lameijer

was categorised as obsolescent by NCHQ in August 2011. Care should be taken when utilising the 6

th

Edition as the information contained within may not reflect the most recent changes to the regulations.

The test is designed to be given to any Warfare Officer, Deck officer, Officer undertaking bridge watch-keeping duties or Young Officer/Cadet. The test should be administered under written exam conditions, the results should be recorded in the ROR/training logbook for inspection by FLEET/FOST navigation staff.

In this test, any change in the status of the ship or of the environment will be indicated in the script.

Rules 1 to 19, 34, 35 and Annex IV must be known instinctively for instant application. A thorough knowledge of the other rules is required. The pass mark is 90%.

Answers are provided for uniformity of marking. This test is completely scenario based.

PART 1

You are the SSD Officer of the Watch of a T45 destroyer (length 152 meters). You are departing Portsmouth Harbour and have just passed Spit Sand Fort abeam to starboard on the 181 Leg towards OSB. It is the forenoon watch and rain showers have reduced visibility to 4NM. The shipping is moderate.

Question 1 20141001-q1

R. 1a

1. You sight a small power-driven vessel at R20, range 1NM. You take an initial bearing and notice that you are 10 degrees on the starboard bow of the vessel. The DME0 asks if the Rules apply to this vessel. What is your answer and to whom do they apply? (R. 1a) (2)

Question 2 20141001-q2

R. 9b

2. You report the vessel to the Captain who observes that the contact has made a bold alteration of course to starboard. The bearing of the vessel is now drawing safely left and passes 5 cables to port. As you are navigating in a narrow channel, which vessels should not impede your safe passage? (R. 9b)

(2)

Question 3 20141001-q3

R. 9a

3. How should you proceed along the course of a narrow channel or fairway? (R. 9a)

(1)

Question 4 20141001-q4

R. 23b

4. As you pass OSB to starboard you notice that a hovercraft has departed Ryde Pier, now at G50, range 3NM. At night, when making way, what lights would you expect the hovercraft (>50m length) to display? (R. 23b)

(3)

Question 5 20141001-q5

R. 3d

5. You make an alteration of course to port and continue towards Nab Channel. Operating close to St.Helen's Road Anchorage, you notice a small group of vessels engaged in fishing. How are these vessels defined by the Rules? (R. 3d) (2)

Question 6 20141001-q6

R. 26c

6. As the vessels are operating by day, what shapes should they exhibit? (R. 26c) (1)

Question 7 20141001-q7a

R. 14a

7. You continue your passage along the channel and sight the Motor Tanker Hanne Knutsen inbound to Fawley. You are on her Ship's head and her bearing is steady. In this situation:

a. What action should you take in accordance with the Rules? (R. 14a) (1)

Question 8 20141001-q7b

R. 14b

7. You continue your passage along the channel and sight the Motor Tanker Hanne Knutsen inbound to Fawley. You are on her Ship's head and her bearing is steady. In this situation:

b. When shall such a situation be deemed to exist? (R. 14b) (2)

Question 9 20141001-q7c

R. 34a

7. You continue your passage along the channel and sight the Motor Tanker Hanne Knutsen inbound to Fawley. You are on her Ship's head and her bearing is steady. In this situation:

c. You inform the Captain that you intend to manoeuvre as required by Rule 14. He asks you to make the appropriate signal using the Ship's whistle. What sound signal do you make? (R. 34a) (1)

Question 10 20141001-q8a

R. 28 · R. 3h

8. As you pass the Hanne Knutsen safely, you notice that a black cylinder is displayed at the masthead. What does this day shape indicate? (R. 28) (1)

a. How is such a vessel defined by the Rules? (R. 3h) (2)

Question 11 20141001-q8b

R. 28 · R. 18d

8. As you pass the Hanne Knutsen safely, you notice that a black cylinder is displayed at the masthead. What does this day shape indicate? (R. 28) (1)

b. How should the Hanne Knutsen navigate in the channel? (R. 18d) (1)

Question 12 20141001-q8c

R. 28 · R. 18d

8. As you pass the Hanne Knutsen safely, you notice that a black cylinder is displayed at the masthead. What does this day shape indicate? (R. 28) (1)

c. If the circumstances of the case admit, which vessels should avoid impeding the safe passage of a vessel constrained by her draught? (R. 18d) (3)

Question 13 20141001-q8d

R. 28 · R. 22/28

8. As you pass the Hanne Knutsen safely, you notice that a black cylinder is displayed at the masthead. What does this day shape indicate? (R. 28) (1)

d. What lights would you expect this vessel to exhibit at night and what is the minimum range you would expect to see them? (R. 22/28) (3)

Question 14 20141001-q9a

R. 6a

9. You continue past Nab Tower and the traffic density begins to reduce. On falling out from SSD you are concerned by the deteriorating weather in the vicinity. A heavy rainstorm passes through and visibility reduces significantly. You call the CO and NO to inform them. In doing so you have determined that in the prevailing situation, safe speed is 10 knots.

a. In determining safe speed what factors shall be among those taken into account by all vessels? (R. 6a) (3)

Question 15 20141001-q9b

R. 35a

9. You continue past Nab Tower and the traffic density begins to reduce. On falling out from SSD you are concerned by the deteriorating weather in the vicinity. A heavy rainstorm passes through and visibility reduces significantly. You call the CO and NO to inform them. In doing so you have determined that in the prevailing situation, safe speed is 10 knots.

b. What sound signal should you make? (R. 35a) (1)

Question 16 20141001-q9c

R. 19b

9. You continue past Nab Tower and the traffic density begins to reduce. On falling out from SSD you are concerned by the deteriorating weather in the vicinity. A heavy rainstorm passes through and visibility reduces significantly. You call the CO and NO to inform them. In doing so you have determined that in the prevailing situation, safe speed is 10 knots.

c. What do the rules state about safe speed in restricted visibility?
(R. 19b) (1)

Question 17 20141001-q10a

R. 19d

10. You receive a call from the SPS who reports a contact on radar at G30 range 4 miles. The CPA is reported as 3 cables on your starboard beam.

a. What do the rules state about this situation and the actions you should take? (R. 19d) (2)

Question 18 20141001-q10b

R. 35c

10. You receive a call from the SPS who reports a contact on radar at G30 range 4 miles. The CPA is reported as 3 cables on your starboard beam.

b. You make a shipping report to the CO and take avoiding action in good time. Continuing south-west towards St. Catherine's Point, you hear a fog signal to port consisting of one prolonged blast followed by two short blasts. What type of vessel could this be? (R. 35c) (3)

Question 19 20141001-q10c

R. 19e

10. You receive a call from the SPS who reports a contact on radar at G30 range 4 miles.

The CPA is reported as 3 cables on your starboard beam.

c. You check the radar and hold no steady contacts on the port side other than a faint echo at R20, range 5 cables. You cannot track the echo effectively or generate an accurate CPA using the radar. What action should you take in accordance with the rules?

(R. 19e) (2)

Question 20 20141001-q10d

10. You receive a call from the SPS who reports a contact on radar at G30 range 4 miles.

The CPA is reported as 3 cables on your starboard beam.

d. The contact closes to 1 mile and you sight the following lights:

R

G

R

Question 21 20141001-q10e

R. 25a/c

10. You receive a call from the SPS who reports a contact on radar at G30 range 4 miles.

The CPA is reported as 3 cables on your starboard beam.

e. What type of vessel is this? (R. 25a/c) (2)

Question 22 20141001-q11a

R. 15

11. The vessel passes clear down your port side and you notice that visibility is rapidly improving as the rainstorm passes through to the north. You assess visibility as 10nm and inform the CO who is happy for you now to increase speed to meet the required SOA. As you come up in speed you sight a small cargo vessel at G30, range 3nm. You assess that you are 40 degrees on her port bow and her bearing is steady.

a. In accordance with the Rules what action should you take? (R. 15) (1)

Question 23 20141001-q11b

R. 17

11. The vessel passes clear down your port side and you notice that visibility is rapidly improving as the rainstorm passes through to the north. You assess visibility as 10nm and inform the CO who is happy for you now to increase speed to meet the required SOA. As you come up in speed you sight a small cargo vessel at G30, range 3nm. You assess that you are 40 degrees on her port bow and her bearing is steady.

b. What should the cargo vessel do? (R. 17) (1)

Question 24 20141001-q11c

R. 8e

11. The vessel passes clear down your port side and you notice that visibility is rapidly improving as the rainstorm passes through to the north. You assess visibility as 10nm and inform the CO who is happy for you now to increase speed to meet the required SOA. As you come up in speed you sight a small cargo vessel at G30, range 3nm. You assess that you are 40 degrees on her port bow and her bearing is steady.

c. The vessel is now at 5 cables and you have not taken any action to avoid collision. You decide, given the closing range, that urgent action is required to avoid collision and inform the CO. What could you decide to do? (R. 8e) (1)

Question 25 20141001-q11d

R. 8a

11. The vessel passes clear down your port side and you notice that visibility is rapidly improving as the rainstorm passes through to the north. You assess visibility as 10nm and inform the CO who is happy for you now to increase speed to meet the required SOA. As you come up in speed you sight a small cargo vessel at G30, range 3nm. You assess that you are 40 degrees on her port bow and her bearing is steady.

d. How should action be taken to avoid collision in accordance with the rules? (R. 8a) (1)

Question 26 20141001-q12a

R. 8c · R. 8b

12. The cargo vessel takes avoiding action in accordance with Rule 17b and makes a bold alteration of course to starboard. A collision narrowly avoided, the vessel passes 2 cables clear down your port side. The CO comes to the bridge to debrief you on the recent incident. He stresses the importance of the Rules and the requirement to act early to generate 'thinking time' in a developing situation. You both reflect on the shipping situation and agree that a simple alteration of course would have resolved the problem early. If taking action to avoid collision by alteration of course alone, what should you consider? (R. 8c) (2)

a. How apparent should the alteration of course be and what should you avoid doing? (R. 8b) (2)

Question 27 20141001-q13

R. 18a

13. The CO calls the NO and instructs him to plan a series of OOW shareholders to discuss RoR and likely scenarios in more detail. The Captain would like you to focus on Rules 8 and 18. Your 2OOW is interested in responsibility between vessels and asks what is required of the Ship. What is your answer? (R. 18a) (2)

Fleet ROR DEC 14

20141201-Fleet ROR Dec 14 Final-U.pdf

SCENARIO

FLEET RULE OF THE ROAD TEST DEC 14

This test is based on: The International Regulations for Preventing Collisions at Sea (1972) with amendments in force up to December 2009 as detailed in "A Seaman's Guide Pocket Book of The International Regulations for Preventing Collisions at Sea" (BR 453 Supp), ATP1(E)Vol I and the Mariners Handbook (NP100).

BR454 "A Guide to the Collision Avoidance Rules" 6

th

Edition by Cockcroft and Lameijer

was categorised as obsolescent by NCHQ in August 2011. Care should be taken when utilising the 6

th

Edition as the information contained within may not reflect the most recent changes to the regulations.

The test is designed to be given to any Warfare Officer, Deck officer, Officer undertaking bridge watch-keeping duties or Young Officer/Cadet. The test should be administered under written exam conditions, the results should be recorded in the ROR/training logbook for inspection by FLEET/FOST navigation staff.

In this test, any change in the status of the ship or of the environment will be indicated in the script.

Rules 1 to 19, 34, 35 and Annex IV must be known instinctively for instant application. A thorough knowledge of the other rules is required. The pass mark is 90%.

Answers are provided for uniformity of marking. This test is completely scenario based.

You are OOW in HMS ST ALBANS. You have just sailed from Brest, France on passage to Newcastle. It is the morning watch with fair weather although heavy rain is expected later in the day. Shipping is beginning to increase in volume as you line up for the NE-bound traffic lane of the Dover Straits TSS.

Question 1 20141201-q1

1. What are you not relieved of with regard to TSS adopted by the Organisation?

Question 2 20141201-q2

R.10

2. How does R.10 say you shall use a traffic lane? (R.10) (3)

Question 3 20141201-q3

R.7

3. In determining if ROC exists what considerations should be taken into account?

(R.7) (2)

Question 4 20141201-q4

R.15

4. Who is the give-way vessel and why? (R.15) (2)

Question 5 20141201-q5

R.15, R.16 & R.17

5. What action should each vessel take? (R.15, R.16 & R.17) (3)

Question 6 20141201-q6

R.20

6. When do the Rules state you should exhibit navigation lights? (R.20) (3)

Question 7 20141201-q7

R.28

7. What shapes would you expect this VLCC to display and where? (R.28)

(1)

Question 8 20141201-q8

R.18

8. How should a vessel of this type navigate? (R.18) (1)

Question 9 20141201-q9

R.35

9. What sound signal would this vessel sound, while underway, in restricted visibility and at what interval? (R.35)

(1)

Question 10 20141201-q10

R.13

10. Who is the give-way vessel and why? (R.13) (2)

Question 11 20141201-q11

R.6

11. What factors should all vessels consider when determining a safe speed, in any state of visibility? (R.6)

(6)

Question 12 20141201-q12

R.10k

12. When operating within a TSS, a vessel restricted in her ability to manoeuvre, engaged in an operation for the maintenance of safety of navigation, is exempted from what, and to what extent? (R.10k)

(2)

Question 13 20141201-q13

R.26

13. What are these vessels likely to be, and what does the additional shape signify?

(R.26) (1)

Question 14 20141201-q14

R.26

14. What lights would these vessels display by night if making way? (R.26) (4)

Question 15 20141201-q15

15. As you approach, who has the obligation to keep out of the way? (1)

You rendezvous with RFA WAVE KNIGHT and commence replenishing.

Question 16 20141201-q16

R.3

16. What status could you now claim under the Rules? (R.3) (1)

Question 17 20141201-q17

R.3

17. List 3 other activities that a vessel could be engaged in, which would result in this

status. (R.3) (3)

Question 18 20141201-q18

ATP1(E)

18. List 2 types of vessel that could be involved in military operations and claim the

same status but are not mentioned in the Rules. (ATP1(E)) (2)

Question 19 20141201-q19

R.27

19. What shapes would you display whilst engaged in the replenishment operation?

(R.27) (1)

Question 20 20141201-q20

R.21, 22

20. What is the arc of visibility and range of the masthead light OOW2 has just switched

on? (R.21, 22) (2)

Question 21 20141201-q21

R.35

21. What sound signal should a vessel Not Under Command make, and at what interval? (R.35)

(2)

Question 22 20141201-q22

R.19

22. Given that you have detected this contact by radar alone, what actions should you take, and what action should be avoided? (R.19) (2)

Question 23 20141201-q23

R.19

23. If you cannot avoid a close quarters situation with this vessel, what action do the rules state you shall take? (R.19) (1)

Question 24 20141201-q24

R.14

24. What situation is developing? (R.14) (1)

Question 25 20141201-q25

R.14

25. Who is the give-way vessel and why? (R.14) (2)

Question 26 20141201-q1

1. What are you not relieved of with regard to TSS adopted by the Organisation?

Question 27 20141201-q2

R.10

2. How does R.10 say you shall use a traffic lane? (R.10) (3)

Question 28 20141201-q3

R.7

3. In determining if ROC exists what considerations should be taken into account?
(R.7) (2)

Question 29 20141201-q4

R.15

4. Who is the give-way vessel and why? (R.15) (2)

Question 30 20141201-q5

R.15, R.16 & R.17

5. What action should each vessel take? (R.15, R.16 & R.17) (3)

Question 31 20141201-q6

R.20

6. When do the Rules state you should exhibit navigation lights? (R.20) (3)

Question 32 20141201-q7

R.28

7. What shapes would you expect this VLCC to display and where? (R.28)
(1)

Question 33 20141201-q8

R.18

8. How should a vessel of this type navigate? (R.18) (1)

Question 34 20141201-q9

R.35

9. What sound signal would this vessel sound, while underway, in restricted visibility and at what interval? (R.35) (1)

Question 35 20141201-q10

R.13

10. Who is the give-way vessel and why? (R.13) (2)

Question 36 20141201-q11

R.6

11. What factors should all vessels consider when determining a safe speed in any state of visibility? (R.6) (6)

Question 37 20141201-q12

R.10k

12. When operating within a TSS, a vessel restricted in her ability to manoeuvre, engaged in an operation for the maintenance of safety of navigation, is exempted from what, and to what extent? (R.10k) (2)

Question 38 20141201-q13

R.26

13. What are these vessels likely to be, and what does the additional shape signify? (R.26) (1)

Question 39 20141201-q14

R.26

14. What lights would these vessels display by night if making way? (R.26) (4)

Question 40 20141201-q15

R.18

15. As you approach, who has the obligation to keep out of the way? (R.18) (1)

Question 41 20141201-q16

R.3

16. What status could you now claim under the Rules? (R.3) (1)

Question 42 20141201-q17

R.3

17. List 3 other activities that a vessel could be engaged in, which would result in this status. (R.3) (3)

Question 43 20141201-q18

ATP1(E)

18. List 2 types of vessel that could be involved in military operations and claim the same status but are not mentioned in the Rules. (ATP1(E)) (2)

(ATP1(E) Ch 1 Art 2242):

Ships engaged in launching or recovery of landing craft utilities (1)

Ships engaged in launching or recovery of arrays (1)

Question 44 20141201-q19

R.27

19. What shapes would you display whilst engaged in the replenishment operation?

(R.27) (1)

Question 45 20141201-q20

R.21, 22

20. What is the arc of visibility and range of the masthead light OOW2 has just switched on? (R.21, 22) (2)

Question 46 20141201-q21

R.35

21. What sound signal should a vessel Not Under Command make, and at what interval? (R.35) (2)

Question 47 20141201-q22

R.19

22. Given that you have detected this contact by radar alone, what actions should you take, and what action should be avoided? (R.19) (2)

Question 48 20141201-q23

R.19

23. If you cannot avoid a close quarters situation with this vessel, what action do the rules state you shall take? (R.19) (1)

Question 49 20141201-q24

R.14

24. What situation is developing. (R.14) (1)

Question 50 20141201-q25

R.14

25. Who is the give-way vessel and why? (R.14) (2)

Fleet ROR JANUARY 2015

20150105-Fleet ROR Jan 15 Final-U.pdf

SCENARIO

FLEET RULE OF THE ROAD TEST JANUARY 2015

This test is based on: The International Regulations for Preventing Collisions at Sea (1972) with amendments in force up to December 2009 as detailed in "A Seaman's Guide Pocket Book of The International Regulations for Preventing Collisions at Sea" (BR 453 Supp), ATP1(E)Vol I and the Mariners Handbook (NP100).

BR 454 "A Guide to the Collision Avoidance Rules" 6

th

Edition by Cockcroft and Lameijer

was categorised as obsolescent by NCHQ in August 2011. Care should be taken when utilising the 6

th

Edition as the information contained within may not reflect the most recent changes to the regulations.

The test is designed to be given to any Warfare Officer, Deck officer, Officer undertaking bridge watch-keeping duties or Young Officer/Cadet. The test should be administered under written exam conditions, the results should be recorded in the ROR/training logbook for inspection by FLEET/FOST navigation staff.

In this test, any change in the status of the ship or of the environment will be indicated in the script. Rules 1 to 19, 34, 35 and Annex IV must be known instinctively for instant application. A thorough knowledge of the other rules is required. The pass mark is 90%.

Answers are provided for uniformity of marking. This test is completely scenario based.

You are the NO in HMS DEFENDER (Length 152.4m) alongside in Busan, South Korea. You are due to sail tomorrow to act as Plane Guard for the China Sea US CVN, for a short air defence exercise and are conducting a session of OOW shareholders prior to sailing.

Question 1 20150105-q1a

1. The embarked US Officer has been based in Busan for some time and has some local knowledge to impart. He tells the team that the direction of buoyage is reversed in relation to that encountered in the UK.

a. Why is this? (1)

SCENARIO

FLEET RULE OF THE ROAD TEST JANUARY 2015

This test is based on: The International Regulations for Preventing Collisions at Sea (1972) with amendments in force up to December 2009 as detailed in "A Seaman's Guide Pocket Book of The International Regulations for Preventing Collisions at Sea" (BR 453 Supp), ATP1(E)Vol I and the Mariners Handbook (NP100).

BR 454 "A Guide to the Collision Avoidance Rules" 6

th

Edition by Cockcroft and Lameijer

was categorised as obsolescent by NCHQ in August 2011. Care should be taken when utilising the 6

th

Edition as the information contained within may not reflect the most recent changes to the regulations.

The test is designed to be given to any Warfare Officer, Deck officer, Officer undertaking bridge watch-keeping duties or Young Officer/Cadet. The test should be administered under written exam conditions, the results should be recorded in the ROR/training logbook for inspection by FLEET/FOST navigation staff.

In this test, any change in the status of the ship or of the environment will be indicated in the script. Rules 1 to 19, 34, 35 and Annex IV must be known instinctively for instant application. A thorough knowledge of the other rules is required. The pass mark is 90%.

Answers are provided for uniformity of marking. This test is completely scenario based.

You are the NO in HMS DEFENDER (Length 152.4m) alongside in Busan, South Korea. You are due to sail tomorrow to act as Plane Guard for the China Sea US CVN, for a short air defence exercise and are conducting a session of OOW shareholders prior to sailing.

Question 2 20150105-q1b

R. 9

1. The embarked US Officer has been based in Busan for some time and has some local knowledge to impart. He tells the team that the direction of buoyage is reversed in relation to that encountered in the UK.
- b. Does this change any obligations under the narrow channel rule? (R. 9) (1)

Question 3 20150105-q2

R. 1b

2. There are several local rules outlined for Busan. What do the Rules state about the operation of Special Rules? (R. 1b) (2)

Question 4 20150105-q3

R. 3i

3. One local rule specific to the inland waters of Busan is that a vessel must sound one prolonged blast when getting underway. When un-berthing tomorrow, specifically at what point will you be underway? (R. 3i) (2)

SCENARIO

After shareholders, you brief the CO on the departure. While examining the charts, he has several questions.

Question 5 20150105-q4a

R. 9a

4. The navigation track has been drawn down the centre of the main channel.

a. How should a vessel navigate down the course of a narrow channel or fairway? (R. 9a)

(1)

SCENARIO

After shareholders, you brief the CO on the departure. While examining the charts, he has several questions.

Question 6 20150105-q4b

R. 9b

4. The navigation track has been drawn down the centre of the main channel.

b. What vessel(s) shall not impede the passage of a vessel which can navigate only within a narrow channel or fairway? (R. 9b) (1)

SCENARIO

After shareholders, you brief the CO on the departure. While examining the charts, he has several questions.

Question 7 20150105-q4c

R. 9f

4. The navigation track has been drawn down the centre of the main channel.

c. There are several blind bends along the navigation track. What actions should you take when nearing a bend or an area of a narrow channel or fairway where other vessels may be obscured by an intervening obstruction? (R. 9f) (2)

The CO approves the departure plan. After a quiet evening alongside you are up on the bridge in the morning to make final preparations for sailing.

Question 8 20150105-q5a

R. 29a

5. You sight a vessel in the early morning twilight proceeding outbound in the main channel showing white over red masthead lights in addition to sidelights and sternlight.

a. What can you deduce about this vessel? (R. 29a) (2)

Question 9 20150105-q5b

R. 35k

5. You sight a vessel in the early morning twilight proceeding outbound in the main channel showing white over red masthead lights in addition to sidelights and sternlight.

b. What additional sound signals would this vessel sound in restricted visibility? (R. 35k)

(2)

The ship closes up SSD and the un-berthing proceeds without incident; the CO hands you the ship and you commence the outbound pilotage.

Question 10 20150105-q6

6. On taking the ship you sight a small power-driven vessel at green 45 at 6 cables crossing the channel. Her bearing is steady. Who is the give-way vessel, what action, if any, are you required to take and what is the obligation of the other vessel given she had already impeded your passage?

SCENARIO

(R. 9b, 9d, 8f, 15, 34d) (5)

The above situation is resolved and the pilotage continues. Looking ahead you sight a group of sailing vessels.

Question 11 20150105-q7

R 25e

7. How would you tell if these sailing vessels are operating any propelling machinery? (R 25e)

(1)

Question 12 20150105-q8

R 12b

8. When 2 sailing vessels are approaching each other so as to involve ROC, with the wind on different sides, who keeps out the way of whom, and how is the windward side defined? (R 12b)

(2)

SCENARIO

The departure continues without incident and you leave the harbour, but remain within a buoyed channel.

Question 13 20150105-q9a

R. 13b

9. The OOW reports an outbound merchant vessel closing slowly at red 170 at 2nm.

a. What situation is this and why? (R. 13b) (2)

SCENARIO

The departure continues without incident and you leave the harbour, but remain within a buoyed channel.

Question 14 20150105-q9b

R. 13d

9. The OOW reports an outbound merchant vessel closing slowly at red 170 at 2nm.
- b. If you alter course 70° to port in accordance with your navigation track how would this change the situation? (R. 13d) (2)

SCENARIO

The departure continues without incident and you leave the harbour, but remain within a buoyed channel.

Question 15 20150105-q9c

R 6a

9. The OOW reports an outbound merchant vessel closing slowly at red 170 at 2nm.
- c. Your CO, embarrassed by being overtaken by a merchant vessel, suggests an increase in speed to 20 knots. What do the rules say about safe speed? List the factors that shall be among those taken into account by all vessels. (R 6a) (4)

Question 16 20150105-q10a

R. 26b and c

10. You clear the port and fall out SSD. At red 20 at 5nm you sight two small power driven vessels. Their range is closing and both of their bearings are drawing very slowly right. They physically appear to be fishing vessels underway and you confirm this via their AIS transmissions. As you get closer you sight two cones apexes together on both vessels.
- a. What do these shapes mean? (R. 26b and c) (1)

Question 17 20150105-q10b

R. 3d

10. You clear the port and fall out SSD. At red 20 at 5nm you sight two small power driven vessels. Their range is closing and both of their bearings are drawing very slowly right. They physically appear to be fishing vessels underway and you confirm this via their AIS transmissions. As you get closer you sight two cones apexes together on both vessels.
- b. How is this category of vessel defined? (R. 3d) (1)

Question 18 20150105-q10c

R. 26b

10. You clear the port and fall out SSD. At red 20 at 5nm you sight two small power driven vessels. Their range is closing and both of their bearings are drawing very slowly right. They physically appear to be fishing vessels underway and you confirm this via their AIS transmissions. As you get closer you sight two cones apexes together on both vessels.
- c. What lights would these vessels show by night? (R. 26b) (3)

Question 19 20150105-q10d

R. 35c

10. You clear the port and fall out SSD. At red 20 at 5nm you sight two small power driven vessels. Their range is closing and both of their bearings are drawing very slowly right. They physically appear to be fishing vessels underway and you confirm this via their AIS transmissions. As you get closer you sight two cones apexes together on both vessels.

d. What sound signals would this category of vessel make in restricted visibility? (R. 35c)
(2)

Question 20 20150105-q10e

R. 34a

10. You clear the port and fall out SSD. At red 20 at 5nm you sight two small power driven vessels. Their range is closing and both of their bearings are drawing very slowly right. They physically appear to be fishing vessels underway and you confirm this via their AIS transmissions. As you get closer you sight two cones apexes together on both vessels.

e. In accordance with Rule 18 you make a bold alteration of course to starboard to keep clear of the fishing vessels. Should you use sound signals prior to this manoeuvre? Justify your answer. (R. 34a) (3)

You clear these vessels and increase speed to make your ADEX RV. Unfortunately visibility begins to reduce to 1nm.

Question 21 20150105-q11a

R 3l

11. You detect a vessel by radar alone at red 20 at 1.5nm.

a. How is restricted visibility defined in the rules? (R 3l) (1)

Question 22 20150105-q11b

R. 19d

11. You detect a vessel by radar alone at red 20 at 1.5nm.

b. List your reactions to this contact. (R. 19d) (3)

Question 23 20150105-q11c

R. 19a, 15

11. You detect a vessel by radar alone at red 20 at 1.5nm.

c. You assess the contact in (a) to be drawing rapidly left with a CPA in excess of 2nm.

You now hold a small power driven vessel visually at green 40 at 9c; you are 60° on her port bow and her bearing is drawing very slowly left. Does Rule 19 still apply? Explain how you would manoeuvre for this contact. (R. 19a, 15) (3)

Question 24 20150105-q12

R 7b

12. How should you use radar equipment, if it is fitted and operational? (R 7b) (2)

SCENARIO

Visibility now increases to in excess of 5nm and you continue transit to your RV.

Question 25 20150105-q13a

ATP1E

13. You approach the Carrier and her Battle Group and note that all other ships are in station.

a. What does ATP1E state about how ships not in station should manoeuvre? (ATP1E)

(1)

SCENARIO

Visibility now increases to in excess of 5nm and you continue transit to your RV.

Question 26 20150105-q13b

ATP1E

13. You approach the Carrier and her Battle Group and note that all other ships are in station.

b. How should ships in station manoeuvre? (ATP1E) (1)

SCENARIO

Visibility now increases to in excess of 5nm and you continue transit to your RV.

Question 27 20150105-q13c

ATP1E

13. You approach the Carrier and her Battle Group and note that all other ships are in station.

c. Once in station as plane guard, the USS GEORGE W BUSH commences fixed wing operations. What is the order of priority applicable to Allied naval ships? (ATP1E) (6)

SCENARIO

Visibility now increases to in excess of 5nm and you continue transit to your RV.

Question 28 20150105-q13d

ATP1E

13. You approach the Carrier and her Battle Group and note that all other ships are in station.

d. Do the above priorities take precedence over the International Regulations for Preventing Collisions at Sea in this situation? (ATP1E) (1)

The exercise completes at sunset. As you break away you note that the USS GEORGE W BUSH does not have navigation lights in standard positions.

Question 29 20150105-q14

R. 1c

14. What do the Rules say about the operation of special rules with respect to additional station or signal lights? (R. 1c) (2)

SCENARIO

Having been detached from the Carrier Group, you begin your transit toward the Malacca Strait and your next port visit.

Question 30 20150105-q16

R 10b(ii)

16. How should a vessel normally leave or join a traffic lane?(R 10b(ii)) (1)

Question 31 20150105-q17

R10d(i)

17. What vessels can use an Inshore Traffic Zone if they are not en-route to a port, Or offshore installation? (R10d(i)) (1)

Question 32 20150105-q18

R 10E

18. What do the rules state about vessels entering a separation zone or crossing a separation line? (R 10E) (2)

Fleet ROR Feb 2015

20150225-Fleet ROR Feb 15 Final-U.pdf

SCENARIO

FLEET RULE OF THE ROAD TEST Feb 2015

This test is based on: The International Regulations for Preventing Collisions at Sea (1972) with amendments in force up to December 2009 as detailed in "A Seaman's Guide Pocket Book of The International Regulations for Preventing Collisions at Sea" (BR 453 Supp), ATP1(E)Vol I and the Mariners Handbook (NP100).

BR454 "A Guide to the Collision Avoidance Rules" 6

th

Edition by Cockcroft

and Lameijer was categorised as obsolescent by NCHQ in August 2011. Care should be taken when utilising the 6

th

Edition as the information contained

within may not reflect the most recent changes to the regulations.

The test is designed to be given to any Warfare Officer, Deck officer, Officer undertaking bridge watch-keeping duties or Young Officer/Cadet. The test should be administered under written exam conditions, the results should be recorded in the ROR/training logbook for inspection by FLEET/FOST navigation staff.

In this test, any change in the status of the ship or of the environment will be indicated in the script. .

Rules 1 to 19, 34, 35 and Annex IV must be known instinctively for instant application. A thorough knowledge of the other rules is required. The pass mark is 90% (50 Marks).

Answers are provided for uniformity of marking. This test is completely scenario based.

You are the SSD Officer of the Watch of a T23 frigate (length 133 meters), having just passed Outer Spit Buoy and entered the Solent to make a transit to the Needles Channel. It is the forenoon watch, the weather is fine with good visibility, however a cold front is forecast. Shipping is moderate.

Question 1 20150225-q1

R. 15

1. As you alter course to the west the hovercraft from Southsea is on a converging course just ahead of your starboard beam. You are 25 degrees on her PORT bow. What action is required by the Rules if a risk of collision develops? (R. 15) (1)

Question 2 20150225-q2a

R. 34c

2. As you pass south of Ryde Middle you sight a small, slow moving tug and partially submerged tow in the channel ahead, length of tow >200m. You wish to overtake on the port side. (He will need to manoeuvre to allow you to pass.)

a. As you are unable to raise him on VHF, what sound signal can be made to signal your intention? (R. 34c)

(2)

Question 3 20150225-q2b

R. 34c

2. As you pass south of Ryde Middle you sight a small, slow moving tug and partially submerged tow in the channel ahead, length of tow >200m. You wish to overtake on the port side. (He will need to manoeuvre to allow you to pass.)

b. If the master of the vessel is in agreement, how can this be indicated by sound signal? (R. 34c) (1)

Question 4 20150225-q2c

R. 24

2. As you pass south of Ryde Middle you sight a small, slow moving tug and partially submerged tow in the channel ahead, length of tow >200m. You wish to overtake on the port side. (He will need to manoeuvre to allow you to pass.)

c. What shapes would you expect to see in the rigging of the tug and tow? (R. 24) (3)

Question 5 20150225-q3

R. 12b

3. As you pass Cowes you see the Tall Ships' race further down the Solent inbound to Southampton, including both square-rigged and fore and aft rigged vessels. Your Captain asks you how you would determine the windward side of either type of vessel? (R. 12b) (2)

Question 6 20150225-q4

R. 25e

4. There are also numerous small pleasure craft on the water, obviously enjoying the spectacle of the Tall Ships' race. The Captain draws your attention to several sailing vessels displaying shapes in the rigging consisting of a conical shape, apex down. She asks what this means? (R. 25e) (1)

Question 7 20150225-q5a

R. 9a

5. Continuing on your passage you sight a large merchant vessel at R10, you are fine on his port bow and he appears to be transiting along the centreline of the fairway.

a. How should a vessel navigate within a narrow channel or fairway?

(R. 9a) (1)

Question 8 20150225-q5b

R. 28

5. Continuing on your passage you sight a large merchant vessel at R10, you are fine on his port bow and he appears to be transiting along the centreline of the fairway.

b. You hear a conversation between the large merchant vessel and a small pleasure craft approaching the limits of the buoyed channel. The merchant vessel states that she is CBD. What shapes by day, and lights by night would you expect the merchant vessel to display? (R. 28) (2)

Question 9 20150225-q5c

R. 9b

5. Continuing on your passage you sight a large merchant vessel at R10, you are fine on his port bow and he appears to be transiting along the centreline of the fairway.

c. What do the rules state concerning the actions of the small pleasure craft approaching the buoyed channel? (R. 9b) (1)

Question 10 20150225-q5d

R. 9d, 34d

5. Continuing on your passage you sight a large merchant vessel at R10, you are fine on his port bow and he appears to be transiting along the centreline of the fairway.

d. What do the rules state regarding a vessel wishing to cross the main channel in such a situation, and what could the merchant vessel do if in doubt about the intention of the crossing vessel? (R. 9d, 34d) (2)

Question 11 20150225-q6a

6. As you pass the merchant vessel you notice a small vessel crossing his stern displaying a red and white vertical striped flag (flag hotel).

a. What does this indicate? (1)

Question 12 20150225-q6b

R. 29

6. As you pass the merchant vessel you notice a small vessel crossing his stern displaying a red and white vertical striped flag (flag hotel).

b. What lights would you expect this vessel to exhibit at night, when underway? (R. 29) (2)

Question 13 20150225-q7a

R. 35a

7. You continue down past the Needles without further incident. On falling out from SSD you take the remainder of the watch just as the rain starts and visibility begins to reduce. You call the CO to inform her and commence your check-offs for entering restricted visibility.

a. What sound signals will you commence? (R. 35a) (1)

Question 14 20150225-q7b

R. 21, 22

7. You continue down past the Needles without further incident. On falling out from SSD you take the remainder of the watch just as the rain starts and visibility begins to reduce. You call the CO to inform her and commence your check-offs for entering restricted visibility.

b. You switch on the appropriate navigation lights but on checking the port sidelight it appears dim. What are the visibility ranges and horizontal sectors for the lights applicable to your vessel? (R. 21, 22) (3)

Question 15 20150225-q7c

R. 19b

7. You continue down past the Needles without further incident. On falling out from SSD you take the remainder of the watch just as the rain starts and visibility begins to reduce. You call the CO to inform her and commence your check-offs for entering restricted visibility.

c. What do the rules state about safe speed in restricted visibility?
(R. 19b) (2)

Question 16 20150225-q8a

R. 19d

8. After discussion with the Navigation Officer you inform the CO that you intend to continue down the nav track at 12 knots. Shortly afterwards you detect a contact on radar at G10 range 5 miles. The vessel's course is parallel to your own but the CPA is on your starboard beam at 9 cables.

a. What do the rules state about this situation and the actions you should take? (R. 19d) (2)

Question 17 20150225-q8b

R. 35c

8. After discussion with the Navigation Officer you inform the CO that you intend to continue down the nav track at 12 knots. Shortly afterwards you detect a contact on radar at G10 range 5 miles. The vessel's course is parallel to your own but the CPA is on your starboard beam at 9 cables.

b. You take the appropriate action and continue with your watch. Soon afterwards you hear a fog signal consisting of one prolonged followed by two short blasts. What types of vessel could this be? (R. 35c) (3)

Question 18 20150225-q8c

R. 19e

8. After discussion with the Navigation Officer you inform the CO that you intend to continue down the nav track at 12 knots. Shortly afterwards you detect a contact on radar at G10 range 5 miles. The vessel's course is parallel to your own but the CPA is on your starboard beam at 9 cables.

c. On checking the radar you see that the previously reported contact has altered course and is now at G30 range 1.5 miles and is on a steady bearing. What action shall you take in accordance with the rules? (R. 19e) (3)

Question 19 20150225-q8d

8. After discussion with the Navigation Officer you inform the CO that you intend to continue down the nav track at 12 knots. Shortly afterwards you detect a contact on radar at G10 range 5 miles. The vessel's course is parallel to your own but the CPA is on your starboard beam at 9 cables.

d. The contact closes to 1 mile and you sight the following lights:

W

G W

W

G

What type of vessel is this and in what activity is it engaged? R26(b)(2)

Question 20 20150225-q9a

R. 15, 16 · R. 17a

9. The vessel alters course again and you pass clear, proceeding along the nav track. The cold front passes through and visibility increases to 12nm so you revert back to cruising watches. Shortly you spot a small merchant vessel at red 25, range 5 nm, you assess that you are 60 degrees on her starboard bow and her bearing is steady.

a. In accordance with the Rules what do you expect the vessel to do and how shall she act? (R. 15, 16) (2)

b What should you do? (R. 17a) (1)

Question 21 20150225-q9c

R. 34d

9. The vessel alters course again and you pass clear, proceeding along the nav track. The cold front passes through and visibility increases to 12nm so you revert back to cruising watches. Shortly you spot a small merchant vessel at red 25, range 5 nm, you assess that you are 60 degrees on her starboard bow and her bearing is steady.

c. The vessel is now at 2 nm and has not altered course. You are unsure of his intentions, what should you do? (R. 34d) (1)

Question 22 20150225-q9d

R. 17a

9. The vessel alters course again and you pass clear, proceeding along the nav track. The cold front passes through and visibility increases to 12nm so you revert back to cruising watches. Shortly you spot a small merchant vessel at red 25, range 5 nm, you assess that you are 60 degrees on her starboard bow and her bearing is steady.

d. When may you to take action? (R. 17a) (1)

Question 23 20150225-q9e

R. 17b

9. The vessel alters course again and you pass clear, proceeding along the nav track. The cold front passes through and visibility increases to 12nm so you revert back to cruising watches. Shortly you spot a small merchant vessel at red 25, range 5 nm, you assess that you are 60 degrees on her starboard bow and her bearing is steady.

e. When must you take action? (R. 17b) (1)

Question 24 20150225-q10a

R. 10f

10. At 1.5 nm vessel alters course and passes clear. The end of your watch is rapidly approaching but you note that the Ship is due to enter a TSS shortly. While preparing for the handover you discuss Rule 10 with the 2OOW.

a. How shall a vessel navigate near the terminations of a TSS? (R. 10f)

(1)

Question 25 20150225-q10b

R. 10b

10. At 1.5 nm vessel alters course and passes clear. The end of your watch is rapidly approaching but you note that the Ship is due to enter a TSS shortly. While preparing for the handover you discuss Rule 10 with the 2OOW.

b. How shall a vessel using a TSS navigate? (R. 10b) (2)

Question 26 20150225-q10c

R. 10i,j

10. At 1.5 nm vessel alters course and passes clear. The end of your watch is rapidly approaching but you note that the Ship is due to enter a TSS shortly. While preparing for the handover you discuss Rule 10 with the 2OOW.

c. Which types of vessel are to avoid impeding the passage of vessels following a traffic lane? (R. 10i,j) (3)

Question 27 20150225-q10d

R. 10k,l

10. At 1.5 nm vessel alters course and passes clear. The end of your watch is rapidly approaching but you note that the Ship is due to enter a TSS shortly. While preparing for the handover you discuss Rule 10 with the 2OOW.

d. Which types of vessel are exempt from complying with this rule, and to what extent? (R. 10k,l) (2)

Question 28 20150225-q11

11. As a diligent OOW you take your instructional duties very seriously and decide to set the 2OOW some homework prior to your next watch together. You ask him to find 6 signals that could be used to indicate distress or need of assistance. Of course, you already know the answer. (Annex VI) (6)

Fleet ROR FOR APRIL 2015

20150507-Fleet ROR Apr 15 Final-U.pdf

SCENARIO

FLEET RULE OF THE ROAD TEST FOR APRIL 2015

This test is based on: The International Regulations for Preventing Collisions at Sea (1972) with amendments in force up to December 2009 as detailed in "A Seaman's Guide Pocket Book of The International Regulations for Preventing Collisions at Sea" (BR 453 Supp), ATP1(E)Vol I and the Mariners Handbook (NP100).

BR454 "A Guide to the Collision Avoidance Rules" 6

th

Edition by Cockcroft and Lameijer

was categorised as obsolescent by NCHQ in August 2011. Care should be taken when utilising the 6

th

Edition as the information contained within may not reflect the most recent changes to the regulations.

The test is designed to be given to any Warfare Officer, Deck officer, Officer undertaking bridge watch-keeping duties or Young Officer/Cadet. The test should be administered under written exam conditions, the results should be recorded in the ROR/training logbook for inspection by FLEET/FOST navigation staff.

In this test, any change in the status of the ship or of the environment will be indicated in the script. .

Rules 1 to 19, 34, 35 and Annex IV must be known instinctively for instant application. A thorough knowledge of the other rules is required. The pass mark is 90% (65 Marks).

Answers are provided for uniformity of marking. This test is completely scenario based.

Question 1 20150507-q1

1. You are the OOW in HMS DARING (length 152.4 meters) about to sail from Portsmouth for Cherbourg. It is daylight with fair winds and good visibility, but a cold front is forecast to pass through the area later that day.

As you slip from the jetty and commence your passage outbound you notice RFA ORANGE LEAF alongside Gosport Jetty displaying a red flag, what does this signify? (ICS) (1)

Question 2 20150507-q2

2. On passing the Gap, the XO walks in from the Bridge wing and enquires why you are not flying CBD shapes, in accordance with QHM's direction. What is the definition of a vessel CBD, and does QHM have authority to prescribe you fly such shapes? (3)

Question 3 20150507-q3

R. 9a

3. As you proceed outbound you note that the nav track does not proceed along the centre of the buoyed channel. How should a vessel proceed along the course of a narrow channel or fairway? (R. 9a) (2)

Question 4 20150507-q4

R. 9f + 34e

4. On approaching Round Tower the CO is concerned about obscured craft and asks the Navigator to sound an appropriate sound signal. What is this and how should you navigate? (R. 9f + 34e) (2)

Question 5 20150507-q5

R. 9b+c

5. The lookout reports numerous small pleasure crafts and at least one fishing boat to the east of Spit Sand Fort. Why would you expect them to keep clear of you? (R. 9b+c) (3)

Question 6 20150507-q6

R. 9g

6. What shall any vessel, if the circumstance of the case admit, avoid doing in a Narrow Channel? (R. 9g) (1)

Question 7 20150507-q7

R. 14a

7. You proceed outbound to the east towards Nab tower and you note right ahead of you a container ship on a reciprocal course. Who should give way? (R. 14a) (1)

Question 8 20150507-q8

R. 14c

8. What do the Rules state about if you have any doubt as to this situation? (R. 14c) (1)

Question 9 20150507-q9

R. 8b

9. How large an alteration should be made to avoid collision? (R. 8b) (1)

Question 10 20150507-q10

R. 8b

10. What do the Rules state should be avoided when altering course and/or speed to avoid collision? (R. 8b) (1)

Question 11 20150507-q11

R. 8c

11. Rule 8 is 'Action to Avoid Collision'. Part 'C' states that if there is sufficient sea room, alteration of course alone maybe the most effective action to avoid a close quarters situation provided that... What? (R. 8c) (3)

Question 12 20150507-q12

R. 28

12. The CO asks if the container ship is constrained by her draught. How should such a vessel indicate her condition? (R. 28) (1)

Question 13 20150507-q13

R. 10h

13. You pass the Nab Tower and take the watch, following the nav track to the south east passing clear of the Dover TSS. You are not using the TSS but why can you not pass closer to it? (R. 10h) (1)

Question 14 20150507-q14

R. 13b

14. You notice you are slowly overhauling a small merchant vessel on a similar track to your own. When shall you be deemed to be overtaking? (R. 13b) (1)

Question 15 20150507-q15

R. 13a

15. Who should keep out of the way? (R. 13a) (1)

Question 16 20150507-q16

R. 16

16. When and what action should the vessel directed to keep out of the way take? (R. 16) (2)

Question 17 20150507-q17

R. 19b

17. Despite the fine start the visibility rapidly decreases to less than 2 miles, what action should you take with regard to your speed? (R. 19b) (2)

Question 18 20150507-q18

R. 19e

18. In restricted visibility, if you hear the fog signal of another vessel apparently forward of your beam, what action should you take assuming you can not determine risk of collision? (R. 19e) (2)

Question 19 20150507-q19

R. 24a, d + e + 23aii

19. The visibility increases and you return to your normal passage routine. You receive by Navtex a warning of a tug and tow which you are likely to pass close to in the evening. What lights or shapes would you expect to see if the tow was over 200m? (R. 24a, d + e + 23aii) (6)

Question 20 20150507-q20

R. 30

20. You arrive off Cherbourg and the Navigator takes the ship to anchor. What lights or shapes would you display? (R. 30) (3)

Question 21 20150507-q21

R. 34d

21. As you approach you note a small craft moving erratically on your planned track. As it fails to maintain a constant course or speed it is difficult to ascertain risk of collision. How could you indicate that you are unsure as to its intentions? (R. 34d) (1)

Question 22 20150507-q22

R. 35g

22. The small vessel returns to the coast and you anchor safely. As you handover the watch to your relief you discuss the poor visibility earlier and how you are confident it will not return overnight. If the visibility was to decrease and you remained at anchor, what sound signals would you make? (R. 35g) (2)

Question 23 20150507-q23

R. 35h

23. How would these signals be supplemented if you were aground? (R. 35h) (1)

Question 24 20150507-q24

R. 15

24. You sight a vessel at GREEN 40, range 3 miles and you are on his port bow. The bearing is steady and you assess there is a risk of collision. What actions are required by the Rules? (R. 15) (1)

Question 25 20150507-q25

R. 15

25. A vessel is sighted at RED 50, range 4 miles. The range is closing and the bearing is moving very slowly right. You are 40° on his starboard bow. What action is required by the Rules? (R. 15) (1)

Question 26 20150507-q26

R. 27b(iv)

26. You sight a vessel apparently stopped. The vessel is displaying three shapes - ball diamond ball - in a vertical line. What is it and how can you tell if the vessel is underway or at anchor? (R. 27b(iv), 30 a(i, ii)) (2)

Question 27 20150507-q27

R. 18d/ R. 28

27. You sight a large vessel displaying a cylinder where it can best be seen. What does this indicate and what action should you take if you approach this vessel? (R. 18d/ R. 28) (2)

Question 28 20150507-q28

R. 27a

28. You sight a single vessel displaying two balls in a vertical line. If the vessel is making way, what lights should it display by night? (R. 27a) (2)

Question 29 20150507-q29

29. You sight a number of small vessels, exhibiting a shape consisting of two cones with their apexes together in a vertical line. In addition, most are displaying a cone apex upwards. What are these vessels engaged, what does the cone apex upwards indicate and how should you pass them?

Question 30 20150507-q30

30. You sight MCMVs displaying the shapes for conducting mine countermeasures operations. What action should they take when approaching a helicopter in the dip? What is the helo's status?

Question 31 20150507-q31

R. 35 / R. 35a

31. Surprisingly, despite the fine start, you encounter a bank of fog ahead. When should you commence making fog signals and what should they be? (R. 35 / R. 35a) (2)

Question 32 20150507-q32

R. 35b/k

32. You hear a sound signal consisting of two prolonged blasts, followed shortly afterwards by four short blasts. What precisely do these sound signals indicate? (R. 35b/k) (2)

Question 33 20150507-q33

R. 35g

33. The lookout reports hearing a sound signal consisting of one short, one prolonged and one short sounded in succession. What precisely does this signify? (R. 35g) (1)

Question 34 20150507-q34

R. 19d

34. You detect a vessel on radar at GREEN 60, range 5 miles. Careful plotting shows that a risk of collision exists. How should you manoeuvre if there are no immediate navigational constraints? What shall be avoided? (R. 19d) (2)

Question 35 20150507-q35

R. 20b

35. The light is fading but the good news is that visibility is rapidly improving. When must navigation lights be exhibited? What restrictions apply to other lights? (R. 20b) (2)

Question 36 20150507-q36

R. 26c

36. You sight a vessel displaying two all-round lights in a vertical line, the upper being red and the lower white, in addition to sidelights and stern light. What is this? (R. 26c) (1)

Question 37 20150507-q37

R. 24a

37. You sight a vessel ahead showing two additional masthead lights on her foremast in addition to her normal navigation lights.

a. What specifically does this indicate? (R. 24a) (1)

Question 38 20150507-q38

R. 27b

38. You sight a vessel displaying three all-round lights in a vertical line, the highest and lowest red and the middle light white. In addition, you identify a single white light in the fore part of the vessel. What types of operation could this vessel be engaged in and what can you conclude if these are the only lights? (R. 27b) (2)

Question 39 20150507-q39

R. 27f

39. You sight two MCMVs engaged in mine clearance exercises. What lights should the vessels be displaying in addition to their normal navigation lights and how far off should you pass? (R. 27f) (2)

Question 40 20150507-q1

1. You are the OOW in HMS DARING (length 152.4 meters) about to sail from Portsmouth for Cherbourg. It is daylight with fair winds and good visibility, but a cold front is forecast to pass through the area later that day.

As you slip from the jetty and commence your passage outbound you notice RFA ORANGE LEAF alongside Gosport Jetty displaying a red flag, what does this signify? (ICS) (1)

She is taking in, discharging or carrying dangerous goods.

Question 41 20150507-q2

R.3h, (3)

2. On passing the Gap, the XO walks in from the Bridge wing and enquires why you are not flying CBD shapes, in accordance with QHM's direction. What is the definition of a vessel CBD, and does QHM have authority to prescribe you fly such shapes? (R.3h, (3)

The term Vessel constrained by her draught means a power driven vessel (1) which, because of her draught in relation to the available depth and width of navigable water, is severely restricted in her ability to deviate from the course she is following (1).

QHM are considered an appropriate Authority for roadsteads, harbours, rivers, lakes or inland waterways.(1)

Question 42 20150507-q3

R. 9a

3. As you proceed outbound you note that the nav track does not proceed along the centre of the buoyed channel. How should a vessel proceed along the course of a narrow channel or fairway? (R. 9a) (2)

Question 43 20150507-q4

R. 9f + 34e

4. On approaching Round Tower the CO is concerned about obscured craft and asks the Navigator to sound an appropriate sound signal. What is this and how should you navigate? (R. 9f + 34e) (2)

A vessel nearing a bend or an area of a narrow channel or fairway where other vessels may be obscured by an intervening obstruction shall navigate with particular alertness and caution and shall sound the appropriate signal prescribed in Rule 34(e) – one prolonged blast.

Question 44 20150507-q5

R. 9b+c

5. The lookout reports numerous small pleasure crafts and at least one fishing boat to the east of Spit Sand Fort. Why would you expect them to keep clear of you? (R. 9b+c) (3)

Question 45 20150507-q6

R. 9g

6. What shall any vessel, if the circumstance of the case admit, avoid doing in a Narrow Channel? (R. 9g) (1)

Question 46 20150507-q7

R. 14a

7. You proceed outbound to the east towards Nab tower and you note right ahead of you a container ship on a reciprocal course. Who should give way? (R. 14a) (1)

Question 47 20150507-q8

R. 14c

8. What do the Rules state about if you have any doubt as to this situation? (R. 14c) (1)

Question 48 20150507-q9

R. 8b

9. How large an alteration should be made to avoid collision? (R. 8b) (1)

Question 49 20150507-q10

R. 8b

10. What do the Rules state should be avoided when altering course and/or speed to avoid collision? (R. 8b) (1)

Question 50 20150507-q11

R. 8c

11. Rule 8 is 'Action to Avoid Collision'. Part 'C' states that if there is sufficient sea room, alteration of course alone maybe the most effective action to avoid a close quarters situation provided that... What? (R. 8c) (3)

Question 51 20150507-q12

R. 28

12. The CO asks if the container ship is constrained by her draught. How should such a vessel indicate her condition? (R. 28) (1)

Question 52 20150507-q13

R. 10h

13. You pass the Nab Tower and take the watch, following the nav track to the south east passing clear of the Dover TSS. You are not using the TSS but why can you not pass closer to it? (R. 10h) (1)

Question 53 20150507-q14

R. 13b

14. You notice you are slowly overhauling a small merchant vessel on a similar track to your own. When shall you be deemed to be overtaking? (R. 13b) (1)

Question 54 20150507-q15

R. 13a

15. Who should keep out of the way? (R. 13a) (1)

Question 55 20150507-q16

R. 16

16. When and what action should the vessel directed to keep out of the way take? (R. 16) (2)

Question 56 20150507-q17

R. 19b

17. Despite the fine start the visibility rapidly decreases to less than 2 miles, what action should you take with regard to your speed? (R. 19b) (2)

Question 57 20150507-q18

R. 19e

18. In restricted visibility, if you hear the fog signal of another vessel apparently forward of your beam, what action should you take assuming you can not determine risk of collision? (R. 19e) (2)

Question 58 20150507-q19

R. 24a, d + e + 23aii

19. The visibility increases and you return to your normal passage routine. You receive by Navtex a warning of a tug and tow which you are likely to pass close to in the evening. What lights or shapes would you expect to see if the tow was over 200m? (R. 24a, d + e + 23aii) (6)

Question 59 20150507-q20

R. 30

20. You arrive off Cherbourg and the Navigator takes the ship to anchor. What lights or shapes would you display? (R. 30) (3)

Question 60 20150507-q21

R. 34d

21. As you approach you note a small craft moving erratically on your planned track. As it fails to maintain a constant course or speed it is difficult to ascertain risk of collision. How could you indicate that you are unsure as to its intentions? (R. 34d) (1)

Question 61 20150507-q22

R. 35g

22. The small vessel returns to the coast and you anchor safely. As you handover the watch to your relief you discuss the poor visibility earlier and how you are confident it will not return overnight. If the visibility was to decrease and you remained at anchor, what sound signals would you make? (R. 35g) (2)

Question 62 20150507-q23

R. 35h

23. How would these signals be supplemented if you were aground? (R. 35h) (1)

Question 63 20150507-q24

R. 15

24. You sight a vessel at GREEN 40, range 3 miles and you are on his port bow. The bearing is steady and you assess there is a risk of collision. What actions are required by the Rules? (R. 15) (1)

...the vessel which has the other on her starboard side shall keep out of the way. Sound one short blast and alter course to starboard.

Question 64 20150507-q25

R. 15

25. A vessel is sighted at RED 50, range 4 miles. The range is closing and the bearing is moving very slowly right. You are 40° on his starboard bow. What action is required by the Rules? (R. 15) (1)

Question 65 20150507-q26

R. 27b(iv)

26. You sight a vessel apparently stopped. The vessel is displaying three shapes - ball diamond ball - in a vertical line. What is it and how can you tell if the vessel is underway or at anchor? (R. 27b(iv), 30 a(i, ii)) (2)

The vessel is "restricted in her ability to manoeuvre". If at anchor, she would display in the fore part one ball. The movement can also be determined by bow wave/wake (if present) and you should keep well clear.

Question 66 20150507-q27

R. 18d/ R. 28

27. You sight a large vessel displaying a cylinder where it can best be seen. What does this indicate and what action should you take if you approach this vessel? (R. 18d/ R. 28) (2)

Question 67 20150507-q28

R. 27a

28. You sight a single vessel displaying two balls in a vertical line. If the vessel is making way, what lights should it display by night? (R. 27a) (2)

Question 68 20150507-q29

R. 26c

29. You sight a number of small vessels, exhibiting a shape consisting of two cones with their apexes together in a vertical line. In addition, most are displaying a cone apex upwards. What are these vessels engaged, what does the cone apex upwards indicate and how should you pass them? (R. 26c) (3)

Question 69 20150507-q30

30. You sight MCMVs displaying the shapes for conducting mine countermeasures operations. What action should they take when approaching a helicopter in the dip? What is the helo's status?

Question 70 20150507-q31

R. 35 / R. 35a

31. Surprisingly, despite the fine start, you encounter a bank of fog ahead. When should you commence making fog signals and what should they be? (R. 35 / R. 35a) (2)

Question 71 20150507-q32

R. 35b/k

32. You hear a sound signal consisting of two prolonged blasts, followed shortly afterwards by four short blasts. What precisely do these sound signals indicate? (R. 35b/k) (2)

Question 72 20150507-q33

R. 35g

33. The lookout reports hearing a sound signal consisting of one short, one prolonged and one short sounded in succession. What precisely does this signify? (R. 35g) (1)

Question 73 20150507-q34

R. 19d

34. You detect a vessel on radar at GREEN 60, range 5 miles. Careful plotting shows that a risk of collision exists. How should you manoeuvre if there are no immediate navigational constraints? What shall be avoided? (R. 19d) (2)

Question 74 20150507-q35

R. 20b

35. The light is fading but the good news is that visibility is rapidly improving. When must navigation lights be exhibited? What restrictions apply to other lights? (R. 20b) (2)

Question 75 20150507-q36

R. 26c

36. You sight a vessel displaying two all-round lights in a vertical line, the upper being red and the lower white, in addition to sidelights and stern light. What is this? (R. 26c) (1)

Question 76 20150507-q37

R. 24a

37. You sight a vessel ahead showing two additional masthead lights on her foremast in addition to her normal navigation lights.

a. What specifically does this indicate? (R. 24a) (1)

Question 77 20150507-q38

R. 27b

38. You sight a vessel displaying three all-round lights in a vertical line, the highest and lowest red and the middle light white. In addition, you identify a single white light in the fore part of the vessel. What types of operation could this vessel be engaged in and what can you conclude if these are the only lights? (R. 27b) (2)

Question 78 20150507-q39

R. 27f

39. You sight two MCMVs engaged in mine clearance exercises. What lights should the vessels be displaying in addition to their normal navigation lights and how far off should you pass? (R. 27f) (2)

Fleet ROR FOR MAY 2015

20150528-Fleet ROR May 15 Final-U.pdf

SCENARIO

ENCLOSURE TO

FLEET MONTHLY

ROR – MAY 2015

FLEET RULE OF THE ROAD TEST FOR MAY 2015

This test is based on: The International Regulations for Preventing Collisions at Sea (1972) with amendments in force up to December 2009 as detailed in "A Seaman's Guide Pocket Book of The International Regulations for Preventing Collisions at Sea" (BR 453 Supp), ATP1(E) Vol I and the Mariners Handbook (NP100).

BR454 "A Guide to the Collision Avoidance Rules" 6

th

Edition by Cockcroft and Lameijer

was categorised as obsolescent by NCHQ in August 2011. A newer 7

th

Edition is under

review by FLEET Nav. Until a decision is made on whether to issue the new edition no

further copies will be supplied. Care should be taken when utilising the 6

th

Edition as the

information contained within may not reflect the most recent changes to the regulations.

The test is designed to be given to any Warfare Officer, Deck officer, Officer undertaking bridge watch-keeping duties or Young Officer/Cadet. The test should be administered under written exam conditions, the results should be recorded in the ROR/training logbook for inspection by FLEET/FOST navigation staff. The exam should take no longer than 1 hr.

In this test, any change in the status of the ship or of the environment will be indicated in the script.

Part 2, for which there are no marks is only intended to increase awareness with reference to the appropriate publications and should not detract from the written exam.

Rules 1 to 19, 34, 35 and Annex IV must be known instinctively for instant application. A thorough knowledge of the other rules is required. The pass mark is 90%.

Answers are provided for uniformity of marking. This test follows the same format as the Ship Command Rule of the Road paper.

You are the OOW on HMS ST ALBANS (length 133 metres), underway in the South Coast Exercise Areas conducting preparations for OST. Weather is fair and visibility is good, wind SW 12-15 kts and is forecast to increase. There are several serials planned throughout the day.

Question 1 20150528-q1

R. 5

1. There is a large amount of adjacent area activity as well as numerous fishing vessels within your own areas. How should you maintain a proper look-out? (R. 5) (2)

SCENARIO

As you proceed south, you sight several merchant vessels transiting through the areas at a range of 7 nm from your unit. You begin to assess them prior to making shipping reports to the CO.

Question 2 20150528-q2b

R. 7d · R. 7c

2. a. In determining if risk of collision exists, what considerations should be taken into account? (R. 7d) (2)

b. What should assumptions not be based on? (R. 7c) (1)

All the merchant vessels pass well clear.

Question 3 20150528-q3b

R. 18 · R. 18 & 13

3. a. You sight a large sailing vessel at green 40 at a range of 3 nm. What are your obligations with respect to this vessel? (R. 18) (1)

b. Would these obligations change if the sailing vessel was overtaking your unit within the meaning of the definition? Fully explain your answer. (R. 18 & 13) (3)

Your SOA to the next RV is 21 kts. You start a gas turbine and increase speed.

Question 4 20150528-q4

R. 6a

4. In determining a safe speed, what factors shall be among those taken into account by all vessels? (R. 6a) (3)

Question 5 20150528-q5a

R. 16

5. On transit, you sight a power-driven vessel at green 60 at a range of 4 nm. You are 20° on her port bow and are the give-way vessel in a crossing situation.

a. What, so far as possible, is the give-way vessel directed to do? (R. 16) (1)

Question 6 20150528-q5b

R. 17

5. On transit, you sight a power-driven vessel at green 60 at a range of 4 nm. You are 20° on her port bow and are the give-way vessel in a crossing situation.

b. What is the stand-on vessel directed to do? (R. 17) (1)

Question 7 20150528-q5c

R. 17

5. On transit, you sight a power-driven vessel at green 60 at a range of 4 nm. You are 20° on her port bow and are the give-way vessel in a crossing situation.

c. When may the stand-on vessel take action? (R. 17) (2)

Question 8 20150528-q6a

R. 8a

6. You report the above contact to the CO and recommend an alteration of course.

a. What is the direction on taking action to avoid collision? (R. 8a) (2)

Question 9 20150528-q6b

R. 8c

6. You report the above contact to the CO and recommend an alteration of course.

b. If there is sufficient sea room, what may be the most effective action to avoid a close-quarters situation? (R. 8c) (2)

You alter to starboard and the power-driven vessel passes clear.

Question 10 20150528-q7

R. 3h

7. You sight a vessel indicating she is constrained by her draught. What is the definition of a vessel constrained by draught? (R. 3h) (2)

Question 11 20150528-q8a

R. 3g

8. Continuing on transit to your RV, you sight units conducting replenishment at sea. The units are indicating they are restricted in ability to manoeuvre.

a. What is the definition of a vessel restricted in her ability to manoeuvre? (R. 3g) (1)

Question 12 20150528-q8b

R. 3g

8. Continuing on transit to your RV, you sight units conducting replenishment at sea. The units are indicating they are restricted in ability to manoeuvre.

b. Excluding vessels engaged in replenishment operations, what other classes of vessel does the term 'restricted in her ability to manoeuvre' include? (R. 3g) (3)

Question 13 20150528-q8c

R. 3g

8. Continuing on transit to your RV, you sight units conducting replenishment at sea. The units are indicating they are restricted in ability to manoeuvre.

c. What is the caveat stated on this list of vessels? (R. 3g) (1)

Question 14 20150528-q9

ATP1E

9. You note that the replenishment group is approaching a unit engaged in the launching and recovery of aircraft. Which unit is directed to keep out of the way of the other? (ATP1E) (1)

Question 15 20150528-q10a

R. 3g

10. On passing the replenishment group safely, you close your RV to find a tug towing a barge underway through your allocated area.

a. The tug is not showing shapes that would indicate she is restricted in ability to manoeuvre. Should she be? Justify your answer. (R. 3g) (3)

Question 16 20150528-q10b

R. 24

10. On passing the replenishment group safely, you close your RV to find a tug towing a barge underway through your allocated area.

b. How would the towing vessel and tow indicate the fact if the length of the tow exceeded 200m? (R. 24) (2)

Question 17 20150528-q10c

R. 24a

10. On passing the replenishment group safely, you close your RV to find a tug towing a barge underway through your allocated area.

c. How is the length of tow measured? (R. 24a) (1)

The tow clears your areas just as visibility begins to decrease.

Question 18 20150528-q11

R. 3l

11. What is the definition of restricted visibility? (R. 3l) (3)

SCENARIO

You assess visibility to be 2.5 nm.

Question 19 20150528-q12

R. 19a

12. When does Rule 19 apply? (R. 19a) (3)

SCENARIO

Visibility continues to decrease to 1.5 nm.

Question 20 20150528-q13

R. 19d

13. You detect by the radar alone the presence of another vessel. What should you do? (R. 19d) (4)

Question 21 20150528-q14

R. 19e

14. Detail your actions on hearing apparently forward of the beam the fog signal of another vessel. (R. 19e) (2)

Question 22 20150528-q15

R. 35

15. Should you be sounding sound signals? If so, what should they be? (R. 35) (2)

SCENARIO

The visibility begins to improve and you continue on transit.

Question 23 20150528-q16

R. 11

16. You arrive at your RV position. When do the rules in Part B Section II apply over those listed in Section III? (R. 11) (1)

SCENARIO

You arrive at your RV with visibility at 6 nm; wind has increased to 20 kts. You stop in the water to commence preparations for a propulsion check.

Question 24 20150528-q17

R. 15

17. You sight a vessel at G45 at 4 nm. You are 10° on his port bow. Are you still give-way in a crossing situation if stopped in the water? (R. 15) (2)

Question 25 20150528-q18a

ATP 1E

18. You commence the propulsion check, during your serial you sight units formed in a screen conducting an ADEX. The screen clearly consists of a main body and accompanying screen units.
a. What is the responsibility of screen units with respect to the main body? (ATP 1E) (1)

Question 26 20150528-q18b

ATP 1E

18. You commence the propulsion check, during your serial you sight units formed in a screen conducting an ADEX. The screen clearly consists of a main body and accompanying screen units.
b. Does Rule 15 of IRPCS apply between screen ships and ships of the main body?
(ATP 1E) (2)

Propulsion check complete, you note that sunset is approaching.

Question 27 20150528-q19

R. 20b

19. The Rules concerning lights shall be complied with from sunset to sunrise, and during such times no other lights shall be exhibited, except... what? (R. 20b) (3)

Question 28 20150528-q20

R. 21a

20. List the specific characteristics and arc of visibility of your masthead lights. (R. 21a) (3)

SCENARIO

After a weekend in Plymouth the Ship is alongside HMNB Devonport, 5W, bows N and is preparing to sail for further OST preparations. Weather is fair, visibility is 6 nm and wind is Westerly at 10-15 kts. You are sailing 1 hour after high water and 1 hour prior to sunrise. You are SSD OOW for the departure. The CO manoeuvres the ship off the berth and the NO takes the ship to conduct the outbound pilotage. You begin assessing shipping in the Hamoaze as you start to head south.

Question 29 20150528-q21a

R. 9b

21. You sight the navigation lights of a small power driven vessel crossing the Hamoaze from Torpoint. She is 40° on your starboard bow and her bearing is drawing very slowly left.

a. What is she directed to do? (R. 9b) (2)

SCENARIO

After a weekend in Plymouth the Ship is alongside HMNB Devonport, 5W, bows N and is preparing to sail for further OST preparations. Weather is fair, visibility is 6 nm and wind is Westerly at 10-15 kts. You are sailing 1 hour after high water and 1 hour prior to sunrise. You are SSD OOW for the departure. The CO manoeuvres the ship off the berth and the NO takes the ship to conduct the outbound pilotage. You begin assessing shipping in the Hamoaze as you start to head south.

Question 30 20150528-q21b

R. 9d, 8fiii, 34d

21. You sight the navigation lights of a small power driven vessel crossing the Hamoaze from Torpoint. She is 40° on your starboard bow and her bearing is drawing very slowly left.

b. The vessel continues to draw slowly left with a CPA assessed as within 50 yards ahead. What action do you recommend to the NO? Justify your answer. (R. 9d, 8fiii, 34d) (4)

You take the requisite action and clear the vessel above.

Question 31 20150528-q22

R. 2a

22. You sight a sailing vessel under power transiting parallel to the main navigation channel. There is no one visible at the wheel in the early morning light. Nothing in these Rules shall exonerate any vessel, the owner, master or crew thereof, from what? (R. 2a) (2)

SCENARIO

You clear the sailing vessel and enter the narrows.

Question 32 20150528-q23

R. 29

23. You sight a vessel in the Sound displaying two all-round lights in a vertical line, the upper being white and the lower red. You can also see a sidelight. What is this vessel? (R. 29) (2)

Question 33 20150528-q24

R. 30a, c

24. On manoeuvring into the Sound, you see a vessel displaying an all-round white light forward and aft, the aft light being lower than the light forward. She has also illuminated her decks. What can you state about this vessel? (R. 30a, c) (2)

SCENARIO

You pass Penlee Point and indicate sunrise to the CO; visibility remains at 4 nm as you begin to head south.

Question 34 20150528-q25a

R. 27bii

25. To port, you see HMS BULWARK docked down and engaged in the launching and recovery of landing craft utilities. She is indicating she is restricted in ability to manoeuvre.
a. What shapes should she be displaying? (R. 27bii) (1)

SCENARIO

You pass Penlee Point and indicate sunrise to the CO; visibility remains at 4 nm as you begin to head south.

Question 35 20150528-q25b

ATP 1E

25. To port, you see HMS BULWARK docked down and engaged in the launching and recovery of landing craft utilities. She is indicating she is restricted in ability to manoeuvre.
b. While conducting her current operations, would HMS BULWARK have priority over a vessel engaged in the launching and recovery of aircraft? (ATP 1E) (1)

Question 36 20150528-q26a

R.13b

26. Just visible ahead at 4 nm is a merchant vessel. You assess you are 170° on her starboard bow.

a. What situation is this and why? (R.13b) (2)

Question 37 20150528-q26b

R.13a

26. Just visible ahead at 4 nm is a merchant vessel. You assess you are 170° on her starboard bow.

b. What is your obligation with respect to the merchant vessel? (R.13a) (1)

Question 38 20150528-q27a

27. You manoeuvre clear of the merchant vessel but soon sight another, much larger vessel 50° on your port bow. You are on her starboard bow at a range of 5 nm.

a. You assess the vessel is potentially VLCC size. Does this size impact on her responsibilities in accordance with IRPCS? (1)

Question 39 20150528-q27b

R. 15

27. You manoeuvre clear of the merchant vessel but soon sight another, much larger vessel 50° on your port bow. You are on her starboard bow at a range of 5 nm.

b. Who is the give-way vessel? (R. 15) (1)

Question 40 20150528-q28a

R. 26b

28. Passing the large vessel safely, you sight a vessel still displaying navigation lights despite the fact sunrise has now passed and visibility is opening to 10 nm. She is indicating she is trawling.

a. What is the definition of a vessel engaged in trawling? (R. 26b) (1)

Question 41 20150528-q28b

R. 26b

28. Passing the large vessel safely, you sight a vessel still displaying navigation lights despite the fact sunrise has now passed and visibility is opening to 10 nm. She is indicating she is trawling.

b. What lights should she be showing if trawling, underway and over 50m? (R. 26b) (1)

Question 42 20150528-q29

R. 3d

29. What is the definition of a vessel engaged in fishing? (R. 3d) (2)

Question 43 20150528-q30

R. 35c

30. What sound signal would a vessel engaged in fishing sound in restricted visibility? (R. 35c) (2)

Fleet ROR FOR JUL 2015

20150701-Fleet ROR Jul 15 Final-U.pdf

SCENARIO

ENCLOSURE TO

FLEET MONTHLY

ROR – JUL 2015

FLEET RULE OF THE ROAD TEST FOR JUL 2015

This test is based on: The International Regulations for Preventing Collisions at Sea (1972) with amendments in force up to December 2009 as detailed in "A Seaman's Guide Pocket Book of The International Regulations for Preventing Collisions at Sea" (BR 453 Supp), ATP1(E) Vol I and the Mariners Handbook (NP100).

BR454 "A Guide to the Collision Avoidance Rules" 6

th

Edition by Cockcroft and Lameijer

was categorised as obsolescent by NCHQ in August 2011. A newer 7

th

Edition is under

review by FLEET Nav. Until a decision is made on whether to issue the new edition no

further copies will be supplied. Care should be taken when utilising the 6

th

Edition as the

information contained within may not reflect the most recent changes to the regulations.

The test is designed to be given to any Warfare Officer, Deck officer, Officer undertaking bridge watch-keeping duties or Young Officer/Cadet. The test should be administered under written exam conditions, the results should be recorded in the ROR/training logbook for inspection by FLEET/FOST navigation staff. The exam should take no longer than 1 hr.

In this test, any change in the status of the ship or of the environment will be indicated in the script.

Part 2, for which there are no marks is only intended to increase awareness with reference to the appropriate publications and should not detract from the written exam.

Rules 1 to 19, 34, 35 and Annex IV must be known instinctively for instant application. A thorough knowledge of the other rules is required. The pass mark is 90%.

Answers are provided for uniformity of marking. This test follows the same format as the Ship Command Rule of the Road paper.

PART 1

You are the SSD Officer of the Watch on HMS KENT (length 133 meters), having just passed Outer Spit Buoy and entered the Solent to make a transit to the Needles Channel. It is the forenoon watch, the weather is fine with good visibility, however a cold front is forecast.

The shipping is moderate.

Question 1 20150701-q1

R. 15

1. As you alter course to the west, the hovercraft from Southsea appears on a converging course just ahead of your starboard beam. What action is required by the Rules if a risk of collision develops? (R. 15) (1)

Question 2 20150701-q2a

R. 34c

2. As you pass south of Ryde Middle you sight a small, slow moving tug and partially submerged tow in the channel ahead, length of tow >200m. You wish to overtake on the port side. (He will need to manoeuvre to allow you to pass.)

a. As you are unable to raise him on VHF, what sound signal can be made to signal your intention? (R. 34c)

(1)

Question 3 20150701-q2b

R. 34c

2. As you pass south of Ryde Middle you sight a small, slow moving tug and partially submerged tow in the channel ahead, length of tow >200m. You wish to overtake on the port side. (He will need to manoeuvre to allow you to pass.)

b. If the master of the vessel is in agreement, how is this indicated by sound signal?

(R. 34c) (1)

Question 4 20150701-q2c

R. 24

2. As you pass south of Ryde Middle you sight a small, slow moving tug and partially submerged tow in the channel ahead, length of tow >200m. You wish to overtake on the port side. (He will need to manoeuvre to allow you to pass.)

c. What shapes would you expect to see in the rigging of the tug and tow? (R. 24) (3)

Question 5 20150701-q3

R. 12b

3. As you pass Cowes you see the Tall Ships' race further down the Solent inbound to Southampton, including both square-rigged and fore and aft rigged vessels. Your Captain asks you how you would determine the windward side of either type of vessel? (R. 12b) (1)

Question 6 20150701-q4

R. 25e

4. There are also numerous small pleasure craft on the water, obviously enjoying the spectacle of the Tall Ships' race. The Captain draws your attention to several sailing vessels displaying shapes in the rigging consisting of a conical shape, apex down. He asks what this means? (R. 25e) (1)

Question 7 20150701-q5a

R. 9a

5. Continuing on your passage you sight a medium sized merchant vessel at R10, you are fine on his port bow and he appears to be transiting along the centreline of the fairway.

a. How should a vessel navigate within a narrow channel or fairway?

(R. 9a) (1)

Question 8 20150701-q5b

R. 28

5. Continuing on your passage you sight a medium sized merchant vessel at R10, you are fine on his port bow and he appears to be transiting along the centreline of the fairway.

b. You hear a conversation between the merchant vessel and a pleasure craft approaching the limits of the buoyed channel. The merchant vessel states that she is CBD. What shapes by day, and lights by night would you expect the merchant vessel to display?

(R. 28) (2)

Question 9 20150701-q5c

R. 9b

5. Continuing on your passage you sight a medium sized merchant vessel at R10, you are fine on his port bow and he appears to be transiting along the centreline of the fairway.

c. What do the rules state concerning the actions of the small pleasure craft approaching the buoyed channel? (R. 9b) (1)

Question 10 20150701-q5d

R. 9d, 34d

5. Continuing on your passage you sight a medium sized merchant vessel at R10, you are fine on his port bow and he appears to be transiting along the centreline of the fairway.

d. What do the rules state regarding a vessel wishing to cross the main channel in such a situation, and what could the merchant vessel do if in doubt about the intention of the crossing vessel? (R. 9d, 34d) (1)

Question 11 20150701-q6a

6. As you pass the merchant vessel you notice a small vessel crossing his stern displaying a red and white vertical striped flag (flag hotel).

a. What does this indicate? (1)

Question 12 20150701-q6b

R. 29

6. As you pass the merchant vessel you notice a small vessel crossing his stern displaying a red and white vertical striped flag (flag hotel).

b. What lights would you expect this vessel to exhibit at night? (R. 29) (1)

Question 13 20150701-q7a

R. 35a

7. You continue down past the Needles without further incident. On falling out from SSD you take the remainder of the watch just as the rain starts and visibility begins to reduce. You call the CO to inform him and commence your check-offs for entering restricted visibility.

a. What sound signals will you commence? (R. 35a) (1)

Question 14 20150701-q7b

R. 21, 22

7. You continue down past the Needles without further incident. On falling out from SSD you take the remainder of the watch just as the rain starts and visibility begins to reduce. You call the CO to inform him and commence your check-offs for entering restricted visibility.

b. You switch on the appropriate navigation lights but on checking the port sidelight it appears dim. What are the visibility ranges and horizontal sectors for the lights applicable to your vessel? (R. 21, 22) (4)

Question 15 20150701-q7c

R. 19b

7. You continue down past the Needles without further incident. On falling out from SSD you take the remainder of the watch just as the rain starts and visibility begins to reduce. You call the CO to inform him and commence your check-offs for entering restricted visibility.

c. What do the rules state about safe speed in restricted visibility?
(R. 19b) (1)

Question 16 20150701-q8a

R. 19d

8. After discussion with the Navigation Officer you inform the CO that you intend to continue down the nav track at 12 knots. Shortly afterwards you detect a contact on radar at G15 range 5 miles. The vessel's course is parallel to your own but the CPA is on your starboard beam at 4 cables.

a. What do the rules state about this situation and the actions you should take? (R. 19d) (2)

Question 17 20150701-q8b

R. 35c

8. After discussion with the Navigation Officer you inform the CO that you intend to continue down the nav track at 12 knots. Shortly afterwards you detect a contact on radar at G15 range 5 miles. The vessel's course is parallel to your own but the CPA is on your starboard beam at 4 cables.

b. You take the appropriate action and continue with your watch. Soon afterwards you hear a fog signal consisting of one prolonged followed by two short blasts. What types of vessel could this be? (R. 35c) (3)

Question 18 20150701-q8c

R. 19e

8. After discussion with the Navigation Officer you inform the CO that you intend to continue down the nav track at 12 knots. Shortly afterwards you detect a contact on radar at G15 range 5 miles. The vessel's course is parallel to your own but the CPA is on your starboard beam at 4 cables.

c. On checking the radar you see that the previously reported contact has altered course and is now at G30 range 1.5 miles and is on a steady bearing. What action shall you take in accordance with the rules? (R. 19e) (1)

Question 19 20150701-q8d

Includes light diagram (W / R / G) in stem below.

8. After discussion with the Navigation Officer you inform the CO that you intend to continue down the nav track at 12 knots. Shortly afterwards you detect a contact on radar at G15 range 5 miles. The vessel's course is parallel to your own but the CPA is on your starboard beam at 4 cables.

d. The contact closes to 1 mile and you sight the following lights:

W

G

W

W

G R

What type of vessel is this and in what activity is it engaged? (Annex II, 2a) (2)

Question 20 20150701-q9a

R. 15, 16 · R. 17a

9. The vessel alters course again and you pass clear, proceeding along the nav track. The cold front passes through and visibility increases to 12nm so you revert to the normal State 3 watch. Shortly you spot a small merchant vessel at red 25, range 5 nm, you assess that you are 60 degrees on her starboard bow and her bearing is steady.

a. In accordance with the Rules what do you expect the vessel to do and how shall she act? (R. 15, 16) (2)

b What should you do? (R. 17a) (1)

Question 21 20150701-q9c

R. 34d

9. The vessel alters course again and you pass clear, proceeding along the nav track. The cold front passes through and visibility increases to 12nm so you revert to the normal State 3 watch. Shortly you spot a small merchant vessel at red 25, range 5 nm, you assess that you are 60 degrees on her starboard bow and her bearing is steady.

c. The vessel is now at 2 nm and has not altered course. You are unsure of his intentions, what should you do? (R. 34d) (1)

Question 22 20150701-q9d

R. 17a

9. The vessel alters course again and you pass clear, proceeding along the nav track. The cold front passes through and visibility increases to 12nm so you revert to the normal State 3 watch. Shortly you spot a small merchant vessel at red 25, range 5 nm, you assess that you are 60 degrees on her starboard bow and her bearing is steady.

d. When may you to take action? (R. 17a) (1)

Question 23 20150701-q9e

R. 17b

9. The vessel alters course again and you pass clear, proceeding along the nav track. The cold front passes through and visibility increases to 12nm so you revert to the normal State 3 watch. Shortly you spot a small merchant vessel at red 25, range 5 nm, you assess that you are 60 degrees on her starboard bow and her bearing is steady.

e. When must you take action? (R. 17b) (1)

Question 24 20150701-q10a

R. 10f

10. At 1.5 nm vessel alters course and passes clear. The end of your watch is rapidly approaching but you note that the Ship is due to enter a TSS shortly. While preparing for the handover you discuss Rule 10 with the 200W.

a. How shall a vessel navigate near the terminations of a TSS? (R. 10f) (1)

Question 25 20150701-q10b

R. 10b

10. At 1.5 nm vessel alters course and passes clear. The end of your watch is rapidly approaching but you note that the Ship is due to enter a TSS shortly. While preparing for the handover you discuss Rule 10 with the 2OOW.

b. How shall a vessel using a TSS navigate? (R. 10b) (3)

Question 26 20150701-q10c

R. 10 i,j

10. At 1.5 nm vessel alters course and passes clear. The end of your watch is rapidly approaching but you note that the Ship is due to enter a TSS shortly. While preparing for the handover you discuss Rule 10 with the 2OOW.

c. Which types of vessel are to avoid impeding the passage of vessels following a traffic lane? (R. 10 i,j) (3)

Question 27 20150701-q10d

R. 10k,l

10. At 1.5 nm vessel alters course and passes clear. The end of your watch is rapidly approaching but you note that the Ship is due to enter a TSS shortly. While preparing for the handover you discuss Rule 10 with the 2OOW.

d. Which types of vessel are exempt from complying with this rule, and to what extent? (R. 10k,l) (2)

Question 28 20150701-q11

11. As a diligent OOW you take your instructional duties very seriously and decide to set the 2OOW some homework prior to your next watch together. You ask him to find 6 signals that could be used to indicate distress or need of assistance. Of course, you already know the answer. (Annex VI) (6)

Fleet ROR NOV 15

20151217-4-SJB-FLEET 2015 ROR Nov-O.pdf

SCENARIO*ENCLOSURE TO**FLEET MONTHLY**ROR – NOV 2015**FLEET RULE OF THE ROAD TEST NOV 15*

This test is based on: The International Regulations for Preventing Collisions at Sea (1972) with amendments in force up to December 2009 as detailed in "A Seaman's Guide Pocket Book of The International Regulations for Preventing Collisions at Sea" (BR 453 Supp), ATP1(F) Vol I and the Mariners Handbook (NP100).

The test is designed to be given to any Warfare Officer, Deck officer, Officer undertaking bridge watch-keeping duties or Young Officer/Cadet. The test should be administered under written exam conditions, the results should be recorded in the OOW training records for inspection by FLEET/FOST navigation staff. The exam should take no longer than 1 hr.

In this test, any change in the status of the ship or of the environment will be indicated in the script. Rules 1 to 19, 34, 35 and Annex IV must be known instinctively for instant application. A thorough knowledge of the other rules is required. The pass mark is 90%.

Answers are provided for uniformity of marking. This test follows the same format as the Ship Command Rule of the Road paper.

You are the NO in HMS DEFENDER (Length 152.4m) alongside in San Diego, USA. You are due to sail tomorrow to act as Plane Guard during a short air defence exercise and are conducting a session of OOW shareholders prior to sailing.

Question 1 20151217-q1

1. The embarked US Officer has some local knowledge to impart, and informs the team that the direction of buoyage is reversed in US relation to the UK. What is the name of this bouyage system, and which region is the US? (1)

Question 2 20151217-q2

R. 9

2. Does this alter any obligations under the narrow channel rule? (R. 9) (1)

Question 3 20151217-q3

R. 1b

3. There are several local rules outlined for San Diego. What do the rules state about the operation of special rules? (R. 1b) (2)

Question 4 20151217-q4

R. 3i

4. One local rule specific to inland waters of the US is that a vessel must sound one prolonged blast when getting underway. When un-berthing tomorrow, specifically at what point will you be underway? (R. 3i) (2)

SCENARIO

After shareholders, you brief the CO on the departure. While examining the charts, he has several questions.

Question 5 20151217-q5

R. 9a

5. How should a vessel navigate down the course of a narrow channel or fairway? (R. 9a) (1)

Question 6 20151217-q6

R. 9b

6. What vessels shall not impede the passage of a vessel which can safely navigate only within a narrow channel or fairway? (R. 9b) (2)

Question 7 20151217-q7

R. 9f

7. There are several bends along the navigation track. What actions should you take when nearing a bend or an area of a narrow channel or fairway where other vessels may be obscured by an intervening obstruction? (R. 9f) (1)

SCENARIO

The CO approves the departure plan. You are up on the bridge early the next morning to make final preparations for sailing.

Question 8 20151217-q8

R. 29a

8. You sight a vessel in the early morning twilight proceeding outbound in the main channel showing white over red masthead lights in addition to sidelights and sternlight. What can you deduce about this vessel? (R. 29a) (2)

Question 9 20151217-q9

R. 35k

9. What additional identifying sound signal would this vessel make in restricted visibility? (R. 35k) (2)

SCENARIO

The ship closes up SSD and after sailing from alongside the CO hands you the ship and you commence the outbound pilotage.

Question 10 20151217-q10

R. 8f, 9b, 15,

10. On taking the ship you sight a small power-driven vessel at green 45 at 5 cables crossing the channel. Her bearing is steady and it soon become clear that she will impeded your passage and involve risk of collision. What is your obligation, who is the give-way vessel, and what is the obligation of the other vessel given she had already impeded your passage? (R. 8f, 9b, 15,) (5)

SCENARIO

The above situation is resolved and the pilotage continues.

Question 11 20151217-q11

R. 13b

11. The OOW reports an outbound merchant vessel closing slowly from red 170 at 2nm. What situation is this? (R. 13b) (2)

Question 12 20151217-q12

R. 13d

12. If you alter course 70° to port in accordance with your navigation track how would this change the situation? (R. 13d) (2)

Question 13 20151217-q13

R 6a, 6b

13. Your CO keen to avoid being overtaken by a merchant vessel suggests an increase in speed to 20 knots. What do the rules state about every vessel proceeding at a safe speed and detail the factors which should be among those taken into account by all vessels? (R 6a, 6b) (7)

SCENARIO

You clear Point Loma and fall out SSD. At red 20 at 5nm you sight two small power driven vessels. Their range is closing and with both vessels visual bearings drawing very slowly right.

Question 14 20151217-q14

R. 26b

14. As the range reduces to 3nm you sight two cones apexes together on both vessels. What do these shapes mean? (R. 26b) (1)

Question 15 20151217-q15

R. 3d

15. How is this vessel defined? (R. 3d) (1)

Question 16 20151217-q16

R. 26b

16. What lights would these vessels show by night? (R. 26b) (3)

Question 17 20151217-q17

R. 35c

17. What sound signals would this vessel make in restricted visibility? (R. 35c) (2)

Question 18 20151217-q18

R. 34a

18. In accordance with Rule 18 you make a bold alteration of course to starboard to keep clear of the fishing vessels. Should you use sound signals prior to this manoeuvre? Justify your answer. (R. 34a) (2)

SCENARIO

You clear these vessels and proceed toward your ADEX RV. Unfortunately visibility begins to reduce to 1nm.

Question 19 20151217-q19

R. 19d

19. You detect by radar alone the presence of another vessel at red 20 range 5nm. What must you to determine, and if action to avoid collision is required, what should be avoided? (R. 19d) (4)

Question 20 20151217-q20

R. 19a, 15

20. You now hold a small power driven vessel visually at green 40 at 1nm and are 60° on her port bow with a the bearing drawing very slowly left. Does Rule 19 apply to this situation and explain how you would manoeuvre for this contact. (R. 19a, 15) (3)

SCENARIO

Visibility increases to excess of 5nm and you continue your transit to the RV.

Question 21 20151217-q21

ATP1F

21. You approach the formation and note that all other ships are in station. What is stated about how ships in and not in station should manoeuvre? (ATP1F) (2)

Question 22 20151217-q22

ATP1F

22. What is the order of priority applicable to Allied Naval ships? (ATP1F) (6)

Question 23 20151217-q23

ATP1F

23. Do the priorities above take precedence over the International Regulations for Preventing Collisions at Sea between military vessels at sea? (ATP1F) (1)

SCENARIO

The exercise completes at sunset. As you break away you note that the USS Carrier does not have navigation lights in standard positions.

Question 24 20151217-q24

R. 1c

24. What do the Rules say about the operation of special rules with respect to additional station or signal lights? (R. 1c) (2)

SCENARIO

You are preparing night orders after a long day on the bridge when the USS Carrier sends Flag 5 with a time and you hear her sounding 6 short blasts.

Question 25 20151217-q25

ATP 1F

25. What does this mean? (ATP 1F) (1)

Fleet ROR OCT 15

20151217-4-SJB-FLEET 2015 ROR-Oct-O.pdf

SCENARIO

ENCLOSURE TO

FLEET MONTHLY

ROR – OCT 2015

FLEET RULE OF THE ROAD TEST OCT 15

This test is based on: The International Regulations for Preventing Collisions at Sea (1972) with amendments in force up to December 2009 as detailed in "A Seaman's Guide Pocket Book of The International Regulations for Preventing Collisions at Sea" (BR 453 Supp), ATP1(F) Vol I and the Mariners Handbook (NP100).

The test is designed to be given to any Warfare Officer, Deck officer, Officer undertaking bridge watch-keeping duties or Young Officer/Cadet. The test should be administered under written exam conditions, the results should be recorded in the OOW training records for inspection by FLEET/FOST navigation staff. The exam should take no longer than 1 hr.

In this test, any change in the status of the ship or of the environment will be indicated in the script. Rules 1 to 19, 34, 35 and Annex IV must be known instinctively for instant application. A thorough knowledge of the other rules is required. The pass mark is 90%.

Answers are provided for uniformity of marking. This test follows the same format as the Ship Command Rule of the Road paper.

You are the OOW on RFA WAVE KNIGHT. You are deployed to the Caribbean on APT(N) duties and are scheduled for a port visit to Antigua. It is the morning watch, the weather is fine but heavy rain is forecast for later in the day.

Question 1 20151217-q1

R.4

1. Given the good visibility, the Rules of which section of which part apply? (R.4) (1)

SCENARIO

The lookout reports a vessel at R45 displaying a black cylinder in her rigging. Several bearings show she is on a steady bearing.

Question 2 20151217-q2

R.28

2. What condition is this vessel claiming by displaying a black cylinder? (R.28) (1)

Question 3 20151217-q3

R.28

3. What lights (in addition to normal navigation lights) would she display by night to indicate this condition? (R.28) (1)

Question 4 20151217-q4
R.18

4. What relationship exists between these vessels and who should take action (R.18) (1)

Question 5 20151217-q5
R.8 & 18

5. What action (if any) should you take? (R.8 & 18) (2)

SCENARIO

The range has reduced to only 2 miles and the bearing is still steady.

Question 6 20151217-q6
R.8 & 15

6. Who shall keep out of the way of whom now and why? (R.8 & 15) (2)

SCENARIO

You pass the vessel safely and continue on your passage. The CO arrives on the Bridge and tells you he wants to quiz the Cadets later in the day on sound signals, lights and shapes. He suggests it may be a good idea for you to help them revise after your watch. After handing over the watch to the Second Officer, you head to the conference room with the Cadets and begin the revision. You pick on pilot vessels to begin with before moving onto anchored vessels.

Question 7 20151217-q7
R.29 & ICS

7. What would you expect the Cadets to say a pilot vessel should display to indicate his status by day and by night? (R.29 & ICS) (2)

Question 8 20151217-q8
R.35

8. What would you expect the Cadets to say was the sound signal sounded by a pilot vessel stopped in the water, in restricted visibility? (R.35) (1)

Question 9 20151217-q9
R.30

9. What would you expect the Cadets to say were the shapes and lights your vessel should display whilst at anchor, by day and night? (R.30) (4)

Question 10 20151217-q10
R.35

10. What would you expect the Cadets to say was the sound signal your vessel would sound whilst at anchor in restricted visibility and at what interval? (R.35) (2)

SCENARIO

Satisfied the Cadets know their stuff you send them to the CO's cabin and you retire for some well earned rest. Later you are back on the Bridge as OOW2 to support the OOW during a replenishment with HMS LANCASTER. As LANCASTER commences her fast backdown, the Yeoman pulls the RAM shapes up the mast to indicate the ship is restricted in her ability to manoeuvre.

Question 11 20151217-q11

R.3

11. Other than vessels engaged in the transfer of persons, provisions or cargo whilst underway, what other vessel can claim to be restricted in their ability to manoeuvre? (R.3) (5)

SCENARIO

During the replenishment LANCASTER (as OCE) orders you to turn on navigation lights.

Question 12 20151217-q12

R.20

12. What do the Rules say about when navigation lights should be displayed? (R.20) (2)

SCENARIO

Now fully dark and still pumping fuel, you sight the following lights at G30 range 6 miles.

Question 13 20151217-q13

R.24

Includes light diagram (W / R / G) in stem below.

13. What kind of vessel is it? (R.24) (2)

W

W

W

W

R R

The bearing is steady and the range is decreasing.

Question 14 20151217-q14

R.18

14. Who has to keep clear of whom? (R.18) (1)

SCENARIO

The range reduces to 4 miles and the bearing remains steady.

Question 15 20151217-q15

R.34

15. What action may be prudent at this time? (R.34) (1)

SCENARIO

The range has further reduced and is now just 2 miles.

Question 16 20151217-q16

R.17

16. What action shall you take? (R.17) (1)

Question 17 20151217-q17

R.22

17. What do the Rules say the minimum range LANCASTER's (length 133m) stern light should be? (R.22) (1)

SCENARIO

LANCASTER begins to disappear over the horizon to port when a heavy rainstorm engulfs her and moves towards you.

Question 18 20151217-q18

R.3

18. How do the Rules define restricted visibility? (R.3) (1)

SCENARIO

Having lost sight of LANCASTER, you see on the radar a contact dead ahead at 6 miles. Nothing is visual because of the rain. You acquire the contact and after a few minutes you see the following relative vector (12 minutes) displayed:

Question 19 20151217-q19

R.19

19. What action (if any) do you take? (R.19) (3)

You pass that contact safely but don't see it because of the rain. You begin to contemplate what constitutes a safe speed in restricted visibility and reflect on the factors all vessels should take into account when determining a safe speed.

Question 20 20151217-q20

20. What are these factors all ships should take into account when determining a safe speed?

SCENARIO

(R.6) (6)

Just then the fog lookout reports hearing a sound signal from about R45 consisting of one prolonged blast followed by two shorts blasts.

Question 21 20151217-q21

R.35

21. What types of vessel could this be? (R.35) (3)

Question 22 20151217-q22

R.19

22. What action (if any) do you take? (R.19) (2)

SCENARIO

The rain passes and the visibility improves to over 5Nm. You sight a vessel at G40.

Question 23 20151217-q23

R.7

23. What considerations will you take into account to determine if a risk of collision exists? (R.7)

(2)

Question 24 20151217-q24

R.15

24. If risk of collision exists, what action (if any) would you take? (R.15) (2)

Question 25 20151217-q25

R.34

25. Would a sound signal be appropriate? (R.34) (1)
