

COURSE NAME: Database Management Systems

COURSE CODE: CSA05

COURSE OUTCOME COVERED

CO1: *Analyze DBMS architecture, different data models, schema types, and design ER/EER diagrams, relational schemas for case-based scenarios by identifying entities and relationships. (BL1, BL2)*

Activity Tool : Technical Presentation (Low)

Assessment Tool Weightage: 10%

QUESTIONS		
Q. No.	Question	Bloom's Level
1	Create and present an ER diagram for an Online Library System, explaining each component clearly.	BL2 – Understand
2	Prepare a presentation on the EER model, demonstrating generalization and specialization with a University case study.	BL2 – Understand
3	Present the concept of data independence (logical and physical) and its significance in DBMS architecture.	BL2 – Understand
4	Deliver a technical presentation on the software components of a DBMS, explaining query processor, storage manager, and transaction manager.	BL1 – Remember
5	Prepare a presentation comparing strong and weak entities in ER modeling with real-world examples.	BL2 – Understand

Code of Conduct:

I _____ GUNAVATHI.A 192511374_____ (Name / Reg No) certify that this submission is my original work and that I have adhered to the guidelines specified for this assessment.

I understand that any violation of academic integrity rules will result in disciplinary action.

Signature of the student:


RUBRICS FOR CALCULATION:


Criteria	Weightage	Level 4 – Exemplary	Level 3 – Proficient	Level 2 – Developing	Level 1 – Beginning
Technical Content Accuracy	30	Highly accurate, in-depth, and insightful technical explanation	Technically correct content with adequate depth and clarity	Basic concepts presented with limited accuracy and depth	Content contains major technical errors; concepts poorly understood
Problem Identification	25	Problem rigorously analyzed	Problem clearly defined	Problem identified but analysis	Problem statement unclear or

		using appropriate and advanced methods	with a logical engineering approach	or methodology is weak	incorrect; no logical approach
Use of Tools	20	Advanced tools, well-analyzed data, and highly effective visuals	Appropriate tools and data used effectively with clear visuals	Limited use of tools and basic data interpretation	Minimal or incorrect use of tools and data; poor visuals
Communication	15	Highly engaging, confident, and audience-focused delivery	Clear, organized, and professional communication	Understandable but lacks clarity, structure, or confidence	Poor organization, unclear speech, ineffective slides
Professionalism	10	Exemplary professionalism, leadership, and ethical awareness	Professional conduct with effective team collaboration	Basic professionalism; uneven team participation	Lacks professionalism; minimal contribution or ethical awareness

1. Create and Present an ER Diagram for an Online Library System, Explaining Each Component Clearly.

Online Library System





Introduction

An Online Library System is a computerized database application that manages books, members, librarians, authors, and borrowing records. It helps users search, borrow, and return books efficiently while enabling librarians to maintain library records. An Entity-Relationship (ER) Diagram is used to represent the structure of the database by identifying entities, attributes, and relationships.

What is an ER Diagram?

An ER Diagram (Entity-Relationship Diagram) is a graphical representation of a database. It shows:

- Entities – Real-world objects.
- Attributes – Properties of entities.
- Relationships – Associations between entities.

The ER diagram acts as the blueprint for designing the database.

Entities in Online Library System

The major entities are:

- Member

- **Book**
 - **Author**
 - **Librarian**
 - **Loan**
 - **Category**
-

Attributes of Each Entity

1. Member

- **Member_ID** (*Primary Key*)
 - **Name**
 - **Address**
 - **Phone_Number**
 - **Email**
-

2. Book

- **Book_ID** (*Primary Key*)
 - **Title**
 - **ISBN**
 - **Publisher**
 - **Edition**
 - **Price**
-

3. Author

- **Author_ID** (*Primary Key*)
 - **Author_Name**
 - **Country**
-

4. Librarian

- **Librarian_ID** (*Primary Key*)

- Name
 - Phone_Number
 - Email
-

5. Loan

- Loan_ID (*Primary Key*)
 - Issue_Date
 - Due_Date
 - Return_Date
 - Fine
-

6. Category

- Category_ID (*Primary Key*)
 - Category_Name
 - Description
-

Relationships

1. Member Borrows Book

- One member can borrow many books.
- One book can be borrowed by many members at different times.

Relationship: Many-to-Many (M:N)

The Loan entity is used to record borrowing details.

2. Book Written By Author

- One author can write many books.
- One book may have one or more authors.

Relationship: Many-to-Many (M:N)

3. Book Belongs to Category

- One category contains many books.
- One book belongs to one category.


Relationship: One-to-Many (1:M)

4. Librarian Manages Loan

- One librarian manages many loan records.

Relationship: One-to-Many (1:M)


ER Diagram



BOOK	LIBRARIAN
-----	-----
Book_ID (PK)	Librarian_ID (PK)
Title	Name
ISBN	Phone
Publisher	Email
Edition	
Price	

|

Written By (M:N)



AUTHOR

Author_ID (PK)


Author_Name

Country

BOOK

|

Belongs To (1:M)



CATEGORY

Category_ID (PK)

Category_Name

Description

Explanation of the ER Diagram

- **Member stores details of library users.**
- **Book contains information about all books available in the library.**
- **Author stores author details.**
- **Loan records book issue and return information.**
- **Librarian manages borrowing and returning activities.**
- **Category groups books into subjects such as Science, Computer Science, Literature, etc.**

The Loan entity acts as a bridge between Member and Book, recording issue date, due date, return date, and fine.

Real-Time Example

Consider a college online library.

- **Student Rahul registers as a member.**
 - **Rahul borrows the book Database Management Systems.**
 - **The loan is recorded with:**
 - **Issue Date: 15-07-2026**
 - **Due Date: 30-07-2026**
 - **The librarian manages the transaction.**
 - **The book belongs to the Computer Science category and is written by an author.**
-

Advantages of ER Diagram

- **Clearly represents the database structure.**
- **Reduces data redundancy.**
- **Improves database organization.**
- **Simplifies database implementation.**
- **Enhances communication among developers.**
- **Helps convert the design into relational tables.**

- Improves data consistency.
- Makes maintenance easier.

Summary Table


Entity	Important Attributes
Member	Member_ID, Name, Phone
Book	Book_ID, Title, ISBN
Author	Author_ID, Author_Name
Loan	Loan_ID, Issue_Date, Due_Date
Librarian	Librarian_ID, Name
Category Category_ID, Category_Name	


Conclusion

The ER Diagram for an Online Library System provides a clear representation of the database by identifying entities, attributes, and relationships. The main entities include Member, Book, Author, Librarian, Loan, and Category. Relationships such as Member Borrows Book, Book Written By Author, Book Belongs to Category, and Librarian Manages Loan help organize the database efficiently. A well-designed ER diagram minimizes redundancy, improves data consistency, and serves as a strong foundation for implementing an efficient online library management system.

Q2. Prepare a Presentation on the EER Model, Demonstrating Generalization and Specialization with a University Case Study.

Extended ER (EER) Model





Introduction

The Extended Entity-Relationship (EER) Model is an advanced version of the traditional Entity-Relationship (ER) Model. It provides additional features such as Generalization, Specialization, Inheritance, and Aggregation to represent complex real-world situations. The EER model is widely used in designing large database systems such as universities, hospitals, banking systems, and organizations.

In a University Management System, the EER model helps organize information about students, faculty members, departments, and courses efficiently by using inheritance and classification.

What is the EER Model?

The Extended Entity-Relationship (EER) Model extends the basic ER model by adding advanced concepts.

Features of the EER Model

- Supports inheritance.
 - Represents superclass and subclass relationships.
 - Models complex real-world applications.
 - Reduces data redundancy.
 - Improves database flexibility.
 - Simplifies database design.
-


Generalization

Definition

Generalization is the process of combining two or more lower-level entities with common characteristics into a single higher-level entity called a Superclass.

It follows the Bottom-Up Approach.

University Example



Both UG Student and PG Student share common attributes such as:

- Student_ID
- Name
- Address
- Phone Number

These common attributes are placed in the Student superclass.

Advantages

- Reduces redundancy.
- Improves data organization.
- Simplifies maintenance.
- Promotes data reuse.


Specialization

Definition

Specialization is the process of dividing one higher-level entity into multiple lower-level entities based on specific characteristics.

It follows the Top-Down Approach.

University Example



The superclass **Person** contains common attributes:

- **Person_ID**
- **Name**
- **Gender**
- **Address**
- **Phone Number**

Each subclass contains additional attributes.

Student

- **Roll Number**
- **Course**
- **Semester**
- **CGPA**

Faculty

- **Employee_ID**
- **Department**
- **Qualification**
- **Salary**

Advantages

- **Represents different categories clearly.**
 - **Supports inheritance.**
 - **Improves database flexibility.**
-

Inheritance

Inheritance means that a subclass automatically receives all the attributes of its superclass.

Superclass

Person

Attributes:

- **Person_ID**
- **Name**
- **Gender**
- **Address**
- **Phone Number**

↓

Student (Subclass)

Inherited Attributes:

- **Person_ID**
- **Name**
- **Gender**
- **Address**
- **Phone Number**

Additional Attributes:

- **Roll Number**
- **Course**
- **Semester**

↓

Faculty (Subclass)

Inherited Attributes:

- **Person_ID**
- **Name**
- **Gender**
- **Address**
- **Phone Number**

Additional Attributes:

- **Employee_ID**
 - **Department**
 - **Qualification**
 - **Salary**
-

University Case Study

A university maintains information about students, faculty, departments, and courses.

Superclass

Person

Attributes

- **Person_ID**
 - **Name**
 - **Gender**
 - **Address**
 - **Phone Number**
-

Subclass 1

Student

Attributes

- **Roll Number**

- **Course**
 - **Semester**
 - **CGPA**
-

Subclass 2

Faculty

Attributes

- **Employee_ID**
 - **Department**
 - **Qualification**
 - **Salary**
-

Department

Attributes

- **Department_ID**
- **Department_Name**

Relationship:

Faculty Works In Department.

Course

Attributes




- **Course_ID**
- **Course_Name**
- **Credits**

Relationship:

Student Enrolls In Course.

EER Diagram

PERSON



Faculty

|
Works In (M:1)



DEPARTMENT

Department_ID

Department_Name

Explanation of the EER Diagram

- **Person is the Superclass.**
- **Student and Faculty are Subclasses created through specialization.**
- **Both subclasses inherit the common attributes of Person.**
- **Students enroll in different courses.**
- **Faculty members work in departments.**
- **UG Student and PG Student can be generalized into the Student superclass.**

Difference Between Generalization and Specialization

Generalization	Specialization
Bottom-Up approach	Top-Down approach
Combines entities	Divides entities
Creates superclass	Creates subclasses
Removes redundancy	Adds detailed classification
Example: UG + PG Student → Student Person → Student, Faculty	

Advantages of the EER Model

- Represents complex real-world situations.
- Supports inheritance.
- Reduces data redundancy.
- Improves database flexibility.
- Simplifies maintenance.
- Makes database design easier.
- Supports large database systems.
- Enhances scalability.

Real-Time Example

Consider ABC University.

- Every individual is first stored as a Person.
- Persons are specialized into Students and Faculty Members.
- Students are further classified as UG Students and PG Students.
- Faculty members belong to departments such as Computer Science, Mechanical Engineering, and Electronics.
- Students enroll in courses like DBMS, Operating Systems, and Data Structures.

This EER model avoids duplication of common information and provides an efficient database design.

Summary Table


Concept	Description
EER Model	Enhanced version of the ER Model
Generalization	Combines lower-level entities into a superclass


Concept	Description
Specialization	Divides a superclass into subclasses
Inheritance	Subclasses inherit the attributes of the superclass

Conclusion

The Extended Entity-Relationship (EER) Model extends the traditional ER model by introducing Generalization, Specialization, and Inheritance. In the University Management System, these concepts help organize data efficiently by creating a Person superclass and specialized subclasses such as Student and Faculty. Generalization combines similar entities, while specialization divides a superclass into meaningful categories. Thus, the EER model improves flexibility, reduces redundancy, simplifies maintenance, and provides an effective framework for designing complex database systems.

Q3. Present the Concept of Data Independence (Logical and Physical) and its Significance in DBMS Architecture.





Introduction

Data Independence is one of the most important features of a Database Management System (DBMS). It refers to the ability to change the structure of the database at one level without affecting the schema at the next higher level. This feature allows database designers to modify the database without changing application programs or user views. Data independence is achieved through the three-level ANSI/SPARC architecture, which separates the database into external, conceptual, and internal levels.

What is Data Independence?

Data Independence is the ability to modify the database schema at one level without affecting the schema at the higher level.

It enables:

- Easy database modification
- Better flexibility
- Reduced maintenance cost
- Improved system performance
- Long-term database scalability

There are two types of Data Independence:

1. Logical Data Independence
2. Physical Data Independence

Three-Level DBMS Architecture

The ANSI/SPARC architecture consists of three levels.

External Level

(View/User Schema)

|



Conceptual Level

(Logical Database)

|



Internal Level

(Physical Storage)

External Level

- Contains different user views.
- Each user sees only the required data.

Conceptual Level

- Describes the complete logical structure of the database.
- Defines entities, relationships, and constraints.

Internal Level

- Describes how data is physically stored.
- Includes files, indexes, and storage methods.

1. Logical Data Independence

Definition

Logical Data Independence is the ability to change the Conceptual Schema without affecting the External Schema or application programs.

Examples

- Adding a new column.
- Removing an unused attribute.
- Creating a new table.
- Splitting one table into two tables.

Example

Before Modification:

Student(Student_ID, Name, Department)

After Modification:

Student(Student_ID, Name, Department, Email)

The user applications continue to work without any changes because the external views remain the same.

Advantages

- Easy database expansion.
 - Existing programs remain unchanged.
 - Better flexibility.
 - Easier maintenance.
 - Reduces software development cost.
-

2. Physical Data Independence

Definition

Physical Data Independence is the ability to change the Internal Schema without affecting the Conceptual Schema.

Examples

- Creating indexes.
- Changing file organization.
- Compressing database files.
- Moving data to a new storage device.
- Changing storage hardware.

Example

Initially, student records are stored in a sequential file.

Later, the DBA creates a B+ Tree Index to improve search speed.

Only the storage method changes. The logical structure and application programs remain unchanged.

Advantages

- Faster database performance.

- Efficient storage utilization.
- Easy hardware upgrades.
- No modification to applications.
- Better database optimization.

Difference Between Logical and Physical Data Independence

Logical Data Independence	Physical Data Independence
Changes Conceptual Schema	Changes Internal Schema
External Schema remains unchanged	Conceptual Schema remains unchanged
More difficult to achieve	Easier to achieve
Affects logical database structure	Affects physical storage structure
Example: Add a new attribute	Example: Create an index

Significance of Data Independence in DBMS Architecture

Data Independence is an important feature because it separates user applications from the physical storage of data.

Importance

- Reduces application maintenance.
- Supports database scalability.
- Improves system flexibility.
- Allows changes without affecting users.
- Enhances database performance.
- Makes database administration easier.
- Provides better security and reliability.
- Supports efficient database development.

Real-Time Example

College Management System

A college database stores student information.

Logical Change

The administrator adds a new attribute Email to the Student table.

The student portal continues to function normally because user views are unaffected.

This is Logical Data Independence.

Physical Change

The DBA creates an index on Student_ID to speed up searching.

The database becomes faster, but the logical structure and application programs remain unchanged.

This is Physical Data Independence.

Advantages of Data Independence

- **Protects application programs from database changes.**
 - **Improves database performance.**
 - **Reduces maintenance cost.**
 - **Supports future expansion.**
 - **Makes database management easier.**
 - **Ensures better data consistency.**
 - **Enhances security.**
 - **Saves development time.**
-

Summary Table


Concept	Description
Data Independence	Ability to modify one schema level without affecting higher levels
Logical Data Independence	Changes in conceptual schema do not affect external views
Physical Data Independence	Changes in internal schema do not affect conceptual schema
External Level	User-specific view of the database
Conceptual Level	Logical structure of the database
Internal Level	Physical storage of data


Conclusion

Data Independence is a fundamental feature of a DBMS that enables changes to the database without affecting users or application programs. Logical Data Independence protects user views when the logical structure changes, while Physical Data Independence protects the logical structure when storage methods change. By using the three-level ANSI/SPARC architecture, DBMS provides flexibility, reduces maintenance costs, improves performance, and ensures efficient database management. Therefore, data independence is essential for developing scalable, reliable, and maintainable database systems.

Q4. Deliver a Technical Presentation on the Software Components of a DBMS, Explaining Query Processor, Storage Manager, and Transaction Manager

DBMS Software Components





Introduction

A Database Management System (DBMS) consists of several software components that work together to store, retrieve, process, and manage data efficiently. These components ensure that database operations are performed accurately, securely, and efficiently. The three major software components of a DBMS are the Query Processor, Storage Manager, and Transaction Manager. Each component performs a specific role in processing user requests and maintaining the integrity of the database.

Software Components of DBMS

The main software components are:

- Query Processor
- Storage Manager
- Transaction Manager

These components cooperate to execute user queries, manage data storage, and maintain consistency during database operations.

1. Query Processor

Definition

The Query Processor is responsible for interpreting, optimizing, and executing SQL queries submitted by users.

Functions of Query Processor

a) Query Parsing

- Checks SQL syntax.
- Detects syntax errors.
- Converts SQL statements into an internal representation.

b) Query Optimization

- Finds the most efficient way to execute a query.
- Reduces execution time.
- Selects the best execution plan.

c) Query Execution

- Executes the optimized query.
- Retrieves or updates the required data.
- Sends the result back to the user.

Example

SQL Query:

SQL

SELECT Name

FROM Student

WHERE Department='CSE';

The Query Processor:

1. Validates the SQL syntax.
2. Optimizes the query.
3. Retrieves matching records.
4. Displays the result.

Advantages

- Faster query execution.
 - Efficient use of system resources.
 - Improved database performance.
-

2. Storage Manager

Definition

The Storage Manager manages the physical storage of data in the database. It acts as an interface between the database and the storage devices.

Functions of Storage Manager

a) File Management

- **Stores database files.**
- **Organizes data efficiently.**
- **Allocates storage space.**

b) Buffer Management

- **Loads frequently accessed data into memory.**
- **Reduces disk access.**
- **Improves response time.**

c) Index Management

- **Creates and maintains indexes.**
- **Speeds up searching operations.**

d) Space Management

- **Allocates free storage space.**
- **Reuses unused storage.**

Example

When a new student record is inserted:

- **Storage Manager stores the record.**
- **Updates indexes.**
- **Allocates disk space.**
- **Saves the information permanently.**

Advantages

- **Efficient storage utilization.**
- **Faster data retrieval.**
- **Better memory management.**

3. Transaction Manager

Definition

The Transaction Manager controls all database transactions and ensures that they are executed correctly while maintaining database consistency.

A transaction is a sequence of one or more database operations treated as a single unit of work.

Functions of Transaction Manager

a) Concurrency Control

- **Allows multiple users to access the database simultaneously.**
- **Prevents conflicts between transactions.**

b) Recovery Management

- **Restores the database after system failures.**
- **Prevents data loss.**

c) Commit and Rollback

- **Commit: Saves changes permanently.**
- **Rollback: Cancels changes if an error occurs.**

d) Ensures ACID Properties

- **Atomicity – Transaction is completed fully or not at all.**
- **Consistency – Database remains in a valid state.**
- **Isolation – Transactions do not interfere with each other.**
- **Durability – Committed data is permanently stored.**

Example

In an online banking system:


- **₹10,000 is transferred from Account A to Account B.**
- **If both debit and credit operations succeed → Commit.**
- **If any operation fails → Rollback.**

Advantages

- **Prevents data inconsistency.**
- **Ensures reliable transaction processing.**

- Supports multiple users safely.

Working of DBMS Software Components



Real-Time Example

Bank Management System

A customer requests to transfer money.

1. The Query Processor checks and executes the SQL query.
2. The Transaction Manager ensures that the transaction follows ACID properties.

3. The Storage Manager updates account balances in the database.
4. The updated balance is displayed to the customer.

This ensures secure, accurate, and reliable transaction processing.

Advantages of DBMS Software Components

- Fast query processing.
- Efficient data storage.
- Reliable transaction management.
- Improved database performance.
- Better security.
- Maintains data consistency.
- Supports multiple users.
- Provides recovery after failures.

Comparison Table

Software Component	Main Responsibility
Query Processor	Parses, optimizes, and executes SQL queries
Storage Manager	Manages storage, files, indexes, and buffers
Transaction Manager	Controls transactions, concurrency, recovery, commit, and rollback

Summary Table


Component	Functions
Query Processor	Query parsing, optimization, execution


Component	Functions
Storage Manager	File management, buffer management, indexing, storage allocation
Transaction Manager	Concurrency control, recovery, commit, rollback, ACID properties

Conclusion

The Query Processor, Storage Manager, and Transaction Manager are the three core software components of a DBMS. The Query Processor interprets and executes SQL queries, the Storage Manager manages the physical storage and retrieval of data, and the Transaction Manager ensures reliable and consistent transaction processing by enforcing the ACID properties. Together, these components enable a DBMS to provide efficient, secure, and reliable data management for applications such as banking, hospitals, universities, e-commerce, and library systems.

Q5. Prepare a Presentation Comparing Strong and Weak Entities in ER Modeling with Real-World Examples.





Introduction

The Entity-Relationship (ER) Model is a conceptual database design model used to represent entities, attributes, and relationships. Based on their existence and identification, entities are classified into Strong Entities and Weak Entities. A Strong Entity has its own primary key and can exist independently, whereas a Weak Entity cannot exist without a strong entity and is identified using a partial key along with the primary key of the related strong entity. Understanding these entities is essential for designing accurate and efficient database systems.

What is a Strong Entity?

A Strong Entity is an entity that can exist independently in a database. It has its own Primary Key, which uniquely identifies each record.

Characteristics of Strong Entity


- Exists independently.
- Has its own primary key.
- Does not depend on another entity.
- Represented by a single rectangle in an ER diagram.
- Can participate in relationships with other entities.

Example

Student

Attributes:

- Student_ID (*Primary Key*)
- Name
- Department
- Age



What is a Weak Entity?

A Weak Entity is an entity that cannot exist independently. It depends on a Strong Entity for its identification and existence.

A weak entity has a Partial Key instead of a complete primary key.

Characteristics of Weak Entity

- Cannot exist independently.
- Depends on a strong entity.
- Has a partial key.
- Represented by a double rectangle in an ER diagram.
- Connected to the strong entity using an identifying relationship (double diamond).

Example

Dependent (of an Employee)

Attributes:

- Dependent_Name (*Partial Key*)
- Age
- Relationship

A dependent cannot exist without an employee.


EMPLOYEE

|

Has

|
DEPENDENT
(Weak Entity)

ER Diagram Showing Strong and Weak Entities



Comparison Between Strong and Weak Entities

Strong Entity	Weak Entity
Exists independently	Depends on a strong entity

Strong Entity	Weak Entity
Has a primary key	Has a partial key
Independent existence	Dependent existence
Represented by a single rectangle	Represented by a double rectangle
Does not require another entity	Requires a strong entity for identification
Example: Student, Employee	Example: Dependent, Order Item

Real-World Examples

1. College Management System

Strong Entity

Student

- Student_ID
- Name
- Department

Weak Entity

Attendance

- Attendance_ID (*Partial Key*)
- Date
- Status

Attendance records cannot exist without a student.

2. Hospital Management System

Strong Entity

Patient

- Patient_ID

- Name
- Phone

Weak Entity

Medical Record

- Record_No (*Partial Key*)
- Diagnosis
- Treatment

A medical record belongs to a patient and cannot exist independently.

3. Bank Management System

Strong Entity

Customer

- Customer_ID
- Name
- Address

Weak Entity

Loan Payment

- Payment_No (*Partial Key*)
- Payment_Date
- Amount

Loan payment records exist only for a customer who has taken a loan.

4. Online Shopping System

Strong Entity

Order

- Order_ID
- Order_Date

Weak Entity

Order Item

- **Item_No (*Partial Key*)**
- **Product_Name**
- **Quantity**
- **Price**

Order items cannot exist without an order.

Advantages of Strong Entities

- **Easy identification using a primary key.**
 - **Independent data storage.**
 - **Simplifies database design.**
 - **Faster data retrieval.**
 - **Better data organization.**
-

Advantages of Weak Entities

- **Represents dependent data accurately.**
 - **Reduces data redundancy.**
 - **Maintains referential integrity.**
 - **Models real-world relationships effectively.**
 - **Improves database consistency.**
-

Importance of Strong and Weak Entities

- **Helps in designing efficient databases.**
 - **Maintains data consistency and integrity.**
 - **Clearly represents dependency between entities.**
 - **Supports database normalization.**
 - **Reduces duplicate data.**
 - **Improves database maintenance.**
-

Summary Table

Feature	Strong Entity	Weak Entity
Existence	Independent	Dependent
Key	Primary Key	Partial Key
Representation	Single Rectangle	Double Rectangle
Dependency	No	Yes
Identification	Own Primary Key	Primary Key of Strong Entity + Partial Key
Example	Student, Employee Dependent, Medical Record	

Conclusion

In the ER Model, entities are classified into Strong and Weak Entities based on their ability to exist independently. A Strong Entity has its own primary key and can exist without depending on other entities, whereas a Weak Entity depends on a strong entity for its identification and existence. Examples such as Employee–Dependent, Student–Attendance, Patient–Medical Record, and Order–Order Item clearly demonstrate this relationship. Proper identification of strong and weak entities leads to a well-structured database, minimizes redundancy, and ensures data integrity.