

The `ut-thesis` class ^{*}

Francois Pitt, Jesse Knight [†]

August 26, 2020

Abstract

The `ut-thesis` document class and template implements the requirements of the University of Toronto School of Graduate Studies (SGS), as of Winter 2020.

Contents

1	Usage	2
1.1	Options	2
1.2	Environments & Commands	3
2	Implementation	4
2.1	Initial Code	4
2.2	Option Declaration	4
2.2.1	Default Options & Processing	6
2.3	Initialization	6
2.4	Author Information	6
2.5	Front Matter	7
2.5.1	Title Page	7
2.5.2	Abstract Page	7
2.5.3	Page Styles	9

^{*}v3.0.a [2020/09/01] CTAN repository: <https://ctan.org/pkg/ut-thesis>

[†]maintainer, contact: jesse.knight@mail.utoronto.ca

1 Usage

```
\documentclass{ut-thesis}  
\documentclass[...options...]{ut-thesis}
```

The default settings produce a final copy, ready for submission to the School of Graduate Studies (SGS) at the University of Toronto: single-sided, "normal" margins (see below), one-and-a-half spaced with single-spaced notes.

1.1 Options

- Any standard option for the LaTeX2e `book` class, including `10pt`, `11pt`, `12pt`, `oneside`, `twoside`, etc.

- `narrowmargins`, `normalmargins`, `widemargins`, or `extrawidemargins`: Set the size of the margins, as follows: . `narrow`: 1 1/4" on the left, 3/4" on all other sides, headers & footers 3/8" from body (these are the minimum values required by SGS); . `normal`: 1 1/4" on the left, 1" on all other sides, headers & footers 1/2" from body; . `wide`: 1 1/4" on all sides, headers & footers 5/8" from body; . `extrawide`: 1 1/2" on all sides, headers & footers 3/4" from body. If you have more than just a few marginal notes, it is recommended that you use at least `wide` margins. For other settings, use the `\geometry` command (see the template for details).

- `singlespaced`, `oneandahalfspaced`, or `doublespaced`: Set the entire document's default line spacing (except for notes, which are single-spaced by default). For other settings, use the `\setstretch` command (see the template for details).

- `singlespacednotes` or `standardspacednotes`: Set line spacing for footnotes and marginal notes: either single-spaced or the same as the rest of the document.

- `cleardoublepagestyleempty`, `cleardoublepagestyleplain`, or `cleardoublepagestylestandard`: Set the page style for all "cleared" pages (empty pages inserted in two-sided documents to put the next page on the right-hand side) to either `empty`, `plain`, or whatever style is in effect when the page is cleared (the default).

- `draft`: Produce a draft copy (double-sided, double-spaced, normal margins, with the word "DRAFT" printed at all four corners of every page).

Note that these options can be used to override the default or draft document settings, so that it is possible, for example, to create a double-sided final copy, or a 1 1/2-spaced draft copy with wide margins, etc. You may use standard LaTeX packages to tailor the layout and formatting in other ways. Also note that when producing double-sided documents while *not* in draft mode, new chapters and preliminary sections will always start on a right-hand page under the default settings (inserting a blank page if needed). This can be overridden by using the `openany` or `openright` options. To achieve this effect for individual sections or chapters, use `\cleardoublepage` – or one of the more specific `\clearemptydoublepage`, `\clearplainedoublepage`, `\clearthesisdoublepage`, or `\clearstandarddoublepage` (see below for details).

1.2 Environments & Commands

* `\degree{...}`: (preamble only; REQUIRED) Specify the name of the degree (e.g., "Doctor of Philosophy").

* `\department{...}`: (preamble only; REQUIRED) Specify the name of the graduate department.

* `\gradyear{...}`: (preamble only; REQUIRED) Specify the year of graduation (defaults to current year).

* `\author{...}`: (preamble only; REQUIRED) Specify the name of the author.

* `\title{...}`: (preamble only; REQUIRED) Specify the title of the thesis.

- `\begin{preliminary}...\end{preliminary}`: Delimit head matter (title page, abstract, table of contents, lists of tables and figures, etc.): set the page style and numbering for the preliminary sections and reset them for the main document.

- `\maketitle`: Generate the title page from the information supplied in the preamble.

- `\begin{abstract}...\end{abstract}`: Generate the abstract page, double-sided. (According to SGS guidelines, this must immediately follow the title page.)

- `\begin{dedication}...\end{dedication}`: Generate a dedication section, if needed (just a paragraph formatted flush right).

- `\begin{acknowledgements}...\end{acknowledgements}`: Generate an acknowledgements section, if needed.

Note that neither the `dedication` nor the `acknowledgements` are put on a separate page by default (use `\newpage` to do this explicitly). Also note that the table of contents, list of tables, and list of figures can be generated using the usual LaTeX commands.

- `\begin{longquote}...\end{longquote}`: Single-spaced version of the `quote` environment.

- `\begin{longquotation}...\end{longquotation}`: Single-spaced version of the `quotation` environment.

- `\clearemydoublepage`, `\clearplainedoublepage`, `\clearthesisdoublepage`: Same as `\cleardoublepage` except that cleared pages have style `empty`, `plain`, or `thesis` respectively.

- `\clearstandarddoublepage`: Same as the original `\cleardoublepage` (cleared pages use the style currently in effect) – used to override the effects of options `cleardoublepagestyleempty` or `cleardoublepagestyleplain`.

The companion file `ut-thesis.tex` contains a skeleton illustrating the use of this class.

2 Implementation

2.1 Initial Code

Switch for testing draft mode (toggled by `draft` option).

```
1 \newif\if@draft
2 \@draftfalse
```

Switch for testing current page style.

```
3 \newif\if@thesispagestyle
4 \@thesispagestyletrue
```

Save original definitions of footnote and marginal note macros and lengths, to be able to reset them below as needed (when changing between single-spaced and standard-spaced notes).

```
5 \let\@thesis@footnotetext\@footnotetext
6 \let\@thesis@mpfootnotetext\@mpfootnotetext
7 \let\@thesis@marginparreset\@marginparreset
8 \newlength{\@thesisfootnotesep}
9 \newlength{\@thesismarginparpush}
10 \AtBeginDocument
11   {\setlength\@thesisfootnotesep{\footnotesep}
12    \setlength\@thesismarginparpush{\marginparpush}}
```

Save original definition of `\cleardoublepage`.

```
13 \let\clearstandarddoublepage\cleardoublepage
```

The `\singlespacing` macro from `setspace` includes some vertical space (to make it easier to change line spacing within the document). Unfortunately, this has undesirable side-effects within macros, so we define our own replacement here for use within the class.

```
14 \newcommand*{\singlespacingnoskip}{\setstretch{\setspace@singlespace}}
```

2.2 Option Declaration

`draft` option: change default document settings.

```
15 \DeclareOption{draft}{\@drafttrue
16   \newcommand*{\tlDRAFT}%
17     {\raisebox{ 3ex}[0pt][0pt]{\llap{\sffamily\scriptsize DRAFT\ \ }}}
18   \newcommand*{\trDRAFT}%
19     {\raisebox{ 3ex}[0pt][0pt]{\rlap{\sffamily\scriptsize \ \ DRAFT}}}
20   \newcommand*{\blDRAFT}%
```

```

21     {\raisebox{-3ex}[0pt][0pt]{\llap{\sffamily\scriptsize DRAFT\ \ }}}
22     \newcommand*{\brDRAFT}%
23     {\raisebox{-3ex}[0pt][0pt]{\rlap{\sffamily\scriptsize \ \ DRAFT}}}}
24     \ExecuteOptions{doublespaced}
25     \PassOptionsToClass{draft,twoside,openany}{book}}

```

Margin options.

```

26 \DeclareOption{narrowmargins}{\AtEndOfClass % 1 1/4" left, 3/4" others
27   {\geometry{margin=.75in,left=1.25in,headsep=.375in-\headheight,
28     footskip=.375in,marginparwidth=.5in,marginparsep=.125in}}}
29 \DeclareOption{normalmargins}{\AtEndOfClass % 1 1/4" left, 1" others
30   {\geometry{margin=1in,left=1.25in,headsep=.5in-\headheight,
31     footskip=.5in,marginparwidth=.75in,marginparsep=.125in}}}
32 \DeclareOption{widemargins}{\AtEndOfClass % 1 1/4" all around
33   {\geometry{margin=1.25in,headsep=.625in-\headheight,
34     footskip=.625in,marginparwidth=.75in,marginparsep=.25in}}}
35 \DeclareOption{extrawidemargins}{\AtEndOfClass % 1 1/2" all around
36   {\geometry{margin=1.5in,headsep=.75in-\headheight,
37     footskip=.75in,marginparwidth=1in,marginparsep=.25in}}}

```

Line Spacing options.

```

38 \DeclareOption{singlespaced}{\AtEndOfClass{\singlespacingnoskip}}
39 \DeclareOption{onehalfspaced}{\AtEndOfClass{\onehalfspacing}}
40 \DeclareOption{doublespaced}{\AtEndOfClass{\doublespacing}}

```

Line spacing for notes.

```

41 \DeclareOption{singlespacednotes}{\AtBeginDocument
42   {\setlength\footnotesep{\@thesisfootnotesep}
43     \setlength\marginparpush{\@thesismarginparpush}
44     \renewcommand{\@footnotetext}[1]%
45       {\@thesis@footnotetext{#1\singlespacingnoskip}}
46     \renewcommand{\@mpfootnotetext}[1]%
47       {\@thesis@mpfootnotetext{#1\singlespacingnoskip}}
48     \renewcommand*{\@marginparreset}%
49       {\@thesis@marginparreset\singlespacingnoskip}}}
50 \DeclareOption{standardspacednotes}{\AtBeginDocument
51   {\setlength\footnotesep{\baselineskip-\@thesisfootnotesep}
52     \setlength\marginparpush{\baselineskip-\@thesismarginparpush}
53     \let\@footnotetext\@thesis@footnotetext
54     \let\@mpfootnotetext\@thesis@mpfootnotetext
55     \let\@marginparreset\@thesis@marginparreset}}

```

Page styles for cleared pages.

```

56 \DeclareOption{cleardoublepagestyleempty}
57   {\AtEndOfClass{\let\cleardoublepage\cleareptydoublepage}}

```

```

58 \DeclareOption{cleardoublepagestyleplain}
59   {\AtEndOfClass{\let\cleardoublepage\clearplaindoublepage}}
60 \DeclareOption{cleardoublepagestylestandard}
61   {\AtEndOfClass{\let\cleardoublepage\clearstandarddoublepage}}

```

All other options are passed to the base class directly.

```

62 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{book}}

```

2.2.1 Default Options & Processing

Executing the default options and processing. Any remaining options should now raise an error like: `LaTeX Warning: Unused global option(s): ...`

```

63 \ExecuteOptions{letterpaper} % from book
64 \ExecuteOptions{center,onehalfspacing,chapterhead} % from ut-thesis
65 \ProcessOptions

```

2.3 Initialization

We load the `book` class and the required packages.

```

66 \LoadClass{book}
67 \RequirePackage{calc}
68 \RequirePackage{geometry}
69 \RequirePackage{setspace}

```

2.4 Author Information

Getting the user inputs.

```

70 \renewcommand*{\author}    [1]{\gdef\@author{#1}}
71 \renewcommand*{\title}     [1]{\gdef\@title{#1}}
72 \newcommand*{\degree}      [1]{\gdef\@degree{#1}}
73 \newcommand*{\department}  [1]{\gdef\@department{#1}}
74 \newcommand*{\gradyear}    [1]{\gdef\@gradyear{#1}}

```

Setting default values that will hopefully be overwritten.

```

75 \author    {(author)}
76 \title     {(title)}
77 \degree    {(degree)}
78 \department{(department)}
79 \gradyear  {(gradyear)}

```

2.5 Front Matter

2.5.1 Title Page

We don't enforce firm distances between lines, but use `\vfill` to stretch and fill the space evenly, except for a double-sized gap after the author name. There is one part of space above the title, while the copyright is pushed all the way to the bottom.

```
80 \renewcommand*{\maketitle}%
81   {\thispagestyle{empty}
82     \large
83     \begin{center}
84       \singlespacing
85       \null
86       \vfill
87       \textsc{\@title}
88       \vfill
89       by
90       \vfill
91       {\@author}
92       \vfill
93       \vfill
94       A thesis submitted in conformity with the requirements\\
95       for the degree of {\@degree}\\[1ex]
96       Graduate Department of {\@department}\\
97       University of Toronto\\
98       \vfill
99       {\copyright} Copyright {\@gradyear} by {\@author}
100   \end{center}
101   \cleardoublepage}
```

2.5.2 Abstract Page

The abstract is an environment, but it creates its own page (and possibly an extra empty page if using `twoside`). The author and title info is centered and singlespaced. The word "Abstract" uses the `\section*` style, without any numbering. The abstract content is doublespaced.

```
102 \newenvironment*{abstract}%
103   {\thispagestyle{plain}
104     \begin{center}
105       \singlespacing
106       {\@title}\\[2ex]
107       {\@author}\\
108       {\@degree}\\[1ex]
109       Graduate Department of {\@department}\\
```

```

110      University of Toronto\\
111      {\@gradyear}\\
112      \section*{Abstract}
113  \end{center}
114  \begingroup
115  \doublespacing}%
116  {\endgroup\cleardoublepage}

```

`\begin{dedication}...\end{dedication}` formats a dedication section (*not* on a separate page – just a paragraph formatted flush right).

```

117 \newenvironment*{dedication}%
118   {\begin{flushright}}}%
119   {\end{flushright}}

```

`\begin{acknowledgements}...\end{acknowledgements}` formats an acknowledgements section (*not* on a separate page).

```

120 \newenvironment*{acknowledgements}%
121   {\begin{center}
122     \section*{Acknowledgements}
123   \end{center}
124   \begingroup\noindent}%
125   {\par\endgroup}

```

Redefine `\thebibliography` environment so that it generates headers in the same style as the rest of the document.

```

126 \let\@thesisthebibliography\thebibliography
127 \renewcommand*{\thebibliography}[1]{\@thesisthebibliography{#1}
128   \if@thesispagestyle\@mkboth{\textsc{\bibname}}{\textsc{\bibname}}\fi}

```

Variations of `\cleardoublepage` that explicitly set the pagestyle of any inserted blank page.

```

129 \newcommand*{\clearempydoublepage}%
130   {\pagestyle{empty}\clearstandarddoublepage}}
131 \newcommand*{\clearplainedoublepage}%
132   {\pagestyle{plain}\clearstandarddoublepage}}
133 \newcommand*{\clearthesisdoublepage}%
134   {\pagestyle{thesis}\clearstandarddoublepage}}

```

Single-spaced quotes and quotations.

```

135 \newenvironment*{longquote}%
136   {\begin{quote}\singlespacingnoskip}\end{quote}}
137 \newenvironment*{longquotation}%
138   {\begin{quotation}\singlespacingnoskip}\end{quotation}}

```


2.5.3 Page Styles

Redefine all four standard page styles (empty, plain, headings, myheadings), based on the definitions in `book`, so that they conform to the SGS guidelines (and include draft information if applicable). Then, define a new pagestyle `thesis`.

TODO: Get rid of copy-pasted definitions for pagestyles?

Pagestyle `empty`.

```
139 \renewcommand*{\ps@empty}%
140   {\@thesispagestylefalse
141     \let\mkboth\gobbletwo
142     \def\@oddfoot{\if@draft\bldRAFT\hfil
143       {\slshape\small\today}\hfil\brDRAFT\fi}%
144     \let\@evenfoot\@oddfoot
145     \def\@oddhead{\if@draft\tldRAFT\hfil
146       {\slshape\small\today}\hfil\trDRAFT\fi}%
147     \let\@evenhead\@oddhead}
```

Pagestyle `plain`.

```
148 \renewcommand*{\ps@plain}%
149   {\@thesispagestylefalse
150     \let\mkboth\gobbletwo
151     \def\@oddfoot{\if@draft\bldRAFT\fi\hfil
152       \thepage\hfil\if@draft\brDRAFT\fi}%
153     \let\@evenfoot\@oddfoot
154     \def\@oddhead{\if@draft\tldRAFT\hfil
155       {\slshape\small\today}\hfil\trDRAFT\fi}%
156     \let\@evenhead\@oddhead}
```

Pagestyle `headings`.

```
157 \if@twoside % two-sided printing
158 \renewcommand*{\ps@headings}%
159   {\@thesispagestylefalse
160     \let\mkboth\markboth
161     \def\@oddfoot{\if@draft\bldRAFT\hfil
162       {\slshape\small\today}\hfil\brDRAFT\fi}%
163     \let\@evenfoot\@oddfoot
164     \def\@oddhead{\if@draft\tldRAFT\fi{\slshape\rightmark}\hfil
165       \thepage\if@draft\trDRAFT\fi}%
166     \def\@evenhead{\if@draft\tldRAFT\fi\thepage\hfil
167       {\slshape\leftmark}\if@draft\trDRAFT\fi}%
168     \def\chaptermark##1{\markboth
169       {\MakeUppercase{\ifnum \c@secnumdepth >\m@ne
170         \chapapp\ thechapter. \ \fi ##1}}{}}%
171     \def\sectionmark##1{\markright
172       {\MakeUppercase{\ifnum \c@secnumdepth >\z@
```

```

173         \thesection. \ \fi ##1}}}}
174 \else % one-sided printing
175 \renewcommand*{\ps@headings}%
176 {\@thesispagestylefalse
177  \let\mkboth\markboth
178  \def\@oddfoot{\if@draft\bldRAFT\hfil
179    {\slshape\small\today}\hfil\brDRAFT\fi}%
180  \def\@oddhead{\if@draft\tldRAFT\fi{\slshape\rightmark}\hfil
181    \thepage\if@draft\trDRAFT\fi}%
182  \def\chaptermark##1{\markright
183    {\MakeUppercase{\ifnum \c@secnumdepth >\m@ne
184      \chapapp\ thechapter. \ \fi ##1}}}}
185 \fi%@twoside

```

Pagestyle myheadings.

```

186 \renewcommand*{\ps@myheadings}%
187 {\@thesispagestylefalse
188  \let\mkboth@gobbletwo
189  \def\@oddfoot{\if@draft\bldRAFT\hfil
190    {\slshape\small\today}\hfil\brDRAFT\fi}%
191  \let\@evenfoot\@oddfoot
192  \def\@oddhead{\if@draft\tldRAFT\fi{\slshape\rightmark}\hfil
193    \thepage\if@draft\trDRAFT\fi}%
194  \def\@evenhead{\if@draft\tldRAFT\fi\thepage\hfil
195    {\slshape\leftmark}\if@draft\trDRAFT\fi}%
196  \let\chaptermark@gobble\let\sectionmark@gobble}

```

Pagestyle thesis (based on headings).

```

197 \if@twoside % two-sided printing
198 \newcommand*{\ps@thesis}%
199 {\@thesispagestyletrue
200  \let\mkboth\markboth
201  \def\@oddfoot{\if@draft\bldRAFT\hfil
202    {\slshape\small\today}\hfil\brDRAFT\fi}%
203  \let\@evenfoot\@oddfoot
204  \def\@oddhead{\if@draft\tldRAFT\fi{\slshape\rightmark}\hfil
205    \thepage\if@draft\trDRAFT\fi}%
206  \def\@evenhead{\if@draft\tldRAFT\fi\thepage\hfil
207    {\slshape\leftmark}\if@draft\trDRAFT\fi}%
208  \def\chaptermark##1{\markboth
209    {\textsc{\ifnum \c@secnumdepth >\m@ne
210      \chapapp\ thechapter. \ \fi ##1}}{}}%
211  \def\sectionmark##1{\markright
212    {\textsc{\ifnum \c@secnumdepth >\z@
213      \thesection. \ \fi ##1}}}}
214 \else % one-sided printing

```

```

215 \newcommand*{\ps@thesis}%
216   {\@thesispagestyletrue
217    \let\@mkboth\markboth
218    \def\@oddfoot{\if@draft\bldRAFT\hfil
219      {\slshape\small\today}\hfil\brDRAFT\fi}%
220    \def\@oddhead{\if@draft\tldRAFT\fi{\slshape\rightmark}\hfil
221      \thepage\if@draft\trDRAFT\fi}%
222    \def\chaptermark##1{\markright
223      {\textsc{\ifnum \c@secnumdepth >\m@ne
224        \@chapapp\ thechapter. \ \fi ##1}}}}
225 \fi%@twoside

```

Default page style.

```

226 \pagestyle{thesis}

```