SSH Firewall Hardening and Logging with UFW in a Virtual Home Lab

Overview:

This case study demonstrates firewall-level SSH brute-force mitigation using UFW (Uncomplicated Firewall) and Linux log auditing. The goal was to monitor, detect, and respond to unauthorized SSH access attempts through proper UFW configuration and analysis of system logs.

Project Objective:

To simulate brute-force SSH attacks and configure a firewall (UFW) on Ubuntu to detect, block, and log unauthorized connection attempts, demonstrating basic blue team defensive strategies and network access control.

Tools & Technologies Used:

- VirtualBox
- Ubuntu Server (Defender)
- Kali Linux (Attacker)
- Hydra (SSH brute-force tool)
- OpenSSH
- UFW (Uncomplicated Firewall)
- Linux logging tools

Implementation Steps:

Phase 1: Virtual Lab Preparation

- Ubuntu and Kali Linux VMs already connected via a Host-Only Adapter.
- Verified IP communication using ping <Ubuntu IP> from Kali.

Phase 2: UFW Setup and SSH Hardening

- Enabled UFW on Ubuntu: sudo ufw enable
- Allowed SSH connections explicitly: sudo ufw allow ssh
- Verified firewall status: sudo ufw status verbose
- Ensured logging was set to a suitable level:

Phase 3: SSH Brute-Force Attack Simulation

- Ran brute force attack from Kali: hydra -l testuser -P /usr/share/wordlists/rockyou.txt ssh://<Ubuntu_IP>
- Observed repeated connection attempts and failure logs.

Phase 4: Firewall and Logging Verification

- Verified that UFW logs were generated: sudo tail -f /var/log/ufw.log
- Observed audit entries involving SSH connection attempts.
- Noted that while UFW logged the attempts, it did not automatically block brute-force IPs.

Evidence of Completion:

```
ayanloye-olaitan@ayanloye-olaitan-VirtualBox:~$ sudo ufw status verbose
Status: active
Logging: on (high)
Default: deny (incoming), allow (outgoing), disabled (routed)
New profiles: skip
To
                                      From
                          Action
22/tcp
                          ALLOW IN
                                     Anywhere
22/tcp (v6)
                          ALLOW IN
                                     Anywhere (v6)
ayanloye-olaitan@ayanloye-olaitan-VirtualBox:~$ sudo ufw delete allow ssh
Rule deleted
Rule deleted (v6)
ayanloye-olaitan@ayanloye-olaitan-VirtualBox:~$ sudo ufw deny ssh
Rule added
Rule added (v6)
ayanloye-olaitan@ayanloye-olaitan-VirtualBox:~$ sudo ufw allow from 192.168.56.103 to any port 22
ayanloye-olaitan@ayanloye-olaitan-VirtualBox:~$ sudo ufw status numbered
Status: active
                               Action
                                            From
                               DENY IN
  1] 22/tcp
                                            Anywhere
                               ALLOW IN
                                           192.168.56.103
  2] 22
  31 22/tcp (v6)
                               DENY IN
                                           Anywhere (v6)
```

Image: UFW status and rules

Image: Brute-force attempt from Kali using Hydra

```
ayanloye-olaitan@ayanloye-olaitan-VirtualBox:-$ sudo fail2ban-client status sshd
Status for the jail: sshd
 - Filter
    |- Currently failed: 0
   |- Total failed:
     - File list:
                          /var/log/auth.log
  Actions
    |- Currently banned: 1
   I- Total banned:
     - Banned IP list:
                         192.168.56.101
 ayanloye-olaitan@ayanloye-olaitan-VirtualBox:-$ sudo cat /var/log/fail2ban.log | grep 'Ban'
2025-08-02 19:06:20,352 fail2ban.actions
                                                     [5924]: NOTICE [sshd] Ban 192.168.56.101
[5998]: NOTICE [sshd] Restore Ban 192.168.56.101
2025-08-02 19:12:09,889 fail2ban.actions
2025-08-02 19:25:50,714 failzban.actions [5998]: NOTICE [sshd] Ban 192.16
2025-08-04 12:17:03,429 failzban.actions [1203]: NOTICE [sshd] Ban 192.16
ayanloye-olaitan@ayanloye-olaitan-VirtualBox:-$ sudo grep 'UFW' /var/log/ufw.log
2025-08-02 19:25:50,714 fail2ban.actions
                                                                                  192.168.56.101
2025-08-04 12:17:03,429 fail2ban.actions
                                                                                  192.168.56.101
2025-08-04T11:31:47.989283+01:00 ayanloye-olaitan-VirtualBox kernel: [UFW AUDIT] IN= OUT=enp0s3 SRC=10.0.2.
15 DST=10.0.2.3 LEN=75 TOS=0x00 PREC=0x00 TTL=64 ID=48601 PROTO=UDP SPT=35981 DPT=53 LEN=55
2025-08-04T11:31:47.989499+01:00 ayanloye-olaitan-VirtualBox kernel: [UFW ALLOW] IN= OUT=enp0s3 SRC=10.0.2.
15 DST=10.0.2.3 LEN=75 TOS=0x00 PREC=0x00 TTL=64 ID=48601 PROTO=UDP SPT=35981 DPT=53 LEN=55
2025-08-04T11:31:48.162197+01:00 ayanloye-olaitan-VirtualBox kernel: [UFW AUDIT] IN=enp0s3 OUT= MAC=08:00:2
7:ce:22:e2:52:55:0a:00:02:02:02:08:00 SRC=10.0.2.3 DST=10.0.2.15 LEN=411 TOS=0x00 PREC=0x00 TTL=64 ID=943 PROT
O=UDP SPT=53 DPT=35981 LEN=391
2025-08-04T11:31:48.164223+01:00 ayanloye-olaitan-VirtualBox kernel: [UFW AUDIT] IN= 0UT=enp0s3 SRC=fd17:62
5c:f037:0002:624a:610c:b930:889b DST=2620:002d:4000:0001:0000:0000:0000:002a LEN=80 TC=0 HOPLIMIT=64 FLOWLB
L=911587 PROTO=TCP SPT=54864 DPT=80 WINDOW=64800 RES=0x00 SYN URGP=0
2025-08-04T11:31:48.164337+01:00 ayanloye-olaitan-VirtualBox kernel: [UFW ALLOW] IN= OUT=enp0s3 SRC=fd17:62
5c:f037:0002:624a:610c:b930:889b DST=2620:002d:4000:0001:0000:0000:0000:002a LEN=80 TC=0 HOPLIMIT=64 FLOWLB
```

Image: /var/log/ufw.log entries showing audit and access logs

```
avanloye-olattan@ayanloye-olattan-VirtualBox:-$ sudo grep 'UFH BLOCK' /var/log/ufw.log
2025-08-04T11:39:09.745689-01:00 ayanloye-olaitan-VirtualBox kernel: [UFW BLOCK] IN=enp0s8 OUT= MAC=08:00:2
7:1f:5b:67:08:00:27:d1:f8:5d:08:00 SRC=192.168.56.101 D5T=192.168.56.103 LEN=44 TOS=0x00 PREC=0x00 PTL=47 1
D=64273 PROTO=TCP SPT=54152 DPT=448 NIMOOM=1024 RES=0x00 SYN URCP=0
2025-08-04T11:39:09.745707-01:00 ayanloye-olaitan-VirtualBox kernel: [UFW BLOCK] IN=enp0s8 OUT= MAC=08:00:2
7:1f:5b:67:08:00:02:7d1:f8:5d:09:00 SCC=102.168.56.101 DST=192.168.56.103 LEN=44 TOS=0x00 PREC=0x00 TTL=40 ID=20437 PROTO=TCP SPT=54152 DPT=00 WINDOM=1024 RES=0x00 SYN URCP=0
2025-08-04T11:39:10.853260+01:00 ayanloye-olaitan-VirtualBox kernel: [UFW BLOCK] IN=enp0s8 OUT= MAC=08:00:2
7:1f:5b:67:08:00:02:7d1:f8:5d:09:00 SCC=192.168.56.101 DST=192.168.56.103 LEN=44 TOS=0x00 PREC=0x00 TTL=50 ID=149 PROTO=TCP SPT=54154 DPT=00 WINDOM=1024 RES=0x00 SYN URCP=0
2025-08-04T11:39:10.853316-01:00 ayanloye-olaitan-VirtualBox kernel: [UFW BLOCK] IN=enp0s8 OUT= MAC=08:00:2
7:1f:5b:67:08:00:27:1f:5b:69:00:27:1f:5b:67:08:00:27:1f:5b:67:08:00:27:1f:5b:67:08:00:27:1f:5b:67:08:00:27:1f:5b:67:08:00:27:1f:5b:67:08:00:27:1f:5b:67:08:00:27:1f:5b:67:08:00:27:1f:5b:67:08:00:27:1f:5b:67:08:00:27:1f:5b:67:08:00:27:1f:5b:67:08:00:27:1f:5b:67:08:00:27:1f:5b:67:08:00:27:1f:5b:67:08:00:27:1f:5b:67:08:00:27:1f:5b:67:08:00:27:1f:5b:67:08:00:27:1f:5b:67:08:00:27:1f:5b:67:08:00:27:1f:5b:67:08:00:27:1f:5b:67:08:00:27:1f:5b:67:08:00:27:1f:5b:67:08:00:27:1f:5b:67:08:00:27:1f:5b:67:08:00:27:1f:5b:67:08:00:27:1f:5b:67:08:00:27:1f:5b:67:08:00:27:1f:5b:67:08:00:27:1f:5b:67:08:00:27:1f:5b:67:08:00:27:1f:5b:67:08:00:27:1f:5b:67:08:00:27:1f:5b:67:08:00:27:1f:5b:67:08:00:27:1f:5b:67:08:00:27:1f:5b:67:08:00:27:1f:5b:67:08:00:27:1f:5b:67:08:00:27:1f:5b:67:08:00:27:1f:5b:67:08:00:27:1f:5b:67:08:00:27:1f:5b:67:08:00:27:1f:5b:67:08:00:27:1f:5b:67:08:00:27:1f:5b:67:08:00:27:1f:5b:67:08:00:27:1f:5b:67:08:00:27:1f:5b:67:08:00:27:1f:5b:67:08:00:27:1f:5b:67:08:00:27:1f:5b:67:08:00:27:1f:5b:67:08:00
```

Image: IP being blocked or dropped by firewall

Skills Demonstrated:

- Linux firewall configuration (UFW)
- SSH service protection strategies
- System log analysis and monitoring
- Network access control
- Practical understanding of brute-force detection

Key Takeaways:

- Host-based firewalls are essential for controlling access but may not respond dynamically to threats.
- UFW can audit connection attempts, but integration with tools like Fail2Ban is needed for automated IP blocking.
- System logs are critical for visibility into network behavior and potential malicious activity.

Project Status:

• **Completed** — Virtual lab, firewall configuration, brute-force simulation, and log analysis successfully conducted.

Next Steps:

- Integrate UFW with Fail2Ban for layered defense.
- Simulate firewall-based responses to port scans.

Appendix: Key Command Reference

Command	Explanation	System
sudo ufw enable	Enables the UFW firewall	Ubuntu
sudo ufw allow ssh	Allows incoming SSH traffic	Ubuntu
sudo ufw status verbose	Shows current firewall rules	Ubuntu
sudo ufw logging on	Enables logging for UFW	Ubuntu
sudo tail -f /var/log/ufw.log	Live monitor UFW logs	Ubuntu
sudo journalctl -u ufw	View detailed UFW journal	Ubuntu

	logs	
sudo adduser testuser	Creates a user for testing SSH access	Ubuntu
hydra -l testuser -P /usr/share/wordlists/rockyo u.txt ssh:// <ubuntu_ip></ubuntu_ip>	Performs brute-force SSH attack	Kali
ping <ubuntu_ip></ubuntu_ip>	Verifies network connectivity	Kali