Background

- Food security data is collected and analyzed at HH level



- Programme design and assistance are provided for HH as one unit



- There could be a discrepancy in food security between different HH members!!



WFP World Food Programme

Limitation of individual level data collection

- Limited number of available indicators (MDD, IDDS)
- Sampling frame and selection cannot be conducted at individual level in **F2F assessments or monitoring exercises**
- If we sample HH and conduct data collection at individual level:
  - If we interview one member, which member? is it representative of the HH?
  - If we take more than one, how many are enough? (increase data collection time)
  - If we interview members from both sex?
    - Double enumerators, double cost
    - Are both members available at the same time in the house? Double visit, increase time
    - Practically challenging to sperate household members during the interview

WFP World Food Programme

Iraq pilot

- We Sampled 590 households from 2 IDP and 2 refugee camps
- As the sample was limited, we could conduct 2 interviews with a male and a female from the same household
- Selection of the person from opposite sex to the main respondent of the question (spouse, or the one with the smallest age difference)
- Individuals were asked about their dietary diversity, who in the household was applying food coping strategies and gender empowerment questions

WFP World Food Programme

Research questions

- Is the dietary diversity different for men and women inside the same household?
- Are rCSI results influenced by the sex of the respondent?
- Are the answers of the newly developed rCSI gender-sensitive questions influenced by the sex of the respondent?

WFP World Food Programme

Is the dietary diversity different for men and women inside the same household?

WFP World Food Programme

Paired MDD

All sample= 303 HH





Average MDD-W = 4.8

Average MDD-M =4.7

MDD-W Correlation with FCS 0.11

MDD-M Correlation with FCS 0.13

WFP World Food Programme

Paired consumption of different food groups



WFP World Food Programme

Paired MDD for by HH FCG

Households with acceptable FCS (n=270)







Average MDD-W = 4.8

Average MDD-M = 4.7

Households with poor/borderline FCS (n= 33)





Average MDD-W = 4.8

Average MDD-M = 4.8

WFP World Food Programme

Paired consumption of different food groups for HH with insufficient FCS



WFP World Food Programme

Unpaired MDD

All sample= 431 HH

Sample= 193 HH



Average MDD-W 5.1

MDD-W Correlation with FCS 0.35*

Sample= 238 HH





Average MDD-M 5.2

MDD-M Correlation with FCS 0.12

Sex of respondent to the main questionnaire

WFP World Food Programme

Unpaired consumption of different food groups (n=431)



WFP World Food Programme

Unpaired MDD for by HH FCG

Households with acceptable FCS (n=381)



Average MDD-W = 5.4

MDD-W Correlation with FCS 0.30

Average MDD-M = 5.0

MDD-M Correlation with FCS 0.22

Households with poor/borderline FCS (n= 50)



Average MDD-W = 4.1

MDD-W Correlation with FCS 0.14

Average MDD-M = 5.3

MDD-M Correlation with FCS -0.06

unpaired consumption of different food groups for HH with insufficient FCS (n=50)



WFP World Food Programme

Are the rCSI results influenced by the sex of the respondent?

WFP World Food Programme

Paired rCSI

All sample= 397 HH





Average rCSI
13.30

Average rCSI
13.34

WFP World Food Programme

Iraq F2F: rCSI Cross-Gender Reporting

Female reported - Male reported



Note: Matched pairs N = 397

Iraq F2F: rCSI Cross-Gender Reporting

Female reported - Male reported



Note: Matched pairs N = 397

- Relied on less preferred, less expensive food
- Borrowed food or relied on help
- Reduced portion size of meals at meals time
- Restricted consumption by adults in order for young-children to eat
- Reduced the number of meals eaten per day

WFP World Food Programme

Paired rCSI for by HH FCG

Households with acceptable FCS (n=206)





Average rCSI 13

Average rCSI 13

Households with poor/borderline FCS (n= 40)





Average rCSI 16

Average rCSI 18

WFP World Food Programme

Iraq F2F: rCSI Cross-Gender Reporting

Female reported - Male reported by FCS Group



Note: Matched pairs N = 397: FCS Poor and Borderline N = 40; FCS Acceptable N = 357

WFP World Food Programme

Iraq F2F: rCSI Cross-Gender Reporting

Female reported - Male reported by FCS Group



Note: Matched pairs N = 397: FCS Poor and Borderline N = 40; FCS Acceptable N = 357

- Relied on less preferred, less expensive food
- Borrowed food or relied on help
- Reduced portion size of meals at meals time
- Restricted consumption by adults in order for young-children to eat
- Reduced the number of meals eaten per day

WFP World Food Programme

Are the responses to the newly-developed rCSI gender-sensitive questions influenced by the sex of the respondent?

WFP World Food Programme

Paired rCSI

All sample= 303 HH

Who reduced meal size
Male = (26) 11%
Female = (62) 26%
All adults equally = (111) 47%

Who reduced number of meals
Male = (28) 12%
Female = (57) 24%
All adults equally = (153) 64%

Who reduced meals for children to eat
Male = (24) 13%
Female = (43) 23%
All adults equally = (95) 50%

Who reduced meal size
Male = (51) 21%
Female = (43) 18%
All adults equally =(115) 50%

Who reduced number of meals
Male = (46) 19%
Female = (35) 15%
All adults equally = (157) 66%

Who reduced meals for children to eat
Male = (48) 25%
Female = (26) 14%
All adults equally = (95) 50%

WFP World Food Programme

Iraq F2F: rCSI Cross-Gender Reporting

rCSIGenderMealAdult by Gender and FCS Group



Note: Matched pairs of female and male each N = 238: FCS Poor and borderline N = 28; FCS Acceptable N = 210

- Mainly adult male (18+)
- Mainly adult female (18+)
- All adults equally

WFP World Food Programme

Iraq F2F: rCSI Cross-Gender Reporting

rCSIGenderMealNb by Gender and FCS Group



Note: Matched pairs of female and male each N = 191: FCS Poor and borderline N = 31; FCS Acceptable N = 160

- Mainly adult male (18+)
- Mainly adult female (18+)
- All adults equally
- All family members equally

WFP World Food Programme

Iraq F2F: rCSI Cross-Gender Reporting

rCSIGenderMealSize by Gender and FCS Group



Note: Matched pairs of female and male each N = 238: FCS Poor and borderline N = 32; FCS Acceptable N = 206

- Mainly adult male (18+)
- Mainly adult female (18+)
- All adults equally
- All family members equally

WFP World Food Programme

		Male respondent	
		Others sacrificed = 0	**Male sacrificed = 1**
Female respondent	**Others sacrificed = 0**	**(0, 0)** Both gender agree that others apart from their gender sacrificed **Full Agreement**	**(0, 1)** Male says male sacrificed and female says other sacrificed **Agreement**
	Female sacrificed = 1	**(1, 0)** Female says female sacrificed and male says other sacrificed **Agreement**	**(1, 1)** Male says male sacrificed and female says female sacrificed **Full Disagreement**

WFP World Food Programme

rCSI-Cross tabulation between male and female within household (Intra-HH)

	rCSI Meal Adult		
Male reported	**Others**	**Female reported mainly female**	**Total**
Others	153	39	192
	64.3%	16.4%	80.7%
Male reported mainly male	28	18	46
	11.8%	7.60%	19.3%
Total	181	57	238
	76.1%	23.9%	100%

WFP World Food Programme

Iraq F2F: rCSI Cross-Gender Reporting

Household Disagreement on rCSIMealAdult Gendered Perspective



Note: Matched pairs of female and male each N = 238: FCS Poor and borderline N = 28; FCS Acceptable N = 210

WFP World Food Programme

rCSI-Cross tabulation between male and female within household (Intra-HH)

	rCSI Meal Number		
Male reported	Others	Female reported mainly female	Total
Others	121 63.4%	22 11.5%	143 74.9%
Mainly male	27 14.1%	21 11%	48 25.1%
Total	148 77.5%	43 22.5%	191 100%

WFP World Food Programme

Iraq F2F: rCSI Cross-Gender Reporting

Household Disagreement on rCSIMealNb Gendered Perspective



Note: Matched pairs of female and male each N = 191: FCS Poor and borderline N = 31; FCS Acceptable N = 160

WFP World Food Programme

rCSI-Cross tabulation between male and female within household (Intra-HH)

	rCSI Meal Size		
Male reported	Others	Female said mainly female	Total
Other	145	42	187
	60.9%	17.6%	78.6%
Mainly male	31	20	51
	13%	8.4%	21.4%
Total	176	62	238
	73.9%	26.1%	100%

WFP World Food Programme

Iraq F2F: rCSI Cross-Gender Reporting

Household gender perspective on rCSIMealSize



Note: Matched pairs of female and male each N = 238: FCS Poor and borderline N = 32; FCS Acceptable N = 206

WFP World Food Programme

mVAM Data unpaired sample

Angola, Somalia, Malawi and Zimbabwe

WFP World Food Programme

Angola (mVAM unpaired sample)



WFP World Food Programme

Angola



WFP World Food Programme

Angola



WFP World Food Programme

Somalia (mVAM unpaired sample)



WFP World Food Programme

Somalia



WFP World Food Programme

Somalia



WFP World Food Programme

Zimbabwe (mVAM unpaired sample)



WFP World Food Programme

Zimbabwe



WFP World Food Programme

Zimbabwe



WFP World Food Programme

Malawi (mVAM unpaired sample)



WFP World Food Programme

Malawi



WFP World Food Programme

Malawi



WFP World Food Programme

Conclusions

- In general, there is no discrepancy detected between HH consumption and individual diversity within the same household
- When household doesn't have sufficient consumption, there might be discrepancy in individual diversity (indicative but not statistically significant)
- Collection of intra-household data (interviewing more than one member) doesn't add much information compared to analysis of individual DD by sex of respondent.

WFP World Food Programme

Conclusions

- The responses to the gender-sensitive rCSI questions are extremely variant depending on the sex of respondents, **therefore it is not a reliable measure to determine the sex of the individual applying the coping strategy**

- More testing of the individual level dietary diversity is needed using unpaired sample in (mVAM and assessment exercises). To be discussed!

WFP World Food Programme