DAD / VERSION 1.1

Decathlon Tableau Analytics

Dataset Assessment Document

Assess the data sources, candidate table grains, relationships, data-quality requirements and refresh constraints behind the Tableau dashboards.

Document control	Value
Repository	A-Rafeef/decathlon-Tableau-Project-
Status	Draft for stakeholder review. Requirements and targets are proposed unless identified as observed. No stakeholder approval is claimed.
Source baseline	User-supplied v12.twbx and Tableau Intern Project Sprint brief; static inspection completed.
Revision	Issued as a separate document, replacing the combined requirements PDF together with its two companion documents.

Observed workbook baseline

Four dashboards, 27 worksheets, ten logical tables, nine relationships and 21 calculated fields. The package includes one Hyper extract and four image assets. ZIP integrity and workbook XML parsing passed. The recorded authoring build is Tableau 2026.2.3 on Windows.

Evidence boundary

This is a retrospective specification derived from workbook configuration. Dataset rows were not queried. Row counts, date coverage, missingness, numeric KPI results, refresh behavior and Tableau interactions remain unverified. Configured features are not treated as passed runtime tests.

Reading guide and companion documents

Source inventory and intended grain: page 2. Relationships, quality and controls: page 3. Assessment status, decisions and sources: page 4.

Decathlon_BRD.pdf contains business questions and KPI definitions. Decathlon_FRD.pdf defines dashboard behavior and functional acceptance.

Source inventory & intended grain

The federated source is named **dim_products+**. Its model references six dimension tables and four fact tables. These are logical relationships, not evidence of one flattened, joined dataset. Candidate grains below are inferred from field names and require uniqueness checks.

Logical table	Candidate grain / key	Relevant fields
dim_products.csv	One product / product_id	product_name, sport_department, passion_brand, unit_cost, unit_price
dim_customers.csv	One customer / customer_id	loyalty_tier, primary_sport_interest, signup_date, customer_name
dim_date.csv	One calendar date / date	year, month, quarter, is_weekend, holiday_season
dim_stores.csv	One store / store_id	store_name, store_format, floor_size_sqm, opened_date
dim_suppliers_plants.csv	One facility / facility_id	facility_name, facility_type, max_monthly_capacity_units
dim_workers.csv	One worker / worker_id	store_id, role, monthly_salary, performance_rating
fact_sales_transactions.csv	Transaction or order line / transaction_id; order_id may repeat	order_date, product_id, store_id, customer_id, quantity, net_revenue, gross_profit
fact_inventory.csv	Store-product-date snapshot / snapshot_id	snapshot_date, stock_on_hand, safety_stock_threshold, stockout_flag
fact_production.csv	Production batch / batch_id	production_date, facility_id, product_id, actual_quantity, planned_quantity, defect_quantity
fact_financial_pl.csv	Store-month P&L / financial_record_id	fiscal_month, store_id, net_revenue, operating_profit, net_operating_profit

Package and refresh constraints

The archive includes **v12.twb**, a 19,922,944-byte Hyper extract at **Data/v1.twb Files/dim_products+.hyper**, and design images. Original CSV files are not packaged. CSV connections refer to an author-local Windows directory, so refreshing from CSV requires the source files and relocated connections. Opening the embedded extract still requires a Tableau runtime check.

Dataset row counts, date ranges, refresh cadence, source owner, licensing and real-versus-synthetic provenance are not established by the inspected metadata.

Relationships, quality & controls

Observed relationship	Equality field
Sales → Customers	customer_id
Sales → Date	order_date = date
Sales → Stores	store_id
Production → Facilities	facility_id
Stores → Workers	store_id
Stores → Financial P&L	store_id
Stores → Inventory	store_id
Products → Production	product_id
Products → Sales	product_id

Model implications

The date dimension relates directly only to sales. Production dates, inventory snapshots and financial months need explicit filter semantics. Inventory has product_id but no direct relationship to Products. Sales and financial P&L share Stores without a fiscal-month relationship. Test cross-fact totals and filters at their own grains before making comparisons.

Required data assessment before acceptance

Check	Proposed acceptance rule
Keys and grain	No unexplained null or duplicate primary keys. Verify store-product-date snapshots and store-month P&L uniqueness.
Relationships	Count unmatched keys for every relationship; resolve or explicitly document exclusions. Validate declared store uniqueness against rows.
Completeness and time	Profile nulls and date coverage per table. Confirm refresh date, reporting period, missing months and snapshot cadence.
Numeric validity	Reconcile source and dashboard totals; investigate negative amounts, returns, discounts, invalid capacities and zero denominators.
Currency and units	Establish a single reporting currency or approved conversion. “Cr” means division by 10,000,000; it does not establish INR.

Data handling

Schema includes customer names, worker names, salary and performance fields. Confirm provenance and sharing rights before publishing records or an embedded extract. This document contains schema and requirements only. Customer and workforce row-level reporting is outside the proposed dashboard scope.

Assessment status & open decisions

Archive integrity, XML parsing and structural inventory passed in the source inspection. Proposed checks below remain pending unless explicitly marked passed. No numeric or interactive Tableau validation is claimed.

Test / scope	Expected result	Status
T-01 / Package	ZIP CRC and workbook XML parse without errors; four dashboards and 27 worksheets inventoried.	Passed: static check
T-02 / Data profile	Profile record counts, date coverage, nulls and candidate-key uniqueness for all ten logical tables; record exceptions.	Not run
T-02 / Relationships	Count unmatched keys, validate declared store uniqueness, and test cross-fact aggregation at the intended grain.	Not run
T-02 / Measures	Confirm currency, units, returns, signs, snapshot cadence and source freshness before reconciling dashboard metrics.	Not run
T-09 / Refresh	Confirm packaged extract opens in Tableau and separately validate CSV refresh after source paths are relocated.	Not run

Data-owner decisions

Confirm source provenance and permission to share; real versus synthetic data status; primary keys and table grains; reporting currency and conversion; period coverage; update cadence; missing-value handling; and latest-snapshot policy. Identify owners and approval dates before acceptance.

Completion criteria

All ten tables have an evidence-backed profile and defined grain. Each relationship has a documented key and unmatched-key result. Unresolved exceptions have an owner and impact assessment. The dataset is not declared validated until these checks are executed and material issues are resolved or accepted.

The BRD defines business meaning and reconciliation tolerances. The FRD carries dependent dashboard and refresh tests. Test IDs are shared across the three documents.

Source register

S1: User-supplied v12.twbx, member v12.twb. Evidence: workbook/datasources/datasource, object-graph/relationships, column/calculation, worksheets, dashboards and actions. The source workbook was not modified.
S2: UPDATED_TABLEAU_INTERN_PROJECT_SPRINT (1).docx: final submission requirements, eight-day work plan, repository structure and acceptance criteria. S2 defines desired outputs, not implementation evidence.

S1 SHA-256: 896b85f8ffabfd39c55636fa8760adc4d529bf1bc20e383e3ccf24a0cb2c1df1

This PDF contains requirements and schema only; it does not include raw records, the source workbook or a claim of Tableau publication.