

Practical-5

Gauss-Jacobi Method

QUES 1:

```
In[51]:= GaussJacobi[A0_, b0_, x0_, maxiter_] :=  
  Module[{A = N[A0], b = N[b0], xk = x0, xk1, i, j, k = 0, n, m, OutputDetails},  
    size = Dimensions[A];  
    n = size[[1]];  
    m = size[[2]];  
    If[n != m, Print["Not a square matrix, cannot proceed with Gauss-Jacobi method"];  
      Return[]];  
    OutputDetails = {xk};  
    xk1 = Table[0, {n}];  
    While[k < maxiter, For[i = 1, i <= n, i++, xk1[[i]] = (1/A[[i, i]]) * (b[[i]] -  
      Sum[A[[i, j]] * xk[[j]], {j, 1, i - 1}) - Sum[A[[i, j]] * xk[[j]], {j, i + 1, n}]]];  
    k++;  
    OutputDetails = Append[OutputDetails, xk1];  
    xk = xk1];  
    colHeading = Table[Subscript[x, s], {s, 1, n}];  
    Print[NumberForm[TableForm[OutputDetails, TableHeadings -> {None, colHeading}], 6]];  
    Print["No. of iterations performed: ", maxiter];];  
  
A = {{5, 1, 2}, {-3, 9, 4}, {1, 2, -7}};  
b = {10, -14, -33};  
X0 = {0, 0, 0};  
  
GaussJacobi[A, b, X0, 15]
```

x_1	x_2	x_3
0	0	0
2.	-1.55556	4.71429
0.425397	-2.98413	4.55556
0.774603	-3.43845	3.92245
1.11871	-3.04067	3.84253
1.07112	-2.89044	4.00534
0.975953	-2.97867	4.04146
0.979148	-3.02644	4.00266
1.00422	-3.00813	3.98947
1.00584	-2.99391	3.99828
0.99947	-2.99729	4.00257
0.998428	-3.00132	4.0007
0.999985	-3.00083	3.9994
1.00041	-2.99974	3.99976
1.00004	-2.99976	4.00013
0.999898	-3.00004	4.00008

No. of iterations performed: 15

In[61]:=

```

GaussJacobi[A0_, b0_, x0_, maxiter_] :=
Module[{A = N[A0], b = N[b0], xk = x0, xk1, i, j, k = 0, n, m, OutputDetails},
  size = Dimensions[A];
  n = size[[1]];
  m = size[[2]];
  If[n ≠ m, Print["Not a square matrix, cannot proceed with Gauss-Jacobi method"];
  Return[]];
  OutputDetails = {xk};
  xk1 = Table[0, {n}];
  While[k < maxiter, For[i = 1, i ≤ n, i++, xk1[[i]] = (1/A[[i, i]]) * (b[[i]] -
    Sum[A[[i, j]] * xk[[j]], {j, 1, i - 1}) - Sum[A[[i, j]] * xk[[j]], {j, i + 1, n}]]];
  k++;
  OutputDetails = Append[OutputDetails, xk1];
  xk = xk1];
  colHeading = Table[Subscript[x, s], {s, 1, n}];
  Print[NumberForm[TableForm[OutputDetails, TableHeadings → {None, colHeading}], 6]];
  Print["No. of iterations performed: ", maxiter];];

A = {{4, 1, 1}, {1, 5, 2}, {1, 2, 3}};
b = {2, -6, -4};
x0 = {0.5, -0.5, -0.5};

GaussJacobi[A, b, x0, 15]

```

No. of iterations performed: 15

x_1	x_2	x_3
0.5	-0.5	-0.5
0.75	-1.1	-1.16667
1.06667	-0.883333	-0.85
0.933333	-1.07333	-1.1
1.04333	-0.946667	-0.928889
0.968889	-1.03711	-1.05
1.02178	-0.973778	-0.964889
0.984667	-1.0184	-1.02474
1.01079	-0.987037	-0.982622
0.992415	-1.00911	-1.01224
1.00534	-0.993588	-0.9914
0.996247	-1.00451	-1.00605
1.00264	-0.996828	-0.995744
0.998143	-1.00223	-1.00299
1.00131	-0.998431	-0.997894
0.999081	-1.0011	-1.00148