

W14-P1: Menu Static Page

The screenshot shows a code editor (VS Code) and a browser window side-by-side.

Code Editor (Left):

- Explorer:** Shows the project structure under "A-ION".
- File:** "App_34.js" is the active file.
- Content:** The code defines a component "App_34" that renders a menu section with various food items.

```
client-dbdemo_34 > src > App_34.js > App_34
1 import logo from './logo.svg';
2 import './App.css';
3
4 const App_34 = () => {
5   return (
6     <section class="menu">
7       <div class="title">
8         <h2>Our menu - 210410634</h2>
9         <div class="underline"></div>
10      </div>
11      <div class="btn-container">
12        <button>View All</button>
13        <button>Breakfast</button>
14        <button>Lunch</button>
15        <button>Dessert</button>
16        <button>Shakes</button>
17      </div>
18      <div class="section-center">
19        <article class="menu-item">
20          <h3>Eggs</h3>
21          <p>Lorem ipsum dolor sit amet consectetur adipisicing elit. Quam dolores ut iusto quas quia dignissimos ullam. Enim voluptas, expedita architecto, cupiditate molestias quisquam error quam blanditiis tempore quo dicta. Ipsa.</p>
22          <img alt="Plate of eggs and vegetables" data-bbox="550 240 675 315" />
23        </article>
24        <article class="menu-item">
25          <h3>Big Salad</h3>
26          <p>Lorem ipsum dolor sit amet consectetur adipisicing elit. Quam dolores ut iusto quas quia dignissimos ullam. Enim voluptas, expedita architecto, cupiditate molestias quisquam error quam blanditiis tempore quo dicta. Ipsa.</p>
27          <img alt="Large salad platter" data-bbox="550 335 675 410" />
28        </article>
29        <article class="menu-item">
30          <h3>Fried Dish</h3>
31          <p>Lorem ipsum dolor sit amet consectetur adipisicing elit. Quam dolores ut iusto quas quia dignissimos ullam. Enim voluptas, expedita architecto, cupiditate molestias quisquam error quam blanditiis tempore quo dicta. Ipsa.</p>
32          <img alt="Fried dish with tortilla chips" data-bbox="550 435 675 500" />
33        </article>
34      </div>
35    </section>
36  );
37
38  export default App_34;
39
```

Browser Preview (Right):

- Title:** Our Menu - 210410634
- Navigation:** Buttons for All, Breakfast, Lunch, Dessert, and Shakes.
- Items:**
 - Eggs**: Description: Lorem ipsum dolor sit amet consectetur adipisicing elit. Quam dolores ut iusto quas quia dignissimos ullam. Enim voluptas, expedita architecto, cupiditate molestias quisquam error quam blanditiis tempore quo dicta. Ipsa.
 - Big Salad**: Description: Lorem ipsum dolor sit amet consectetur adipisicing elit. Quam dolores ut iusto quas quia dignissimos ullam. Enim voluptas, expedita architecto, cupiditate molestias quisquam error quam blanditiis tempore quo dicta. Ipsa.
 - Fried Dish**: Description: Lorem ipsum dolor sit amet consectetur adipisicing elit. Quam dolores ut iusto quas quia dignissimos ullam. Enim voluptas, expedita architecto, cupiditate molestias quisquam error quam blanditiis tempore quo dicta. Ipsa.

fda20bc A-iong Wed May 17 19:26:41 2023 +0800 W14-P1: Menu Static Page

W14-P2: Get Menu data from supabase menu table

The screenshot shows a web application running at localhost:3001. The page title is "Our Menu - 210410634". Below the title is a navigation bar with buttons for All, Breakfast, Lunch, Dessert, and Shakes. The main content area displays ten menu items, each with a photo, title, price, and a short description. The first item, "Buttermilk Pancakes", is highlighted with a red box. The menu data array shown in the DevTools Network tab includes:

```
menu data >Array(10) App_34.js:23
menu data >App_34.js:23
menu data >Array(10) <prototype>
  0: {category: "breakfast", descrip: "Lorem ipsum dolor sit amet c...", id: 1, img: "/menu/images/item-1.jpeg", price: 15.59, title: "buttermilk pancakes", ...}
  1: {category: "dinner", descrip: "Lorem ipsum dolor sit amet c...", id: 2, title: "diner double", ...}
  2: {category: "drinks", descrip: "Lorem ipsum dolor sit amet c...", id: 3, title: "godzilla milkshake", ...}
  3: {category: "breakfast", descrip: "Lorem ipsum dolor sit amet c...", id: 4, title: "Country Delight", ...}
  4: {category: "breakfast", descrip: "Lorem ipsum dolor sit amet c...", id: 5, title: "Egg Attack", ...}
  5: {category: "drinks", descrip: "Lorem ipsum dolor sit amet c...", id: 6, title: "Oreo Dream", ...}
  6: {category: "drinks", descrip: "Lorem ipsum dolor sit amet c...", id: 7, title: "Bacon Overflow", ...}
  7: {category: "drinks", descrip: "Lorem ipsum dolor sit amet c...", id: 8, title: "American Classic", ...}
  8: {category: "drinks", descrip: "Lorem ipsum dolor sit amet c...", id: 9, title: "Quarantine Buddy", ...}
  9: {category: "drinks", descrip: "Lorem ipsum dolor sit amet c...", id: 10, title: "西班牙燉飯", ...}
```

The screenshot shows a code editor and a browser window side-by-side. The code editor displays the file `MenuPagea_34.js` with the following code:

```
const MenuPagea_34 = () => {
  const [product, setProduct] = useState([]);
  const getMenuData_34 = async () => {
    const response = await fetch(
      "https://wkuwjlgzkovodskzcca.supabase.co/rest/v1/menu_34?select=*"
    );
    const data = await response.json();
    setProduct(data);
    console.log("menu data", data);
  };
  useEffect(() => {
    getMenuData_34();
  }, []);
  return (
    <div>
      <div className="section-center">
        {product.map(item => {
          const { id, title, price, img, descrip } = item;
          return (
            <article className="menu-item" key={id}>
              <img src={img} alt={title} className="photo" />
              <div className="item-info">
                <header>
                  <h4>{title}</h4>
                  <h4>{price}</h4>
                </header>
                <p className="item-text">{descrip}</p>
              </div>
            </article>
          );
        });
      </div>
    </div>
  );
}
```

The browser window shows the Supabase API Docs for the `menu` table, specifically the `menu_34` view. It includes sections for Getting Started, Introduction, Authentication, User Management, Tables and Views, and GraphQL.

W14-P3: Create routes for P1 and P2

The screenshot shows a code editor on the left and a browser window on the right. The code editor displays the file `App_34.js` with several route definitions highlighted by a red box. The browser window shows a menu page titled "Menu From Supabase Menu Table" with a subtitle "A-ion, 210410634". It features a navigation bar with buttons for All, Breakfast, Lunch, Dessert, and Shakes. Below the navigation are two menu items: "Buttermilk Pancakes" (15.59) and "Diner Double" (13.99), each with a small image and a short description.

f60fe84 A-iong Wed May 17 20:44:16 2023 +0800 W14-P3: Create routes for P1 and P2

W14-P4: Deploy to Vercel

The screenshot shows a browser window displaying the deployed menu page at `1112-client-supabase-210410634.vercel.app/supa_menu_34/lunch`. The page title is "Menu From Supabase Menu Table" and the subtitle is "A-ion, 210410634". It lists three menu items: "Country Delight" (20.99), "American Classic" (12.99), and "Quarantine Buddy" (13.99), each with an image and a short description. To the right of the browser is an open DevTools console. The console shows the following log entries:

```
params category lunch
menu data > Array(3)
params category lunch
params category breakfast
menu data > Array(4)
params category breakfast
params category dessert
menu data > Array(1)
params category dessert
params category breakfast
menu data
  ▶ (4) [{}]
    ▶ 0: {id: 1, title: 'Buttermilk Pancakes', category: 'breakfast', price: 15.59, img: '/menu/images/breakfast/1.jpg'}
    ▶ 1: {id: 5, title: 'Egg Attack', category: 'breakfast', price: 2.99, img: '/menu/images/breakfast/5.jpg'}
    ▶ 2: {id: 7, title: 'Bacon Overflow', category: 'breakfast', price: 8.99, img: '/menu/images/breakfast/7.jpg'}
    ▶ 3: {id: 10, title: 'Spanish Omelette', category: 'breakfast', price: 10.25, img: 'https://example.com/images/breakfast/10.jpg'}
  length: 4
  ▶ [[Prototype]: Array(0)]
params category breakfast
params category lunch
menu data
  ▶ (3) [{}]
    ▶ 0: {id: 4, title: 'Country Delight', category: 'lunch', price: 20.99, img: '/menu/images/lunch/4.jpg'}
    ▶ 1: {id: 8, title: 'American Classic', category: 'lunch', price: 12.99, img: '/menu/images/lunch/8.jpg'}
    ▶ 2: {id: 9, title: 'Quarantine Buddy', category: 'lunch', price: 13.99, img: '/menu/images/lunch/9.jpg'}
  length: 3
  ▶ [[Prototype]: Array(0)]
params category lunch
```

github.com/A-iong/1112-client-sup-a-210410634

Pull requests Issues Codespaces Marketplace Explore

A-iong / 1112-client-sup-a-210410634 (Public)

Code Issues Pull requests Actions Projects Wiki Security Insights Settings

main 1 branch 0 tags Go to file Add file <> Code

Billy 20230517 v2 f2e1121 13 minutes ago 2 commits

public 20230517 16 minutes ago
src 20230517 v2 13 minutes ago
.gitignore 20230517 16 minutes ago
README.md 20230517 16 minutes ago
package-lock.json 20230517 16 minutes ago
package.json 20230517 16 minutes ago

Readme

0 stars 1 watching 0 forks

Releases

No releases published Create a new release

Packages

No packages published Publish your first package

Environments 1

Production Active

Languages

JavaScript 46.8% CSS 27.6% HTML 25.6%

The screenshot shows a GitHub repository page for 'A-iong / 1112-client-sup-a-210410634'. The repository has 2 commits from 'Billy' on '20230517 v2'. A red box highlights the 'About' section, which contains a link to '1112-client-sup-a-210410634.vercel.app'. Below this, there are sections for 'Readme', 'Releases', 'Packages', 'Environments', and 'Languages'. The 'Languages' section shows a breakdown: JavaScript (46.8%), CSS (27.6%), and HTML (25.6%).

6b08494 A-iong Wed May 17 21:51:33 2023 +0800 W14-P4: Deploy to Vercel