### Almost Done!

inching to the finish line...

### Where are we?

What is Git?

Basic Git Usage

Intermediate Git Usage

Git Branching

Working with Repo & Gerritt

Advanced Git Usage

Git Internals



**Git Maintenance** 

Git Servers

### Garbage Collection

# \$ git gc

### git gc

removes unreachable objects

moves loose objects into packfiles

makes some commands faster

### \$ git gc --auto

## configuring gc

gc.auto

gc.autopacklimit

gc.pruneExpire

gc. aggressive Window

### Repository Integrity

## \$ git fsck

### git fsck options

- --verbose
- --full
- --unreachable

### cool git fsck errors

- dangling <type> <object>
- unreachable <type> <object>

\$ git fsck dangling blob 20c49ae386d1748692b427455528d8738a31568b dangling blob 6bc9c1695a6778ec5ef48cee86960e2d6dfd6b68 dangling blob d6893d7793dc84608b7c74913d2a94a78038cd10 dangling tree d3cdcb5baf81ad8d0acf5116371e588d72c356d7 dangling blob 09ce750b00c6e8c43f8aca445ddad12aca084434 dangling blob 2f5a75d52298422311969d56dc62a85228a8d1f6 dangling blob 9d73e8c864c896ed41be1cbdec44d33be4811a21 dangling commit e194f2dbf2dd75ce05325ffb9ec55402be405105 dangling blob 9df7d2ac92cec9260466fa05ee1b2b24632a247c dangling blob e3fa35445a8ee52e5c4bf9984f9a74735407011d

### uncool git fsck errors


missing <type> <object>

shal mismatch <object>


### \$ git fsck --full

### Data Recovery


# getting a deleted branch back




#### git branch -D experiment




#### git branch -D experiment






#### git branch experiment C5



#### git branch experiment C5



## finding "C5"

### finding the SHA

### \$ git reflog

```
fc66bc6... HEAD@{0}: checkout: moving from f71ce38690acf49c1f3c9bea38e09d82a5ce6014 to master f71ce38... HEAD@{1}: checkout: moving from b047b02ea83310a70fd603dc8cd7a6cd13d15c04 to f71ce38690acf49c1b047b02... HEAD@{2}: checkout: moving from ecb6e1bc347ccecc5f9350d878ce677feb13d3b2 to b047b02ea83310a70ecb6e1b... HEAD@{3}: checkout: moving from master to ecb6e1bc347ccecc5f9350d878ce677feb13d3b2 fc66bc6... HEAD@{4}: checkout: moving from master to master fc66bc6... HEAD@{5}: merge origin/master: Fast forward 2249250... HEAD@{6}: merge origin/master: Fast forward ae1e638... HEAD@{7}: checkout: moving from wiki2 to master d5e367c... HEAD@{8}: commit: better? b3ca8e4... HEAD@{9}: commit (merge): Merge branch 'master' into wiki2 f160a1e... HEAD@{10}: checkout: moving from master to wiki2
```

ae1e638... HEAD@{11}: merge origin/master: Merge made by recursive.

8aad4a3... HEAD@{12}: commit: error catching for search

263eba1... HEAD@{13}: merge solrrepo: Fast forward


### \$ git fsck --lost-found

\$ git fsck --lost-found dangling blob 20c49ae386d1748692b427455528d8738a31568b dangling blob 6bc9c1695a6778ec5ef48cee86960e2d6dfd6b68 dangling blob d6893d7793dc84608b7c74913d2a94a78038cd10 dangling tree d3cdcb5baf81ad8d0acf5116371e588d72c356d7 dangling blob 09ce750b00c6e8c43f8aca445ddad12aca084434 dangling blob 2f5a75d52298422311969d56dc62a85228a8d1f6 dangling blob 9d73e8c864c896ed41be1cbdec44d33be4811a21 dangling commit e194f2dbf2dd75ce05325ffb9ec55402be405105 dangling blob 9df7d2ac92cec9260466fa05ee1b2b24632a247c dangling blob e3fa35445a8ee52e5c4bf9984f9a74735407011d

\$ git fsck --lost-found dangling blob 20c49ae386d1748692b427455528d8738a31568b dangling blob 6bc9c1695a6778ec5ef48cee86960e2d6dfd6b68 dangling blob d6893d7793dc84608b7c74913d2a94a78038cd10 dangling tree d3cdcb5baf81ad8d0acf5116371e588d72c356d7 dangling blob 09ce750b00c6e8c43f8aca445ddad12aca084434 dangling blob 2f5a75d52298422311969d56dc62a85228a8d1f6 dangling blob 9d73e8c864c896ed41be1cbdec44d33be4811a21 dangling commit e194f2dbf2dd75ce05325ffb9ec55402be405105 dangling blob 9df7d2ac92cec9260466fa05ee1b2b24632a247c dangling blob e3fa35445a8ee52e5c4bf9984f9a74735407011d

### git branch experiment SHA

#### git branch experiment C5



### repository corruption

### re-clone

# copy corrupted objects from a good repo

```
$ tree -a
-- .git
     -- COMMIT EDITMSG
     -- HEAD
     -- branches
     -- config
     -- description
     -- hooks
        |-- applypatch-msg.sample
        `-- update.sample
     -- index
     -- info
        `-- exclude
     -- logs
         -- HEAD
        `-- refs
            `-- heads
                `-- master
     -- objects
         -- 32/09658ac8d80bc9726d3a33d77e3dfc5fe6035e
         -- 53/9cd7886a627841d525a78d45cbc6396be20b41
         -- e6/9de29bb2d1d6434b8b29ae775ad8c2e48c5391
         -- info
        `-- pack
     -- refs
         -- heads
           `-- master
        `-- tags
     -- remotes
-- hello_world.rb
```

17 directories, 33 files

git gc git fsck git reflog



### Demo

#### Where are we?

What is Git?

Basic Git Usage

Intermediate Git Usage

Git Branching

Working with Repo & Gerritt

Advanced Git Usage

Git Internals

Git Maintenance



**Git Servers** 

#### Git Servers

#### The Protocols

## SSh

## SSh

secure
no special server daemon
user based permissions
can push over it

### setting up git over ssh

set up ssh

\$ ls /opt AlarmClock.git GoogleSearch.git Phone.git Browser.git HTMLViewer.git Settings.git

• • •

```
$ ls /opt
AlarmClock.git
GoogleSearch.git
Phone.git
Browser.git
HTMLViewer.git
Settings.git
```

git clone schacon@gitserver:/opt/AlarmClock.git

\$ ls /opt AlarmClock.git GoogleSearch.git Phone.git Browser.git HTMLViewer.git Settings.git

git clone schacon@gitserver:/opt/AlarmClock.git ssh schacon@gitserver

## http/s

## http/s

simple
low server resources
slower / less efficient
no user based permissions

### setting up git over http

put repositories under DocumentRoot

 run 'git update-server-info' after each commit

\$ ls /var/www AlarmClock.git GoogleSearch.git Phone.git Browser.git HTMLViewer.git Settings.git

\$ ls /var/www AlarmClock.git GoogleSearch.git Phone.git Browser.git HTMLViewer.git Settings.git

git clone http://gitserver/AlarmClock.git

# git

git://

efficient

fast

relatively more difficult setup

insecure

no push

## setting up git over git://

setup git-daemon as inetd server

touch git-daemon-export-ok

#### Server Hooks

```
$ tree -a
 -- .git
    I-- HEAD
    l-- branches
    l-- config
    l-- description
    l-- hooks
        |-- post-commit.sample
        |-- post-receive.sample
        I-- pre-rebase.sample
        `-- update.sample
    l-- info
        `-- exclude
    l-- objects
        l-- info
        `-- pack
     -- refs
        I-- heads
        `-- tags
     -- remotes
 -- hello_world.rb
```

11 directories, 25 files

mv .git/hooks/[hookname].sample
 .git/hooks/[hookname]

mv .git/hooks/[hookname].sample
 .git/hooks/[hookname]

chmod a+x .git/hooks/[hookname]

\$ cat .git/hooks/post-update.sample

```
$ cat .git/hooks/post-update.sample
#!/bin/sh
#
# An example hook script to prepare
# a packed repository for use over
# dumb transports.
#
```

exec git-update-server-info

#### Local Hooks

pre-commit

commit-msg

post-checkout

#### Server Hooks

pre-receive

post-receive

update

post-update

### Demo

#### Review

git init git stash

git clone git tag

git add gitk

git commit git show

git remote git blame

git config git rebase

git pull git filter-branch

git fetch git cherry-pick

git push git reset

git diff git bisect

git log git gc

git branch git fsck

git checkout git reflog



git init git clone git add git commit git remote git config git pull git fetch git push git diff git log git branch git checkout

git stash git tag gitk git show git blame git rebase git filter-branch git cherry-pick git reset git bisect git gc git fsck git reflog



#### Resources

git-scm.com

gitcasts.com

#git / #github on IRC

peepcode - git book and screencast

source.android.com

schacon@gmail.com