

How to get Google Client ID and Client Secret?

07 October 2022

How to get Google Client ID and Client Secret? Add Google sign-in into your site and save time your customers. Google sign-in allows your site visitors to login through Google in one click. Before you can integrate Google sign-in into your website, you need to create a Google client ID and Client Secret.

In this tutorial, we'll show you **how to get Google Client ID and Client Secret** in 10 simple and easy-to-follow steps.


Note: To generate Google Client ID and Client Secret you must be signed into a Google account.

How to get Google Client ID and Client Secret?


1. Go to the [Google Developers Console](#).

2. Click **Select a project** → **New Project**


→ the **Create** button.



3. Enter your **Project name** → click the **Create** button.



4. Click **OAuth consent screen** in the left side menu → choose **User Type** → click the **Create** button.



5. Add **Application name** → **Support email** → **Authorized domain** → **Developer content information** → click the **Save and Continue** button.

Google Cloud My New Project Search Products, resources, docs (/)

APIs & Services

Edit app registration

1 OAuth consent screen — 2 Scopes — 3 Test users — 4 Summary

App information

App name *
App for My New Project 1

The name of the app asking for consent

User support email *
myemail@gmail.com 2

For users to contact you with questions about their consent

Authorized domains ?

Authorized domain 1 *
mydomain.com 3

+ ADD DOMAIN

Developer contact information

Email addresses *
myemail@address.com 4

These email addresses are for Google to notify you about any changes to your project.

SAVE AND CONTINUE 5 CANCEL

6. Complete all **4 steps** in OAuth consent screen → click the **Back to Dashboard** button.

Google Cloud My New Project Search Products, resources, docs (/)

APIs & Services

Edit app registration

✓ OAuth consent screen — ✓ Scopes — ✓ Test users — 4 Summary 1

OAuth consent screen EDIT

User type
External

App name
App for My New Project

Authorized domains
mydomain.com

Contact email addresses
myemail@address.com

BACK TO DASHBOARD 2

7. Go to **Credentials** → click **Create Credentials** → select **OAuth client ID** from the dropdown list.

Google Cloud | My New Project | Search Products, resources, docs (/)

APIs & Services

- Enabled APIs & services
- Library
- Credentials** (1)
- OAuth consent screen
- Domain verification
- Page usage agreements

Credentials + CREATE CREDENTIALS (2) DELETE

Create credentials to access your project's APIs

API Keys

- ☐ Name
- No API keys to display

OAuth 2.0 Client IDs

- ☐ Name
- Creation date ↓
- Type
- Client ID
- Actions
- No OAuth clients to display

Service Accounts [Manage service accounts](#)

- ☐ Email
- Name ↑
- Actions
- No service accounts to display

API key
Identifies your project using a simple API key to check quota and access

OAuth client ID
Requests user consent so your app can access the user's data (3)

Service account
Enables server-to-server, app-level authentication using robot accounts

Help me choose
Asks a few questions to help you decide which type of credential to use

8. Open the dropdown list **Application type**

→ select **Web application** → enter the **name** of your OAuth 2.0 client.

Google Cloud | My New Project | Search Products, resources, docs (/)

APIs & Services

- Enabled APIs & services
- Library
- Credentials**
- OAuth consent screen
- Domain verification
- Page usage agreements

← Create OAuth client ID

A client ID is used to identify a single app to Google's OAuth servers. If your app runs on multiple platforms, each will need its own client ID. See [Setting up OAuth 2.0](#) for more information. [Learn more](#) about OAuth client types.

Application type *
Web application (1)

Name *
Web client 1 (2)

The name of your OAuth 2.0 client. This name is only used to identify the client in the console and will not be shown to end users.

Authorized JavaScript origins ⓘ

For use with requests from a browser

+ ADD URI

The domains of the URIs you add below will be automatically added to your [OAuth consent screen](#) as [authorized domains](#).

9. Enter your site URL in **Authorized JavaScript origins** → in **Authorized redirect URIs**, enter the page URL where you wanted your users redirected back after they have authenticated with Google → click the **Create** button.

The screenshot shows the Google Cloud console interface for creating an OAuth client ID. The left sidebar lists 'APIs & Services' with sub-items: 'Enabled APIs & services', 'Library', 'Credentials' (highlighted), 'OAuth consent screen', 'Domain verification', and 'Page usage agreements'. The main content area is titled 'Create OAuth client ID'. It contains two sections: 'Authorized JavaScript origins' (for use with requests from a browser) and 'Authorized redirect URIs' (for use with requests from a web server). Each section has a text input field labeled 'URIs 1 *' containing 'https://mysite.com'. A red circle with the number '1' highlights the first input field. Below each input field is a '+ ADD URI' button. A red circle with the number '2' highlights the second input field. At the bottom, there are 'CREATE' and 'CANCEL' buttons. A red circle with the number '3' highlights the 'CREATE' button.

10. Copy your **Client ID** and **Client Secret**.