

Preocedure
HA Construction (Ansible Tower)

※ If you want to use Ansible Tower, and Ansible server will be needed in order to encrypt the playbooks with AnsibleValut.
For more information regarding Ansible Server Construction, please refer to HA

※ Please change red text such as (ITA Install directory) and (Free Directory) to fit your environment.

No.	Goal	Goal							Settings	Remarks			
		Common	Construction file	Menu creation	Host group	Ansible	Cobbler	Terraform					
	Configure Common directory												
1	Create data_relay_storage directory					●			mkdir / (Free) /data_relay_storage				
2	Configure common directory					●			Create directory to share the following external storage.				
									Ansible Tower server common directory			External storage common directory	
									/(Free directory) /data_relay_storage			/(Free Directory) /data_relay_storage	
	Install Ansible Tower												
3	Install Ansible Tower					●			For information regarding installing Ansible Tower, please refer to the Ansible Tower Product manual.				
4	Configure the necessary settings on the Ansible Tower side to work with ITA.					●			For more information regarding Ansible Tower settings, please refer to the following document. https://github.com/exastro-suite/it-automation-docs/blob/master/asset/Documents/Exastro-ITA_System_Configuration_Enviroment_Construcion_Guide_Ansible-driver.pdf •System Configuration Construction guide Ansible-Driver (Page 8/10)				