

## Exastro IT Automation Registered service list

Ver1.6

The different registered services found in Exastro ITA are as listed below.

If you want to monitor each process, we recommend that you use the monitoring settings specified under the "Monitor process name keyword" column.

No.	ITA Function	Function/Driver	Service name	Monitor Process Name Keyword	Description
1	–	–	mariadb.service	/usr/sbin/mariabdb	MariaDB Process
2	–	–	httpd.service	/usr/sbin/httpd	Apache Process
3	○	ita_base(Common)	ky_activedirectory_roleuser_replication-workflow.service	/bin/sh /(ITA Install directory)/ita-root/backyards/common/ky_loopcall-php-procedure.sh /bin/php /bin/php /(ITA Install directory)/ita-root/backyards/ita_base/ky_activedirectory_roleuser_replication-workflow.php	Active Directory information mirroring
4	○	ita_base(Common)	ky_change_col_to_row.service	/bin/sh /(ITA Install directory)/ita-root/backyards/common/ky_loopcall-php-procedure.sh /bin/php /bin/php /(ITA Install directory)/ita-root/backyards/create_param_menu/ky_change_col_to_row.php	Parameter creation function Converts the Paramater length and width
5	○	ita_base(Common)	ky_cmdbmenuanalysis-workflow.service	/bin/sh /(ITA Install directory)/ita-root/backyards/common/ky_loopcall-php-procedure.sh /bin/php /bin/php /(ITA Install directory)/ita-root/backyards/ita_base/ky_cmdbmenuanalysis-workflow.php	Acquires the menu linked to the CMDb substitution value.
6	○	ita_base(Common)	ky_data_portability_execute-workflow.service	/bin/sh /(ITA Install directory)/ita-root/backyards/common/ky_loopcall-php-procedure.sh /bin/php /bin/php /(ITA Install directory)/ita-root/backyards/ita_base/ky_data_portability_execute-workflow.php	Exports and Imports Menus
7	○	ita_base(Common)	ky_mail.service	/bin/sh /(ITA Install directory)/ita-root/backyards/common/ky_loopcall-sh-script.sh /bin/sh /(ITA Install directory)/ita-root/backyards/webdbcore/ky_mail.sh	Sends mail
8	○	ita_base(Common)	ky_std_checkcondition-linklist.service	/bin/sh /(ITA Install directory)/ita-root/backyards/common/ky_loopcall-php-procedure.sh /bin/php /bin/php /(ITA Install directory)/ita-root/backyards/webdbcore/ky_std_checkcondition-linklist.php	Checks Role link + cleans (deletes the information associated with the role/menu link and the role/user link)
9	○	ita_base(Common)	ky_std_synchronize-regularly.service	/bin/sh /(ITA Install directory)/ita-root/backyards/common/ky_loopcall-php-procedure.sh /bin/php /bin/php /(ITA Install directory)/ita-root/backyards/ita_base/ky_std_synchronize-regularly.php	Reserves regularly executed Symphonies.
10	○	ita_base(Common)	ky_std_synchronize-symphony.service	/bin/sh /(ITA Install directory)/ita-root/backyards/common/ky_loopcall-php-procedure.sh /bin/php /bin/php /(ITA Install directory)/ita-root/backyards/ita_base/ky_std_synchronize-symphony.php	Synchronizes Symphony status
11	○	ita_base(Common)	ky_std_synchronize-regularly2.service	/bin/sh /(ITA Install directory)/ita-root/backyards/common/ky_loopcall-php-procedure.sh /bin/php /bin/php /(ITA Install directory)/ita-root/backyards/ita_base/ky_std_synchronize-regularly2.php	Reservers regularly executed Symphonies

No.	ITA Function	Function/Driver	Service name	Monitor Process Name Keyword	Description
12	○	ita_base(Common)	ky_std_synchronize-Conductor.service	/bin/sh /(ITA Install directory)/ita-root/backyards/common/ky_loopcall-php-procedure.sh /bin/php /bin/php /(ITA Install directory)/ita-root/backyards/ita_base/ky_std_synchronize-Conductor.php	Synchronizes Conductor status.
13	○	ita_base(Common)	ky_std_synchronize-Collector.service	/bin/sh /(ITA Install directory)/ita-root/backyards/common/ky_loopcall-php-procedure.sh /bin/php /bin/php /(ITA Install directory)/ita-root/backyards/ansible_driver/ky_std_synchronize-Collector.php	Automatic parameter registration Based on the operation result, the information registered in the setting item value management gets registered to Parameter sheets.
14	○	ita_base(Common)	ky_create_er-workflow.service	/bin/sh /(ITA Install directory)/ita-root/backyards/common/ky_loopcall-php-procedure.sh /bin/php /bin/php /(ITA Install directory)/ita-root/backyards/ita_base/ky_create_er-workflow.php	Creates ER Diagram information
15	○	material	ky_material_linkage_ansible.service	/bin/sh /(ITA Install directory)/ita-root/backyards/common/ky_loopcall-php-procedure.sh /bin/php /bin/php /(ITA Install directory)/ita-root/backyards/material/ky_material_linkage_ansible.php	Automatic file link function (Ansible). Automatically links the files in the File list menu to the Ansible-driver menu.
16	○	material	ky_material_management.service	/bin/sh /(ITA Install directory)/ita-root/backyards/common/ky_loopcall-php-procedure.sh /bin/php /bin/php /(ITA Install directory)/ita-root/backyards/material/ky_material_management.php	Automatic pay out return function Links to Git and pays out/ returns the files registered in the File list menu.
17	○	createparam	ky_create_param_menu_execute.service	/bin/sh /(ITA Install directory)/ita-root/backyards/common/ky_loopcall-php-procedure.sh /bin/php /bin/php /(ITA Install directory)/ita-root/backyards/create_param_menu/ky_create_param_menu_execute.php	Parameter sheet creation function Uses the user input information to create Parameter sheets.
18	○	hostgroup	ky_hostgroup_check_loop.service	/bin/sh /(ITA Install directory)/ita-root/backyards/common/ky_loopcall-php-procedure.sh /bin/php /bin/php /(ITA Install directory)/ita-root/backyards/hostgroup/ky_hostgroup_check_loop.php	Checks if the host group's parent-child relationship loops.
19	○	hostgroup	ky_hostgroup_make_var.service	/bin/sh /(ITA Install directory)/ita-root/backyards/common/ky_loopcall-php-procedure.sh /bin/php /bin/php /(ITA Install directory)/ita-root/backyards/hostgroup/ky_hostgroup_make_var.php	Host group variablization function
20	○	hostgroup	ky_hostgroup_regist_var_legacy.service	/bin/sh /(ITA Install directory)/ita-root/backyards/common/ky_loopcall-php-procedure.sh /bin/php /bin/php /(ITA Install directory)/ita-root/backyards/hostgroup/ky_hostgroup_regist_var_legacy.php	Host group variable registration function(Legacy)
21	○	hostgroup	ky_hostgroup_regist_var_legacy_role.service	/bin/sh /(ITA Install directory)/ita-root/backyards/common/ky_loopcall-php-procedure.sh /bin/php /bin/php /(ITA Install directory)/ita-root/backyards/hostgroup/ky_hostgroup_regist_var_legacy_role.php	Host group variable registration function(LegacyRole)
22	○	hostgroup	ky_hostgroup_split.service	/bin/sh /(ITA Install directory)/ita-root/backyards/common/ky_loopcall-php-procedure.sh /bin/php /bin/php /(ITA Install directory)/ita-root/backyards/hostgroup/ky_hostgroup_split.php	Disassembles Hostgroup

No.	ITA Function	Function/Driver	Service name	Monitor Process Name Keyword	Description
23	○	ansible_driver	ky_ansible_execute-workflow.service	/bin/sh /(ITA Install directory)/ita-root/backyards/common/ky_loopcall-php-procedure.sh /bin/php /bin/php /(ITA Install directory)/ita-root/backyards/ansible_driver/ky_ansible_execute-workflow.php	Ansible controls Runs monitor( Executes processes, monitors it and outputs log.)
24	○	ansible_driver	ky_ansible_towermasterSync-workflow.service	/bin/sh /(ITA Install directory)/ita-root/backyards/common/ky_loopcall-php-procedure.sh /bin/php /bin/php /(ITA Install directory)/ita-root/backyards/ansible_driver/ky_ansible_towermasterSync-workflow.php	AnsibleTower Server data synchronization. Acquires the Organization, Instance group, and virtualenv information set in Ansible-Tower so it can be displayed in the ITA Device list and the AnsibleI/f information pulldown menu.
25	○	ansible_driver	ky_legacy_role_valautostup-workflow.service	/bin/sh /(ITA Install directory)/ita-root/backyards/common/ky_loopcall-php-procedure.sh /bin/php /bin/php /(ITA Install directory)/ita-root/backyards/ansible_driver/ky_legacy_role_valautostup-workflow.php	Automatic Variable registration Updates the substitute value list based on the Legacy-role substitution value link.
26	○	ansible_driver	ky_legacy_role_varsautolistup-workflow.service	/bin/sh /(ITA Install directory)/ita-root/backyards/common/ky_loopcall-php-procedure.sh /bin/php /bin/php /(ITA Install directory)/ita-root/backyards/ansible_driver/ky_legacy_role_varsautolistup-workflow.php	Automatic Variable registration Automatic updates the Legacy Role variables.
27	○	ansible_driver	ky_legacy_valautostup-workflow.service	/bin/sh /(ITA Install directory)/ita-root/backyards/common/ky_loopcall-php-procedure.sh /bin/php /bin/php /(ITA Install directory)/ita-root/backyards/ansible_driver/ky_legacy_valautostup-	Automatic Variable registration Uses the Legacy Substitution value link to update the Substitution value list.
28	○	ansible_driver	ky_legacy_varsautolistup-workflow.service	/bin/sh /(ITA Install directory)/ita-root/backyards/common/ky_loopcall-php-procedure.sh /bin/php /bin/php /(ITA Install directory)/ita-root/backyards/ansible_driver/ky_legacy_varsautolistup-workflow.php	Automatic Variable registration Automatically updates the Legacy Variables.
29	○	ansible_driver	ky_pioneer_valautostup-workflow.service	/bin/sh /(ITA Install directory)/ita-root/backyards/common/ky_loopcall-php-procedure.sh /bin/php /bin/php /(ITA Install directory)/ita-root/backyards/ansible_driver/ky_pioneer_valautostup-workflow.php	Automatic Variable registration Uses the Pioneer substitution value link to update the substitution list.
30	○	ansible_driver	ky_pioneer_varsautolistup-workflow.service	/bin/sh /(ITA Install directory)/ita-root/backyards/common/ky_loopcall-php-procedure.sh /bin/php /bin/php /(ITA Install directory)/ita-root/backyards/ansible_driver/ky_pioneer_varsautolistup-workflow.php	Automatic Variable registration Automatically updates the Pioneer variables.
31	○	cobbler_driver	ky_cobbler_profileSync_side_Cobbler.service	/bin/sh /(ITA Install directory)/ita-root/backyards/common/ky_loopcall-php-procedure.sh /bin/php /bin/php /(ITA Install directory)/ita-root/backyards/cobbler_driver/ky_cobbler_profileSync_side_Cobbler.php	Acquires the Cobbler profile name list and records it into a file.
32	○	cobbler_driver	ky_cobbler_profileSync_side_ITA.service	/bin/sh /(ITA Install directory)/ita-root/backyards/common/ky_loopcall-php-procedure.sh /bin/php /bin/php /(ITA Install directory)/ita-root/backyards/cobbler_driver/ky_cobbler_profileSync_side_ITA.ph	Acquires the Cobbler profile name list file and updates/registers/deletes the ITA Database.

No.	ITA Function	Function/Driver	Service name	Monitor Process Name Keyword	Description
33	○	cobbler_driver	ky_cobbler_systemSync_side_Cobbler.service	/bin/sh /(ITA Install directory)/ita-root/backyards/common/ky_loopcall-php-procedure.sh /bin/php /bin/php /(ITA Install directory)/ita-root/backyards/cobbler_driver/ky_cobbler_systemSync_side_Cobbler.php	Updates the Cobbler system list file.
34	○	cobbler_driver	ky_cobbler_systemSync_side_ITA.service	/bin/sh /(ITA Install directory)/ita-root/backyards/common/ky_loopcall-php-procedure.sh /bin/php /bin/php /(ITA Install directory)/ita-root/backyards/cobbler_driver/ky_cobbler_systemSync_side_ITA.php	Acquires the ITA System list and records it into a file.
35	○	terraform_driver	ky_terraform_checkcondition-workflow.service	/bin/sh /(ITA Install directory)/ita-root/backyards/common/ky_loopcall-php-procedure.sh /bin/php /bin/php /(ITA Install directory)/ita-root/backyards/terraform_driver/ky_terraform_checkcondition-workflow.php	Terraform operation monitor Monitors any running operations and acquires the log.
36	○	terraform_driver	ky_terraform_execute-workflow.service	/bin/sh /(ITA Install directory)/ita-root/backyards/common/ky_loopcall-php-procedure.sh /bin/php /bin/php /(ITA Install directory)/ita-root/backyards/terraform_driver/ky_terraform_execute-workflow.php	Terraform operation monitor. Executes operations.
37	○	terraform_driver	ky_terraform_varsautolistup-workflow.service	/bin/sh /(ITA Install directory)/ita-root/backyards/common/ky_loopcall-php-procedure.sh /bin/php /bin/php /(ITA Install directory)/ita-root/backyards/terraform_driver/ky_terraform_varsautolistup-workflow.php	Terraform Automatic variable registration Extracts variables from registered Module files.
38	○	terraform_driver	ky_material_linkage_terraform.service	/bin/sh /(ITA Install directory)/ita-root/backyards/common/ky_loopcall-php-procedure.sh /bin/php /bin/php /(ITA Install directory)/ita-root/backyards/material/ky_material_linkage_terraform.php	Automatic Material link function. Automatically links files from the File list to the Terraform driver menu.
39	○	terraform_driver	ky_terraform_valautosetup-workflow.service	/bin/sh /(ITA Install directory)/ita-root/backyards/common/ky_loopcall-php-procedure.sh /bin/php /bin/php /(ITA Install directory)/ita-root/backyards/terraform_driver/ky_terraform_valautosetup-workflow.php	Terraform Automatic registration settings. Reflects the information set in the "automatic substitution value registration" to the "Substitute value list."