

**S03-L03**

Composite Index

# S03-L03 Composite index

= Multiple-column index

An index may consist of up to 16 columns.

The order of the columns in an index matters if you'd like to query partially

Field	Type	Length	Unsigned	Zerofill	Binary
id	INT	11	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
department_id	INT	11	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
employee_id	INT	11	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
from_date	DATE		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
to_date	DATE		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
insert_dt	DATETIME		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
insert_user_id	INT	11	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
insert_process_code	VARCHAR	255	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
update_dt	TIMESTAMP		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
update_user_id	INT	11	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
update_process_code	VARCHAR	255	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
deleted_flag	TINYINT	4	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

+

-

++

↺

INDEXES			
Non_unique	Key_name	Seq_in_index	Column_name
0	PRIMARY	1	id
0	ak_department_mana...	1	department_id
0	ak_department_mana...	2	employee_id
1	idx_employee_id	1	employee_id