

## INSTITUTO TECNOLÓGICO Y DE ESTUDIOS SUPERIORES DE MONTERREY

# Lab 25: Manipulación de datos usando Transacciones

Equipo: NA	<b>Grupo:</b> 502
Integrantes:	
Diego Vega Camacho - A01704492	
Profesor:	
Ricardo Cortés	
Eduardo Juárez	

#### Routine: addEscuderia

1. Create procedure



#### 2. Procedure created

### Routines o



#### 3. Use procedure

```
WySQL returned an empty result set (i.e. zero rows). (Query took 0.0037 seconds.)

call addEscuderia (12, 'Renault', 'Se extinguió y ahora es alpine', 'renault.jpg');
```

#### 4. Show in table

←T→	▼ id_escuderia	nombre_escuderia	descripcion_escuderia	imagen_escuderia
☐    Ø Edit    ☐ Copy	Delete	Red Bull	Los campeones	https://cdn-1.motorsport.com/images/amp/63vxMQEY/s
☐ Ø Edit ♣ Copy	Delete	2 Aston Martin	The runner ups	https://hips.hearstapps.com/hmg-prod.s3.amazonaws
☐ Ø Edit ♣ Copy	Delete	Mercedes AMG	Black Livery	https://hips.hearstapps.com/hmg-prod.s3.amazonaws
☐ Ø Edit ♣ Copy	Delete	1 Ferrari	What if team	https://images.daznservices.com/di/library/DAZN_Ne
☐ Ø Edit ♣ Copy	Delete	5 McLaren	Youngsters	https://car-images.bauersecure.com/wp-images/16039
☐ Ø Edit ♣ Copy	○ Delete	6 Alpine	Disappointing	https://images.summitmedia-digital.com/topgear/ima
☐ Ø Edit ♣ Copy	Delete	7 Haas	:/	https://images.reporteindigo.com/wp-content/upload
☐ Ø Edit ♣ Copy	Delete	3 Alfa Romeo	Italian Pirata	https://cdn.racingnews365.com/_1125x633_crop_cente
☐ Ø Edit ♣ Copy	Delete	AlphaTauri	Yuki	https://e0.365dm.com/23/02/2048x1152/skysports-alp
☐ Ø Edit ♣ Copy	O Delete 10	) Williams	El mejor	https://phantom-marca.unidadeditorial.es/67ed049fc
☐ Ø Edit ♣ Copy	Delete	I Audi	Proximamente	https://media.revistagq.com/photos/63134ce32259536
☐ Ø Edit ♣ Copy	Opelete 12	2 Renault	Ahora es alpine	renault.jpg

**Routine: addUsuario** 

#### 1. Create procedure

```
✓ Routine 'addUsuario' has been created.

CREATE PROCEDURE 'addUsuario' (IN `user_id' INT(100), IN `nombre' VARCHAR(150), IN `user_email' VARCHAR(100), IN `user_password' VARCHAR(150), IN `created_at' TIMESTAMP) NOT DETERMINISTIC CONTAINS SQL SQL SECURITY DEFINER INSERT INTO usuarios VALUES (user_id, nombre, user_email, user_password, created_at)

**Total Contains Sql Sql Security Definer Insert Into usuarios VALUES (user_id, nombre, user_email, user_password, created_at)

**Total Contains Sql Sql Security Definer Insert Into usuarios VALUES (user_id, nombre, user_email, user_password, created_at)

**Total Contains Sql Sql Security Definer Insert Into usuarios VALUES (user_id, nombre, user_email, user_password, created_at)

**Total Contains Sql Sql Security Definer Into usuarios VALUES (user_id, nombre, user_email, user_password, created_at)

**Total Contains Sql Sql Security Definer Into usuarios VALUES (user_id, nombre, user_email, user_password)

**Total Contains Sql Sql Security Definer Into usuarios VALUES (user_id, nombre, user_email, user_password)

**Total Contains Sql Sql Security Definer Into usuarios VALUES (user_id, nombre, user_email, user_password)

**Total Contains Sql Sql Security Definer Into usuarios VALUES (user_id, nombre, user_email, user_password)

**Total Contains Sql Sql Security Definer Into usuarios VALUES (user_id, nombre, user_email, user_password)

**Total Contains Sql Sql Security Definer Into usuarios VALUES (user_id, nombre, user_email, user_password)

**Total Contains Sql Sql Security Definer Into usuarios VALUES (user_id, nombre, user_email, user_em
```

#### 2. Procedure created



#### 3. Use procedure

```
w MySQL returned an empty result set (i.e. zero rows). (Query took 0.0156 seconds.)

call addUsuario (3, 'Mayra', 'mayra@gmail.com', '123456789', '2023-04-30 17:36:00');
```

#### 4. Show in tables

