One workspace

The map is the territory, agents are actors on it. Deploy, orchestrate and review AI agents directly on the map of your code.

Replaces the separate Map and Agents tabs. Sketch-solid is the current build; PROPOSED is new; OPEN Q is undecided.



P.2 EXPLORE · P.3 INSPECT · P.4 + AGENT · P.5 DROP



P.6 CREW · P.7 RUN · P.8 PIPELINE · P.9 REVIEW


WHAT EVERY SCREEN HAS TO EARN

1. **Start from a question**
   "What does this repo do?" and "What are my agents doing?" are answered on arrival, before any click.
2. **Complexity one click away**
   One primary action per mode. Detail opens on selection; menus hold the rest. Nothing is removed, everything is folded.
3. **Two graphs, never confused**
   The code graph (calls) is the ground. Agents are pinned widgets, hand-offs a separate layer, and the work pipeline its own mode.
4. **Trust is visible**
   Fences are regions on the map, spend is a meter, every change is reviewable where it happened.

BUILT TODAY

Pipeline-column map on the flow canvas (sections collapsed, open on click, role colours, drag). Separate Agents tab with 10 sub-tabs of config. Orchestrator (waves, critics, gates, hand-offs, spend caps) runs from the CLI only. **Not yet:** agents on the map, deploy from the map, a live run view, review on the map.

current build · proposed · greeked copy · 1 callout · tags: NOW PROPOSED OPEN Q



DESKTOP 1440 · EXPLORE MODE · `WORKSPACE.TSX` (REPLACES MAPVIEW + AGENTS)


NOTES & DECISIONS

Built: pipeline columns, collapsed sections, role tint. **Proposes:** one workspace, four modes, capability names, repo answer in the inspector.

1. **Four modes, one canvas.** PROPOSED Explore · Build · Run · Review replace the Map tab, the Agents tab and its 10 sub-tabs. Mode changes the inspector and the overlays, never the ground.
2. **Capability names.** PROPOSED Each section is titled with a verb phrase ("Decode pedigrees") generated from its summary; the cluster name is the subtitle.
3. **Shared column.** NOW Utilities, models and config sit in the last column, tinted, so the main flow reads left to right.
4. **The inspector answers first.** PROPOSED Nothing selected = the repo in one sentence, three numbers and three starting actions. No empty middle.
5. **Browse is folded.** PROPOSED The 4 205-function tree lives behind Browse and ⌘K, not open by default.
6. **Layers ▾.** PROPOSED Code · Changes · Fences · Agents · Hand-offs as toggles (p.10), so the ground never gets crowded.

PRIOR ART

n8n opens on a clean canvas with one '+' and a side panel; we open on a populated map, so the inspector must explain it instead of asking for input.



EXPLORE · SECTION SELECTED · NEIGHBOURS LIT, REST DIMMED


NOTES & DECISIONS

Built: selection fills a key/value table. **Proposes:** the inspector explains the section and offers to act on it.

1. **Hover and select light the neighbourhood.** PROPOSED Incoming and outgoing sections stay lit, the rest dims to 35 %. Edge labels show call counts on hover.
2. **Flow in and out.** PROPOSED What feeds this section and what it feeds, with counts, replaces the meaningless chain weight.
3. **Risk.** PROPOSED Riskiest function = churn × degree, from git. kula owns the git layer; no other map can say this.
4. **Agents on this ground.** PROPOSED Which agents are fenced here and what they last did. The bridge between the two old tabs.
5. **Deploy agent here.** PROPOSED The primary action of a selected section. Opens the drop flow (p.5) with scope pre-filled.
6. **Double-click opens blocks.** NOW Section → frame of blocks → functions → code panel. Semantic zoom replaces depth toggles.

PRIOR ART

n8n's focus panel shows a node's parameters on selection; ours shows meaning (flow, risk, agents) because map nodes are code, not steps.



BUILD · '+ AGENT' OPEN · DRAGGING 'FIXER' OVER A SECTION


NOTES & DECISIONS

Built: nothing — agents are configured in forms on another tab.
Proposes: a two-pane megamenu of agent templates, click or drag onto the map.

1. **Kinds on the left, templates on the right.** PROPOSED One container that morphs between kinds (Stripe-style), not four separate dropdowns. Opens on click or Tab, 200 ms ease-out.
2. **Templates carry their contract.** PROPOSED Each card states what it may do, what must pass and its cost cap, so a user knows what they are deploying before they drop it.
3. **Click is the safe path.** PROPOSED Click deploys on the selected section (auto-scoped); drag is for placing elsewhere. Mirrors n8n's click-to-auto-connect default.
4. **Drop targets glow as you drag.** PROPOSED Sections under the cursor show a dashed fence preview; invalid targets (generated code, vendored) refuse with a reason.
5. **The inspector previews the fence.** PROPOSED Files and blocks the agent will be allowed to touch, before it exists.

PRIOR ART

n8n's nodes panel lacks connector-type cues, so users drag by trial and error. Ours shows each template's contract and fence before the drop.



BUILD · AGENT DROPPED · INSPECTOR IS THE CONFIG FORM


NOTES & DECISIONS

Built: task start lives in Workflows as a long form. **Proposes:** the dropped widget is the agent; the inspector holds four fields and a Start.

1. **The widget sits on its ground.** PROPOSED A small circle pinned to the section's corner, not a node in the call flow. Its fence is drawn around the section.
2. **Four fields, then Start.** PROPOSED Task, workflow, model, cap. Defaults come from the template; the gate (tests + critic) is shown, not hidden.
3. **The fence is visible and adjustable.** PROPOSED Edit scope = the section; read scope = the repo. Widen to neighbours with one click; the map redraws the region.
4. **Spend is part of the button.** PROPOSED The cap is on the primary action, so starting is an explicit spending decision.
5. **Advanced folds the rest.** NOW Prompt, skills, memory policy, hooks – the existing Workflows form, one click away, not the default.

PRIOR ART

CrewAI defines agents in code; Langflow wires components port to port. Neither knows where in a codebase an agent works – here, location is the config.



BUILD · SHIFT-SELECT 3 SECTIONS · CREW PREVIEW


NOTES & DECISIONS

Built: the orchestrator (waves, critic, gate, merge) exists, CLI only, briefs in markdown. **Proposes:** a crew is a selection on the map.

1. **Selection is the brief.** PROPOSED Shift-click or marquee sections; each becomes a module with that section as its fence.
2. **Pipeline preview before start.** PROPOSED The orchestrator's model made visible: plan → waves → critic → gate → merge.
3. **Waves from the map's flow.** PROPOSED Dependencies between selected sections order the waves automatically; the user can override.
4. **One cap for the crew.** PROPOSED Split per module by the orchestrator; the meter in Run (p.7) shows each share.
5. **Edit pipeline.** OPEN Q Opens Pipeline mode (p.8) for custom stages – how much of the brief stays prose vs fields?

PRIOR ART

Today this takes a hand-written BRIEF.md, waves lines and a launch script. The same run should be three clicks and a goal sentence.



RUN MODE · CREW IN PROGRESS · WIDGETS PULSE ON THEIR GROUND


NOTES & DECISIONS

Built: nothing in the UI – runs are watched through a terminal tail and PROGRESS.md. **Proposes:** Run mode is the home screen while anything runs.

1. **Widgets show state where the work is.** PROPOSED Running pulses, done is a double ring, failed is rust. The file being edited shows as a pill; the section stripes while files change.
2. **Hand-offs are a separate layer.** PROPOSED Dashed blue arcs between widgets (Validate → Convert), never mistaken for call edges. Toggle in Layers.
3. **Spend is always visible.** PROPOSED Crew meter plus each agent's share; a stall (no output for 15 min) turns the widget rust with a reason.
4. **Intervene from the inspector.** PROPOSED Pause, message, raise cap, retry – what we do by hand in the terminal today.
5. **Timeline strip.** PROPOSED Each agent a lane; critic and gate events marked; scrub to replay the map at that time.

PRIOR ART

No agent builder we found shows agents in the place they work. This is the screen that justifies merging the tabs.



RUN · 'PIPELINE' LAYER · N8N-STYLE, LEFT TO RIGHT


NOTES & DECISIONS

Built: orchestrate.py stages, waves from BRIEF.md, hand-off files.
Proposes: the work graph drawn with the same kit, linked back to the map.

1. **A different graph, a different view.** PROPOSED Stages as n8n-style nodes, left to right. Never overlaid on the code map, so arrows always mean one thing per view.
2. **Modules hang under their wave.** PROPOSED Each module links back to its section on the map (↗).
3. **Add stages.** PROPOSED Human approval, extra critic, benchmark gate – the n8n '+' between nodes, scoped to orchestration stages only.
4. **Hand-offs are first-class.** PROPOSED The handoff and guidance files the orchestrator already writes, readable inline.
5. **The rules we learned.** NOW Watchdog, wave gating and caps exist today in orchestrate.py; here they become visible settings.

PRIOR ART

This is where n8n's model fits exactly: a sequence of steps with a + between them. Using it for orchestration, not for code, keeps the metaphor honest.



REVIEW MODE · CHANGES LAYER · AFTER THE CREW FINISHES

NOTES & DECISIONS

Built: critic JSON files and PR text, read by hand. **Proposes:** review where the change happened, approve per module.

1. **The change overlay.** PROPOSED Touched sections stripe; untouched dim. The same overlay shows uncommitted work or any branch/PR when no run is selected.
2. **Blast radius.** PROPOSED Downstream sections of a changed one are outlined: what this change could break.
3. **Critic findings in place.** PROPOSED Ranked findings per module, each linking to the line in the editable code panel.
4. **Approve per module.** PROPOSED Approve the green ones, send the failed one back with the critic's finding as its next task.
5. **Outcome metrics.** PROPOSED Cost, rework rate, time to green – per run and rolled up per template in Explore.

PRIOR ART

GitHub reviews a file list; kula reviews a region of the system, with the agent who changed it and why.

ONE WORKSPACE, FOUR MODES (REPLACES MAP TAB + AGENTS TAB + 10 SUB-TABS)

① **Explore.** Map, inspect, trace, browse (⌘K). Old: Map tab, lenses, sidebar tree.

② **Build.** + Agent megamenu, drop, crews, templates, fences. Old: Workflows, Teams, Skills, Fences.

③ **Run.** Live widgets, feed, spend, Pipeline view. Old: Research loops, CLI orchestrator.

④ **Review.** Changes overlay, critic, approve, outcomes. Old: critic files, PR text.

LAYERS ▾ (TOGGLES OVER THE SAME GROUND)

Code (always) · Agents · Fences · Hand-offs · Changes · Risk

Memory, Docs, Connect → Settings and the agent's Advanced panel

MOTION SPEC (FROM MEGAMENU AND CANVAS RESEARCH)

Megamenu (+ Agent, Layers)	
open on click / Tab; hover only after	250 ms intent
open / close	200 ms ease-out / 150 ms ease-in
switch kind: morph one container	size + position, 220 ms
leave grace (diagonal problem)	300 ms, cancelled on entry
item stagger	25 ms

Canvas	
section open / close (frame grows)	220 ms, columns reflow
hover neighbourhood dim	120 ms
drag ghost + drop-target fence	follows pointer, 80 ms fade
running widget pulse	1.2 s loop
fit / focus pan	240 ms ease-in-out

Rules	
prefers-reduced-motion	all motion off, instant
no glow, scale or decorative shadow	design language
keyboard parity	every menu + drop has a key path
click-to-deploy before drag	n8n lesson
one primary action per mode	top right

OPEN QUESTIONS: HOW MUCH OF A CREW BRIEF STAYS PROSE · WHETHER EXPLORE SHOWS AGENT HISTORY BY DEFAULT · PHONE: RUN AS A LIST, MAP READ-ONLY