THE CLOCK GEARS OF THE IGOSPIRAL:
The Great Reset

Author: Bilal El Issaoui
Subject: Chronometry of the iGoSpiral.nl

CONTENTS

1. Introduction and philosophy of the clock
2. Time as a number: a unique conversion
3. Modular arithmetic and the spiral equation
4. The Minute and the Model (1440 & 1441)
5. Calendar calculations and cycle lengths
6. The gear architecture and digital root reduction
7. Mathematical proof of the Diophantine time units
8. The Great Reset: The Two Synchronizations
9. Overview of definitions and formulas
10. The Python Script

1. INTRODUCTION AND PHILOSOPHY OF THE CLOCK

Traditional clocks display time as a repetition of the same movement. After completing a round, the hand starts again at the same position.

The iGoSpiral framework gives this a different meaning. It describes time as a continuously advancing mathematical whole in the form of a spiral.

In this spiral, completing a cycle such as: a day,
a year, or a millennium, does not mean that time returns to its original starting point. Instead,
the system advances to a higher level. Every completed round closes a period and brings the system back to position 1 on the next ring.

In this way, iGoSpiral combines the repetition of time units with the continuous progression of time. Each moment is given its own place and can be described using mathematical rules.

2. TIME AS A NUMBER:
A UNIQUE CONVERSION

The starting point:
The starting point of iGoSpiral is that the entire course of time can be represented by a single unique integer: N. This number represents the total number of elapsed milliseconds from a fixed starting point: January 1 of year 0, at 00:00:00.000 hours, where N = 0.

The unique conversion:
Within the system, there is a one-to-one mapping between the number N and a complete date and time representation. Time is divided into ten components: Millennium, Century, Decade, Year, Month, Day, Hour, Minute, Second, Millisecond. All components are counted from zero. The number N represents exclusively the elapsed time. This allows a point in time to be converted into a single number, and from that number, the original date and time can be retrieved.

The calculation of N:
To calculate N, the length of the different time units is taken into account. A simple addition with fixed values would not account for the different lengths of months and years. A month can contain 28, 29, 30, or 31 days. A year can also have 365 or 366 days. Therefore, iGoSpiral uses calendar calculations to determine the correct value of N.

Example:
On November 6, 2026, at 05:52:36.188, the time is represented by a unique number N. The conversion must be completely accurate. From N, the original date and time must be retrievable without rounding or loss of information.

3. MODULAR ARITHMETIC AND THE SPIRAL EQUATION

The spiral formula:
The mathematical basis of the spiral model is the following formula:

$p \equiv 1 \pmod{q}$

This formula describes how a system returns to position 1 after a complete number of rounds, but at a higher level of the spiral.
Here:
p = the position where the system starts again.
q = the number of positions within one complete round.
m = the number of completed rounds.

The relationship is: $p = m * q + 1$
From which follows: $m = (p - 1) / q$

The day:
A day consists of 24 hours. Within iGoSpiral, this is divided into two rounds of 12 hours: day and night. The corresponding equation is:
$25 \equiv 1 \pmod{12}$
Here: $m = (25 - 1) / 12 = 2$

After 24 elapsed hours, the clock reaches the 25th hour. This is not an extra hour, but the first position of the next day at a higher level of the spiral.

The week and the number cycle:
The same principle is applied to other cycles.
For the week: $15 \equiv 1 \pmod{7}$. This represents two complete rounds of seven days.
For the number cycle: $19 \equiv 1 \pmod{9}$. This represents two complete rounds of nine number units.

The month
For a month of 30 days, the model uses:
$61 \equiv 1 \pmod{30}$. Here: $m = (61 - 1) / 30 = 2$.
The two rounds together contain 60 days.
The 61st position is again position 1,
but now at the next level of the spiral.

An example without two rounds:
Not every cycle needs to consist of two rounds. An example of this is the year of 365 days:
$366 \equiv 1 \pmod{365}$. Here, $m = 1$.

4. THE MINUTE AND THE MODEL:
THE 1440 CONNECTION

This section proves the direct connection between the real clock (the 60-base system) and the iGoSpiral model (the 360-degree circle).

A day has 24 hours. If we express the day in minutes, we get:
24 hours × 60 minutes = 1440 minutes.

The moment the next spiral begins
(the next day), the counter is 1441.

The proof:
$1441 \equiv 1 \pmod{24} \rightarrow m = 1440 / 24 = 60$
$1441 \equiv 1 \pmod{360} \rightarrow m = 1440 / 360 = 4$
$1441 \equiv 1 \pmod{60} \rightarrow m = 1440 / 60 = 24$

The connection to the model (360):
The number 1440 is the key. It is exactly 4 rounds of the 360-degree model circle (4 × 360 = 1440). At the same time, it is 24 rounds of an hour
(24 × 60 = 1440) and 60 rounds of an etmaal (60 × 24 = 1440).

The 1441 is the +1 jump. It means: after 1440 minutes, you are exactly at position 1 again, but on the next day (a higher level of the spiral).
This is the same principle as $25 \equiv 1 \pmod{12}$, but on the scale of minutes and the 360-circle.

The 19-hour cycle in minutes:
The same applies to the 19-hour cycle (the number cycle):
19 hours × 60 minutes = 1140 minutes.
$1141 \equiv 1 \pmod{19} \rightarrow m = 1140 / 19 = 60$
$1141 \equiv 1 \pmod{60} \rightarrow m = 1140 / 60 = 19$

This directly connects the minute to the number cycle ($19 \equiv 1 \pmod 9$).

5. CALENDAR CALCULATIONS AND CYCLE LENGTHS

The leap year cycle

A normal year has 365 days. Over a regular period of four years, this yields the following calculation:
$4 * 365 + 1 = 1461$

In spiral notation: $1462 \equiv 1 \pmod{1461}$. After 1461 elapsed days, the next position begins at a higher level.

The dualistic year (the pure spiral form) is:
$2 * 365 + 1 = 731$

The dualistic unit of the four-year cycle is:
$2 * 1461 = 2922$

This is the point where the new cycle begins at position 2923.
In the Gregorian calendar, exceptions for century years must also be taken into account. For example, 2100 is not a leap year. If a century year without a leap day falls inside the cycle, the number of elapsed days is 2921.

The harmonic constant 2520:

Within iGoSpiral, the number 2520 plays an important role. This number is the smallest positive number divisible by both 7 and 360:
$\text{lcm}(7, 360) = 2520$

Here, 7 represents the seven days of a week and 360 represents the base circle of the model. Additionally, 2520 is the smallest positive integer divisible without a remainder by all integers from 1 to 10. Within iGoSpiral, this value is used to connect the different day and week divisions.

The great cycle:

By multiplying the cycle of 2520 by 1000, we get:
$2520 * 1000 = 2{,}520{,}000$

This corresponds to 7000 complete rounds of 360 days:
$7000 * 360 = 2{,}520{,}000$

Within the model, this forms the major reference point: the moment of The Great Reset.

6. THE GEAR ARCHITECTURE AND DIGITAL ROOT REDUCTION

The main clock

The practical operation of the clock is controlled by a virtual gear system called DigitalGears. The main clock consists of three interconnected gears:
Gear A: 24 teeth.
Gear B: 12 teeth.
Gear C: 6 teeth.

The movement of these gears is interconnected by fixed ratios.

For gear A:
$\text{angle_A} = (360 * t) / (24 * u)$

For gear B:
$\text{angle_B} = - (24 / 12) * \text{angle_A}$.
Thus: $\text{angle_B} = -2 * \text{angle_A}$

For gear C:
$\text{angle_C} = - (12 / 6) * \text{angle_B}$.
Thus: $\text{angle_C} = +4 * \text{angle_A}$

This results in the following fixed ratio:

24 * 1 = 12 * 2 = 6 * 4 = 24.

This ratio shows how the three gears coordinate their movement.

The Diophantine time units
In addition to the three gears of the main clock, the system contains the Diophantine time units that drive The Great Reset. For each time unit, the position at a given time T is calculated with:
position = (T / unit) mod N + 1

Here, N represents the number of positions within the respective gear. At the starting point T = 0, all gears are at position 1.

7. MATHEMATICAL PROOF OF THE DIOPHANTINE TIME UNITS

To mathematically demonstrate the operation of the system, we define the 10 Diophantine time units and their respective gear sizes (N). These are the gears that must align to form The Great Reset.

The 10 Diophantine Time Units (N):

1. Model Base Circle (360)
2. Week (7)
3. Harmonic Constant (2520)
4. Great Model Cycle (7000)
5. Leap Year Cycle (4)
6. Number Cycle (9)
7. Great Year Cycle (400)
8. Millennium Calendar (360,000)
9. The Great Reset Cycle (2,520,000)
10. Millisecond (1000)

Step A: The exact period per gear
The period of a gear is the number of steps required to return to position 1. Mathematically, a gear with N teeth is again at position 1 when the counter is a multiple of N. The exact period of a gear is therefore simply N.

8. THE GREAT RESET:
THE SYNCHRONIZATION

The core of the iGoSpiral model is
"The Great Reset." However, this term covers two distinct mathematical events that happen simultaneously. Confusing them leads to an apparent contradiction
(the number 1 vs. the number 9).

Synchronization 1:
The Positional Reset (The Gears)
For all gears to align at position 1, the elapsed time (T_sync) must be divisible by all gear sizes (N). The LCM of all 10 Diophantine N-values is exactly 2,520,000 days.

Because T_sync is a multiple of every N,
the position formula Position =
(T_sync mod N) + 1 yields 0 + 1 = 1.
All gears are at position 1.

Synchronization 2:
The Digital Root Reset (The Time)
The digital root of a number N is
dr(N) = 1 + ((N - 1) mod 9).
The sum of the digits of 2,520,000 is 9.
Because 9 is divisible by 9, T_sync is a multiple of 9 (T_sync ≡ 0 mod 9).
The digital root of the time itself is therefore 9.

The Apparent Contradiction Resolved
It may seem contradictory that "everything comes to 1" while the digital root is 9. But they describe two different things:

The time (N) is a ninefold (9). This is the engine of the spiral.
The positions (p) are all 1. This is the destination of the spiral.
The 9 is the raw value; the 1 is the position after the +1 jump. The Great Reset is the moment when the time reaches its perfect ninefold (9) and the gears return to their origin (1).

Conclusion of The Great Reset:
At the moment of The Great Reset, the raw time is a multiple of 9 (dr = 9), but due to the +1 in the position formula, this results in position 1 for all gears (dr of the system = 1). This forms the conclusive mathematical proof for the operation of the iGoSpiral model.

9. OVERVIEW OF DEFINITIONS AND FORMULAS

SPIRAL FORMULA
$p \equiv 1 \pmod{q}$
Describes how a cycle ends and continues at position 1 on a higher level.

DUALISTIC DAY
$25 \equiv 1 \pmod{12}$
The day consists of two rounds of twelve hours, where m = 2.

MINUTE RATIO (THE 1440 CONNECTION)
$1441 \equiv 1 \pmod{24}$
$1441 \equiv 1 \pmod{360}$
$1441 \equiv 1 \pmod{60}$
Proves the minute as a spiral unit within the day, directly connecting the 60-base clock to the 360-degree model circle.

DUALISTIC MONTH
$61 \equiv 1 \pmod{30}$
Based on two rounds of thirty days. The +1 indicates the first position of the next ring.

YEAR (NON-DUALISTIC)
$366 \equiv 1 \pmod{365}$
An example where m = 1.

BIJECTIVE TIME
N <-> (millennium, ..., millisecond)
A one-to-one mapping between a unique number and the corresponding date and time.

DIGITAL ROOT
$dr(N) = 1 + ((N - 1) \bmod 9)$
Reduces a positive integer to a value from 1 to 9.

LEAP YEAR CYCLE
$4 * 365 + 1 = 1461$
Describes four years with one extra leap day, according to the standard four-year rule.

HARMONIC CONSTANT
$\text{lcm}(7, 360) = 2520$
The smallest common cycle of seven days and 360 model days. The number is also divisible by all numbers from 1 to 10.

THE GREAT RESET
$2{,}520{,}000 = 7000 * 360$
The major reference point where all 10 Diophantine gears simultaneously align at position 1, while the time itself reaches its perfect ninefold (9).

10. THE PYTHON SCRIPT

```
import math

def calculate_lcm(a, b):
    """Calculates the Least Common Multiple (LCM)."""
    return abs(a * b) // math.gcd(a, b)

def digital_root(n):
    """Calculates the digital root: 1 + ((N - 1) mod 9)."""
```

```
    if n == 0:
        return 0
    return 1 + ((n - 1) % 9)

def main():
    print("=== THE DIOPHANTINE GEARS OF THE IGOSPIRAL: THE GREAT RESET ===\n")

    # The 10 pure Diophantine gears that form The Great Reset
    gears = {
        "1. Model Base Circle": 360,
        "2. Week": 7,
        "3. Harmonic Constant": 2520,
        "4. Great Model Cycle (years)": 7000,
        "5. Leap Year Cycle": 4,
        "6. Number Cycle": 9,
        "7. Great Year Cycle (Gregorian)": 400,
        "8. Millennium Calendar (360.000)": 360000,
        "9. The Great Reset Cycle (days)": 2520000,
        "10. Millisecond (base for T_sync)": 1000
    }

    print("Step A: The 10 Diophantine time units")
    print("-" * 55)
    for name, n_value in gears.items():
        print(f"{name:<35} | Period: {n_value}")
    print("\n")

    print("Step B: Calculation of The Great Reset (T_sync in days)")
    print("-" * 55)

    t_sync = 1
    for n_value in gears.values():
        t_sync = calculate_lcm(t_sync, n_value)

    print(f"The LCM of all 10 Diophantine gears is:")
    print(f"T_sync = {t_sync:,} days\n")

    print("Step C: Proof of alignment and the Digital Root")
    print("-" * 55)

    # Check if all gears are at position 1
    all_at_position_1 = True
    for name, n_value in gears.items():
        position = (t_sync % n_value) + 1
        if position != 1:
            all_at_position_1 = False
            print(f"ERROR: {name} is at position {position}, not 1.")

    if all_at_position_1:
        print("[OK] Proven: At The Great Reset, ALL 10 Diophantine gears are exactly at
position 1.")
        print("     This is because T_sync is a multiple of all N-values (remainder is 0,
plus 1 = 1).\n")

    # Check the digital root
    digit_sum = sum(int(digit) for digit in str(t_sync))
    print(f"The sum of the digits of T_sync ({t_sync:,}) is: {digit_sum}")

    if t_sync % 9 == 0:
        print(f"Because {digit_sum} is divisible by 9, T_sync is a multiple of 9.")
        print(f"In other words: T_sync ≡ 0 (mod 9)")
        print(f"The digital root of the raw time is 9.")
    else:
        print("T_sync is NOT a multiple of 9.")

    dr_value = digital_root(t_sync)
    print(f"Digital root of T_sync: dr({t_sync}) = {dr_value}")

    print("\nConclusion:")
```

```
    print(f"At the moment of The Great Reset (T_sync = {t_sync:,} days):")
    print("- The raw time is a multiple of 9 (≡ 0 mod 9).")
    print("- Due to the +1 in the position formula, every gear aligns at position 1.")
    print("- The positions of the SYSTEM are exactly 1, while the time itself is a
ninefold (9).")
    print("\n[SUCCESS] The mathematical proof for The Great Reset is conclusive.")

if __name__ == "__main__":
    main()
```