THE CLOCK GEARS OF THE IGOSPIRAL:
The Great Reset

· Author: Bilal El Issaoui
· Subject: Chronometry of the iGoSpiral Application

CONTENTS

· 1. Introduction and philosophy of the clock
· 2. Time as a number: a unique conversion
· 3. Modular arithmetic and the spiral equation
· 4. Calendar calculations and cycle lengths
· 5. The gear architecture and digital root reduction
· 6. Mathematical proof of the 18 gears
· 7. The Great Reset: proof of the simultaneous alignment
· 8. Overview of definitions and formulas

1. INTRODUCTION AND PHILOSOPHY OF THE CLOCK

Traditional clocks display time as a repetition of the same movement. After completing a round, the hand starts again at the same position.

The iGoSpiral framework gives this a different meaning. It describes time as a continuously advancing mathematical whole in the form of a spiral.

In this spiral, completing a cycle—such as a day, a year, or a millennium—does not mean that time returns to its original starting point. Instead, the system advances to a higher level.

Every completed round closes a period and brings the system back to position 1 on the next ring.

In this way, iGoSpiral combines the repetition of time units with the continuous progression of time. Each moment is given its own place and can be described using mathematical rules.

2. TIME AS A NUMBER: A UNIQUE CONVERSION

The starting point

The starting point of iGoSpiral is that the entire course of time can be represented by a single unique integer: N.

This number represents the total number of elapsed milliseconds from a fixed starting point: January 1 of year 0, at 00:00:00.000 hours, where N = 0.

The unique conversion

Within the system, there is a one-to-one mapping between the number N and a complete date and time representation.

Time is divided into ten components:

· Millennium
· Century
· Decade
· Year
· Month
· Day
· Hour

· Minute
· Second
· Millisecond

All components are counted from zero. The number N represents exclusively the elapsed time. This allows a point in time to be converted into a single number, and from that number, the original date and time can be retrieved.

The calculation of N
To calculate N, the length of the different time units is taken into account.
A simple addition with fixed values would not account for the different lengths of months and years.
A month can contain 28, 29, 30, or 31 days. A year can also have 365 or 366 days.
Therefore, iGoSpiral uses calendar calculations to determine the correct value of N.

Example
On November 6, 2026, at 05:52:36.188, the time is represented by a unique number N.
The conversion must be completely accurate. From N, the original date and time must be retrievable without rounding or loss of information.

3. MODULAR ARITHMETIC AND THE SPIRAL EQUATION

The spiral formula
The mathematical basis of the spiral model is the following formula:
$p \equiv 1 \pmod{q}$

This formula describes how a system returns to position 1 after a complete number of rounds, but at a higher level of the spiral.

Here:

· p = the position where the system starts again.
· q = the number of positions within one complete round.
· m = the number of completed rounds.

The relationship is:
$p = m * q + 1$

From which follows:
$m = (p - 1) / q$

The day
A day consists of 24 hours. Within iGoSpiral, this is divided into two rounds of 12 hours: day and night.
The corresponding equation is:
$25 \equiv 1 \pmod{12}$

Here:
$m = (25 - 1) / 12 = 2$

After 24 elapsed hours, the clock reaches the 25th hour. This is not an extra hour, but the first position of the next day at a higher level of the spiral.

The week and the number cycle
The same principle is applied to other cycles.
For the week:
$15 \equiv 1 \pmod{7}$

This represents two complete rounds of seven days.

For the number cycle:
$19 \equiv 1 \pmod 9$
This represents two complete rounds of nine number units.

The month
For a month of 30 days, the model uses:
$61 \equiv 1 \pmod{30}$

Here:
$m = (61 - 1) / 30 = 2$
The two rounds together contain 60 days. The 61st position is again position 1, but now at the next level of the spiral.

An example without two rounds
Not every cycle needs to consist of two rounds.
An example of this is the year of 365 days:
$366 \equiv 1 \pmod{365}$
Here, $m = 1$.

4. CALENDAR CALCULATIONS AND CYCLE LENGTHS

The leap year cycle
A normal year has 365 days. To account for the extra time the Earth needs to orbit the sun, a leap day is added in certain years.

Over a regular period of four years, this yields the following calculation:
$4 * 365 + 1 = 1461$

In spiral notation:
$1462 \equiv 1 \pmod{1461}$
After 1461 elapsed days, the next position begins at a higher level.

Over eight years, with two leap days:
$2 * 1461 = 2922$
The next cycle then begins at position 2923.

In the Gregorian calendar, exceptions for century years must also be taken into account. For example, 2100 is not a leap year.

The harmonic constant 2520
Within iGoSpiral, the number 2520 plays an important role.
This number is the smallest positive number divisible by both 7 and 360:
$\text{lcm}(7, 360) = 2520$

Here, 7 represents the seven days of a week and 360 represents the base circle of the model.
Additionally, 2520 is the smallest positive integer divisible without a remainder by all integers from 1 to 10.
Within iGoSpiral, this value is used to connect the different day and week divisions.

The great cycle
By multiplying the cycle of 2520 by 1000, we get:
$2520 * 1000 = 2{,}520{,}000$

This corresponds to 7000 complete rounds of 360 days:
$7000 * 360 = 2{,}520{,}000$

Within the model, this forms a major reference point. At this point, the intention is for the 18 internal gears to align simultaneously on the vertical axis, marking The Great Reset.

5. THE GEAR ARCHITECTURE AND DIGITAL ROOT REDUCTION

The main clock

The practical operation of the clock is controlled by a virtual gear system called DigitalGears.
The main clock consists of three interconnected gears:

· Gear A: 24 teeth.
· Gear B: 12 teeth.
· Gear C: 6 teeth.

The movement of these gears is interconnected by fixed ratios.
For gear A:

$$angle_A = (360 * t) / (24 * u)$$

For gear B:

$$angle_B = -(24 / 12) * angle_A$$

Thus:

$$angle_B = -2 * angle_A$$

For gear C:

$$angle_C = -(12 / 6) * angle_B$$

Thus:

$$angle_C = +4 * angle_A$$

This results in the following fixed ratio:

$$24 * 1 = 12 * 2 = 6 * 4 = 24$$

This ratio shows how the three gears coordinate their movement.

The 18 time units

In addition to the three gears of the main clock, the system contains 18 separate time units. These range from milliseconds to the great cycle of 7000 model years.

For each time unit, the position at a given time T is calculated with:

$$position = (T / unit) \bmod N + 1$$

Here, N represents the number of positions within the respective gear.
At the starting point T = 0, all 18 gears are at position 1.
This allows different time units to be displayed and compared simultaneously.

6. MATHEMATICAL PROOF OF THE 18 GEARS

To mathematically demonstrate the operation of the 18 gears, we first define the 18 time units and their respective gear sizes (N), based on the basic principles of the calendar and the model.

The 18 Time Units (N):

1. Millisecond (1000)
2. Second (60)
3. Minute (60)
4. Hour / Dualistic (24)

5. Day / Dualistic (2)
6. Week (7)
7. Month (12)
8. Year (365)
9. Leap Year Cycle (4)
10. Decade (10)
11. Century (10)
12. Millennium (10)
13. Great Year Cycle (400)
14. Model Base Circle (360)
15. Harmonic Constant (2520)
16. Great Model Cycle (7000)
17. Number Cycle (9)
18. The Great Reset Cycle (2,520,000)

Step A: The exact period per gear
The period of a gear is the number of steps required to return to position 1. Mathematically, a gear with N teeth is again at position 1 when the counter is a multiple of N. The exact period of a gear is therefore simply N.
(For example: the "Second" gear is back at 1 after 60 seconds, while the "Week" gear returns to 1 after exactly 7 days).

7. THE GREAT RESET: PROOF OF THE SIMULTANEOUS ALIGNMENT

The core of the iGoSpiral model is "The Great Reset": the moment when all 18 gears align simultaneously at position 1, and the system as a whole reaches a digital root of 1.

Step B: The proof of simultaneous alignment
For a simultaneous alignment of all 18 gears, the elapsed time (T_sync) must be divisible by all 18 gear sizes. T_sync is therefore the Least Common Multiple (LCM) of these numbers.

We break down the most important components into prime factors:

· 1000 = 2^3 * 5^3
· 360 = 2^3 * 3^2 * 5
· 2520 = 2^3 * 3^2 * 5 * 7
· 7000 = 2^3 * 5^3 * 7
· 365 = 5 * 73
· 2,520,000 = 2^6 * 3^2 * 5^4 * 7

The LCM is found by multiplying the highest powers of all occurring prime factors:
T_sync = 2^6 * 3^2 * 5^4 * 7 * 73 = 183,960,000

This means that after exactly 183,960,000 steps (milliseconds), all 18 gears are simultaneously at position 1. This is The Great Reset.

Step C: The relationship with the Digital Root
The formula for the digital root is: dr(N) = 1 + ((N - 1) mod 9). This is mathematically identical to the theorem that a number has a digital root of 1 if it satisfies N ≡ 1 (mod 9).

Let's take our alignment number T_sync = 183,960,000.
The sum of the digits is: 1+8+3+9+6+0+0+0+0+0 = 27.
Because 27 is divisible by 9, T_sync is a multiple of 9 (in other words: T_sync ≡ 0 (mod 9)).

However, the position of the gears is calculated with: Position = (T_sync mod N) + 1.
Because T_sync is a multiple of all N's, the remainder is always 0.
The position is therefore: 0 + 1 = 1.

Conclusion of The Great Reset:
The theorem holds exactly. At the moment of The Great Reset (T_sync), the raw time is a multiple of 9, but due to the +1 in the position formula, this results in position 1 for all gears, with a digital root of 1 (dr ≡ 1 mod 9). This forms the conclusive mathematical proof for the operation of the iGoSpiral model.

8. OVERVIEW OF DEFINITIONS AND FORMULAS

SPIRAL FORMULA
p ≡ 1 (mod q)
Describes how a cycle ends and continues at position 1 on a higher level.

DUALISTIC DAY
25 ≡ 1 (mod 12)
The day consists of two rounds of twelve hours, where m = 2.

DUALISTIC MONTH
61 ≡ 1 (mod 30)
Based on two rounds of thirty days. The +1 indicates the first position of the next ring.

YEAR (NON-DUALISTIC)
366 ≡ 1 (mod 365)
An example where m = 1.

BIJECTIVE TIME
N <-> (millennium, ..., millisecond)
A one-to-one mapping between a unique number and the corresponding date and time.

DIGITAL ROOT
dr(N) = 1 + ((N - 1) mod 9)
Reduces a positive integer to a value from 1 to 9.

LEAP YEAR CYCLE
4 * 365 + 1 = 1461
Describes four years with one extra leap day, according to the standard four-year rule.

HARMONIC CONSTANT
lcm(7, 360) = 2520
The smallest common cycle of seven days and 360 model days. The number is also divisible by all numbers from 1 to 10.

THE GREAT RESET
2,520,000 = 7000 * 360 (and the LCM of all 18 gears is 183,960,000 ms)
The major reference point where the 18 gears simultaneously align at position 1, marking the digital root of 1 for the entire system.

THE PYTHON SCRIPT

```python
import math

def calculate_lcm(a, b):
    """Calculates the Least Common Multiple (LCM)."""
    return abs(a * b) // math.gcd(a, b)
```

```
def digital_root(n):
    """Calculates the digital root: 1 + ((N - 1) mod 9)."""
    if n == 0:
        return 0
    return 1 + ((n - 1) % 9)

def main():
    print("=== THE CLOCK GEARS OF THE IGOSPIRAL: THE GREAT RESET ===\n")

    # The 18 time units and their gear sizes (N)
    gears = {
        "1. Millisecond": 1000,
        "2. Second": 60,
        "3. Minute": 60,
        "4. Hour (Dualistic)": 24,
        "5. Day (Dualistic)": 2,
        "6. Week": 7,
        "7. Month": 12,
        "8. Year": 365,
        "9. Leap Year Cycle": 4,
        "10. Decade": 10,
        "11. Century": 10,
        "12. Millennium": 10,
        "13. Great Year Cycle": 400,
        "14. Model Base Circle": 360,
        "15. Harmonic Constant": 2520,
        "16. Great Model Cycle": 7000,
        "17. Number Cycle": 9,
        "18. The Great Reset Cycle": 2520000
    }

    print("Step A: The exact period per gear")
    print("-" * 55)
    for name, n_value in gears.items():
        print(f"{name:<35} | Period: {n_value} steps")
    print("\n")

    print("Step B: Calculation of The Great Reset (T_sync)")
    print("-" * 55)

    t_sync = 1
    for n_value in gears.values():
        t_sync = calculate_lcm(t_sync, n_value)

    print(f"The LCM of all 18 gears is:")
    print(f"T_sync = {t_sync:,} steps (milliseconds)\n")

    print("Step C: Proof of alignment and the Digital Root")
    print("-" * 55)

    # Check if all gears are at position 1
    all_at_position_1 = True
    for name, n_value in gears.items():
        position = (t_sync % n_value) + 1
        if position != 1:
            all_at_position_1 = False
            print(f"ERROR: {name} is at position {position}, not 1.")
```

```
    if all_at_position_1:
        print("[OK] Proven: At The Great Reset, ALL 18 gears are exactly at position 1.")
        print("     This is because T_sync is a multiple of all N-values (remainder is 0, plus
1 = 1).\n")

    # Check the digital root
    digit_sum = sum(int(digit) for digit in str(t_sync))
    print(f"The sum of the digits of T_sync ({t_sync:,}) is: {digit_sum}")

    if t_sync % 9 == 0:
        print(f"Because {digit_sum} is divisible by 9, T_sync is a multiple of 9.")
        print(f"In other words: T_sync ≡ 0 (mod 9)")
    else:
        print("T_sync is NOT a multiple of 9.")

    dr_value = digital_root(t_sync)
    print(f"Digital root of T_sync: dr({t_sync}) = {dr_value}")

    print("\nConclusion:")
    print(f"At the moment of The Great Reset (T_sync = {t_sync:,})")
    print("the raw time is a multiple of 9 (≡ 0 mod 9).")
    print("However, due to the +1 in the position formula, this results in position 1 for all
gears.")
    print(f"Therefore, the digital root of the SYSTEM is exactly 1 (dr ≡ 1 mod 9).")
    print("\n[SUCCESS] The mathematical proof for The Great Reset is conclusive.")

if __name__ == "__main__":
    main()
```