


Pet store -- how to change pet.css to work for the exam



remove float: left so that <aside>, <article> acts as <div>, make width 100% instead of using px

```
aside{
  width: 170px;
  height: 400px;
  background-image: url(../images/bg_lt.png);
  float: left;
}
```

==>

```
aside{
  width: 100%;
  height: 50px;
}
```

```
article{
  width: 628px;
  height: 400px;
  margin-left: 171px;
  background-color: beige;
}
```

==>

```
article{
  width: 100%;
  height: 400px;
  background-color: beige;
}
```

```
header{
  width: 800px;
  height: 80px;
  background-color: #330000;
}
```

==>

```
header{
  width: 100%;
  height: 80px;
  background-color: #330000;
}
```

make nav items up, and float left

```
nav{
  margin-top: 0px;
}
```

```
nav ul li{
  float: left;
}
```

add clearfix to clear float between <aside> and <article>

```
<div class="clearfix"></div>
```

```
.clearfix{
  clear: both;
}
```

refine space for nav items, space between <aside> and <article>

```
nav ul{
  padding: 10px;
  list-style: none;
}

==>
nav ul{
  list-style: none;
}

// adjust space between aside and article
article{
  ...
  margin-top: 10px;
}
```

move <footer> inside <article> so that when <section> being replaced, the <footer> still shows

```
<article>
  <section class="consection"> ...
</section>
  <footer>
    歡迎光臨我的網站
  </footer>
</article>
```

remove <body> background, and give <nav> background

```
body{
  font-family: Arial, Helvetica, sans-serif, 微軟正黑體;
  background-image: url(../images/bg.jpg);
}

==>
body{
  font-family: Arial, Helvetica, sans-serif, 微軟正黑體;
}
```

```
nav ul li a{
  display: block;
  width: 150px;
  height: 42px;
  background-image: url(../images/btn.png);
  text-indent: 50px;
  line-height: 35px;
}

=>
nav ul li a{
  display: block;
  width: 150px;
  height: 42px;
  background-image: url(../images/btn.png);
  text-indent: 50px;
  line-height: 35px;
}
```

adjust space for <nav> items to look nicer

```
aside{
  ...
  margin-top: -16px;
}

nav ul li a{
  ..
  margin-top: 8px;
}
```

click <div demo>, adjust the outlook and the width

```
.consection{
  width: 400px;
  margin: 0px auto;
  padding: 20px;
}
==>
.consection{
  width: 80%;
  margin: 0px auto;
  padding: 20px;
}

footer{
  width: 800px;
  ...
}
==>
footer{
  width: 100%;
  ...
}
```

adjust 最新消息 <fieldset> width to look nicer

```
fieldset{
  border-radius: 10px;
}
==>
fieldset{
  border-radius: 10px;
  width: 360px;
}
```