Dingbats

Range: 2700-27BF

This file contains an excerpt from the character code tables and list of character names for *The Unicode Standard, Version 13.0*

This file may be changed at any time without notice to reflect errata or other updates to the Unicode Standard. See http://www.unicode.org/errata/ for an up-to-date list of errata.

See http://www.unicode.org/charts/ for access to a complete list of the latest character code charts.

See http://www.unicode.org/charts/PDF/Unicode-13.0/ for charts showing only the characters added in Unicode 13.0.

See http://www.unicode.org/Public/13.0.0/charts/ for a complete archived file of character code charts for Unicode 13.0.

Disclaimer

These charts are provided as the online reference to the character contents of the Unicode Standard, Version 13.0 but do not provide all the information needed to fully support individual scripts using the Unicode Standard. For a complete understanding of the use of the characters contained in this file, please consult the appropriate sections of The Unicode Standard, Version 13.0, online at http://www.unicode.org/versions/Unicode13.0.0/, as well as Unicode Standard Annexes #9, #11, #14, #15, #24, #29, #31, #34, #38, #41, #42, #44, #45, and #50, the other Unicode Technical Reports and Standards, and the Unicode Character Database, which are available online.

See http://www.unicode.org/ucd/ and http://www.unicode.org/reports/

A thorough understanding of the information contained in these additional sources is required for a successful implementation.

Copying characters from the character code tables or list of character names is not recommended, because for production reasons the PDF files for the code charts cannot guarantee that the correct character codes will always be copied.

Fonts

The shapes of the reference glyphs used in these code charts are not prescriptive. Considerable variation is to be expected in actual fonts. The particular fonts used in these charts were provided to the Unicode Consortium by a number of different font designers, who own the rights to the fonts.

See http://www.unicode.org/charts/fonts.html for a list.

Terms of Use

You may freely use these code charts for personal or internal business uses only. You may not incorporate them either wholly or in part into any product or publication, or otherwise distribute them without express written permission from the Unicode Consortium. However, you may provide links to these charts.

The fonts and font data used in production of these code charts may NOT be extracted, or used in any other way in any product or publication, without permission or license granted by the typeface owner(s).

The Unicode Consortium is not liable for errors or omissions in this file or the standard itself. Information on characters added to the Unicode Standard since the publication of the most recent version of the Unicode Standard, as well as on characters currently being considered for addition to the Unicode Standard can be found on the Unicode web site.

See http://www.unicode.org/pending/pending.html and http://www.unicode.org/alloc/Pipeline.html.

Copyright © 1991-2020 Unicode, Inc. All rights reserved.

	270	271	272	273	274	275	276	277	278	279	27A	27B
0	*		¥	*	*		99	《	1	7	 	ত
	2700	2710	2720	2730	2740	2750	2760	2770	2780	2790	27A0	27B0
1	3	C ⊙	\$	*			9)	2	8	=	\Rightarrow
	2701	2711	2721	2731	2741	2751	2761	2771	2781	2791	27A1	27B1
2	×	•�	+	*			?		3	9	>	
	2702	2712	2722	2732	2742	2752	2762	2772	2782	2792	27A2	27B2
3	%	√	•••	*	*	?	*		4	0	>	⋙
	2703	2713	2723	2733	2743	2753	2763	2773	2783	2793	27A3	27B3
4	%	/	*	*	*	8	•	{	5	→	>	1
	2704	2714	2724	2734	2744	2754	2764	2774	2784	2794	27A4	27B4
5	\mathcal{O}	X	*	*	*	Å	•	}	6	+	\	⇒ →
	2705	2715	2725	2735	2745	2755	2765	2775	2785	2795	27A5	27B5
6		×	♦	*	**	*	¥	0	7	_		17
	2706	2716	2726	2736	2746	2756	2766	2776	2786	2796	27A6	27B6
7		X	♦	*	米	!	\$	2	8	÷	•	•
	2707	2717	2727	2737	2747	2757	2767	2777	2787	2797	27A7	27B7
8	+	X	♦	*	*		(8	9	*	-	→ →
	2708	2718	2728	2738	2748	2758	2768	2778	2788	2798	27A8	27B8
9	2700	2710	2720	**	2740	2750)	4	10	2700	2740	2700
	2709	2719	2729	2739	2749	2759	2769	2779	2789	2799	27A9	27B9
Α	\$	+		*	*		(6	0	×		→
	270A	271A _	272A	273A	274A	275A	276A	277A	278A	279A	27AA	27BA
В		*	*	*	*	6)	6	2	~		*
С	270B	271B	272B	273B	274B	275B	276B	277B	278B	279B	27AB	27BB
	8	•		*	×	9	(7	8	→		>→
	270C	271C	272C	273C	274C	275C	276C	277C	278C	279C	27AC	27BC
D		†		*	O	66)	8	4	→		>
	270D	271D	272D	273D	274D	275D	276D	277D	278D	279D	27AD	27BD
Ε		Ť	*	*	X	99	<	9	6	→	\Box	⇒
-	270E	271E	272E	273E	274E	275E	276E	277E	278E	279E	27AE	27BE
F	⊕	+	*	**	0717	9	>		6	0705		00
	270F	271F	272F	273F	274F	275F	276F	277F	278F	279F	27AF	27BF

ITC Zapf dingbats series 100. Some of the ITC Zapf dingbats have been unified with geometric shape characters. Gaps in the chart have subsequently been filled with other dingbat-like symbols.

- → 260E 🏗 black telephone
- → 261B 🖝 black right pointing index
- \rightarrow 261E r white right pointing index
- → 2605 ★ black star
- → 25CF black circle
- → 25A0 black square
- \rightarrow 25B2 \triangle black up-pointing triangle
- → 25BC **V** black down-pointing triangle
- → 25C6 ◆ black diamond
- \rightarrow 2192 \rightarrow rightwards arrow
- → 2194 ↔ left right arrow
- → 2195 ‡ up down arrow

Miscellaneous

- 2700

 ★ BLACK SAFETY SCISSORS
 - forms a pair with 2704 × white scissors
- 2701 → UPPER BLADE SCISSORS
- 2702 > BLACK SCISSORS
- 2703 > LOWER BLADE SCISSORS
- 2704 WHITE SCISSORS
- - → 2714 **/** heavy check mark
- 2706 © TELEPHONE LOCATION SIGN
 - → 2121 Tell telephone sign → 1F4DE **\$** telephone receiver
- 2707 & TAPE DRIVE
- 2708 → AIRPLANE
 - → 1F6E7 🛧 up-pointing airplane
- 2709 ⊠ ENVELOPE
 - = sealed envelope
 - → 1F4E8 🛭 incoming envelope
 - → 1F582 ⊠ back of envelope
- 270A S RAISED FIST
 - = rock in Rock, Paper, Scissors game
 - → 1F44A @ fisted hand sign
- 270B 🖭 RAISED HAND
 - = paper in Rock, Paper, Scissors game
 - → 1F44B 🕅 waving hand sign
 - → 1F590 🖑 raised hand with fingers splayed
- 270C 🐰 VICTORY HAND
 - = scissors in Rock, Paper, Scissors game
 - → 1F594 🖔 reversed victory hand
- 270D 🗷 WRITING HAND
 - → 1F58E 🖎 left writing hand
- 270F ➡ PENCIL
- 2710 Ø UPPER RIGHT PENCIL
- 2711 ⇔ WHITE NIB
 - → 1F58B 🖉 lower left fountain pen
- 2712 ◆ BLACK NIB
- 2713 ✓ CHECK MARK
 - \rightarrow 221A $\sqrt{}$ square root
 - → 1F5F8 ✓ light check mark
 - → 1FBB1 / inverse check mark
- 2714 ✓ HEAVY CHECK MARK

- 2715 X MULTIPLICATION X
 - → 00D7 × multiplication sign
 - → 2573 X box drawings light diagonal cross
 - \rightarrow 1F7A8 \times thin saltire
- 2716 ★ HEAVY MULTIPLICATION X
 - → 1F7AE ***** extremely heavy saltire
- 2717 X BALLOT X
 - \rightarrow 2613 X saltire
 - \rightarrow 1F5F4 × ballot script x
- 2718 X HEAVY BALLOT X
 - → 1F5F6 × ballot bold script x

Crosses

- 2719 🖶 OUTLINED GREEK CROSS
- 271A **◆** HEAVY GREEK CROSS
 - \rightarrow 1F7A5 + very bold greek cross
 - → 1FBBB # voided greek cross
- 271B ★ OPEN CENTRE CROSS
- 271C HEAVY OPEN CENTRE CROSS
- 271D † LATIN CROSS
- 271E ♥ SHADOWED WHITE LATIN CROSS
 - → 1F546 🕆 white latin cross
- 271F TOUTLINED LATIN CROSS
- - historically, the Maltese cross took many forms; the shape shown in the Zapf Dingbats is similar to one known as the Cross Formée
 - → 2E50 F cross patty with right crossbar
 - → 1F902 circled cross formee

Stars and asterisks

- - → 1F52F 🌣 six pointed star with middle dot
- 2722 + FOUR TEARDROP-SPOKED ASTERISK
- 2723 FOUR BALLOON-SPOKED ASTERISK

- 2726 ♦ BLACK FOUR POINTED STAR
 - → 2BCC ★ light four pointed black cusp
 - → 1F7C6 ♦ four pointed black star
- 2727 ♦ WHITE FOUR POINTED STAR
 - → 2BCE ♦ white four pointed cusp
- 2728 🖘 SPARKLES
- - \rightarrow 2606 $\stackrel{\wedge}{\simeq}$ white star
- 272A CIRCLED WHITE STAR
- 272B ★ OPEN CENTRE BLACK STAR
- 272D ★ OUTLINED BLACK STAR
- 272E ★ HEAVY OUTLINED BLACK STAR
- 272F ★ PINWHEEL STAR 2730 ☆ SHADOWED WH
- 2730 ☆ SHADOWED WHITE STAR
- 2731 * HEAVY ASTERISK
 - → 002A * asterisk
 - → 1F7B8 **★** heavy six spoked asterisk
- 2732 * OPEN CENTRE ASTERISK
- 2733 * EIGHT SPOKED ASTERISK
 - → 1F7BB * light eight spoked asterisk
- 2734 * EIGHT POINTED BLACK STAR
- 2735 * EIGHT POINTED PINWHEEL STAR
 - → 1F7D1 🕸 heavy eight pointed pinwheel star
- 2736 ★ SIX POINTED BLACK STAR
 - → 26B9 * sextile

2737	*	EIGHT POINTED RECTILINEAR BLACK STAR	275A		HEAVY VERTICAL BAR
		→ 1F7CE * medium eight pointed black star	Dunc	+	ion mark ornaments
2738	*	HEAVY EIGHT POINTED RECTILINEAR BLACK STAR	275B	6	HEAVY SINGLE TURNED COMMA QUOTATION MARK ORNAMENT
		→ 1F7CF * heavy eight pointed black star			→ 2018 ' left single quotation mark
2739 273A	*	TWELVE POINTED BLACK STAR SIXTEEN POINTED ASTERISK	275C	•	HEAVY SINGLE COMMA QUOTATION MARK ORNAMENT
273B	4.	= starburst			ightarrow 2019 'right single quotation mark
273C 273D	* * *	TEARDROP-SPOKED ASTERISK OPEN CENTRE TEARDROP-SPOKED ASTERISK HEAVY TEARDROP-SPOKED ASTERISK	275D	66	HEAVY DOUBLE TURNED COMMA QUOTATION MARK ORNAMENT
	•	TIENVI TENNUNUI -SI ONED ASTENISK			→ 201C " left double quotation mark → 1F676 " sans-serif heavy double turned
Fleur					comma quotation mark ornament
273E	*	SIX PETALLED BLACK AND WHITE FLORETTE	275E	99	HEAVY DOUBLE COMMA QUOTATION MARK
273F	**	BLACK FLORETTE			ORNAMENT
2740	*	WHITE FLORETTE			\rightarrow 201D " right double quotation mark
		→ 1F3F5 [®] rosette			→ 1F677 " sans-serif heavy double comma
0744	ala	→ 1F4AE © white flower			quotation mark ornament
2741	**	Here is a proper of the property of the prope	275F	9	HEAVY LOW SINGLE COMMA QUOTATION MARK ORNAMENT
Stars,	aste	erisks and snowflakes			ightarrow 201A , single low-9 quotation mark
2742 2743	*	CIRCLED OPEN CENTRE EIGHT POINTED STAR HEAVY TEARDROP-SPOKED PINWHEEL	2760	99	HEAVY LOW DOUBLE COMMA QUOTATION MARK ORNAMENT
		ASTERISK			→ 201E ,, double low-9 quotation mark
2744	*	SNOWFLAKE			→ 1F678 ,, sans-serif heavy low double comma quotation mark ornament
2745	*	TIGHT TRIFOLIATE SNOWFLAKE	2761	•	CURVED STEM PARAGRAPH SIGN ORNAMENT
2746	*	HEAVY CHEVRON SNOWFLAKE	2/01	ð	→ 00B6¶ pilcrow sign
2747	*	SPARKLE	2762	•	HEAVY EXCLAMATION MARK ORNAMENT
2748	*	HEAVY SPARKLE	2102	•	→ 0021! exclamation mark
2749	*	BALLOON-SPOKED ASTERISK = jack	2763	*	HEAVY HEART EXCLAMATION MARK ORNAMENT
274A	*	EIGHT TEARDROP-SPOKED PROPELLER	2764	•	HEAVY BLACK HEART
274B	*	ASTERISK HEAVY EIGHT TEARDROP-SPOKED PROPELLER	2104	•	• displayed with a red color when used in emoji style
		ASTERISK			→ 2665 ♥ black heart suit
		= turbofan			→ 1F5A4 ♥ black heart
Misce	llan	eous			\rightarrow 1F90D \bigcirc white heart
274C	×	CROSS MARK	2765	>	ROTATED HEAVY BLACK HEART BULLET
		• forms a game tally pair with 2B55 🔿	Fleur	ons	
		→ 00D7 × multiplication sign	2766	VII3	FLORAL HEART
		→ 1F5D9 X cancellation x	2700	•	= Aldus leaf
		→ 1F7AC × heavy saltire	2767	æ	ROTATED FLORAL HEART BULLET
		\rightarrow 1FBC0 \bowtie white heavy saltire with rounded	2101		= hedera, ivy leaf
	~	corners			→ 2619 अ reversed rotated floral heart bullet
274D	\circ	SHADOWED WHITE CIRCLE			→ 1F65B % south east pointing vine leaf
07.45	~	→ 1F53E O lower right shadowed white circle	•		·
274E	×	NEGATIVE SQUARED CROSS MARK			tal brackets
274F		→ 1FBBD X negative diagonal cross LOWER RIGHT DROP-SHADOWED WHITE	2768	(MEDIUM LEFT PARENTHESIS ORNAMENT
2/4	_	SQUARE	2769)	→ 0028 (left parenthesis
2750	П	UPPER RIGHT DROP-SHADOWED WHITE	2709	,	MEDIUM RIGHT PARENTHESIS ORNAMENT
2100		SQUARE	276A	(→ 0029) right parenthesis MEDIUM FLATTENED LEFT PARENTHESIS
2751		LOWER RIGHT SHADOWED WHITE SQUARE	210A	•	ORNAMENT
2752		UPPER RIGHT SHADOWED WHITE SQUARE	276B)	MEDIUM FLATTENED RIGHT PARENTHESIS
2753	?	BLACK QUESTION MARK ORNAMENT	2100	,	ORNAMENT
2754	8	WHITE QUESTION MARK ORNAMENT	276C	(MEDIUM LEFT-POINTING ANGLE BRACKET
2755	g	WHITE EXCLAMATION MARK ORNAMENT	50	•	ORNAMENT
2756	*	BLACK DIAMOND MINUS WHITE X			→ 2329 〈 left-pointing angle bracket
2757	į	HEAVY EXCLAMATION MARK SYMBOL	276D)	MEDIUM RIGHT-POINTING ANGLE BRACKET
2101	•	= obstacles on the road, ARIB STD B24			ORNAMENT
2758	1	LIGHT VERTICAL BAR			→ 232A〉 right-pointing angle bracket
••	•	→ 007C I vertical line			
2759	1	MEDIUM VERTICAL BAR			
		-			

276E	<	HEAVY LEFT-POINTING ANGLE QUOTATION		Dingbat arrow				
		MARK ORNAMENT	2794	\rightarrow	HEAVY WIDE-HEADED RIGHTWARDS ARROW			
		→ 2039 < single left-pointing angle quotation mark			→ 1F872 → wide-headed rightwards medium			
276F	>	HEAVY RIGHT-POINTING ANGLE QUOTATION	barb arrow					
		MARK ORNAMENT	Heav ; 2795		riants of arithmetic symbols			
		→ 203A > single right-pointing angle quotation mark	2190	т	HEAVY PLUS SIGN → 002B + plus sign			
2770	(HEAVY LEFT-POINTING ANGLE BRACKET	2796	_	HEAVY MINUS SIGN			
0774		ORNAMENT			→ 2212 — minus sign			
2771)	HEAVY RIGHT-POINTING ANGLE BRACKET ORNAMENT	2797	÷	HEAVY DIVISION SIGN			
2772	[LIGHT LEFT TORTOISE SHELL BRACKET	<u> </u>		\rightarrow 00F7 \div division sign			
		ORNAMENT	_		rrows			
2773)	→ 3014 (left tortoise shell bracket LIGHT RIGHT TORTOISE SHELL BRACKET	2798 2799	>	HEAVY SOUTH EAST ARROW HEAVY RIGHTWARDS ARROW			
2113	,	ORNAMENT	279A	×	HEAVY NORTH EAST ARROW			
		\rightarrow 3015) right tortoise shell bracket	279B	~	DRAFTING POINT RIGHTWARDS ARROW			
2774	{	MEDIUM LEFT CURLY BRACKET ORNAMENT	279C	→	HEAVY ROUND-TIPPED RIGHTWARDS ARROW			
2775	1	→ 007B { left curly bracket	279D	\rightarrow	TRIANGLE-HEADED RIGHTWARDS ARROW			
2775	}	MEDIUM RIGHT CURLY BRACKET ORNAMENT → 007D } right curly bracket	279E	\rightarrow	HEAVY TRIANGLE-HEADED RIGHTWARDS ARROW			
Dinak	at c	ircled digits	279F		DASHED TRIANGLE-HEADED RIGHTWARDS			
2776	0	DINGBAT NEGATIVE CIRCLED DIGIT ONE			ARROW			
2777	0	DINGBAT NEGATIVE CIRCLED DIGIT TWO	27A0	 	HEAVY DASHED TRIANGLE-HEADED RIGHTWARDS ARROW			
2778	6	DINGBAT NEGATIVE CIRCLED DIGIT THREE	27A1	→	BLACK RIGHTWARDS ARROW			
2779	4	DINGBAT NEGATIVE CIRCLED DIGIT FOUR			• fonts may harmonize this glyph with the style			
277A	6	DINGBAT NEGATIVE CIRCLED DIGIT FIVE			for other black arrows			
277B 277C	6	DINGBAT NEGATIVE CIRCLED DIGIT SIX DINGBAT NEGATIVE CIRCLED DIGIT SEVEN			→ 2805 ← leftwards black arrow			
277D	8	DINGBAT NEGATIVE CIRCLED DIGIT SEVEN DINGBAT NEGATIVE CIRCLED DIGIT EIGHT	27A2	\triangleright	→ 2B95 → rightwards black arrow THREE-D TOP-LIGHTED RIGHTWARDS			
277E	9	DINGBAT NEGATIVE CIRCLED DIGIT NINE	21112		ARROWHEAD			
277F	•	DINGBAT NEGATIVE CIRCLED NUMBER TEN			→ 2B9A ➤ three-d top-lighted rightwards			
2780	1	DINGBAT CIRCLED SANS-SERIF DIGIT ONE	2712		equilateral arrowhead			
2781	2	DINGBAT CIRCLED SANS-SERIF DIGIT TWO	27A3	_	THREE-D BOTTOM-LIGHTED RIGHTWARDS ARROWHEAD			
2782 2783	34	DINGBAT CIRCLED SANS-SERIF DIGIT THREE DINGBAT CIRCLED SANS-SERIF DIGIT FOUR	27A4	>	BLACK RIGHTWARDS ARROWHEAD			
2784	<u>4</u>	DINGBAT CIRCLED SANS-SERIF DIGIT FOOR DINGBAT CIRCLED SANS-SERIF DIGIT FIVE			→ 2B9E ➤ black rightwards equilateral			
2785	6	DINGBAT CIRCLED SANS-SERIF DIGIT SIX			arrowhead			
2786	7	DINGBAT CIRCLED SANS-SERIF DIGIT SEVEN	27A5	-	→ 1FBB0 ▲ arrowhead-shaped pointer HEAVY BLACK CURVED DOWNWARDS AND			
2787	8	DINGBAT CIRCLED SANS-SERIF DIGIT EIGHT	ZIAJ	-	RIGHTWARDS ARROW			
2788	9	DINGBAT CIRCLED SANS-SERIF DIGIT NINE			\rightarrow 2BA9 \Longrightarrow black curved downwards and			
2789 278A	10	DINGBAT CIRCLED SANS-SERIF NUMBER TEN	0746	_	rightwards arrow			
210A	U	DINGBAT NEGATIVE CIRCLED SANS-SERIF DIGIT ONE	21A0		RIGHTWARDS ARROW			
278B	0	DINGBAT NEGATIVE CIRCLED SANS-SERIF DIGIT			→ 2BAB → black curved upwards and			
278C	•	TWO DINGBAT NEGATIVE CIRCLED SANS-SERIF DIGIT	2717	Þ	rightwards arrow SQUAT BLACK RIGHTWARDS ARROW			
2700	Ð	THREE	ZIAI	•	→ 1F842 I rightwards heavy compressed arrow			
278D	4	DINGBAT NEGATIVE CIRCLED SANS-SERIF DIGIT	27A8	•	HEAVY CONCAVE-POINTED BLACK			
278E	6	FOUR	0740	_	RIGHTWARDS ARROW			
2100	Ð	DINGBAT NEGATIVE CIRCLED SANS-SERIF DIGIT FIVE	27A9	<>	RIGHT-SHADED WHITE RIGHTWARDS ARROW → 1F8A5 rightwards right-shaded white			
278F	0	DINGBAT NEGATIVE CIRCLED SANS-SERIF DIGIT			arrow			
2790	A	SIX DINGBAT NEGATIVE CIRCLED SANS-SERIF DIGIT	27AA	₽				
2190	V	SEVEN	27AB	<i>\(\sigma\)</i>	→ 1F8A7 rightwards left-shaded white arrow BACK-TILTED SHADOWED WHITE			
2791	8	DINGBAT NEGATIVE CIRCLED SANS-SERIF DIGIT EIGHT	ZIAD	~	RIGHTWARDS ARROW → 1F8A9 rightwards back-tilted shadowed			
2792	0	DINGBAT NEGATIVE CIRCLED SANS-SERIF DIGIT NINE			white arrow			
2793	0	DINGBAT NEGATIVE CIRCLED SANS-SERIF	27AC	\Leftrightarrow	FRONT-TILTED SHADOWED WHITE RIGHTWARDS ARROW			
	-	NUMBER TEN			→ 1F8AB → rightwards front-tilted shadowed			
					white arrow			

- 27AF

 → NOTCHED LOWER RIGHT-SHADOWED WHITE RIGHTWARDS ARROW
 - → 1F89A → rightwards arrow with notched tail

Miscellaneous

27B0 ত CURLY LOOP = kururi

Dingbat arrows

- 27B1

 → NOTCHED UPPER RIGHT-SHADOWED WHITE RIGHTWARDS ARROW
- 27B2 CIRCLED HEAVY WHITE RIGHTWARDS ARROW
- 27B4 A BLACK-FEATHERED SOUTH EAST ARROW
- 27B5 ➤ BLACK-FEATHERED RIGHTWARDS ARROW
- 27B6 BLACK-FEATHERED NORTH EAST ARROW
- 27B7 🔩 HEAVY BLACK-FEATHERED SOUTH EAST ARROW
- 27B8 ➤ HEAVY BLACK-FEATHERED RIGHTWARDS ARROW
- 27BA → TEARDROP-BARBED RIGHTWARDS ARROW
- 27BB → HEAVY TEARDROP-SHANKED RIGHTWARDS ARROW
- 27BC ➤ WEDGE-TAILED RIGHTWARDS ARROW
- 27BD
 HEAVY WEDGE-TAILED RIGHTWARDS ARROW
- 27BE ⇒ OPEN-OUTLINED RIGHTWARDS ARROW

Miscellaneous

27BF TO DOUBLE CURLY LOOP