

|                                                                                 |                                |                                         |
|---------------------------------------------------------------------------------|--------------------------------|-----------------------------------------|
| <b>CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD</b> |                                | <b>NRCC-PRF-E</b>                       |
| <b>Nonresidential Performance Compliance Method</b>                             |                                | <b>(Page 1 of 21)</b>                   |
| <b>Project Name:</b>                                                            | <b>EX08_NR_Rstnt-SZ-VAV-AC</b> | <b>Date Prepared:</b> <b>2026-09-23</b> |

|                               |                                             |                                     |           |                                       |
|-------------------------------|---------------------------------------------|-------------------------------------|-----------|---------------------------------------|
| <b>A. General Information</b> |                                             |                                     |           |                                       |
| <b>1</b>                      | Project Name                                | EX08_NR_Rstnt-SZ-VAV-AC             |           |                                       |
| <b>2</b>                      | Run Title                                   |                                     |           |                                       |
| <b>3</b>                      | Project Location                            | - specify -                         |           |                                       |
| <b>4</b>                      | City                                        | - specify -                         | <b>5</b>  | Standards Version                     |
|                               |                                             | Compliance 2025                     |           |                                       |
| <b>6</b>                      | Zip code                                    | 95857                               | <b>7</b>  | Compliance Software (version)         |
|                               |                                             | CBECC-CLI 2025.3.0 RC (1415)        |           |                                       |
| <b>8</b>                      | Climate Zone                                | 9                                   | <b>9</b>  | Building Orientation (deg)            |
|                               |                                             | 0                                   |           |                                       |
| <b>10</b>                     | Building Type(s)                            | • Nonresidential                    | <b>11</b> | Weather File                          |
|                               |                                             | CA_Title24_2025_LOS-ANGELES-USC.epw |           |                                       |
| <b>12</b>                     | Project Scope                               | • New complete scope                | <b>13</b> | Number of Dwelling Units              |
|                               |                                             | 0                                   |           |                                       |
| <b>14</b>                     | Total Conditioned Floor Area in Scope (ft²) | 2500.92                             | <b>15</b> | Total # of hotel/motel rooms          |
|                               |                                             | 0                                   |           |                                       |
| <b>16</b>                     | Total Unconditioned Floor Area (ft²)        | 0                                   | <b>17</b> | Fuel Type                             |
|                               |                                             | Natural gas                         |           |                                       |
| <b>18</b>                     | Is Natural Gas Available per Section 100.1? | Yes                                 | <b>19</b> | Nonresidential Conditioned Floor Area |
|                               |                                             | 2500.92                             |           |                                       |
| <b>20</b>                     | Total # of Stories (Habitable Above Grade)  | 1                                   | <b>21</b> | Residential Conditioned Floor Area    |
|                               |                                             | 0                                   |           |                                       |

|                                                                                 |                       |
|---------------------------------------------------------------------------------|-----------------------|
| <b>CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD</b> | <b>NRCC-PRF-E</b>     |
| <b>Nonresidential Performance Compliance Method</b>                             | <b>(Page 2 of 21)</b> |

| <b>B1. PROJECT SUMMARY - Performance</b>                                                                                                                                                              |                |              |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|--------------|
| Table B1 shows which building components are included in the performance calculation. If indicated as not included, the project must show compliance prescriptively if within the permit application. |                |              |
| <b>Building Components Complying via Performance</b>                                                                                                                                                  |                |              |
| Envelope (See Table G)                                                                                                                                                                                | Nonresidential | Included     |
|                                                                                                                                                                                                       | Multifamily    | Not Included |
| Mechanical (See Table H)                                                                                                                                                                              | Nonresidential | Included     |
|                                                                                                                                                                                                       | Multifamily    | Not Included |
| Domestic Hot Water (See Table I)                                                                                                                                                                      | Nonresidential | Included     |
|                                                                                                                                                                                                       | Multifamily    | Not Included |
| Lighting (Indoor Conditioned, see Table K)                                                                                                                                                            | Nonresidential | Included     |
|                                                                                                                                                                                                       | Multifamily    | Not Included |
| Solar Thermal Water Heating (See Table I3)                                                                                                                                                            |                | Included     |
| Covered Process: Commercial Kitchens (see Table J)                                                                                                                                                    |                | Included     |
| Covered Process: Laboratory Exhaust (see Table J)                                                                                                                                                     |                | Not Included |
| Photovoltaics (see Table F)                                                                                                                                                                           |                | Included     |
| Battery (see Table F)                                                                                                                                                                                 |                | Not Included |

|                                                                                 |                       |
|---------------------------------------------------------------------------------|-----------------------|
| <b>CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD</b> | <b>NRCC-PRF-E</b>     |
| <b>Nonresidential Performance Compliance Method</b>                             | <b>(Page 3 of 21)</b> |

|                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                    |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>B2. PROJECT SUMMARY - Prescriptive/Mandatory</b>                                                                                                                     |                                                                                                                                                                                                                                                                                                    |
| <b>Building Components Not Supported via Performance Approach - Must Use the Following Certificate of Compliance Forms</b>                                              |                                                                                                                                                                                                                                                                                                    |
| <i>The following building components are supported via the applicable Certificate of Compliance forms listed below when within the scope of the permit application.</i> |                                                                                                                                                                                                                                                                                                    |
| Indoor Lighting - Unconditioned Spaces 140.6 & 141.0(b)2I & 170.2(e) & 180.2(b)4B                                                                                       | NRCC-LTI-01-E if any enclosed unconditioned spaces have new/alterd lighting                                                                                                                                                                                                                        |
| Indoor Lighting - Multifamily Dwelling Unit, Hotel/Motel Guest Room 160.5(a) & 130.0(b)                                                                                 | NRCC-LTI-01-E if dwelling units or guest rooms have new/alterd indoor lighting                                                                                                                                                                                                                     |
| Outdoor Lighting 140.7 & 141.0(b)2L & 170.2(e) & 180.2(b)4B                                                                                                             | NRCC-LTO-01-E if any new/alterd outdoor lighting                                                                                                                                                                                                                                                   |
| Outdoor Lighting - Multifamily Dwelling Unit, Hotel/Motel Guest Room 160.5(a) & 130.0(b)                                                                                | NRCC-LTO-01-E if dwelling units or guest rooms have new/alterd outdoor lighting                                                                                                                                                                                                                    |
| Illuminated Sign Lighting 140.8 & 141.0(b)2M & 170.2(e) & 180.2(b)4                                                                                                     | NRCC-LTS-01-E if any new/alterd illuminated signs located indoors or outdoors                                                                                                                                                                                                                      |
| Electrical Power Distribution 130.5 & 141.0(b)2P & 170.2(e) & 180.2(b)4                                                                                                 | NRCC-ELC-01-E if any new/alterd electrical power distribution components                                                                                                                                                                                                                           |
| Electrical Readiness for New Multifamily Buildings 160.9                                                                                                                | NRCC-ELC-01-E if gas is used in dwelling unit heating, cooktop, clothes dryer or water heating systems                                                                                                                                                                                             |
| Design Review and Commissioning 120.8                                                                                                                                   | NRCC-CXR-01-E if new building with conditioned nonresidential occupancy                                                                                                                                                                                                                            |
| Solar Readiness 110.10                                                                                                                                                  | NRCC-SAB-01-E if new conditioned building and no photovoltaic (PV) system is installed per the Energy Code                                                                                                                                                                                         |
| Covered Processes 120.6 & 140.9 & 141.1 & 160.7                                                                                                                         | NRCC-PRC-01-E if new/alterd Refrigerated Warehouse, Commercial Refrigeration, Enclosed Parking Garage, Process Boiler, Compressed Air, Elevator, Escalator, Moving Walkway, Controlled Environment Horticulture, Steam Trap, Computer/Data Room, Commercial Kitchen, Laboratory or Factory Exhaust |

|                                                                          |                |
|--------------------------------------------------------------------------|----------------|
| CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD | NRCC-PRF-E     |
| Nonresidential Performance Compliance Method                             | (Page 4 of 21) |

| C1. COMPLIANCE SUMMARY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                  |                                             |                                               |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------|---------------------------------------------|-----------------------------------------------|
| COMPLIES*                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                  |                                             |                                               |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Long-term System Cost (LSC) <sup>1</sup>         |                                             | Source Energy Use                             |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Efficiency <sup>2</sup> (\$/ft <sup>2</sup> -yr) | Total <sup>3</sup> (\$/ft <sup>2</sup> -yr) | Total <sup>3</sup> (kBtu/ft <sup>2</sup> -yr) |
| Standard Design                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 104.04                                           | 51.55                                       | 55.92                                         |
| Proposed Design                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 96.88                                            | 42.47                                       | 33.52                                         |
| Compliance Margins                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 7.16                                             | 9.08                                        | 22.4                                          |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Pass                                             | Pass                                        | Pass                                          |
| <sup>1</sup> Long-term System Cost (LSC) is a 30-year present value cost to California's energy system. LSC is not a predicted utility bill.<br><sup>2</sup> Efficiency measures include energy efficiency improvements such as better building envelope and more efficient mechanical equipment<br><sup>3</sup> Compliance Totals include efficiency, photovoltaics and batteries<br>* New Construction: Building complies when Proposed Design is equal to or less than Standard Design in all compliance categories and unmet load hour limits are not exceeded.<br>Complete Addition Scope and Existing, Addition and Alteration Scope: Building complies when efficiency compliance margin is greater than or equal to zero and unmet load hour limits are not exceeded. |                                                  |                                             |                                               |

|                                                                          |                |
|--------------------------------------------------------------------------|----------------|
| CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD | NRCC-PRF-E     |
| Nonresidential Performance Compliance Method                             | (Page 5 of 21) |

| C2. LSC ENERGY COMPLIANCE RESULTS FOR PERFORMANCE COMPONENTS (Annual LSC Energy Use, \$/ft <sup>2</sup> -yr)                             |                       |                       |                                      |
|------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|-----------------------|--------------------------------------|
| COMPLIES                                                                                                                                 |                       |                       |                                      |
| Energy Component                                                                                                                         | Standard Design (LSC) | Proposed Design (LSC) | Compliance Margin (LSC) <sup>1</sup> |
| Space Heating                                                                                                                            | 15.9                  | 13.09                 | 2.81                                 |
| Space Cooling                                                                                                                            | 11.43                 | 15.81                 | -4.38                                |
| Indoor Fans                                                                                                                              | 47.91                 | 39.68                 | 8.23                                 |
| Heat Rejection                                                                                                                           | 0                     | 0                     | 0                                    |
| Pumps & Misc.                                                                                                                            | 0                     | 0                     | 0                                    |
| Domestic Hot Water                                                                                                                       | 13.02                 | 12.52                 | 0.5                                  |
| Indoor Lighting                                                                                                                          | 15.78                 | 15.78                 | 0                                    |
| Flexibility                                                                                                                              | ---                   | ---                   | ---                                  |
| <b>EFFICIENCY COMPLIANCE TOTAL</b>                                                                                                       | <b>104.04</b>         | <b>96.88</b>          | <b>7.16 (6.9%)</b>                   |
| Photovoltaics                                                                                                                            | -52.49                | -54.41                | 1.92                                 |
| Batteries                                                                                                                                | ---                   | ---                   | ---                                  |
| <b>TOTAL COMPLIANCE</b>                                                                                                                  | <b>51.55</b>          | <b>42.47</b>          | <b>9.08 (17.6%)</b>                  |
| <sup>1</sup> Notes: This number in parenthesis following the Compliance Margin in column 4, represents the Percent Better than Standard. |                       |                       |                                      |

|                                                                                 |                       |
|---------------------------------------------------------------------------------|-----------------------|
| <b>CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD</b> | <b>NRCC-PRF-E</b>     |
| <b>Nonresidential Performance Compliance Method</b>                             | <b>(Page 6 of 21)</b> |

| <b>C3. LSC ENERGY RESULTS FOR NON-REGULATED COMPONENTS<sup>1</sup></b>                                                                   |                              |                              |                                            |
|------------------------------------------------------------------------------------------------------------------------------------------|------------------------------|------------------------------|--------------------------------------------|
| <b>Non-Regulated Energy Component</b>                                                                                                    | <b>Standard Design (LSC)</b> | <b>Proposed Design (LSC)</b> | <b>Compliance Margin (LSC)<sup>2</sup></b> |
| Receptacle                                                                                                                               | 68.15                        | 68.15                        | ---                                        |
| Process                                                                                                                                  | 30.49                        | 30.49                        | ---                                        |
| Other Ltg                                                                                                                                | ---                          | ---                          | ---                                        |
| Process Motors                                                                                                                           | ---                          | ---                          | ---                                        |
| <b>TOTAL (TOTAL COMPLIANCE + NON-REGULATED COMPONENTS)</b>                                                                               | <b>150.19</b>                | <b>141.11</b>                | <b>9.08 (6%)</b>                           |
| <sup>1</sup> Notes: This table is not used for Energy Code Compliance.                                                                   |                              |                              |                                            |
| <sup>2</sup> Notes: This number in parenthesis following the Compliance Margin in column 4, represents the Percent Better than Standard. |                              |                              |                                            |

|                                                                                 |                       |
|---------------------------------------------------------------------------------|-----------------------|
| <b>CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD</b> | <b>NRCC-PRF-E</b>     |
| <b>Nonresidential Performance Compliance Method</b>                             | <b>(Page 7 of 21)</b> |

| <b>C4. SOURCE ENERGY COMPLIANCE RESULTS FOR PERFORMANCE COMPONENTS (Annual SOURCE Energy Use, kBtu/ft<sup>2</sup> /yr)</b>               |                                 |                                 |                                               |
|------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------|---------------------------------|-----------------------------------------------|
| <b>COMPLIES</b>                                                                                                                          |                                 |                                 |                                               |
| <b>Energy Component</b>                                                                                                                  | <b>Standard Design (SOURCE)</b> | <b>Proposed Design (SOURCE)</b> | <b>Compliance Margin (SOURCE)<sup>1</sup></b> |
| Space Heating                                                                                                                            | 23.52                           | 5.67                            | 17.85                                         |
| Space Cooling                                                                                                                            | 1.63                            | 2.18                            | -0.55                                         |
| Indoor Fans                                                                                                                              | 12.84                           | 8.55                            | 4.29                                          |
| Heat Rejection                                                                                                                           | 0                               | 0                               | 0                                             |
| Pumps & Misc.                                                                                                                            | 0                               | 0                               | 0                                             |
| Domestic Hot Water                                                                                                                       | 21.81                           | 20.97                           | 0.84                                          |
| Indoor Lighting                                                                                                                          | 4.5                             | 4.5                             | 0                                             |
| Flexibility                                                                                                                              | ---                             | ---                             | ---                                           |
| <b>EFFICIENCY COMPLIANCE TOTAL</b>                                                                                                       | <b>64.3</b>                     | <b>41.87</b>                    | <b>22.43 (34.9%)</b>                          |
| Photovoltaics                                                                                                                            | -8.38                           | -8.35                           | -0.03                                         |
| Batteries                                                                                                                                | ---                             | ---                             | ---                                           |
| <b>TOTAL COMPLIANCE</b>                                                                                                                  | <b>55.92</b>                    | <b>33.52</b>                    | <b>22.4 (40.1%)</b>                           |
| <sup>1</sup> Notes: This number in parenthesis following the Compliance Margin in column 4, represents the Percent Better than Standard. |                                 |                                 |                                               |

|                                                                                 |                       |
|---------------------------------------------------------------------------------|-----------------------|
| <b>CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD</b> | <b>NRCC-PRF-E</b>     |
| <b>Nonresidential Performance Compliance Method</b>                             | <b>(Page 8 of 21)</b> |

| <b>C5. SOURCE ENERGY RESULTS FOR NON-REGULATED COMPONENTS<sup>1</sup></b>                                                                |                                 |                                 |                                               |
|------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------|---------------------------------|-----------------------------------------------|
| <b>Non-Regulated Energy Component</b>                                                                                                    | <b>Standard Design (SOURCE)</b> | <b>Proposed Design (SOURCE)</b> | <b>Compliance Margin (SOURCE)<sup>2</sup></b> |
| Receptacle                                                                                                                               | 76.45                           | 76.45                           | ---                                           |
| Process                                                                                                                                  | 9.21                            | 9.21                            | ---                                           |
| Other Ltg                                                                                                                                | ---                             | ---                             | ---                                           |
| Process Motors                                                                                                                           | ---                             | ---                             | ---                                           |
| <b>TOTAL ( TOTAL COMPLIANCE + NON-REGULATED COMPONENTS)</b>                                                                              | <b>141.58</b>                   | <b>119.18</b>                   | <b>22.4 (15.8%)</b>                           |
| <sup>1</sup> Notes: This table is not used for Energy Code Compliance.                                                                   |                                 |                                 |                                               |
| <sup>2</sup> Notes: This number in parenthesis following the Compliance Margin in column 4, represents the Percent Better than Standard. |                                 |                                 |                                               |

| <b>C6. 'ABOVE CODE' QUALIFICATIONS</b>                            |                                                                   |
|-------------------------------------------------------------------|-------------------------------------------------------------------|
| <input type="checkbox"/> This project is pursuing CalGreen Tier 1 | <input type="checkbox"/> This project is pursuing CalGreen Tier 2 |



|                                                                                 |                       |
|---------------------------------------------------------------------------------|-----------------------|
| <b>CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD</b> | <b>NRCC-PRF-E</b>     |
| <b>Nonresidential Performance Compliance Method</b>                             | <b>(Page 9 of 21)</b> |

| <b>C7. ENERGY USE SUMMARY</b> |                                       |                                       |                         |                                        |                                        |                          |
|-------------------------------|---------------------------------------|---------------------------------------|-------------------------|----------------------------------------|----------------------------------------|--------------------------|
| <b>Energy Component</b>       | <b>Standard Design Site<br/>(MWh)</b> | <b>Proposed Design Site<br/>(MWh)</b> | <b>Margin<br/>(MWh)</b> | <b>Standard Design Site<br/>(MBtu)</b> | <b>Proposed Design Site<br/>(MBtu)</b> | <b>Margin<br/>(MBtu)</b> |
| Space Heating                 | ---                                   | 5                                     | ---                     | 65.4                                   | ---                                    | ---                      |
| Space Cooling                 | 5.7                                   | 7.8                                   | -2.1                    | ---                                    | ---                                    | ---                      |
| Indoor Fans                   | 22.6                                  | 19.1                                  | 3.5                     | ---                                    | ---                                    | ---                      |
| Heat Rejection                | ---                                   | ---                                   | ---                     | ---                                    | ---                                    | ---                      |
| Pumps & Misc.                 | ---                                   | ---                                   | ---                     | ---                                    | ---                                    | ---                      |
| Domestic Hot Water            | ---                                   | ---                                   | ---                     | 60.6                                   | 58.3                                   | 2.3                      |
| Indoor Lighting               | 7.2                                   | 7.2                                   | 0                       | ---                                    | ---                                    | ---                      |
| Flexibility                   | ---                                   | ---                                   | ---                     | ---                                    | ---                                    | ---                      |
| <b>EFFICIENCY TOTAL</b>       | <b>35.5</b>                           | <b>39.1</b>                           | <b>-3.6</b>             | <b>126</b>                             | <b>58.3</b>                            | <b>67.7</b>              |
| Photovoltaics                 | -39.7                                 | -39.6                                 | -0.1                    | ---                                    | ---                                    | ---                      |
| Batteries                     | ---                                   | ---                                   | ---                     | ---                                    | ---                                    | ---                      |
| <b>ENERGY USE SUBTOTAL</b>    | <b>-4.2</b>                           | <b>-0.5</b>                           | <b>-3.7</b>             | <b>126</b>                             | <b>58.3</b>                            | <b>67.7</b>              |
| Receptacle                    | 12.6                                  | 12.6                                  | 0                       | 192.1                                  | 192.1                                  | 0                        |
| Process                       | 13.5                                  | 13.5                                  | 0                       | ---                                    | ---                                    | ---                      |
| Other Ltg                     | ---                                   | ---                                   | ---                     | ---                                    | ---                                    | ---                      |
| Process Motors                | ---                                   | ---                                   | ---                     | ---                                    | ---                                    | ---                      |
| <b>ENERGY USE TOTAL</b>       | <b>21.9</b>                           | <b>25.6</b>                           | <b>-3.7</b>             | <b>318.1</b>                           | <b>250.4</b>                           | <b>67.7</b>              |

|                                                                                 |                        |
|---------------------------------------------------------------------------------|------------------------|
| <b>CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD</b> | <b>NRCC-PRF-E</b>      |
| <b>Nonresidential Performance Compliance Method</b>                             | <b>(Page 10 of 21)</b> |

| <b>C8. ENERGY USE INTENSITY (EUI)</b>                                                                                                                     |                                                   |                                                   |                                          |                          |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------|---------------------------------------------------|------------------------------------------|--------------------------|
|                                                                                                                                                           | <b>Standard Design (kBtu/ft<sup>2</sup> / yr)</b> | <b>Proposed Design (kBtu/ft<sup>2</sup> / yr)</b> | <b>Margin (kBtu/ft<sup>2</sup> / yr)</b> | <b>Margin Percentage</b> |
| <b>GROSS EUI<sup>1</sup></b>                                                                                                                              | 211.23                                            | 189.08                                            | 22.15                                    | 10.49                    |
| <b>NET EUI<sup>1</sup></b>                                                                                                                                | 157.07                                            | 135.05                                            | 22.02                                    | 14.02                    |
| <sup>1</sup> Notes: Gross EUI is Energy Use Total (not including PV)/Total Building Area. Net EUI is Energy Use Total (including PV)/Total Building Area. |                                                   |                                                   |                                          |                          |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>D1. EXCEPTIONAL CONDITIONS</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <ul style="list-style-type: none"> <li>The aged solar reflectance and aged thermal emittance must be listed in the Cool Roof Rating Council database of certified products. For projects where initial reflectance is used, the initial reflectance must be listed, and the aged reflectance is calculated by the software program and used in the compliance model.</li> <li>Project is claiming Exception 3 to Section 140.10(b): No battery storage system required for tenant spaces less than or equal to 5,000 ft<sup>2</sup>.</li> <li>Verify project meets the requirements for Vestibules as per Section 120.7(e).</li> </ul> |

| <b>F1. REQUIRED PV SYSTEMS</b>                        |                              |                    |                   |                          |            |                      |                   |                          |                        |                          |                                |
|-------------------------------------------------------|------------------------------|--------------------|-------------------|--------------------------|------------|----------------------|-------------------|--------------------------|------------------------|--------------------------|--------------------------------|
| <b>01</b>                                             | <b>02</b>                    | <b>03</b>          | <b>04</b>         | <b>05</b>                | <b>06</b>  | <b>07</b>            | <b>08</b>         | <b>09</b>                | <b>10</b>              | <b>11</b>                | <b>12</b>                      |
| <b>DC System Size (kWdc)</b>                          | <b>Exception<sup>1</sup></b> | <b>Module Type</b> | <b>Array Type</b> | <b>Power Electronics</b> | <b>CFI</b> | <b>Azimuth (deg)</b> | <b>Tilt Input</b> | <b>Array Angle (deg)</b> | <b>Tilt: (x in 12)</b> | <b>Inverter Eff. (%)</b> | <b>Annual Solar Access (%)</b> |
| 24.3                                                  |                              | Standard (14-17%)  | Fixed             | none                     | true       | 150-270              | n/a               | n/a                      | <=7:12                 | 96                       | 98                             |
| <sup>1</sup> See Table D1 for any PV exceptions used. |                              |                    |                   |                          |            |                      |                   |                          |                        |                          |                                |

|                                                                                 |                        |
|---------------------------------------------------------------------------------|------------------------|
| <b>CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD</b> | <b>NRCC-PRF-E</b>      |
| <b>Nonresidential Performance Compliance Method</b>                             | <b>(Page 11 of 21)</b> |

| <b>F1B. PV BATTERY BUILDING TYPE(S)</b>                                               |                                                |                                                  |
|---------------------------------------------------------------------------------------|------------------------------------------------|--------------------------------------------------|
| <b>01</b>                                                                             | <b>02</b>                                      | <b>03</b>                                        |
| <b>Building Occupancy Type* (From Table 140.10-A/B and 170.2-U/V)</b>                 | <b>Conditioned Floor Area (ft<sup>2</sup>)</b> | <b>Unconditioned Floor Area (ft<sup>2</sup>)</b> |
| Events and Exhibits                                                                   | 0                                              | 0                                                |
| Library                                                                               | 0                                              | 0                                                |
| Hotel/Motel                                                                           | 0                                              | 0                                                |
| Office, Financial Institutions, Unleased Tenant Space, Medical Office Building/Clinic | 0                                              | 0                                                |
| Restaurants                                                                           | 2500.92                                        | 0                                                |
| Retail, Grocery                                                                       | 0                                              | 0                                                |
| School                                                                                | 0                                              | 0                                                |
| Warehouse                                                                             | 0                                              | 0                                                |
| Religious Worship                                                                     | 0                                              | 0                                                |
| Sports and Recreation                                                                 | 0                                              | 0                                                |
| Multifamily greater than 3 stories                                                    | 0                                              | 0                                                |
| None                                                                                  | 0                                              | 0                                                |
| <i>*Building Occupancy Types are defined in Section 100.1 of the Energy Code</i>      |                                                |                                                  |

| <b>G1. ENVELOPE GENERAL INFORMATION (conditioned spaces only)</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                  |                                                 |                                 |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------|-------------------------------------------------|---------------------------------|
| <b>01</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | <b>02</b>                                        | <b>03</b>                                       | <b>04</b>                       |
| <b>Opaque Surfaces &amp; Orientation</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | <b>Total Gross Surface Area (ft<sup>2</sup>)</b> | <b>Total Fenestration Area (ft<sup>2</sup>)</b> | <b>Window to Wall Ratio (%)</b> |
| North-Facing <sup>1</sup>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 500.22                                           | 0                                               | 0                               |
| East-Facing <sup>2</sup>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 500.22                                           | 70.03                                           | 14                              |
| South-Facing <sup>3</sup>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 500.22                                           | 140.06                                          | 28                              |
| <b>Notes</b><br><sup>1</sup> North-Facing is oriented to within 45 degrees of true north, including 4500'00" east of north (NE), but excluding 4500'00" west of north (NW),<br><sup>2</sup> East-Facing is oriented to within 45 degrees of true east, including 4500'00" south of east (SE), but excluding 4500'00" north of east (NE),<br><sup>3</sup> South-Facing is oriented to within 45 degrees of true south, including 4500'00" west of south (SW), but excluding 4500'00" east of south (SE),<br><sup>4</sup> West-Facing is oriented to within 45 degrees of true west, including 4500'00" north of west (NW), but excluding 4500'00" south of west (SW), |                                                  |                                                 |                                 |

|                                                                                 |                        |
|---------------------------------------------------------------------------------|------------------------|
| <b>CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD</b> | <b>NRCC-PRF-E</b>      |
| <b>Nonresidential Performance Compliance Method</b>                             | <b>(Page 12 of 21)</b> |

| <b>G1. ENVELOPE GENERAL INFORMATION (conditioned spaces only)</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                  |                                                 |                                 |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------|-------------------------------------------------|---------------------------------|
| <b>01</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | <b>02</b>                                        | <b>03</b>                                       | <b>04</b>                       |
| <b>Opaque Surfaces &amp; Orientation</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | <b>Total Gross Surface Area (ft<sup>2</sup>)</b> | <b>Total Fenestration Area (ft<sup>2</sup>)</b> | <b>Window to Wall Ratio (%)</b> |
| West-Facing <sup>4</sup>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 500.22                                           | 70.03                                           | 14                              |
| <b>Total</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | <b>2000.89</b>                                   | <b>280.12</b>                                   | <b>14</b>                       |
| Roof                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 2786.31                                          | 0                                               | 0                               |
| <b>Notes</b><br><sup>1</sup> North-Facing is oriented to within 45 degrees of true north, including 4500'00" east of north (NE), but excluding 4500'00" west of north (NW),<br><sup>2</sup> East-Facing is oriented to within 45 degrees of true east, including 4500'00" south of east (SE), but excluding 4500'00" north of east (NE),<br><sup>3</sup> South-Facing is oriented to within 45 degrees of true south, including 4500'00" west of south (SW), but excluding 4500'00" east of south (SE),<br><sup>4</sup> West-Facing is oriented to within 45 degrees of true west, including 4500'00" north of west (NW), but excluding 4500'00" south of west (SW), |                                                  |                                                 |                                 |

| <b>G2A. ROOFING PRODUCT SUMMARY (NONRESIDENTIAL)</b> |                   |                            |                               |                          |            |
|------------------------------------------------------|-------------------|----------------------------|-------------------------------|--------------------------|------------|
| <b>01</b>                                            | <b>02</b>         | <b>03</b>                  | <b>04</b>                     | <b>05</b>                | <b>06</b>  |
| <b>Assembly Name</b>                                 | <b>Roof Pitch</b> | <b>Roof Rise (x in 12)</b> | <b>Aged Solar Reflectance</b> | <b>Thermal Emittance</b> | <b>SRI</b> |
| Base_CZ12-SteepNonresWoodFramingAndOtherRoofU028     | SteepSlope        | N/A                        | 0.25                          | 0.8                      | N/A        |

| <b>G4. NONRESIDENTIAL AIR BARRIER</b> |                            |
|---------------------------------------|----------------------------|
| <b>01</b>                             | <b>02</b>                  |
| <b>Building Story Name</b>            | <b>Air Barrier</b>         |
| QS Restaurant 1                       | Air barrier - not verified |

|                                                                                 |                        |
|---------------------------------------------------------------------------------|------------------------|
| <b>CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD</b> | <b>NRCC-PRF-E</b>      |
| <b>Nonresidential Performance Compliance Method</b>                             | <b>(Page 13 of 21)</b> |

| G5. OPAQUE SURFACE ASSEMBLY SUMMARY                     |                   |            |              |                |                    |          |          |        |                                                                                                                                                                                                                       |                     |
|---------------------------------------------------------|-------------------|------------|--------------|----------------|--------------------|----------|----------|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|
| 01                                                      | 02                | 03         | 04           | 05             | 06                 |          | 07       | 08     | 09                                                                                                                                                                                                                    | 10                  |
| Surface Name                                            | Construction Type | Area (ft²) | Framing Type | Cavity R-Value | Continuous R-Value |          | Units    | Value  | Description of Assembly Layers                                                                                                                                                                                        | Status <sup>1</sup> |
|                                                         |                   |            |              |                | Interior           | Exterior |          |        |                                                                                                                                                                                                                       |                     |
| Base_CZ12-SlabOnOrBelow GradeF073                       | Underground Floor | 2,500.92   | N/A          | 0              | N/A                | N/A      | F-factor | 0.73   | Slab Type =Unheated slab on grade<br>Insulation Orientation =None<br>Insulation R-Value =none                                                                                                                         | N                   |
| Base_CZ12-NonresMetalFrameWallU055                      | Exterior Wall     | 2,000.89   | Metal        | 0              | N/A                | 16.05    | U-factor | 0.055  | Stucco - 7/8 in.<br>Compliance Insulation R14.60<br>Compliance Insulation R1.41<br>Compliance Insulation R0.02<br>Compliance Insulation R0.02<br>Air - Metal Wall Framing - 16 or 24 in. OC<br>Gypsum Board - 1/2 in. | N                   |
| NACM_Interior Wall                                      | Interior Wall     | 500.22     | Metal        | 0              | N/A                | N/A      | U-factor | 0.3195 | Gypsum Board - 5/8 in.<br>Air - Metal Wall Framing - 16 or 24 in. OC<br>Gypsum Board - 5/8 in.                                                                                                                        | N                   |
| Base_CZ12-SteepNonresWoodFramingAnd OtherRoofU028       | Roof              | 2,786.31   | N/A          | 0              | N/A                | 34.93    | U-factor | 0.028  | Metal Standing Seam - 1/16 in.<br>Compliance Insulation R34.93                                                                                                                                                        | N                   |
| NACM_Drop Ceiling                                       | Interior Floor    | 2,500.92   | N/A          | 0              | N/A                | N/A      | U-factor | 0.2924 | Acoustic Tile - 3/4 in.                                                                                                                                                                                               | N                   |
| <sup>1</sup> Status: N - New, A - Altered, E - Existing |                   |            |              |                |                    |          |          |        |                                                                                                                                                                                                                       |                     |

|                                                                                 |                        |
|---------------------------------------------------------------------------------|------------------------|
| <b>CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD</b> | <b>NRCC-PRF-E</b>      |
| <b>Nonresidential Performance Compliance Method</b>                             | <b>(Page 14 of 21)</b> |

| <b>G7A. FENESTRATION ASSEMBLY SUMMARY (NONRESIDENTIAL)</b>                                                                                                                                                                                                                                                                                                                                                                                                                 |                                              |                                   |                 |                         |                  |              |            |                     |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------|-----------------------------------|-----------------|-------------------------|------------------|--------------|------------|---------------------|
| 01                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 02                                           | 03                                | 04              | 05                      | 06               | 07           | 08         | 09                  |
| Fenestration Assembly Name                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Fenestration Type/ Product Type / Frame Type | Certification Method <sup>1</sup> | Assembly Method | Area (ft <sup>2</sup> ) | Overall U-factor | Overall SHGC | Overall VT | Status <sup>2</sup> |
| Base_AllCZ_FixedWindowU34                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Vertical fenestration<br>Fixed window<br>N/A | NFRC                              | Manufactured    | 280.12                  | 0.34             | 0.22         | 0.42       | N                   |
| <sup>1</sup> Notes: Newly installed fenestration shall have a certified NFRC Label Certificate or use the CEC default tables found in Table 110.6-A and Table 110.6-B. Center of Glass (COG) values are for the glass-only, determined by the manufacturer, and are shown for ease of verification. Site-built fenestration values are calculated per Nonresidential Appendix NA6 and are used in the analysis.<br><sup>2</sup> Status: N - New, A - Altered, E - Existing |                                              |                                   |                 |                         |                  |              |            |                     |

| <b>H1. DRY SYSTEM EQUIPMENT (FURNACES, AIR HANDLING UNITS, HEAT PUMPS, VRF, ECONOMIZERS ETC.)</b> |                |     |                               |                           |                 |            |                               |                 |            |                              |                     |
|---------------------------------------------------------------------------------------------------|----------------|-----|-------------------------------|---------------------------|-----------------|------------|-------------------------------|-----------------|------------|------------------------------|---------------------|
| 01                                                                                                | 02             | 03  | 04                            | 05                        | 06              | 07         | 08                            | 09              | 10         | 11                           | 12                  |
| Equipment Name                                                                                    | Equipment Type | Qty | Heating                       |                           |                 |            | Cooling                       |                 |            | Economizer Type (if present) | Status <sup>1</sup> |
|                                                                                                   |                |     | Total Heating Output (kBtu/h) | Supp Heat Output (kBtu/h) | Efficiency Unit | Efficiency | Total Cooling Output (kBtu/h) | Efficiency Unit | Efficiency |                              |                     |
| Dining - RTU / DOAS 1                                                                             | SZVAVDFHP      | 1   | 95.42                         | 95.42                     | COP             | 3.4        | 98.7                          | EER             | 11         | Differential Enthalpy        | N                   |
| Kitchen-RTU / DOAS 2                                                                              | SZVAVDFHP      | 1   | 151.52                        | 151.52                    | COP             | 3.4        | 205                           | EER             | 10.8       | Differential Enthalpy        | N                   |
| <sup>1</sup> Status: N - New, A - Altered, E - Existing                                           |                |     |                               |                           |                 |            |                               |                 |            |                              |                     |

|                                                                                 |                        |
|---------------------------------------------------------------------------------|------------------------|
| <b>CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD</b> | <b>NRCC-PRF-E</b>      |
| <b>Nonresidential Performance Compliance Method</b>                             | <b>(Page 15 of 21)</b> |

| <b>H3. NONRESIDENTIAL / COMMON USE AREA FAN SYSTEMS SUMMARY</b> |     |               |            |       |             |              |                     |     |       |             |         |                     |
|-----------------------------------------------------------------|-----|---------------|------------|-------|-------------|--------------|---------------------|-----|-------|-------------|---------|---------------------|
| 01                                                              | 02  | 03            | 04         | 05    | 06          | 07           | 08                  | 09  | 10    | 11          | 12      | 13                  |
| Name or Item Tag                                                | Qty | Design OA CFM | Supply Fan |       |             |              | Return / Relief Fan |     |       |             |         | Status <sup>1</sup> |
|                                                                 |     |               | CFM        | Power | Power Units | Control      | Fan Type            | CFM | Power | Power Units | Control |                     |
| Dining - RTU / DOAS 1                                           | 1   | 618.98        | 2,000      | 0.75  | W/cfm       | VSD          | N/A                 | N/A | N/A   | N/A         | N/A     | N                   |
| Kitchen-RTU / DOAS 2                                            | 1   | 1700          | 4,500      | 0.82  | W/cfm       | VSD          | N/A                 | N/A | N/A   | N/A         | N/A     | N                   |
| KitchenExhaust                                                  | 1   | 0             | 2,400      | 2.39  | InH2O       | Constant Vol | N/A                 | N/A | N/A   | N/A         | N/A     | N                   |

| 01                                                      | 14                  | 15             | 16               | 17                  | 18             | 19               |
|---------------------------------------------------------|---------------------|----------------|------------------|---------------------|----------------|------------------|
| Name or Item Tag                                        | Supply Fan          |                |                  | Return / Relief Fan |                |                  |
|                                                         | Modeling Method     | Fan Efficiency | Motor Efficiency | Modeling Method     | Fan Efficiency | Motor Efficiency |
| Dining - RTU / DOAS 1                                   | Power Per Unit Flow | 0.65           | 0.87             | N/A                 | N/A            | N/A              |
| Kitchen-RTU / DOAS 2                                    | Power Per Unit Flow | 0.65           | 0.87             | N/A                 | N/A            | N/A              |
| KitchenExhaust                                          | Static Pressure     | 0.5            | 0.87             | N/A                 | N/A            | N/A              |
| <sup>1</sup> Status: N - New, A - Altered, E - Existing |                     |                |                  |                     |                |                  |

| <b>H5. GENERAL EXHAUST FAN SUMMARY</b>                  |                      |     |      |       |             |                       |                     |
|---------------------------------------------------------|----------------------|-----|------|-------|-------------|-----------------------|---------------------|
| 01                                                      | 02                   | 03  | 04   | 05    | 06          | 07                    | 08                  |
| System ID                                               | Zone Name            | Qty | CFM  | Power | Power Units | Continuous Operation? | Status <sup>1</sup> |
| KitchenExhaust                                          | Kitchen Thermal Zone | 1   | 2400 | 2.39  | InH2O       | Yes                   | N                   |
| <sup>1</sup> Status: N - New, A - Altered, E - Existing |                      |     |      |       |             |                       |                     |

|                                                                                 |                        |
|---------------------------------------------------------------------------------|------------------------|
| <b>CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD</b> | <b>NRCC-PRF-E</b>      |
| <b>Nonresidential Performance Compliance Method</b>                             | <b>(Page 16 of 21)</b> |

| H8. SYSTEM SPECIAL FEATURES                                                                                                                                                                            |                   |                                      |                                                                                |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|--------------------------------------|--------------------------------------------------------------------------------|
| 01                                                                                                                                                                                                     | 02                | 03                                   | 04                                                                             |
| System Name                                                                                                                                                                                            | Equipment Type    | Interlocks per 140.4(n) <sup>1</sup> | Other Special Features and Controls                                            |
| Dining - RTU / DOAS 1                                                                                                                                                                                  | SZVAVDFHP         | N/A                                  | DDC Controls<br>Zone(s) With CO2 Sensor Vent. Control<br>Differential Enthalpy |
| Kitchen-RTU / DOAS 2                                                                                                                                                                                   | SZVAVDFHP         | N/A                                  | Differential Enthalpy                                                          |
| SHWFluidSysGas                                                                                                                                                                                         | Service Hot Water | N/A                                  | Fixed Temperature Control                                                      |
| Notes: This table includes controls related to the performance path only. For projects using the prescriptive path, mandatory and prescriptive controls requirements are documented on the NRCC-MCH-E. |                   |                                      |                                                                                |
| <sup>1</sup> Yes = interlocks are provided, No = interlocks are not provided, NA means no operable openings.                                                                                           |                   |                                      |                                                                                |

| H9. NONRESIDENTIAL / COMMON USE AREA & HOTEL/MOTEL VENTILATION |                                           |             |               |             |                       |                                          |
|----------------------------------------------------------------|-------------------------------------------|-------------|---------------|-------------|-----------------------|------------------------------------------|
| 01                                                             | 02                                        | 03          | 04            | 05          | 06                    | 07                                       |
| Zone Name                                                      | Mechanical Ventilation                    |             |               |             | Conditioned Area (sf) | DCV or Occupant Sensor Controls, or Both |
|                                                                | Ventilation Function                      | # of People | Supply OA CFM | Exhaust CFM |                       |                                          |
| Dining Thermal Zone                                            | Food Service - Cafeteria/fast-food dining | 41.27       | 618.98        | 0           | 1250.46               | DCV                                      |
| Kitchen Thermal Zone                                           | Food Service - Kitchen (cooking)          | 3.75        | 1700          | 2400        | 1250.46               | N/A                                      |

| H11. ZONAL SYSTEM AND TERMINAL UNIT SUMMARY |                                   |     |                        |         |               |       |            |       |             |        |                          |
|---------------------------------------------|-----------------------------------|-----|------------------------|---------|---------------|-------|------------|-------|-------------|--------|--------------------------|
| 01                                          | 02                                | 03  | 04                     | 05      | 06            | 07    | 08         | 09    | 10          | 11     | 12                       |
| System ID                                   | System Type                       | Qty | Rated Capacity (kBtuh) |         | Airflow (cfm) |       |            | Fan   |             |        | VSD                      |
|                                             |                                   |     | Heating                | Cooling | Design        | Min.  | Min. Ratio | Power | Power Units | Cycles |                          |
| Dining TerminalUnit                         | Variable Air Volume No Reheat Box | 1   | N/A                    | N/A     | 2,000         | 1,200 | 0.6        | N/A   | N/A         | N/A    | <input type="checkbox"/> |



|                                                                          |                 |
|--------------------------------------------------------------------------|-----------------|
| CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD | NRCC-PRF-E      |
| Nonresidential Performance Compliance Method                             | (Page 17 of 21) |

| H11. ZONAL SYSTEM AND TERMINAL UNIT SUMMARY |                                   |     |                        |         |               |       |            |       |             |        |                          |
|---------------------------------------------|-----------------------------------|-----|------------------------|---------|---------------|-------|------------|-------|-------------|--------|--------------------------|
| 01                                          | 02                                | 03  | 04                     | 05      | 06            | 07    | 08         | 09    | 10          | 11     | 12                       |
| System ID                                   | System Type                       | Qty | Rated Capacity (kBtuh) |         | Airflow (cfm) |       |            | Fan   |             |        | VSD                      |
|                                             |                                   |     | Heating                | Cooling | Design        | MIn.  | Min. Ratio | Power | Power Units | Cycles |                          |
| Kitchen TerminalUnit                        | Variable Air Volume No Reheat Box | 1   | N/A                    | N/A     | 4,500         | 1,700 | 0.38       | N/A   | N/A         | N/A    | <input type="checkbox"/> |

| I1. WATER HEATER EQUIPMENT SUMMARY |                     |           |     |                |             |                  |            |                 |                                 |                       |                                   |                |                                    |
|------------------------------------|---------------------|-----------|-----|----------------|-------------|------------------|------------|-----------------|---------------------------------|-----------------------|-----------------------------------|----------------|------------------------------------|
| 01                                 | 02                  | 03        | 04  | 05             | 06          | 07               | 08         | 09              | 10                              | 11                    | 12                                | 13             | 14                                 |
| Name                               | Heater Element Type | Tank Type | Qty | Tank Vol (gal) | Rated Input | Rated Input Unit | Efficiency | Efficiency Unit | Tank Insulation R-value Int/Ext | Standby Loss Fraction | 1st Hr. Rating or Flow Rate (gal) | Heat Pump Type | Tank Location or Ambient Condition |
| WaterHeater1                       | Natural Gas         | Storage   | 1   | 30             | 37.29       | kBtu/Hr          | 0.65       | UEF             | N/A                             | N/A                   | 60                                | N/A            | N/A                                |

| J2. COMMERCIAL KITCHENS |                     |                   |                |                         |
|-------------------------|---------------------|-------------------|----------------|-------------------------|
| 01                      | 02                  | 03                | 04             | 05                      |
| Space Name              | Exhaust Hood Style  | Exhaust Hood Duty | Exhaust Length | Exhaust Flow Rate (cfm) |
| Kitchen                 | Wall-mounted Canopy | Heavy Duty        | 10             | 2,400                   |

|                                                                                 |                        |
|---------------------------------------------------------------------------------|------------------------|
| <b>CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD</b> | <b>NRCC-PRF-E</b>      |
| <b>Nonresidential Performance Compliance Method</b>                             | <b>(Page 18 of 21)</b> |

| <b>K1. INDOOR CONDITIONED LIGHTING GENERAL INFO</b>                                                                                                                                    |                                                            |                                         |                                         |                                        |                                        |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------|-----------------------------------------|-----------------------------------------|----------------------------------------|----------------------------------------|
| <b>01</b>                                                                                                                                                                              | <b>02</b>                                                  | <b>03</b>                               | <b>04</b>                               | <b>05</b>                              | <b>06</b>                              |
| <b>Occupancy Type<sup>1</sup></b>                                                                                                                                                      | <b>Conditioned Floor Area<sup>2</sup> (ft<sup>2</sup>)</b> | <b>Installed Lighting Power (Watts)</b> | <b>Lighting Control Credits (Watts)</b> | <b>Additional (Custom) Allowance</b>   |                                        |
|                                                                                                                                                                                        |                                                            |                                         |                                         | <b>Area Category Footnotes (Watts)</b> | <b>Area Category Footnotes (Watts)</b> |
| Dining - Fastfood                                                                                                                                                                      | 1250.46                                                    | 562.71                                  | 0                                       | 0                                      | 0                                      |
| Kitchen/ Food Preparation                                                                                                                                                              | 1250.46                                                    | 1187.94                                 | 0                                       | 0                                      | 0                                      |
| <b>Building Totals:</b>                                                                                                                                                                | <b>2500.92</b>                                             | <b>1750.65</b>                          | <b>0</b>                                | <b>0</b>                               | <b>0</b>                               |
| <sup>1</sup> See Table 140.6-C<br><sup>2</sup> See NRCC-LTI--E for unconditioned spaces<br><sup>3</sup> Lighting information for existing spaces modeled is not included in this table |                                                            |                                         |                                         |                                        |                                        |

|                                                                   |
|-------------------------------------------------------------------|
| <b>K4. INDOOR CONDITIONED LIGHTING MANDATORY LIGHTING CONTROL</b> |
| See NRCC-LTI-E for mandatory controls                             |

| <b>N. DECLARATION OF REQUIRED CERTIFICATES OF INSTALLATION</b>                                                                                                                                                                                                                     |                                                                  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|
| <i>Selections made by Documentation Author indicate which Certificates of Installation must be submitted for the features to be recognized for compliance. These documents must be retained and provided to the building inspector during construction and can be found online</i> |                                                                  |
| <b>Building Component</b>                                                                                                                                                                                                                                                          | <b>Form/Title</b>                                                |
| Envelope                                                                                                                                                                                                                                                                           | NRCI-ENV-E - Envelope (for all buildings)                        |
| Mechanical                                                                                                                                                                                                                                                                         | NRCI-MCH-E - For all buildings with Mechanical Systems           |
| Plumbing                                                                                                                                                                                                                                                                           | NRCI-PLB-E - For all buildings with Plumbing Systems             |
| Solar and Battery                                                                                                                                                                                                                                                                  | NRCI-SAB-E - Solar Water Heating, PV and Battery Storage Systems |
| Indoor Lighting                                                                                                                                                                                                                                                                    | NRCI-LTI-E - Indoor Lighting (for all buildings)                 |

|                                                                                 |                        |
|---------------------------------------------------------------------------------|------------------------|
| <b>CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD</b> | <b>NRCC-PRF-E</b>      |
| <b>Nonresidential Performance Compliance Method</b>                             | <b>(Page 19 of 21)</b> |

| O. DECLARATION OF REQUIRED CERTIFICATES OF ACCEPTANCE                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                     |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <i>Selections made by Documentation Author indicate which Certificates of Acceptance must be submitted for the features to be recognized for compliance. These documents must be provided to the building inspector during construction. Lighting controls and mechanical NRCA's must be completed through an Acceptance Test Technician Certification Provider (ATTCP).</i> |                                                                                                                                                                                                                                                                     |
| Building Component <sup>1</sup>                                                                                                                                                                                                                                                                                                                                              | Form/Title & System Name(s)                                                                                                                                                                                                                                         |
| Envelope                                                                                                                                                                                                                                                                                                                                                                     | NRCA-ENV-02-F - NRFC label verification for fenestration                                                                                                                                                                                                            |
| Indoor Lighting                                                                                                                                                                                                                                                                                                                                                              | NRCA-LTI-02-A - Occupancy Sensors and Automatic Time Switch Controls.                                                                                                                                                                                               |
| Indoor Lighting                                                                                                                                                                                                                                                                                                                                                              | NRCA-LTI-03-A - Automatic Daylight Controls.                                                                                                                                                                                                                        |
| Covered Process                                                                                                                                                                                                                                                                                                                                                              | NRCA-PRC-02-F Kitchen Exhaust                                                                                                                                                                                                                                       |
| Mechanical                                                                                                                                                                                                                                                                                                                                                                   | NRCA-MCH-02-A - Outdoor Air must be submitted for all newly installed HVAC units. Note: MCH-02-A can be performed in conjunction with MCH-07-A Supply Fan VFD Acceptance (if applicable) since testing activities overlap                                           |
|                                                                                                                                                                                                                                                                                                                                                                              | Dining - RTU / DOAS 1 and Kitchen-RTU / DOAS 2.                                                                                                                                                                                                                     |
| Mechanical                                                                                                                                                                                                                                                                                                                                                                   | NRCA-MCH-05-A - Air Economizer Controls                                                                                                                                                                                                                             |
|                                                                                                                                                                                                                                                                                                                                                                              | Dining - RTU / DOAS 1 and Kitchen-RTU / DOAS 2.                                                                                                                                                                                                                     |
| Mechanical                                                                                                                                                                                                                                                                                                                                                                   | NRCA-MCH-06-A Demand Control Ventilation Systems must be submitted for all systems required to employ demand controlled ventilation (refer to ) can vary outside ventilation flow rates based on maintaining interior carbon dioxide (CO2) concentration setpoints. |
|                                                                                                                                                                                                                                                                                                                                                                              | Dining - RTU / DOAS 1                                                                                                                                                                                                                                               |
| Mechanical                                                                                                                                                                                                                                                                                                                                                                   | NRCA-MCH-07-A Supply Fan Variable Flow Controls                                                                                                                                                                                                                     |
|                                                                                                                                                                                                                                                                                                                                                                              | Dining - RTU / DOAS 1 and Kitchen-RTU / DOAS 2.                                                                                                                                                                                                                     |
| Mechanical                                                                                                                                                                                                                                                                                                                                                                   | NRCA-MCH-11-A Automatic Demand Shed Controls                                                                                                                                                                                                                        |
|                                                                                                                                                                                                                                                                                                                                                                              | Dining - RTU / DOAS 1                                                                                                                                                                                                                                               |
| Mechanical                                                                                                                                                                                                                                                                                                                                                                   | NRCA-MCH-12-A FDD for Packaged Direct Expansion Units                                                                                                                                                                                                               |
|                                                                                                                                                                                                                                                                                                                                                                              | Dining - RTU / DOAS 1 and Kitchen-RTU / DOAS 2.                                                                                                                                                                                                                     |
| <sup>1</sup> Refer to other prescriptive NRCC forms applicable to the project for additional NRCA tests required that are not included in the NRCC-PRF-E form                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                     |

| P. DECLARATION OF REQUIRED CERTIFICATES OF VERIFICATION                                                                                                                                                                                                                            |                                                         |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------|
| <i>Selections made by Documentation Author indicate which Certificates of Verification must be submitted for the features to be recognized for compliance. These documents must be retained and provided to the building inspector during construction and can be found online</i> |                                                         |
| Building Component                                                                                                                                                                                                                                                                 | Form/Title                                              |
| Mechanical                                                                                                                                                                                                                                                                         | NRCV-MCH-27 Indoor Air Quality & Mechanical Ventilation |

|                                                                          |                 |
|--------------------------------------------------------------------------|-----------------|
| CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD | NRCC-PRF-E      |
| Nonresidential Performance Compliance Method                             | (Page 20 of 21) |

|                                                                                                                                                                                                                                                                                    |                                      |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|
| P. DECLARATION OF REQUIRED CERTIFICATES OF VERIFICATION                                                                                                                                                                                                                            |                                      |
| <i>Selections made by Documentation Author indicate which Certificates of Verification must be submitted for the features to be recognized for compliance. These documents must be retained and provided to the building inspector during construction and can be found online</i> |                                      |
| Building Component                                                                                                                                                                                                                                                                 | Form/Title                           |
| Mechanical                                                                                                                                                                                                                                                                         | NRCV-MCH-32 Local Mechanical Exhaust |

Not useable for compliance

|                                                                                 |                        |
|---------------------------------------------------------------------------------|------------------------|
| <b>CERTIFICATE OF COMPLIANCE - NONRESIDENTIAL PERFORMANCE COMPLIANCE METHOD</b> | <b>NRCC-PRF-E</b>      |
| <b>Nonresidential Performance Compliance Method</b>                             | <b>(Page 21 of 21)</b> |

#### Documentation Author's Declaration Statement

|                                                                                                 |                                                           |
|-------------------------------------------------------------------------------------------------|-----------------------------------------------------------|
| <b>1. I certify that this Certificate of Compliance documentation is accurate and complete.</b> |                                                           |
| Documentation Author Name:                                                                      | Documentation Author Signature:                           |
| Company:                                                                                        | Signature Date:                                           |
| Address:                                                                                        | CEA/AEA/ECC Certification Identification (if applicable): |
| City/State/Zip: ,                                                                               | Phone:                                                    |

#### Responsible Person's Declaration statement

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                 |        |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------|--------|
| <b>I certify the following under penalty of perjury, under the laws of the State of California:</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                 |        |
| <ol style="list-style-type: none"> <li>The information provided on this Certificate of Compliance is true and correct.</li> <li>I am eligible under Division 3 of the Business and Professions Code to accept responsibility for the building design or system design identified on this Certificate of Compliance (responsible designer).</li> <li>The energy features and performance specifications, materials, components, and manufactured devices for the building design or system design identified on this Certificate of Compliance conform to the requirements of Title 24, Part 1 and Part 6 of the California Code of Regulations.</li> <li>The building design features or system design features identified on this Certificate of Compliance are consistent with the information provided on other applicable compliance documents, worksheets, calculations, plans and specifications submitted to the enforcement agency for approval with this building permit application.</li> <li>I understand that a completed signed copy of this Certificate of Compliance shall be made available with the building permit(s) issued for the building and shall be made available to the enforcement agency for all applicable inspections. I will take the necessary steps to fulfill this requirement.</li> <li>I understand that a completed signed copy of this Certificate of Compliance is required to be included with the documentation the builder provides to the building owner at occupancy. I will take the necessary steps to fulfill this requirement.</li> </ol> |                                 |        |
| Responsible Designer Name:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Responsible Designer Signature: |        |
| Company:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                 |        |
| Address:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Date Signed:                    |        |
| City/State/Zip: ,                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | License #:                      |        |
| Phone:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Title:                          | Scope: |