

|                                                                                      |                                       |                                         |
|--------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------------|
| <b>CERTIFICATE OF COMPLIANCE - LOWRISE MULTIFAMILY PERFORMANCE COMPLIANCE METHOD</b> |                                       | <b>LMCC-PRF-01-E</b>                    |
| <b>Lowrise Multifamily Mixed Use Performance Compliance Method</b>                   |                                       | <b>(Page 1 of 20)</b>                   |
| <b>Project Name:</b>                                                                 | <b>MF08_IndSupply_IndExhaust_WSHP</b> | <b>Date Prepared:</b> <b>2026-05-23</b> |

| A. General Information |                                             |                                                    |           |                                       |                                     |
|------------------------|---------------------------------------------|----------------------------------------------------|-----------|---------------------------------------|-------------------------------------|
| <b>1</b>               | Project Name                                | MF08_IndSupply_IndExhaust_WSHP                     |           |                                       |                                     |
| <b>2</b>               | Run Title                                   | MF08_Individual Supply + Individual Exhaust (WSHP) |           |                                       |                                     |
| <b>3</b>               | Project Location                            | Street                                             |           |                                       |                                     |
| <b>4</b>               | City                                        | Los Angeles                                        | <b>5</b>  | Standards Version                     | Compliance 2025                     |
| <b>6</b>               | Zip code                                    | 95837                                              | <b>7</b>  | Compliance Software (version)         | CBECC 2025.2.0.1 (1395)             |
| <b>8</b>               | Climate Zone                                | 9                                                  | <b>9</b>  | Building Orientation (deg)            | 0                                   |
| <b>10</b>              | Building Type(s)                            | • Multifamily 3 stories or less                    | <b>11</b> | Weather File                          | CA_Title24_2025_LOS-ANGELES-USC.epw |
| <b>12</b>              | Project Scope                               | • New complete scope                               | <b>13</b> | Number of Dwelling Units              | 8                                   |
| <b>14</b>              | Total Conditioned Floor Area in Scope (ft²) | 7320                                               | <b>15</b> | Total # of hotel/motel rooms          | 0                                   |
| <b>16</b>              | Total Unconditioned Floor Area (ft²)        | 0                                                  | <b>17</b> | Fuel Type                             | Natural gas                         |
| <b>18</b>              | Is Natural Gas Available per Section 100.1? | Yes                                                | <b>19</b> | Nonresidential Conditioned Floor Area | 0                                   |
| <b>20</b>              | Total # of Stories (Habitable Above Grade)  | 2                                                  | <b>21</b> | Residential Conditioned Floor Area    | 7320                                |

Registration Number:

CA Building Energy Efficiency Standards  
2025 Lowrise Multifamily Compliance

Registration Date/Time:

Report Version: 2025.0.000  
Schema Version: rev 20250101

ECC Provider:

Report Generated: 2026-05-23 08:58:56

|                                                                                      |                       |
|--------------------------------------------------------------------------------------|-----------------------|
| <b>CERTIFICATE OF COMPLIANCE - LOWRISE MULTIFAMILY PERFORMANCE COMPLIANCE METHOD</b> | <b>LMCC-PRF-01-E</b>  |
| <b>Lowrise Multifamily Mixed Use Performance Compliance Method</b>                   | <b>(Page 2 of 20)</b> |

| B. PROJECT SUMMARY                                                                                                                                                                                   |          |              |                                                    |                                     |                                              |                                                                                                                                                                                                                                       |                          |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------------|----------------------------------------------------|-------------------------------------|----------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| Table B shows which building components are included in the performance calculation. If indicated as not included, the project must show compliance prescriptively if within the permit application. |          |              |                                                    |                                     |                                              |                                                                                                                                                                                                                                       |                          |
| Building Components Complying via Performance                                                                                                                                                        |          |              |                                                    |                                     | Building Components Complying Prescriptively |                                                                                                                                                                                                                                       |                          |
| Envelope (See Table G)                                                                                                                                                                               | Nonres   | Not Included | Solar Thermal Water Heating (See Table I3)         | <input type="checkbox"/>            | Performance                                  | The following building components are ONLY eligible for prescriptive compliance and should be documented on the LMCC form listed if within the scope of the permit application (i.e. compliance will not be shown on the LMCC-PRF-E). |                          |
|                                                                                                                                                                                                      | MultiFam | Performance  |                                                    | <input checked="" type="checkbox"/> | Not Included                                 |                                                                                                                                                                                                                                       |                          |
| Mechanical (See Table H)                                                                                                                                                                             | Nonres   | Not Included | Covered Process: Commercial Kitchens (see Table J) | <input type="checkbox"/>            | Performance                                  | Indoor Lighting (Unconditioned) 140.6 & 170.2(e)                                                                                                                                                                                      | LMCC-LTI-01E is required |
|                                                                                                                                                                                                      | MultiFam | Performance  |                                                    | <input checked="" type="checkbox"/> | Not Included                                 | Outdoor Lighting 140.7 & 170.2(e)                                                                                                                                                                                                     | LMCC-LTO-01E is required |
| Domestic Hot Water (See Table I)                                                                                                                                                                     | Nonres   | Not Included | Covered Process: Laboratory Exhaust (see Table J)  | <input type="checkbox"/>            | Performance                                  | Sign Lighting 140.8 & 170.2(e)                                                                                                                                                                                                        | LMCC-LTS-01E is required |
|                                                                                                                                                                                                      | MultiFam | Performance  |                                                    | <input checked="" type="checkbox"/> | Not Included                                 | <b>Building Components Complying with Mandatory Measures</b>                                                                                                                                                                          |                          |
| Lighting (Indoor Conditioned, see Table K)                                                                                                                                                           | Nonres   | Not Included | Photovoltaics (see Table F)                        | <input checked="" type="checkbox"/> | Performance                                  | Electrical power systems, commissioning, solar ready, elevator and escalator requirements are mandatory and should be documented on the LMCC form listed if applicable (i.e. compliance will not be shown on the LMCC-PRF-E.)         |                          |
|                                                                                                                                                                                                      | MultiFam | Performance  |                                                    | <input type="checkbox"/>            | Not Included                                 | Electrical Power Distribution 110.11                                                                                                                                                                                                  | LMCC-ELC-01E is required |
|                                                                                                                                                                                                      |          |              | Battery (see Table F)                              | <input type="checkbox"/>            | Performance                                  | Commissioning 120.8                                                                                                                                                                                                                   | LMCC-CXR-01E is required |
|                                                                                                                                                                                                      |          |              |                                                    | <input checked="" type="checkbox"/> | Not Included                                 | Solar and Battery 110.10                                                                                                                                                                                                              | LMCC-SAB-01E is required |

|                                                                               |                |
|-------------------------------------------------------------------------------|----------------|
| CERTIFICATE OF COMPLIANCE - LOWRISE MULTIFAMILY PERFORMANCE COMPLIANCE METHOD | LMCC-PRF-01-E  |
| Lowrise Multifamily Mixed Use Performance Compliance Method                   | (Page 3 of 20) |

| C1. COMPLIANCE SUMMARY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                  |                                             |                                               |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------|---------------------------------------------|-----------------------------------------------|
| DOES NOT COMPLY *                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                  |                                             |                                               |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Long-term System Cost (LSC) <sup>1</sup>         |                                             | Source Energy Use                             |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Efficiency <sup>2</sup> (\$/ft <sup>2</sup> -yr) | Total <sup>3</sup> (\$/ft <sup>2</sup> -yr) | Total <sup>3</sup> (kBtu/ft <sup>2</sup> -yr) |
| Standard Design                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 8.92                                             | -9.33                                       | 7.24                                          |
| Proposed Design                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 9.09                                             | -9.2                                        | 0.33                                          |
| Compliance Margins                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | -0.17                                            | -0.13                                       | 6.91                                          |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Fail                                             | Fail                                        | Pass                                          |
| <sup>1</sup> Long-term System Cost (LSC) is a 30-year present value cost to California's energy system. LSC is not a predicted utility bill.<br><sup>2</sup> Efficiency measures include energy efficiency improvements such as better building envelope and more efficient mechanical equipment<br><sup>3</sup> Compliance Totals include efficiency, photovoltaics and batteries<br>* New Construction: Building complies when Proposed Design is equal to or less than Standard Design in all compliance categories and unmet load hour limits are not exceeded.<br>Complete Addition Scope and Existing, Addition and Alteration Scope: Building complies when efficiency compliance margin is greater than or equal to zero and unmet load hour limits are not exceeded. |                                                  |                                             |                                               |

Registration Number:

CA Building Energy Efficiency Standards  
2025 Lowrise Multifamily Compliance

Registration Date/Time:

Report Version: 2025.0.000  
Schema Version: rev 20250101

ECC Provider:

Report Generated: 2026-05-23 08:58:56

|                                                                               |                |
|-------------------------------------------------------------------------------|----------------|
| CERTIFICATE OF COMPLIANCE - LOWRISE MULTIFAMILY PERFORMANCE COMPLIANCE METHOD | LMCC-PRF-01-E  |
| Lowrise Multifamily Mixed Use Performance Compliance Method                   | (Page 4 of 20) |

| C2. LSC ENERGY COMPLIANCE RESULTS FOR PERFORMANCE COMPONENTS (Annual LSC Energy Use, \$/ft <sup>2</sup> -yr)                             |                       |                       |                                      |
|------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|-----------------------|--------------------------------------|
| DOES NOT COMPLY                                                                                                                          |                       |                       |                                      |
| Energy Component                                                                                                                         | Standard Design (LSC) | Proposed Design (LSC) | Compliance Margin (LSC) <sup>1</sup> |
| Space Heating                                                                                                                            | 0.11                  | 0.13                  | -0.02                                |
| Space Cooling                                                                                                                            | 1.71                  | 1.69                  | 0.02                                 |
| Indoor Fans                                                                                                                              | 1.59                  | 1.57                  | 0.02                                 |
| Heat Rejection                                                                                                                           | 0                     | 0.03                  | -0.03                                |
| Pumps & Misc.                                                                                                                            | 0.03                  | 0.19                  | -0.16                                |
| Domestic Hot Water                                                                                                                       | 5.48                  | 5.48                  | 0                                    |
| Indoor Lighting                                                                                                                          | 0                     | 0                     | 0                                    |
| Flexibility                                                                                                                              | ---                   | ---                   | ---                                  |
| <b>EFFICIENCY COMPLIANCE TOTAL</b>                                                                                                       | <b>8.92</b>           | <b>9.09</b>           | <b>-0.17 (-1.9%)</b>                 |
| Photovoltaics                                                                                                                            | -18.25                | -18.29                | 0.04                                 |
| Batteries                                                                                                                                | ---                   | ---                   | ---                                  |
| <b>TOTAL COMPLIANCE</b>                                                                                                                  | <b>-9.33</b>          | <b>-9.2</b>           | <b>-0.13 (0%)</b>                    |
| <sup>1</sup> Notes: This number in parenthesis following the Compliance Margin in column 4, represents the Percent Better than Standard. |                       |                       |                                      |

|                                                                                      |                       |
|--------------------------------------------------------------------------------------|-----------------------|
| <b>CERTIFICATE OF COMPLIANCE - LOWRISE MULTIFAMILY PERFORMANCE COMPLIANCE METHOD</b> | <b>LMCC-PRF-01-E</b>  |
| <b>Lowrise Multifamily Mixed Use Performance Compliance Method</b>                   | <b>(Page 5 of 20)</b> |

| <b>C3. LSC ENERGY RESULTS FOR NON-REGULATED COMPONENTS<sup>1</sup></b>                                                                   |                              |                              |                                            |
|------------------------------------------------------------------------------------------------------------------------------------------|------------------------------|------------------------------|--------------------------------------------|
| <b>Non-Regulated Energy Component</b>                                                                                                    | <b>Standard Design (LSC)</b> | <b>Proposed Design (LSC)</b> | <b>Compliance Margin (LSC)<sup>2</sup></b> |
| Receptacle                                                                                                                               | 11.33                        | 11.33                        | ---                                        |
| Process                                                                                                                                  | 11.73                        | 11.73                        | ---                                        |
| Other Ltg                                                                                                                                | 2.05                         | 2.05                         | ---                                        |
| Process Motors                                                                                                                           | ---                          | ---                          | ---                                        |
| <b>TOTAL (TOTAL COMPLIANCE + NON-REGULATED COMPONENTS)</b>                                                                               | <b>15.78</b>                 | <b>15.91</b>                 | <b>-0.13 (-0.8%)</b>                       |
| <sup>1</sup> Notes: This table is not used for Energy Code Compliance.                                                                   |                              |                              |                                            |
| <sup>2</sup> Notes: This number in parenthesis following the Compliance Margin in column 4, represents the Percent Better than Standard. |                              |                              |                                            |

Registration Number:

CA Building Energy Efficiency Standards  
2025 Lowrise Multifamily Compliance

Registration Date/Time:

Report Version: 2025.0.000  
Schema Version: rev 20250101

ECC Provider:

Report Generated: 2026-05-23 08:58:56

|                                                                                      |                       |
|--------------------------------------------------------------------------------------|-----------------------|
| <b>CERTIFICATE OF COMPLIANCE - LOWRISE MULTIFAMILY PERFORMANCE COMPLIANCE METHOD</b> | <b>LMCC-PRF-01-E</b>  |
| <b>Lowrise Multifamily Mixed Use Performance Compliance Method</b>                   | <b>(Page 6 of 20)</b> |

| <b>C4. SOURCE ENERGY COMPLIANCE RESULTS FOR PERFORMANCE COMPONENTS (Annual SOURCE Energy Use, kBtu/ft<sup>2</sup> /yr)</b>               |                                 |                                 |                                               |
|------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------|---------------------------------|-----------------------------------------------|
| <b>DOES NOT COMPLY</b>                                                                                                                   |                                 |                                 |                                               |
| <b>Energy Component</b>                                                                                                                  | <b>Standard Design (SOURCE)</b> | <b>Proposed Design (SOURCE)</b> | <b>Compliance Margin (SOURCE)<sup>1</sup></b> |
| Space Heating                                                                                                                            | 0.05                            | 0.11                            | -0.06                                         |
| Space Cooling                                                                                                                            | 0.24                            | 0.25                            | -0.01                                         |
| Indoor Fans                                                                                                                              | 0.37                            | 0.36                            | 0.01                                          |
| Heat Rejection                                                                                                                           | 0                               | 0                               | 0                                             |
| Pumps & Misc.                                                                                                                            | 0.02                            | 0.05                            | -0.03                                         |
| Domestic Hot Water                                                                                                                       | 8.37                            | 1.37                            | 7                                             |
| Indoor Lighting                                                                                                                          | 0                               | 0                               | 0                                             |
| Flexibility                                                                                                                              | ---                             | ---                             | ---                                           |
| <b>EFFICIENCY COMPLIANCE TOTAL</b>                                                                                                       | <b>9.05</b>                     | <b>2.14</b>                     | <b>6.91 (76.4%)</b>                           |
| Photovoltaics                                                                                                                            | -1.81                           | -1.81                           | ---                                           |
| Batteries                                                                                                                                | ---                             | ---                             | ---                                           |
| <b>TOTAL COMPLIANCE</b>                                                                                                                  | <b>7.24</b>                     | <b>0.33</b>                     | <b>6.91 (95.4%)</b>                           |
| <sup>1</sup> Notes: This number in parenthesis following the Compliance Margin in column 4, represents the Percent Better than Standard. |                                 |                                 |                                               |

| C5. SOURCE ENERGY RESULTS FOR NON-REGULATED COMPONENTS <sup>1</sup>                                                                      |                          |                          |                                         |
|------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|--------------------------|-----------------------------------------|
| Non-Regulated Energy Component                                                                                                           | Standard Design (SOURCE) | Proposed Design (SOURCE) | Compliance Margin (SOURCE) <sup>2</sup> |
| Receptacle                                                                                                                               | 3.01                     | 3.01                     | ---                                     |
| Process                                                                                                                                  | 2.74                     | 2.74                     | ---                                     |
| Other Ltg                                                                                                                                | 0.59                     | 0.59                     | ---                                     |
| Process Motors                                                                                                                           | ---                      | ---                      | ---                                     |
| TOTAL ( TOTAL COMPLIANCE + NON-REGULATED COMPONENTS)                                                                                     | 13.58                    | 6.67                     | 6.91 (50.9%)                            |
| <sup>1</sup> Notes: This table is not used for Energy Code Compliance.                                                                   |                          |                          |                                         |
| <sup>2</sup> Notes: This number in parenthesis following the Compliance Margin in column 4, represents the Percent Better than Standard. |                          |                          |                                         |

| C6. 'ABOVE CODE' QUALIFICATIONS                                   |                                                                   |
|-------------------------------------------------------------------|-------------------------------------------------------------------|
| <input type="checkbox"/> This project is pursuing CalGreen Tier 1 | <input type="checkbox"/> This project is pursuing CalGreen Tier 2 |

|                                                                                      |                       |
|--------------------------------------------------------------------------------------|-----------------------|
| <b>CERTIFICATE OF COMPLIANCE - LOWRISE MULTIFAMILY PERFORMANCE COMPLIANCE METHOD</b> | <b>LMCC-PRF-01-E</b>  |
| <b>Lowrise Multifamily Mixed Use Performance Compliance Method</b>                   | <b>(Page 8 of 20)</b> |

| <b>C7. ENERGY USE SUMMARY</b> |                                   |                                   |                     |                                    |                                    |                      |
|-------------------------------|-----------------------------------|-----------------------------------|---------------------|------------------------------------|------------------------------------|----------------------|
| <b>Energy Component</b>       | <b>Standard Design Site (MWh)</b> | <b>Proposed Design Site (MWh)</b> | <b>Margin (MWh)</b> | <b>Standard Design Site (MBtu)</b> | <b>Proposed Design Site (MBtu)</b> | <b>Margin (MBtu)</b> |
| Space Heating                 | 0.1                               | 0.1                               | 0                   | ---                                | 0.6                                | ---                  |
| Space Cooling                 | 1.9                               | 1.8                               | 0.1                 | ---                                | ---                                | ---                  |
| Indoor Fans                   | 1.7                               | 1.7                               | 0                   | ---                                | ---                                | ---                  |
| Heat Rejection                | ---                               | 0.1                               | ---                 | ---                                | ---                                | ---                  |
| Pumps & Misc.                 | 0                                 | 0.2                               | -0.2                | ---                                | ---                                | ---                  |
| Domestic Hot Water            | 6.1                               | 6.1                               | 0                   | ---                                | ---                                | ---                  |
| Indoor Lighting               | ---                               | ---                               | ---                 | ---                                | ---                                | ---                  |
| Flexibility                   | ---                               | ---                               | ---                 | ---                                | ---                                | ---                  |
| <b>EFFICIENCY TOTAL</b>       | <b>9.8</b>                        | <b>10</b>                         | <b>-0.2</b>         | <b>0</b>                           | <b>0.6</b>                         | <b>-0.6</b>          |
| Photovoltaics                 | -25                               | -25.1                             | 0.1                 | ---                                | ---                                | ---                  |
| Batteries                     | ---                               | ---                               | ---                 | ---                                | ---                                | ---                  |
| <b>ENERGY USE SUBTOTAL</b>    | <b>-15.2</b>                      | <b>-15.1</b>                      | <b>-0.1</b>         | <b>0</b>                           | <b>0.6</b>                         | <b>-0.6</b>          |
| Receptacle                    | 12.1                              | 12.1                              | 0                   | ---                                | ---                                | ---                  |
| Process                       | 13.2                              | 13.2                              | 0                   | ---                                | ---                                | ---                  |
| Other Ltg                     | 2.1                               | 2.1                               | 0                   | ---                                | ---                                | ---                  |
| Process Motors                | ---                               | ---                               | ---                 | ---                                | ---                                | ---                  |
| <b>ENERGY USE TOTAL</b>       | <b>12.2</b>                       | <b>12.3</b>                       | <b>-0.1</b>         | <b>0</b>                           | <b>0.6</b>                         | <b>-0.6</b>          |

Registration Number:

CA Building Energy Efficiency Standards  
2025 Lowrise Multifamily Compliance

Registration Date/Time:

Report Version: 2025.0.000  
Schema Version: rev 20250101

ECC Provider:

Report Generated: 2026-05-23 08:58:56

|                                                                                      |                       |
|--------------------------------------------------------------------------------------|-----------------------|
| <b>CERTIFICATE OF COMPLIANCE - LOWRISE MULTIFAMILY PERFORMANCE COMPLIANCE METHOD</b> | <b>LMCC-PRF-01-E</b>  |
| <b>Lowrise Multifamily Mixed Use Performance Compliance Method</b>                   | <b>(Page 9 of 20)</b> |

| <b>C8. ENERGY USE INTENSITY (EUI)</b>                                                                                                                     |                                                   |                                                   |                                          |                          |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------|---------------------------------------------------|------------------------------------------|--------------------------|
|                                                                                                                                                           | <b>Standard Design (kBtu/ft<sup>2</sup> / yr)</b> | <b>Proposed Design (kBtu/ft<sup>2</sup> / yr)</b> | <b>Margin (kBtu/ft<sup>2</sup> / yr)</b> | <b>Margin Percentage</b> |
| GROSS EUI <sup>1</sup>                                                                                                                                    | 17.34                                             | 17.51                                             | -0.17                                    | -0.98                    |
| NET EUI <sup>1</sup>                                                                                                                                      | 5.69                                              | 5.82                                              | -0.13                                    | -2.28                    |
| <sup>1</sup> Notes: Gross EUI is Energy Use Total (not including PV)/Total Building Area. Net EUI is Energy Use Total (including PV)/Total Building Area. |                                                   |                                                   |                                          |                          |

|                                                                                                                                   |
|-----------------------------------------------------------------------------------------------------------------------------------|
| <b>D1. EXCEPTIONAL CONDITIONS</b>                                                                                                 |
| <ul style="list-style-type: none"> <li>• Verify project meets the requirements for Vestibules as per Section 120.7(e).</li> </ul> |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>D2. MULTIFAMILY REQUIRED SPECIAL FEATURES</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <ul style="list-style-type: none"> <li>• Indoor air quality, balanced fan</li> <li>• IAQ Ventilation System: supply outside air inlet, filter, and H/ERV cores accessible per RACM Reference Manual</li> <li>• IAQ Ventilation System: fault indicator display</li> <li>• Cool roof</li> <li>• Non-standard duct location (any location other than attic)</li> <li>• Northwest Energy Efficiency Alliance (NEEA) rated heat pump water heater; specific brand/model, or equivalent, must be installed</li> </ul> |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>E1. ECC FEATURE SUMMARY</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <p>The following is a summary of the features that must be field-verified by a certified ECC Rater as a condition for meeting the modeled energy performance for this computer analysis. Additional detail is provided in the building tables below. Registered LMCI's and LMCV's are required to be completed in the ECC Registry.</p>                                                                                                                                                                                                                                                                                                                                                                                        |
| <p>Building-level Verifications:</p> <ul style="list-style-type: none"> <li>Quality insulation installation (QII)</li> <li>Indoor air quality ventilation</li> <li>Kitchen range hood</li> </ul> <p>Cooling System Verifications:</p> <ul style="list-style-type: none"> <li>-- None --</li> </ul> <p>Heating System Verifications:</p> <ul style="list-style-type: none"> <li>-- None --</li> </ul> <p>HVAC Distribution System Verifications:</p> <ul style="list-style-type: none"> <li>Duct leakage testing</li> <li>Ducts located entirely in conditioned space confirmed by duct leakage testing</li> </ul> <p>Domestic Hot Water System Verifications:</p> <ul style="list-style-type: none"> <li>-- None --</li> </ul> |

| F1. REQUIRED PV SYSTEMS                               |                        |                   |            |                   |      |               |            |                   |                 |                   |                         |
|-------------------------------------------------------|------------------------|-------------------|------------|-------------------|------|---------------|------------|-------------------|-----------------|-------------------|-------------------------|
| 01                                                    | 02                     | 03                | 04         | 05                | 06   | 07            | 08         | 09                | 10              | 11                | 12                      |
| DC System Size (kWdc)                                 | Exception <sup>1</sup> | Module Type       | Array Type | Power Electronics | CFI  | Azimuth (deg) | Tilt Input | Array Angle (deg) | Tilt: (x in 12) | Inverter Eff. (%) | Annual Solar Access (%) |
| 15.4                                                  |                        | Standard (14-17%) | Fixed      | none              | true | 150-270       | N/A        | N/A               | <=7:12          | 96                | 98                      |
| <sup>1</sup> See Table D1 for any PV exceptions used. |                        |                   |            |                   |      |               |            |                   |                 |                   |                         |

|                                                                                      |                        |
|--------------------------------------------------------------------------------------|------------------------|
| <b>CERTIFICATE OF COMPLIANCE - LOWRISE MULTIFAMILY PERFORMANCE COMPLIANCE METHOD</b> | <b>LMCC-PRF-01-E</b>   |
| <b>Lowrise Multifamily Mixed Use Performance Compliance Method</b>                   | <b>(Page 11 of 20)</b> |

| <b>F1B. PV BATTERY BUILDING TYPE(S)</b>                                               |                                                |                                                  |
|---------------------------------------------------------------------------------------|------------------------------------------------|--------------------------------------------------|
| <b>01</b>                                                                             | <b>02</b>                                      | <b>03</b>                                        |
| <b>Building Occupancy Type* (From Table 140.10-A/B and 170.2-U/V)</b>                 | <b>Conditioned Floor Area (ft<sup>2</sup>)</b> | <b>Unconditioned Floor Area (ft<sup>2</sup>)</b> |
| Events and Exhibits                                                                   | 0                                              | 0                                                |
| Library                                                                               | 0                                              | 0                                                |
| Hotel/Motel                                                                           | 0                                              | 0                                                |
| Office, Financial Institutions, Unleased Tenant Space, Medical Office Building/Clinic | 0                                              | 0                                                |
| Restaurants                                                                           | 0                                              | 0                                                |
| Retail, Grocery                                                                       | 0                                              | 0                                                |
| School                                                                                | 0                                              | 0                                                |
| Warehouse                                                                             | 0                                              | 0                                                |
| Religious Worship                                                                     | 0                                              | 0                                                |
| Sports and Recreation                                                                 | 0                                              | 0                                                |
| Multifamily greater than 3 stories                                                    | 0                                              | 0                                                |
| None                                                                                  | 0                                              | 0                                                |
| <i>*Building Occupancy Types are defined in Section 100.1 of the Energy Code</i>      |                                                |                                                  |

| <b>G1. ENVELOPE GENERAL INFORMATION (conditioned spaces only)</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                  |                                                 |                                 |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------|-------------------------------------------------|---------------------------------|
| <b>01</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | <b>02</b>                                        | <b>03</b>                                       | <b>04</b>                       |
| <b>Opaque Surfaces &amp; Orientation</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | <b>Total Gross Surface Area (ft<sup>2</sup>)</b> | <b>Total Fenestration Area (ft<sup>2</sup>)</b> | <b>Window to Wall Ratio (%)</b> |
| North-Facing <sup>1</sup>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 2074                                             | 329.4                                           | 15.88                           |
| East-Facing <sup>2</sup>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 510                                              | 81                                              | 15.88                           |
| South-Facing <sup>3</sup>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 2074                                             | 329.4                                           | 15.88                           |
| <b>Notes</b><br><sup>1</sup> North-Facing is oriented to within 45 degrees of true north, including 4500'00" east of north (NE), but excluding 4500'00" west of north (NW),<br><sup>2</sup> East-Facing is oriented to within 45 degrees of true east, including 4500'00" south of east (SE), but excluding 4500'00" north of east (NE),<br><sup>3</sup> South-Facing is oriented to within 45 degrees of true south, including 4500'00" west of south (SW), but excluding 4500'00" east of south (SE),<br><sup>4</sup> West-Facing is oriented to within 45 degrees of true west, including 4500'00" north of west (NW), but excluding 4500'00" south of west (SW), |                                                  |                                                 |                                 |

Registration Number:

CA Building Energy Efficiency Standards  
2025 Lowrise Multifamily Compliance

Registration Date/Time:

Report Version: 2025.0.000  
Schema Version: rev 20250101

ECC Provider:

Report Generated: 2026-05-23 08:58:56

| G1. ENVELOPE GENERAL INFORMATION (conditioned spaces only)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                             |                                            |                          |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|--------------------------------------------|--------------------------|
| 01                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 02                                          | 03                                         | 04                       |
| Opaque Surfaces & Orientation                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Total Gross Surface Area (ft <sup>2</sup> ) | Total Fenestration Area (ft <sup>2</sup> ) | Window to Wall Ratio (%) |
| West-Facing <sup>4</sup>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 510                                         | 81                                         | 15.88                    |
| <b>Total</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | <b>5168</b>                                 | <b>820.8</b>                               | <b>15.88</b>             |
| Roof                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 0                                           | 0                                          | 0                        |
| <b>Notes</b><br><sup>1</sup> North-Facing is oriented to within 45 degrees of true north, including 4500'00" east of north (NE), but excluding 4500'00" west of north (NW),<br><sup>2</sup> East-Facing is oriented to within 45 degrees of true east, including 4500'00" south of east (SE), but excluding 4500'00" north of east (NE),<br><sup>3</sup> South-Facing is oriented to within 45 degrees of true south, including 4500'00" west of south (SW), but excluding 4500'00" east of south (SE),<br><sup>4</sup> West-Facing is oriented to within 45 degrees of true west, including 4500'00" north of west (NW), but excluding 4500'00" south of west (SW), |                                             |                                            |                          |

| G2B. ROOFING PRODUCT SUMMARY (MULTIFAMILY AND COMMON AREAS) |             |                     |                        |                   |     |
|-------------------------------------------------------------|-------------|---------------------|------------------------|-------------------|-----|
| 01                                                          | 02          | 03                  | 04                     | 05                | 06  |
| Name                                                        | Roof Pitch  | Roof Rise (x in 12) | Aged Solar Reflectance | Thermal Emittance | SRI |
| Attic                                                       | Steep slope | 5                   | 0.2                    | 0.75              | N/A |

| G3. ATTIC |                 |            |                 |
|-----------|-----------------|------------|-----------------|
| 01        | 02              | 03         | 04              |
| Name      | Construction    | Type       | Radiant Barrier |
| Attic     | Attic Roof Cons | Ventilated | Yes             |

| G5. OPAQUE SURFACE ASSEMBLY SUMMARY |                        |            |                     |                |                    |          |          |        |                                                                                                                                                   |         |
|-------------------------------------|------------------------|------------|---------------------|----------------|--------------------|----------|----------|--------|---------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 01                                  | 02                     | 03         | 04                  | 05             | 06                 |          | 07       | 08     | 09                                                                                                                                                | 10      |
| Surface Name                        | Construction Type      | Area (ft²) | Framing Type        | Cavity R-Value | Continuous R-Value |          | Units    | Value  | Description of Assembly Layers                                                                                                                    | Status¹ |
|                                     |                        |            |                     |                | Interior           | Exterior |          |        |                                                                                                                                                   |         |
| Exterior Wall Cons                  | Exterior Walls         | 5,168      | Wood Framed Wall    | 21             | 0                  | 4        | U-factor | 0.0509 | Inside Finish: Gypsum Board<br>Cavity / Frame: R-21 / 2x6<br>Sheathing / Insulation: R-4 Sheathing<br>Exterior Finish: Synthetic Stucco           | N       |
| Ceiling Below Attic Cons            | Ceilings (below attic) | 3,660      | Wood Framed Ceiling | 38             | 0                  | 0        | U-factor | 0.0253 | Over Ceiling Joists: R-28.9 insul.<br>Cavity / Frame: R-9.1 / 2x4 Btm Chrd<br>Inside Finish: Gypsum Board                                         | N       |
| Attic Roof Cons                     | Attic Roofs            | 3,660      | Wood Framed Ceiling | 0              | 0                  | 0        | U-factor | 0.4003 | Roofing: 10 PSF (RoofTileAirGap)<br>Tile Gap: present<br>Roof Deck: Wood<br>Siding/sheathing/decking<br>Cavity / Frame: no insul. / 2x4           | N       |
| Interior Floor                      | Interior Floors        | 3,660      | Wood Framed Floor   | 0              | 0                  | 0        | U-factor | 0.1957 | Floor Surface: Carpeted<br>Floor Deck: Wood<br>Siding/sheathing/decking<br>Cavity / Frame: no insul. / 2x12<br>Ceiling Below Finish: Gypsum Board | N       |

<sup>1</sup> Status: N - New, A - Altered, E - Existing

| G6B. OPAQUE DOOR SUMMARY (MULTIFAMILY AND COMMON AREAS) |                         |                  |                     |
|---------------------------------------------------------|-------------------------|------------------|---------------------|
| 01                                                      | 02                      | 03               | 04                  |
| Name                                                    | Area (ft <sup>2</sup> ) | Overall U-factor | Status <sup>1</sup> |
| Zone1DoorFront                                          | 80                      | 0.2              | N                   |
| Zone2DoorFront                                          | 80                      | 0.2              | N                   |

<sup>1</sup> Status: N - New, A - Altered, E - Existing

Registration Number:

CA Building Energy Efficiency Standards  
2025 Lowrise Multifamily Compliance

Registration Date/Time:

Report Version: 2025.0.000  
Schema Version: rev 20250101

ECC Provider:

Report Generated: 2026-05-23 08:58:56

|                                                                                      |                        |
|--------------------------------------------------------------------------------------|------------------------|
| <b>CERTIFICATE OF COMPLIANCE - LOWRISE MULTIFAMILY PERFORMANCE COMPLIANCE METHOD</b> | <b>LMCC-PRF-01-E</b>   |
| <b>Lowrise Multifamily Mixed Use Performance Compliance Method</b>                   | <b>(Page 14 of 20)</b> |

| <b>G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS)</b> |                                                                              |                       |                |                   |                              |                         |                        |                     |                    |                   |                         |                           |
|-----------------------------------------------------------------|------------------------------------------------------------------------------|-----------------------|----------------|-------------------|------------------------------|-------------------------|------------------------|---------------------|--------------------|-------------------|-------------------------|---------------------------|
| <b>01</b>                                                       | <b>02</b>                                                                    | <b>03</b>             | <b>04</b>      | <b>05</b>         | <b>06</b>                    | <b>07</b>               | <b>08</b>              | <b>09</b>           | <b>10</b>          | <b>11</b>         | <b>12</b>               | <b>13</b>                 |
| <b>Fenestration Name</b>                                        | <b>Fenestration Type/ Product Type / Frame Type</b>                          | <b>Parent Surface</b> | <b>Azimuth</b> | <b>Multiplier</b> | <b>Area (ft<sup>2</sup>)</b> | <b>Overall U-factor</b> | <b>U-factor Source</b> | <b>Overall SHGC</b> | <b>SHGC Source</b> | <b>Overall VT</b> | <b>Exterior Shading</b> | <b>Status<sup>1</sup></b> |
| Zone1WinFront                                                   | Vertical fenestration Architectural Window - Operable (Multifamily only) N/A | Zone1WallFront        | 0              | 10.98             | 164.7                        | 0.3                     | NFRC                   | 0.23                | NFRC               | N/A               | Standard bug screens    | N                         |
| Zone1WinLeft                                                    | Vertical fenestration Architectural Window - Operable (Multifamily only) N/A | Zone1WallLeft         | 90             | 2.7               | 40.5                         | 0.3                     | NFRC                   | 0.23                | NFRC               | N/A               | Standard bug screens    | N                         |
| Zone1WinBack                                                    | Vertical fenestration Architectural Window - Operable (Multifamily only) N/A | Zone1WallBack         | 180            | 10.98             | 164.7                        | 0.3                     | NFRC                   | 0.23                | NFRC               | N/A               | Standard bug screens    | N                         |
| Zone1WinRight                                                   | Vertical fenestration Architectural Window - Operable (Multifamily only) N/A | Zone1WallRight        | 270            | 2.7               | 40.5                         | 0.3                     | NFRC                   | 0.23                | NFRC               | N/A               | Standard bug screens    | N                         |
| Zone2WinFront                                                   | Vertical fenestration Architectural Window - Operable (Multifamily only) N/A | Zone2WallFront        | 0              | 10.98             | 164.7                        | 0.3                     | NFRC                   | 0.23                | NFRC               | N/A               | Standard bug screens    | N                         |
| Zone2WinLeft                                                    | Vertical fenestration Architectural Window - Operable (Multifamily only) N/A | Zone2WallLeft         | 90             | 2.7               | 40.5                         | 0.3                     | NFRC                   | 0.23                | NFRC               | N/A               | Standard bug screens    | N                         |
| Zone2WinBack                                                    | Vertical fenestration Architectural Window - Operable (Multifamily only) N/A | Zone2WallBack         | 180            | 10.98             | 164.7                        | 0.3                     | NFRC                   | 0.23                | NFRC               | N/A               | Standard bug screens    | N                         |
| <sup>1</sup> Status: N - New, A - Altered, E - Existing         |                                                                              |                       |                |                   |                              |                         |                        |                     |                    |                   |                         |                           |

Registration Number:

CA Building Energy Efficiency Standards  
2025 Lowrise Multifamily Compliance

Registration Date/Time:

Report Version: 2025.0.000  
Schema Version: rev 20250101

ECC Provider:

Report Generated: 2026-05-23 08:58:56

|                                                                                      |                        |
|--------------------------------------------------------------------------------------|------------------------|
| <b>CERTIFICATE OF COMPLIANCE - LOWRISE MULTIFAMILY PERFORMANCE COMPLIANCE METHOD</b> | <b>LMCC-PRF-01-E</b>   |
| <b>Lowrise Multifamily Mixed Use Performance Compliance Method</b>                   | <b>(Page 15 of 20)</b> |

| G7B. FENESTRATION SUMMARY (MULTIFAMILY AND COMMON AREAS) |                                                                              |                 |         |            |                         |                  |                 |              |             |            |                      |                     |
|----------------------------------------------------------|------------------------------------------------------------------------------|-----------------|---------|------------|-------------------------|------------------|-----------------|--------------|-------------|------------|----------------------|---------------------|
| 01                                                       | 02                                                                           | 03              | 04      | 05         | 06                      | 07               | 08              | 09           | 10          | 11         | 12                   | 13                  |
| Fenestration Name                                        | Fenestration Type/ Product Type / Frame Type                                 | Parent Surface  | Azimuth | Multiplier | Area (ft <sup>2</sup> ) | Overall U-factor | U-factor Source | Overall SHGC | SHGC Source | Overall VT | Exterior Shading     | Status <sup>1</sup> |
| Zone2WinRig ht                                           | Vertical fenestration Architectural Window - Operable (Multifamily only) N/A | Zone2WallRig ht | 270     | 2.7        | 40.5                    | 0.3              | NFRC            | 0.23         | NFRC        | N/A        | Standard bug screens | N                   |
| <sup>1</sup> Status: N - New, A - Altered, E - Existing  |                                                                              |                 |         |            |                         |                  |                 |              |             |            |                      |                     |

| H2. DWELLING UNIT HVAC HEATING AND COOLING SYSTEMS |                |                            |          |                               |                        |                   |                   |                 |            |        |                      |                 |            |                          |
|----------------------------------------------------|----------------|----------------------------|----------|-------------------------------|------------------------|-------------------|-------------------|-----------------|------------|--------|----------------------|-----------------|------------|--------------------------|
| 01                                                 | 02             | 03                         | 04       | 05                            | 06                     | 07                | 08                | 09              | 10         | 11     | 12                   | 13              | 14         | 15                       |
| Dwelling Unit Type                                 | Equipment Name | Equipment Type             | Quantity | Air Distribution System Name  | Fan System name        | Heating           |                   |                 |            |        | Cooling              |                 |            |                          |
|                                                    |                |                            |          |                               |                        | Heat Output at 47 | Heat Output at 17 | Efficiency Unit | Efficiency | Backup | Total Cooling Output | Efficiency Unit | Efficiency | Variable Speed           |
| 1-Bed Type Z1                                      | WSHP System    | Water source heat pump N/A | 4        | Air Distribution System - Res | HVAC Fan - WSHP Indoor | N/A               | N/A               | COP             | 4.8        |        | N/A                  | EER             | 17         | <input type="checkbox"/> |
| 2-Bed Type Z1                                      | WSHP System    | Water source heat pump N/A | 4        | Air Distribution System - Res | HVAC Fan - WSHP Indoor | N/A               | N/A               | COP             | 4.8        |        | N/A                  | EER             | 17         | <input type="checkbox"/> |

| H3a. MULTIFAMILY / COMMON USE AREA FAN SYSTEMS SUMMARY |             |       |             |        |
|--------------------------------------------------------|-------------|-------|-------------|--------|
| 01                                                     | 02          | 03    | 04          | 05     |
| Name                                                   | Type        | Power | Power Units | Status |
| HVAC Fan - WSHP Indoor                                 | Fixed speed | 0.45  | W/cfm       | N/A    |

Registration Number:

CA Building Energy Efficiency Standards  
2025 Lowrise Multifamily Compliance

Registration Date/Time:

Report Version: 2025.0.000  
Schema Version: rev 20250101

ECC Provider:

Report Generated: 2026-05-23 08:58:56

|                                                                                      |                        |
|--------------------------------------------------------------------------------------|------------------------|
| <b>CERTIFICATE OF COMPLIANCE - LOWRISE MULTIFAMILY PERFORMANCE COMPLIANCE METHOD</b> | <b>LMCC-PRF-01-E</b>   |
| <b>Lowrise Multifamily Mixed Use Performance Compliance Method</b>                   | <b>(Page 16 of 20)</b> |

| <b>H3b. MULTIFAMILY / COMMON USE AREA IAQ FAN SYSTEMS SUMMARY</b> |             |                      |              |                    |               |
|-------------------------------------------------------------------|-------------|----------------------|--------------|--------------------|---------------|
| <b>01</b>                                                         | <b>02</b>   | <b>03</b>            | <b>04</b>    | <b>05</b>          | <b>06</b>     |
| <b>Name</b>                                                       | <b>Type</b> | <b>Airflow (CFM)</b> | <b>Power</b> | <b>Power Units</b> | <b>Status</b> |
| IAQ Bal Fan - 1BR                                                 | Balanced    | 37.5                 | 0.4          | W/cfm              | N/A           |
| IAQ Bal Fan - 2BR                                                 | Balanced    | 54.9                 | 0.4          | W/cfm              | N/A           |

| <b>H4. MULTIFAMILY HVAC DISTRIBUTION</b> |                                                |                                         |                                         |                                 |                                 |                                          |               |
|------------------------------------------|------------------------------------------------|-----------------------------------------|-----------------------------------------|---------------------------------|---------------------------------|------------------------------------------|---------------|
| <b>01</b>                                | <b>02</b>                                      | <b>03</b>                               | <b>04</b>                               | <b>05</b>                       | <b>06</b>                       | <b>07</b>                                | <b>08</b>     |
| <b>Name</b>                              | <b>Type</b>                                    | <b>Duct Ins.<br/>R-value<br/>Supply</b> | <b>Duct Ins.<br/>R-value<br/>Return</b> | <b>Duct Location<br/>Supply</b> | <b>Duct Location<br/>Return</b> | <b>Verified Duct Design Surface Area</b> |               |
|                                          |                                                |                                         |                                         |                                 |                                 | <b>Supply</b>                            | <b>Return</b> |
| Air Distribution System - Res            | Conditioned space-entirely<br>( Non-Verified ) | R-4.2                                   | R-4.2                                   | Conditioned Zone                | Conditioned Zone                | N/A                                      | N/A           |

| <b>H4b. MULTIFAMILY HVAC DISTRIBUTION – ECC VERIFICATION</b> |                                      |                                                     |                                   |                                 |                     |                                |                                    |                                                                |
|--------------------------------------------------------------|--------------------------------------|-----------------------------------------------------|-----------------------------------|---------------------------------|---------------------|--------------------------------|------------------------------------|----------------------------------------------------------------|
| <b>01</b>                                                    | <b>02</b>                            | <b>03</b>                                           | <b>04</b>                         | <b>05</b>                       | <b>06</b>           | <b>07</b>                      | <b>08</b>                          | <b>09</b>                                                      |
| <b>Name</b>                                                  | <b>Duct Leakage<br/>Verification</b> | <b>Duct Leakage<br/>Target (%)</b>                  | <b>Verified Duct<br/>Location</b> | <b>Verified Duct<br/>Design</b> | <b>Buried Ducts</b> | <b>Deeply Buried<br/>Ducts</b> | <b>Low-leakage Air<br/>Handler</b> | <b>Low Leakage<br/>Ducts Entirely in<br/>Conditioned Space</b> |
| Air Distribution<br>System - Res                             | Yes                                  | total leakage <= 12.0 or leakage to outdoors <= 6.0 | Required                          | Not Required                    | Not Required        | Credit not taken               | Not Required                       | No                                                             |

Registration Number:

CA Building Energy Efficiency Standards  
2025 Lowrise Multifamily Compliance

Registration Date/Time:

Report Version: 2025.0.000  
Schema Version: rev 20250101

ECC Provider:

Report Generated: 2026-05-23 08:58:56

|                                                                                      |                        |
|--------------------------------------------------------------------------------------|------------------------|
| <b>CERTIFICATE OF COMPLIANCE - LOWRISE MULTIFAMILY PERFORMANCE COMPLIANCE METHOD</b> | <b>LMCC-PRF-01-E</b>   |
| <b>Lowrise Multifamily Mixed Use Performance Compliance Method</b>                   | <b>(Page 17 of 20)</b> |

| H10. MULTIFAMILY DWELLING UNIT TYPE CENTRAL / INDIVIDUAL VENTILATION |                    |                             |                    |                           |             |                            |                                |       |             |                    |                         |                          |
|----------------------------------------------------------------------|--------------------|-----------------------------|--------------------|---------------------------|-------------|----------------------------|--------------------------------|-------|-------------|--------------------|-------------------------|--------------------------|
| 01                                                                   | 02                 | 03                          | 04                 | 05                        | 06          | 07                         | 08                             | 09    | 10          | 11                 | 12                      | 13                       |
| Dwelling Unit Type                                                   | IAQ Option         | Central Fan (If applicable) |                    |                           |             |                            | Individual Fan (if applicable) |       |             |                    |                         |                          |
|                                                                      |                    | IAQ Fan Type Type           | Supply Airflow CFM | Supply Fan Efficacy W/CFM | Exhaust CFM | Exhaust Fan Efficacy W/CFM | IAQ Fan Type                   | Count | Airflow CFM | Fan Efficacy W/CFM | Recovery Efficiency SRE | Recovery Efficiency ASRE |
| 1-Bed Type Z1                                                        | Individual IAQ Fan | N/A                         | N/A                | N/A                       | N/A         | N/A                        | Balanced                       | 1     | 37.5        | 0.4                | N/A                     | N/A                      |
| 2-Bed Type Z1                                                        | Individual IAQ Fan | N/A                         | N/A                | N/A                       | N/A         | N/A                        | Balanced                       | 1     | 54.9        | 0.4                | N/A                     | N/A                      |

| I1. WATER HEATER EQUIPMENT SUMMARY |                     |           |     |                |             |                  |            |                 |                                 |                       |                                   |                                  |                                    |
|------------------------------------|---------------------|-----------|-----|----------------|-------------|------------------|------------|-----------------|---------------------------------|-----------------------|-----------------------------------|----------------------------------|------------------------------------|
| 01                                 | 02                  | 03        | 04  | 05             | 06          | 07               | 08         | 09              | 10                              | 11                    | 12                                | 13                               | 14                                 |
| Name                               | Heater Element Type | Tank Type | Qty | Tank Vol (gal) | Rated Input | Rated Input Unit | Efficiency | Efficiency Unit | Tank Insulation R-value Int/Ext | Standby Loss Fraction | 1st Hr. Rating or Flow Rate (gal) | Heat Pump Type                   | Tank Location or Ambient Condition |
| Heat Pump                          | Heat Pump           | Storage   | 8   | 50             | N/A         | N/A              | N/A        | N/A             | N/A                             | N/A                   | N/A                               | Residential (NEEA RATED) PRODUCT | Tank Zone                          |

| I2. MULTI-FAMILY WATER HEATING SYSTEM DETAIL |                          |         |               |                                 |                   |                      |                         |
|----------------------------------------------|--------------------------|---------|---------------|---------------------------------|-------------------|----------------------|-------------------------|
| 01                                           | 02                       | 03      | 04            | 05                              | 06                | 07                   | 08                      |
| System Name                                  | Configuration            | Type    | Qty in System | Dwelling Unit Distribution Type | Water Heater Name | Solar Heating System | Is Compact Distribution |
| DHWHeatpump                                  | Domestic Hot Water (DHW) | Unitary | 1             | Standard Distribution System    | Heat Pump         | N/A                  | No                      |

| K4. INDOOR CONDITIONED LIGHTING MANDATORY LIGHTING CONTROL |
|------------------------------------------------------------|
| See LMCC-LTI01-E for mandatory controls                    |

|                                                                                      |                        |
|--------------------------------------------------------------------------------------|------------------------|
| <b>CERTIFICATE OF COMPLIANCE - LOWRISE MULTIFAMILY PERFORMANCE COMPLIANCE METHOD</b> | <b>LMCC-PRF-01-E</b>   |
| <b>Lowrise Multifamily Mixed Use Performance Compliance Method</b>                   | <b>(Page 18 of 20)</b> |

| <b>L. DWELLING UNIT INFORMATION</b> |                           |             |                              |
|-------------------------------------|---------------------------|-------------|------------------------------|
| <b>01</b>                           | <b>02</b>                 | <b>03</b>   | <b>04</b>                    |
| <b>Dwelling Unit Name</b>           | <b>Dwelling Unit Type</b> | <b>Zone</b> | <b>Zone Group Multiplier</b> |
| 1BR - First Floor-(1/2)             | 1-Bed Type Z1             | Zone1       | 1                            |
| 1BR - First Floor-(2/2)             | 1-Bed Type Z1             | Zone1       | 1                            |
| 2BR - First Floor-(1/2)             | 2-Bed Type Z1             | Zone1       | 1                            |
| 2BR - First Floor-(2/2)             | 2-Bed Type Z1             | Zone1       | 1                            |
| 1BR - Second Floor-(1/2)            | 1-Bed Type Z1             | Zone2       | 1                            |
| 1BR - Second Floor-(2/2)            | 1-Bed Type Z1             | Zone2       | 1                            |
| 2BR - Second Floor-(1/2)            | 2-Bed Type Z1             | Zone2       | 1                            |
| 2BR - Second Floor-(2/2)            | 2-Bed Type Z1             | Zone2       | 1                            |

| <b>M. DWELLING UNIT TYPES</b> |                             |                           |                           |                                                                                       |                        |                          |
|-------------------------------|-----------------------------|---------------------------|---------------------------|---------------------------------------------------------------------------------------|------------------------|--------------------------|
| <b>01</b>                     | <b>02</b>                   | <b>03</b>                 | <b>04</b>                 | <b>05</b>                                                                             | <b>06</b>              | <b>07</b>                |
| <b>Name</b>                   | <b>CFA (ft<sup>2</sup>)</b> | <b>Number of Bedrooms</b> | <b>Number in Building</b> | <b>Space Conditioning Systems Assigned</b>                                            | <b>DHW System Name</b> | <b>IAQ Vent Fan Name</b> |
| 1-Bed Type Z1                 | 750                         | 1                         | 4                         | 1-Bed Type Z1   :WSHP System:Air Distribution System - Res:HVAC Fan - WSHP Indoor:4:3 | DHWHeatpump            | Individual IAQ Fans      |
| 2-Bed Type Z1                 | 1080                        | 2                         | 4                         | 2-Bed Type Z1   :WSHP System:Air Distribution System - Res:HVAC Fan - WSHP Indoor:4:3 | DHWHeatpump            | Individual IAQ Fans      |
| 1-Bed Type Z2                 | 750                         | 1                         | 0                         |                                                                                       | DHWHeatpump            | Individual IAQ Fans      |
| 2-Bed Type Z2                 | 1080                        | 2                         | 0                         |                                                                                       | DHWHeatpump            | Individual IAQ Fans      |

Registration Number:

CA Building Energy Efficiency Standards  
2025 Lowrise Multifamily Compliance

Registration Date/Time:

Report Version: 2025.0.000  
Schema Version: rev 20250101

ECC Provider:

Report Generated: 2026-05-23 08:58:56

|                                                                                      |                        |
|--------------------------------------------------------------------------------------|------------------------|
| <b>CERTIFICATE OF COMPLIANCE - LOWRISE MULTIFAMILY PERFORMANCE COMPLIANCE METHOD</b> | <b>LMCC-PRF-01-E</b>   |
| <b>Lowrise Multifamily Mixed Use Performance Compliance Method</b>                   | <b>(Page 19 of 20)</b> |

| <b>N. DECLARATION OF REQUIRED CERTIFICATES OF INSTALLATION</b>                                                                                                                                                                                                                     |                                                                  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|
| <i>Selections made by Documentation Author indicate which Certificates of Installation must be submitted for the features to be recognized for compliance. These documents must be retained and provided to the building inspector during construction and can be found online</i> |                                                                  |
| <b>Building Component</b>                                                                                                                                                                                                                                                          | <b>Form/Title</b>                                                |
| Envelope                                                                                                                                                                                                                                                                           | NRCI-ENV-E - Envelope (for all buildings)                        |
| Plumbing                                                                                                                                                                                                                                                                           | NRCI-PLB-E - For all buildings with Plumbing Systems             |
| Solar and Battery                                                                                                                                                                                                                                                                  | NRCI-SAB-E - Solar Water Heating, PV and Battery Storage Systems |
| Indoor Lighting                                                                                                                                                                                                                                                                    | NRCI-LTI-E - Indoor Lighting (for all buildings)                 |

| <b>O. DECLARATION OF REQUIRED CERTIFICATES OF ACCEPTANCE</b>                                                                                                                                                                                                                                                                                                                 |                                                                         |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|
| <i>Selections made by Documentation Author indicate which Certificates of Acceptance must be submitted for the features to be recognized for compliance. These documents must be provided to the building inspector during construction. Lighting controls and mechanical NRCA's must be completed through an Acceptance Test Technician Certification Provider (ATTCP).</i> |                                                                         |
| <b>Building Component <sup>1</sup></b>                                                                                                                                                                                                                                                                                                                                       | <b>Form/Title System Name(s)</b>                                        |
| Envelope                                                                                                                                                                                                                                                                                                                                                                     | NRCA-ENV-02-F - NRFC label verification for fenestration                |
| Mechanical                                                                                                                                                                                                                                                                                                                                                                   | NRCA-MCH-17-A Condenser Water Temperature Reset Controls                |
|                                                                                                                                                                                                                                                                                                                                                                              | CW Loop                                                                 |
| Mechanical                                                                                                                                                                                                                                                                                                                                                                   | NRCA-MCH-24-A Must be submitted for Cooling Tower Conductivity Controls |
|                                                                                                                                                                                                                                                                                                                                                                              | CW Loop                                                                 |
| <sup>1</sup> Refer to other prescriptive NRCC forms applicable to the project for additional NRCA tests required that are not included in the NRCC-PRF-E form                                                                                                                                                                                                                |                                                                         |

| <b>P. DECLARATION OF REQUIRED CERTIFICATES OF VERIFICATION</b>                                                                                                                                                                                                                     |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <i>Selections made by Documentation Author indicate which Certificates of Verification must be submitted for the features to be recognized for compliance. These documents must be retained and provided to the building inspector during construction and can be found online</i> |
| <i>Selections made by Documentation Author indicate which Certificates of Verification must be submitted for the features to be recognized for compliance. These documents must be retained and provided to the building inspector during construction and can be found online</i> |
| <b>There are no certificates applicable to this project</b>                                                                                                                                                                                                                        |

|                                                                                      |                        |
|--------------------------------------------------------------------------------------|------------------------|
| <b>CERTIFICATE OF COMPLIANCE - LOWRISE MULTIFAMILY PERFORMANCE COMPLIANCE METHOD</b> | <b>LMCC-PRF-01-E</b>   |
| <b>Lowrise Multifamily Mixed Use Performance Compliance Method</b>                   | <b>(Page 20 of 20)</b> |

#### Documentation Author's Declaration Statement

|                                                                                                 |                                                           |
|-------------------------------------------------------------------------------------------------|-----------------------------------------------------------|
| <b>1. I certify that this Certificate of Compliance documentation is accurate and complete.</b> |                                                           |
| Documentation Author Name:                                                                      | Documentation Author Signature:                           |
| Company:                                                                                        | Signature Date:                                           |
| Address:                                                                                        | CEA/AEA/ECC Certification Identification (if applicable): |
| City/State/Zip: ,                                                                               | Phone:                                                    |

#### Responsible Person's Declaration statement

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                 |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------|
| <b>I certify the following under penalty of perjury, under the laws of the State of California:</b> <ol style="list-style-type: none"> <li>The information provided on this Certificate of Compliance is true and correct.</li> <li>I am eligible under Division 3 of the Business and Professions Code to accept responsibility for the building design or system design identified on this Certificate of Compliance (responsible designer).</li> <li>The energy features and performance specifications, materials, components, and manufactured devices for the building design or system design identified on this Certificate of Compliance conform to the requirements of Title 24, Part 1 and Part 6 of the California Code of Regulations.</li> <li>The building design features or system design features identified on this Certificate of Compliance are consistent with the information provided on other applicable compliance documents, worksheets, calculations, plans and specifications submitted to the enforcement agency for approval with this building permit application.</li> <li>I understand that a registered copy of this Certificate of Compliance shall be made available with the building permit(s) issued for the building and shall be made available to the enforcement agency for all applicable inspections. I will take the necessary steps to fulfill this requirement.</li> <li>I understand that a registered copy of this Certificate of Compliance is required to be included with the documentation the builder provides to the building owner at occupancy. I will take the necessary steps to fulfill this requirement.</li> </ol> |                                 |
| Responsible Designer Name:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Responsible Designer Signature: |
| Company:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Date Signed:                    |
| Address:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | License #:                      |
| City/State/Zip:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Title:                          |
| Phone:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Scope:                          |

Registration Number:

CA Building Energy Efficiency Standards  
2025 Lowrise Multifamily Compliance

Registration Date/Time:

Report Version: 2025.0.000  
Schema Version: rev 20250101

ECC Provider:

Report Generated: 2026-05-23 08:58:56