

**Under the hood**

```
git status
git add .
git commit -m 'ttl 2: stella maris'
open -a 'Sublime Text' .DS_Store #not readable
git add ttl_3_dun_laoghaire_1.qmd
git commit -m 'ttl3 dun laoghaire intro'
```

```
git status
git add images ttl_2_north_bull.qmd ttl_3_dun_laoghaire_1_files/

git commit -m 'howth written, dun laoghaire part 1 done'

git add ttl_3_dun_laoghaire_1.qmd ttl_4_howth_1.qmd
git commit -m 'rewriting howth cos it got deleted locally'
```

```
git add ttl_2_north_bull.qmd ttl_3_dun_laoghaire_1.qmd ttl_4_howth_1.qmd
git status
git add ttl_1_poolbeg.qmd
git commit -am '5 cont. Wicklow Mountains'
```

Finding previous version of index.qmd

<https://www.freecodecamp.org/news/git-revert-file-reverting-a-file-to-a-previous-commit/>

```
git log
git checkout SHA-HASH -- file/file-path
git checkout 4e4c41edae799e0e5acb6791946286e97562d6cf /Users/desryan/rprojects/to_the_ligh
git status
```

Rendering problems

<https://stackoverflow.com/questions/72346829/two-problems-rendering-a-qmd-file-with-quarto>

```
git add ttl_1_poolbeg.qmd ttl_4_howth_1.qmd
```

```
git status
git add ttl_5_wicklow.qmd
git commit -am 'wicklow plus more edits'
git commit -m 'Roundwood'
git commit -m 'Ashford'
git commit -m 'Ashford'
```

```
git commit -m 'Rathnew into wicklow town'
git commit -m 'Wicklow Town'
git commit -m 'edits and snaps'
git commit -m 'edits 2 and to the lighthouse at last'
git commit -m 'three lighthouses'
git commit -m 'coda'
git add ttl_5_wicklow.qmd _quarto.yml
git commit -m 'more edits 23/2/6'
git commit -m 'more scraps 23/2/9ish'
git status
git add images
git diff ttl_5_wicklow.qmd
git diff _book/index.html
git rm --cached _book/index.html
git rm --cached _book/search.json
```

```
git init -b main
git remote -v
git branch
git remote add origin https://github.com/A2dez/to_the_lighthouse.git
git remote -v
git push -u origin master
#struggling to authenticate
```

```
git config -l
```

```
creating access for
https://docs.github.com/en/authentication/keeping-your-account-and-data-secure/creating-a-
https://github.com/settings/tokens
```

```
https://github.com/A2dez/to_the_lighthouse/pull/new/maste
```

ghp\_PnE9l0EBijlSUeLEvc0eLzkGjBRzMW4YSfVZ

Set up repo on Github

```
credential.helper=osxkeychain
filter.lfs.clean=git-lfs clean -- %f
filter.lfs.smudge=git-lfs smudge -- %f
filter.lfs.process=git-lfs filter-process
```

```
filter.lfs.required=true
user.email=des_ryan@apple.com
core.repositoryformatversion=0
core.filemode=true
core.bare=false
core.logallrefupdates=true
core.ignorecase=true
core.precomposeunicode=true
remote.origin.url=https://github.com/A2dez/to_the_lighthouse.git
remote.origin.fetch=+refs/heads/*:refs/remotes/origin/*
```

trying from a different spot

```
cd /Users/desryan/Documents
git clone https://github.com/A2dez/to_the_lighthouse.git

mv /Users/desryan/Documents/sumwo.jpeg /Users/desryan/Documents/to_the_lighthouse/sumwo.jp
```