Module markdown-pdf

[image] [image] [image] [image]

The free, open source Python module markdown-pdf will create a PDF file from your content in markdown format.

When creating a PDF file you can:

- Use UTF-8 encoded text in markdown in any language
- Embed images used in markdown
- Break text into pages in the desired order
- · Create a TableOfContents (bookmarks) from markdown headings
- Tune the necessary elements using your CSS code
- · Use different page sizes within single pdf
- Create tables in markdown

The module utilizes the functions of two great libraries.

- markdown-it-py to convert markdown to html.
- PyMuPDF to convert html to pdf.

Installation

```
pip install markdown-pdf
```

Usage

Create a pdf with TOC (bookmarks) from headings up to level 2.

```
from markdown_pdf import MarkdownPdf
pdf = MarkdownPdf(toc_level=2)
```

Add the first section to the pdf. The title is not included in the table of contents.

```
from markdown_pdf import Section
pdf.add_section(Section("# Title\n", toc=False))
```

Add a second section. In the pdf file it starts on a new page. The title is centered using CSS, included in the table of contents of the pdf file, and an image from the file img/python.png is embedded on the page.

```
pdf.add_section(
   Section("# Head1\n\n![python](img/python.png)\n\nbody\n"),
   user_css="h1 {text-align:center;}"
)
```

Add a third section. Two headings of different levels from this section are included in the TOC of the pdf file. The section has landscape orientation of A4 pages.

```
pdf.add_section(Section("## Head2\n\n### Head3\n\n", paper_size="A4-L")
```

Add a fourth section with a table.

```
text = """# Section with Table

|TableHeader1 | TableHeader2 |
|--|--|
|Text1 | Text2 |
|ListCell | FirstBulletSecondBullet"""


pdf.add_section(Section(text))
```

Set the properties of the pdf document.

```
pdf.meta["title"] = "User Guide"
pdf.meta["author"] = "Vitaly Bogomolov"
```

Save to file.

pdf.save("guide.pdf")



Settings and options

The Section class defines a portion of markdown data, which is processed according to the

same rules. The next Section data starts on a new page.

The Section class can set the following attributes.

- toc: whether to include the headers <h1> <h6> of this section in the TOC. Default is True.
- root: the name of the root directory from which the image file paths starts in markdown. Default ".".
- paper_size: name of paper size, as described here. Default "A4".
- borders: size of borders. Default (36, 36, -36, -36).

The following document properties are available for assignment (dictionary MarkdownPdf.meta) with the default values indicated.

- creationDate: current date
- modDate: current date
- creator: "PyMuPDF library: https://pypi.org/project/PyMuPDF"
- producer: ""
- title:""
- author: ""
- subject: ""
- keywords: ""

Example

As an example, you can download the <u>pdf file</u> created from this md file. This <u>Python script</u> was used to create the PDF file.