


Test run 2026/06/02

Completion chart



Completion stats

Passed (31)
Failed (48)
Blocked (0)
Retest (0)
Skipped (0)
Invalid (0)

Completion rate

100%

Started by	Start time	Estimated	Time spent
Anastasia Kozub	2026-06-02 18:06:36	00:00:00	04:53:58.634
Environment	Milestone		
-	-		

PET-1 / Pet / POST /pet: Add a new pet to the store

Pet creation with all valid fields

Status	Time spent	Assignee
Passed	00:00:04	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Passed	00:00:04.808	Anastasia Kozub	-

Finish time

2026-06-02 18:06:47

Steps

Step	1
Action	Create a new request and set method to POST
Expected result	Request is created and method is set to POST
Step	2
Action	Enter API endpoint https://petstore.swagger.io/v2/pet in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Content-Type: application/json
Expected result	Header is added and active.
Step	4
Action	Open Body tab, select raw and JSON format
Expected result	Body editor is ready for JSON input

Step	5
Action	Enter the JSON with all valid fields from "Data" into the body area
Input data	<pre>{ "id": 150, "category": { "id": 1, "name": "Dogs" }, "name": "Rex", "photoUrls": ["https://plus.unsplash.com/premium_photo-1666777247416-ee7a95235559?q=80&w=687&auto=format&fit=crop&ixlib=rb-4.1.0&ixid=M3wxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVufDB8fHx8fA%3D%3D"], "tags": [{ "id": 1, "name": "friendly" }], "status": "available" }</pre>
Expected result	JSON is pasted into the body area
Step	6
Action	Click Send
Expected result	Status Code: 200 OK Response Headers contain "Content-Type: application/json" Response body contains all fields from request: • id = 150 • category.id = 1 • category.name = "Dogs" • name = "Rex" • photoUrls contains "https://petstore.com/rex.jpg" • tags contains object with id = 1 and name = "friendly" • status = "available" Response fields have expected data types

PET-2 / Pet / POST /pet: Add a new pet to the store

Pet creation with min.required field (name only)

Status	Time spent	Assignee
Passed	00:00:03	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Passed	00:00:03.324	Anastasia Kozub	-

Finish time

2026-06-02 18:06:52

Steps

Step	1
Action	Create a new request and set method to POST
Expected result	Request is created and method is set to POST
Step	2
Action	Enter https://petstore.swagger.io/v2/pet in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Content-Type: application/json
Expected result	Header is added and active
Step	4
Action	Open Body tab, select raw and JSON format
Expected result	Body editor is ready for JSON input

Step	5
Action	Enter the JSON with all valid fields from "Data" into the body area
Input data	<pre>{ "name": "Buddy" }</pre>
Expected result	JSON is pasted into the body area
Step	6
Action	Click Send
Expected result	• Status Code: 200 OK • Response Headers contain Content-Type: application/json • Response body contains: name = Buddy • System automatically generated a unique id for the pet

PET-3 / Pet / POST /pet: Add a new pet to the store

Pet creation with valid required field and optional fields with null value (id auto-generated)

Status	Time spent	Assignee
Passed	00:00:01	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Passed	00:00:01.984	Anastasia Kozub	-
Finish time	2026-06-02 18:06:55		

Steps

Step	1
Action	Create a new request and set method to POST
Expected result	Request is created and method is set to POST
Step	2
Action	Enter https://petstore.swagger.io/v2/pet in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Content-Type: application/json
Expected result	Header is added and active
Step	4
Action	Open Body tab, select raw and JSON format

Expected result	Body editor is ready for JSON input
Step	5
Action	Enter the JSON with valid required field and optional fields = null from "Data" into the body area
Input data	<pre>{ "category": null, "name": "Max", "photoUrls": null, "tags": null, "status": null }</pre>
Expected result	JSON is pasted into the body area
Step	6
Action	Click Send
Expected result	Status Code: 200 OK Response Headers contain Content-Type: application/json Response body contains: • id is generated automatically and is not null • name = Rex • category = null • photoUrls = null or empty array • tags = null or empty array • status = null

PET-4 / Pet / POST /pet: Add a new pet to the store

Pet creation with "pending" value in "Status" field

Status	Time spent	Assignee
Passed	00:00:02	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Passed	00:00:02.403	Anastasia Kozub	-

Finish time

2026-06-02 18:06:59

Steps

Step	1
Action	Create a new request and set method to POST
Expected result	Request is created and method is set to POST
Step	2
Action	Enter https://petstore.swagger.io/v2/pet in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Content-Type: application/json
Expected result	Header is added and active
Step	4
Action	Open Body tab, select raw and JSON format
Expected result	Body editor is ready for JSON input

Step	5
Action	Paste the JSON "pending" value in "Status" field from "Data" into the body area
Input data	<pre>{ "id": 151, "category": { "id": 2, "name": "Cats" }, "name": "Simon", "photoUrls": ["https://plus.unsplash.com/premium_photo-1667030474693-6d0632f97029?q=80&w=687&auto=format&fit=crop&ixlib=rb-4.1.0&ixid=M3wxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVufDB8fHx8fA%3D%3D"], "tags": [{ "id": 1, "name": "friendly" }], "status": "pending" }</pre>
Expected result	JSON is pasted into the body area
Step	6
Action	Click Send
Expected result	Status Code: 200 OK Response body matches the sent JSON Response body contains: id = 151, name = "Max", status = "pending" Status field retains value "pending" as provided in request

PET-5 / Pet / POST /pet: Add a new pet to the store

Pet creation with "sold" value in "Status" field

Status	Time spent	Assignee
Passed	00:00:01	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Passed	00:00:01.386	Anastasia Kozub	-

Finish time

2026-06-02 18:07:03

Steps

Step	1
Action	Create a new request and set method to POST
Expected result	Request is created and method is set to POST
Step	2
Action	Enter https://petstore.swagger.io/v2/pet in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Content-Type: application/json
Expected result	Header is added and active
Step	4
Action	Open Body tab, select raw and JSON format
Expected result	Body editor is ready for JSON input

Step	5
Action	Paste the JSON "sold" value in "Status" field from "Data" into the body area
Input data	<pre>{ "id": 152, "category": { "id": 1, "name": "Dogs" }, "name": "Bailey", "photoUrls": ["https://images.unsplash.com/photo-1503256207526-0d5d80fa2f47?q=80&w=686&auto=format&fit=crop&ixlib=rb-4.1.0&ixid=M3wxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVufDB8fHx8fA%3D%3D"], "tags": [{ "id": 2, "name": "sold_pet" }], "status": "sold" }</pre>
Expected result	JSON is pasted into the body area
Step	6
Action	Click Send
Expected result	Status Code: 200 OK Response Headers contain Content-Type: application/json Response body contains: id = 161, name = Bailey, status = sold Status field retains "sold" value as provided in request

PET-6 / Pet / POST /pet: Add a new pet to the store

Pet creation with valid min. name length (1 character)

Status	Time spent	Assignee
Passed	00:00:01	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Passed	00:00:01.503	Anastasia Kozub	-

Finish time

2026-06-02 18:07:06

Steps

Step	1
Action	Create a new request and set method to POST
Expected result	Request is created and method is set to POST
Step	2
Action	Enter https://petstore.swagger.io/v2/pet in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Content-Type: application/json
Expected result	Header is added and active
Step	4
Action	Open Body tab, select raw and JSON format
Expected result	Body editor is ready for JSON input

Step	5
Action	Paste the JSON with valid min. name length from "Data" into the body area
Input data	<pre>{ "id": 153, "category": { "id": 2, "name": "Cats" }, "name": "A", "photoUrls": ["https://plus.unsplash.com/premium_photo-1667030474693-6d0632f97029?q=80&w=687&auto=format&fit=crop&ixlib=rb-4.1.0&ixid=M3wxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVufDB8fHx8fA%3D%3D"], "tags": [{ "id": 2, "name": "small" }], "status": "available" }</pre>
Expected result	JSON is pasted into the body area
Step	6
Action	Click Send
Expected result	Status Code: 200 OK Response Headers contain Content-Type: application/json Response body contains: name = A, id = 152 System accepts single-character value in name field without validation error

PET-7 / Pet / POST /pet: Add a new pet to the store

Pet creation with valid min. name length+1 (2 characters)

Status	Time spent	Assignee
Passed	00:00:01	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Passed	00:00:01.537	Anastasia Kozub	-

Finish time

2026-06-02 18:07:10

Steps

Step	1
Action	Create a new request and set method to POST
Expected result	Request is created and method is set to POST
Step	2
Action	Enter https://petstore.swagger.io/v2/pet in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Content-Type: application/json
Expected result	Header is added and active
Step	4
Action	Open Body tab, select raw and JSON format
Expected result	Body editor is ready for JSON input

Step	5
Action	Paste the JSON with valid min. name length+1 from "Data" into the body area
Input data	<pre>{ "id": 154, "category": { "id": 1, "name": "Dogs" }, "name": "Bo", "photoUrls": ["https://images.unsplash.com/photo-1503256207526-0d5d80fa2f47?q=80&w=686&auto=format&fit=crop&ixlib=rb-4.1.0&ixid=M3wxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVufDB8fHx8fA%3D%3D", "tags": [{ "id": 3, "name": "active" }], "status": "available" }</pre>
Expected result	JSON is pasted into the body area
Step	6
Action	Click Send
Expected result	Status Code: 200 OK Response Headers contain Content-Type: application/json Response body contains: name = Bo, id = 153 System accepts 2-character value in name field without validation error

PET-8 / Pet / POST /pet: Add a new pet to the store

Pet creation with valid max. name length -1 (254 characters)

Status	Time spent	Assignee
Passed	00:00:01	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Passed	00:00:01.539	Anastasia Kozub	-
Finish time			
2026-06-02 18:07:13			

Steps

Step	1
Action	Create a new request and set method to POST
Expected result	Request is created and method is set to POST
Step	2
Action	Enter https://petstore.swagger.io/v2/pet in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Content-Type: application/json
Expected result	Header is added and active
Step	4
Action	Open Body tab, select raw and JSON format

[illegible]

PET-9 / Pet / POST /pet: Add a new pet to the store

Pet creation with valid max. name length (255 characters)

Status	Time spent	Assignee
Passed	00:00:05	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Passed	00:00:05.843	Anastasia Kozub	-

Finish time

2026-06-02 18:07:23

Steps

Step	1
Action	Create a new request and set method to POST
Expected result	Request is created and method is set to POST
Step	2
Action	Enter https://petstore.swagger.io/v2/pet in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Content-Type: application/json
Expected result	Header is added and active
Step	4
Action	Open Body tab, select raw and JSON format
Expected result	Body editor is ready for JSON input

[illegible]

PET-10 / Pet / POST /pet: Add a new pet to the store

Pet creation with multiple tags

Status	Time spent	Assignee
Passed	00:00:01	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Passed	00:00:01.567	Anastasia Kozub	-

Finish time

2026-06-02 18:07:27

Steps

Step	1
Action	Create a new request and set method to POST
Expected result	Request is created and method is set to POST
Step	2
Action	Enter https://petstore.swagger.io/v2/pet in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Content-Type: application/json
Expected result	Header is added and active
Step	4
Action	Open Body tab, select raw and JSON format
Expected result	Body editor is ready for JSON input

Step	5
Action	Paste the JSON with multiple tags from "Data" into the body area
Input data	<pre>{ "id": 157, "category": { "id": 1, "name": "Dogs" }, "name": "Rocky", "photoUrls": ["https://images.unsplash.com/photo-1503256207526-0d5d80fa2f47?q=80&w=686&auto=format&fit=crop&ixlib=rb-4.1.0&ixid=M3wxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVufDB8fHx8fA%3D%3D"], "tags": [{ "id": 4, "name": "active" }, { "id": 5, "name": "dog" }, { "id": 10, "name": "vaccinated" }, { "id": 11, "name": "trained" }], "status": "available" }</pre>
Expected result	JSON is pasted into the body area
Step	6
Action	Click Send
Expected result	Status Code: 200 OK Response Headers contain Content-Type: application/json Response body contains: • all tags from request are present • each tag has valid id and name System correctly stores array of multiple tags without loss of data

PET-11 / Pet / POST /pet: Add a new pet to the store

Pet creation with empty array in "photoUrls" field

Status	Time spent	Assignee
Passed	00:00:01	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Passed	00:00:01.439	Anastasia Kozub	-

Finish time

2026-06-02 18:07:30

Steps

Step	1
Action	Create a new request and set method to POST
Expected result	Request is created and method is set to POST
Step	2
Action	Enter https://petstore.swagger.io/v2/pet in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Content-Type: application/json
Expected result	Header is added and active
Step	4
Action	Open Body tab, select raw and JSON format
Expected result	Body editor is ready for JSON input

Step	5
Action	Paste JSON with empty array in "photoUrls" from "Data" into the body area
Input data	<pre>{ "id": 158, "category": { "id": 1, "name": "Dogs" }, "name": "EmptyPhotoUrlsPet", "photoUrls": [], "tags": [{ "id": 1, "name": "test" }], "status": "available" }</pre>
Expected result	JSON is pasted into the body area
Step	6
Action	Click Send
Expected result	Status Code: 200 OK Response Headers contain Content-Type: application/json Pet is successfully created Response body contains created pet with empty "photoUrls" array

PET-12 / Pet / POST /pet: Add a new pet to the store

Pet creation with large numeric ID

Status	Time spent	Assignee
Passed	00:00:01	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Passed	00:00:01.870	Anastasia Kozub	-

Finish time

2026-06-02 18:07:34

Steps

Step	1
Action	Create a new request and set method to POST
Expected result	Request is created and method is set to POST
Step	2
Action	Enter https://petstore.swagger.io/v2/pet in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Content-Type: application/json
Expected result	Header is added and active
Step	4
Action	Open Body tab, select raw and JSON format
Expected result	Body editor is ready for JSON input

Step	5
Action	Paste the JSON with large numeric ID from "Data" into the body area
Input data	<pre>{ "id": 9223372036854775000, "category": { "id": 1, "name": "Cats" }, "name": "Simon", "photoUrls": ["https://images.unsplash.com/photo-151488286974-6c03e2ca1dba?q=80&w=1143&auto=format&fit=crop&ixlib=rb-4.1.0&ixid=M3wxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVufDB8fHx8fA%3D%3D"], "tags": [{ "id": 1, "name": "friendly" }], "status": "pending" }</pre>
Expected result	JSON is pasted into the body area
Step	6
Action	Click Send
Expected result	Status Code: 200 OK Response Headers contain Content-Type: application/json Pet is successfully created Response body contains field "id" id value is returned as received System processes large numeric value without request failure

PET-13 / Pet / POST /pet: Add a new pet to the store

Pet creation with numeric ID sent as string

Status	Time spent	Assignee
Passed	00:00:01	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Passed	00:00:01.342	Anastasia Kozub	-

Finish time

2026-06-02 18:07:37

Steps

Step	1
Action	Create a new request and set method to POST
Expected result	Request is created and method is set to POST
Step	2
Action	Enter https://petstore.swagger.io/v2/pet in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Content-Type: application/json
Expected result	Header is added and active
Step	4
Action	Open Body tab, select raw and JSON format
Expected result	Body editor is ready for JSON input

Step	5
Action	Paste the JSON with large numeric ID from "Data" into the body area
Input data	<pre>{ "id": "159", "category": { "id": 1, "name": "Cats" }, "name": "Simon", "photoUrls": ["https://images.unsplash.com/photo-151488286974-6c03e2ca1dba?q=80&w=1143&auto=format&fit=crop&ixlib=rb-4.1.0&ixid=M3wxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVufDB8fHx8fA%3D%3D"], "tags": [{ "id": 1, "name": "friendly" }], "status": "pending" }</pre>
Expected result	JSON is pasted into the body area
Step	6
Action	Click Send
Expected result	Status Code: 200 OK Response Headers contain Content-Type: application/json Pet is successfully created Response body contains id field as a numeric value (converted from string "322" to number 322) System accepts numeric string value for id without request failure

PET-14 / Pet / POST /pet: Add a new pet to the store

Pet creation with zero as ID

Status	Time spent	Assignee
Passed	00:00:02	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Passed	00:00:02.588	Anastasia Kozub	-

Finish time

2026-06-02 18:07:41

Steps

Step	1
Action	Create a new request and set method to POST
Expected result	Request is created and method is set to POST
Step	2
Action	Enter https://petstore.swagger.io/v2/pet in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Content-Type: application/json
Expected result	Header is added and active
Step	4
Action	Open Body tab, select raw and JSON format
Expected result	Body editor is ready for JSON input

Step	5
Action	Paste the JSON with zero as ID from "Data" into the body area
Input data	<pre>{ "id": 0, "category": { "id": 0, "name": "Others" }, "name": "Junior", "photoUrls": ["https://images.unsplash.com/photo-1514888286974-6c03e2ca1dba?q=80&w=1143&auto=format&fit=crop&ixlib=rb-4.1.0&ixid=M3wxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVufDB8fHx8fA%3D%3D"], "tags": [], "status": "available" }</pre>
Expected result	JSON is pasted into the body area
Step	6
Action	Click Send
Expected result	Status Code: 200 OK Response Headers contain Content-Type: application/json Pet is successfully created Response body contains "id" field id is returned as 0 or replaced by a system-generated value System processes zero value for id without request failure

PET-15 / Pet / POST /pet: Add a new pet to the store

Pet creation with multiple photo URLs

Status	Time spent	Assignee
Passed	00:00:01	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Passed	00:00:01.168	Anastasia Kozub	-

Finish time

2026-06-02 18:07:44

Steps

Step	1
Action	Create a new request and set method to POST
Expected result	Request is created and method is set to POST
Step	2
Action	Enter https://petstore.swagger.io/v2/pet in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Content-Type: application/json
Expected result	Header is added and active
Step	4
Action	Open Body tab, select raw and JSON format
Expected result	Body editor is ready for JSON input

Step	5
Action	Paste the JSON with multiple photo URLs from "Data" into the body area
Input data	<pre>{ "id": 160, "category": { "id": 3, "name": "Birds" }, "name": "Parrot", "photoUrls": ["https://images.unsplash.com/photo-1503256207526-0d5d80fa2f47? q=80&w=686&auto=format&fit=crop&ixlib=rb- 4.1.0&ixid=M3wxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVufDB8fHx8fA%3D%3D", "https://images.unsplash.com/photo-1514888286974-6c03e2ca1dba? q=80&w=1143&auto=format&fit=crop&ixlib=rb- 4.1.0&ixid=M3wxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVufDB8fHx8fA%3D%3D", "https://plus.unsplash.com/premium_photo-1724864863815-1469c8b74711? q=80&w=687&auto=format&fit=crop&ixlib=rb- 4.1.0&ixid=M3wxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVufDB8fHx8fA%3D%3D"], "tags": [{ "id": 23, "name": "colorful" }], "status": "available" }</pre>
Expected result	JSON is pasted into the body area
Step	6
Action	Click Send
Expected result	Status Code: 200 OK Response Headers contain Content-Type: application/json Pet is successfully created Response body contains "photoUrls" as an array with 3 URLs: • https://petstore.com/bird1.jpg • https://petstore.com/bird2.jpg • https://petstore.com/bird3.jpg System stores multiple photo URLs without data loss

PET-16 / Pet / POST /pet: Add a new pet to the store

Pet creation with boolean value in "name" field

Status	Time spent	Assignee
Failed	00:07:37	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Failed	00:07:37	Anastasia Kozub	D-8 (Open)
Finish time			
2026-06-05 14:07:04			

Steps

Step	1
Action	Create a new request and set method to POST
Expected result	Request is created and method is set to POST
Step	2
Action	Enter https://petstore.swagger.io/v2/pet in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Content-Type: application/json
Expected result	Header is added and active
Step	4
Action	Open Body tab, select raw and JSON format
Expected result	Body editor is ready for JSON input

Step	5
Action	Paste JSON with boolean value in "name" field from "Data"
Input data	<pre>{ "id": 161, "category": { "id": 1, "name": "Dogs" }, "name": false, "photoUrls": ["https://images.unsplash.com/photo-1503256207526-0d5d80fa2f47?q=80&w=686&auto=format&fit=crop&ixlib=rb-4.1.0&ixid=M3wxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVufDB8fHx8fA%3D%3D"], "tags": [{ "id": 1, "name": "test" }], "status": "available" }</pre>
Expected result	JSON is pasted into the body area
Step	6
Action	Click Send
Expected result	Status Code: 400 Bad Request Response Headers contain Content-Type: application/json Pet is not created Response body contains a validation error message indicating that the "name" field must be a string

PET-17 / Pet / POST /pet: Add a new pet to the store

Pet creation with missing required field "name"

Status	Time spent	Assignee
Failed	01:20:14	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Failed	01:20:14	Anastasia Kozub	D-9 (Open)
Finish time			
2026-06-05 15:32:41			

Steps

Step	1
Action	Create a new request and set method to POST
Expected result	Request is created and method is set to POST
Step	2
Action	Enter https://petstore.swagger.io/v2/pet in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Content-Type: application/json
Expected result	Header is added and active
Step	4
Action	Open Body tab, select raw and JSON format
Expected result	Body editor is ready for JSON input

Step	5
Action	Paste the JSON without "name" field from "Data" into the body area
Input data	<pre>{ "id": 162, "category": { "id": 1, "name": "Dogs" }, "photoUrls": ["https://images.unsplash.com/photo-1503256207526-0d5d80fa2f47?q=80&w=686&auto=format&fit=crop&ixlib=rb-4.1.0&ixid=M3wxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVufDB8fHx8fA%3D%3D"], "tags": [{ "id": 1, "name": "test" }], "status": "available" }</pre>
Expected result	JSON is pasted into the body area
Step	6
Action	Click Send
Expected result	Status Code: 400 Bad Request Response Headers contain Content-Type: application/json Pet is not created Response body contains an error message about missing required field "name"

PET-18 / Pet / POST /pet: Add a new pet to the store

Pet creation with null value in required field "name"

Status	Time spent	Assignee
Failed	00:03:52	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Failed	00:03:52	Anastasia Kozub	D-10 (Open)
Finish time			

2026-06-05 15:41:03

Steps

Step	1
Action	Create a new request and set method to POST
Expected result	Request is created and method is set to POST
Step	2
Action	Enter https://petstore.swagger.io/v2/pet in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Content-Type: application/json
Expected result	Header is added and active
Step	4
Action	Open Body tab, select raw and JSON format
Expected result	Body editor is ready for JSON input

Step	5
Action	Paste the JSON without "name" field from "Data" into the body area
Input data	<pre>{ "id": 163, "category": { "id": 2, "name": "Cats" }, "name": null, "photoUrls": ["https://images.unsplash.com/photo-151488286974-6c03e2ca1dba?q=80&w=1143&auto=format&fit=crop&ixlib=rb-4.1.0&ixid=M3wxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVufDB8fHx8fA%3D%3D", "tags": [{ "id": 1, "name": "test" }], "status": "available" }</pre>
Expected result	JSON is pasted into the body area
Step	6
Action	Click Send
Expected result	Status Code: 400 Bad Request Response Headers contain Content-Type: application/json Pet is not created Response body contains validation error message indicating that "name" field cannot be null

PET-19 / Pet / POST /pet: Add a new pet to the store

Pet creation with empty string in required field "name"

Status	Time spent	Assignee
Failed	00:03:25	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Failed	00:03:25	Anastasia Kozub	D-11 (Open)

Finish time

2026-06-05 15:46:41

Steps

Step	1
Action	Create a new request and set method to POST
Expected result	Request is created and method is set to POST
Step	2
Action	Enter https://petstore.swagger.io/v2/pet in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Content-Type: application/json
Expected result	Header is added and active
Step	4
Action	Open Body tab, select raw and JSON format
Expected result	Body editor is ready for JSON input

Step	5
Action	Paste the JSON with empty string in "name" field from "Data" into the body area
Input data	<pre>{ "id": 164, "category": { "id": 1, "name": "Dogs" }, "name": "", "photoUrls": ["https://images.unsplash.com/photo-1503256207526-0d5d80fa2f47?q=80&w=686&auto=format&fit=crop&ixlib=rb-4.1.0&ixid=M3wxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVufDB8fHx8fA%3D%3D"], "tags": [{ "id": 1, "name": "test" }], "status": "available" }</pre>
Expected result	JSON is pasted into the body area
Step	6
Action	Click Send
Expected result	Status Code: 400 Bad Request Response Headers contain Content-Type: application/json Pet is not created Response body contains validation error message indicating that "name" field cannot be empty

PET-20 / Pet / POST /pet: Add a new pet to the store

Pet creation with only whitespaces value in required field "name"

Status	Time spent	Assignee
Failed	00:02:52	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Failed	00:02:52	Anastasia Kozub	D-12 (Open)
Finish time			
2026-06-05 15:59:10			

Steps

Step	1
Action	Create a new request and set method to POST
Expected result	Request is created and method is set to POST
Step	2
Action	Enter https://petstore.swagger.io/v2/pet in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Content-Type: application/json
Expected result	Header is added and active
Step	4
Action	Open Body tab, select raw and JSON format

Expected result	Body editor is ready for JSON input
Step	5
Action	Paste the JSON with only whitespaces in "name" field from "Data" into the body
Input data	<pre>{ "id": 165, "category": { "id": 1, "name": "Birds" }, "name": " ", "photoUrls": ["https://plus.unsplash.com/premium_photo-1724864863815-1469c8b74711?q=80&w=687&auto=format&fit=crop&ixlib=rb-4.1.0&ixid=M3wxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVufDB8fHx8fA%3D%3D"], "tags": [{ "id": 1, "name": "test" }], "status": "available" }</pre>
Expected result	JSON is pasted into the body area
Step	6
Action	Click Send
Expected result	Status Code: 400 Bad Request Response Headers contain Content-Type: application/json Pet is not created Response body contains validation error message indicating that "name" field must not contain only whitespace characters

PET-21 / Pet / POST /pet: Add a new pet to the store

Pet creation with exceeding max. length in "name" field (256 characters)

Status	Time spent	Assignee
Failed	00:03:45	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Failed	00:03:45	Anastasia Kozub	D-13 (Open)
Finish time			
2026-06-05 16:04:36			

Steps

Step	1
Action	Create a new request and set method to POST
Expected result	Request is created and method is set to POST
Step	2
Action	Enter https://petstore.swagger.io/v2/pet in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Content-Type: application/json
Expected result	Header is added and active
Step	4
Action	Open Body tab, select raw and JSON format

Expected result	Body editor is ready for JSON input
Step	5
Action	Paste the JSON with 256 characters in "name" field from "Data" into the body area
Input data	<pre>{ "id": 166, "category": { "id": 1, "name": "Dogs" }, "name": "AA AAA AAA AAA AAAA", "photoUrls": ["https://images.unsplash.com/photo-1503256207526-0d5d80fa2f47?q=80&w=686&auto=format&fit=crop&ixlib=rb-4.1.0&ixid=M3wxMjA3fDB8MHxwaG90by1wYWdlHx8fGVufDB8fHx8fA%3D%3D"], "tags": [{ "id": 1, "name": "test" }], "status": "available" }</pre>
Expected result	JSON is pasted into the body area
Step	6
Action	Click Send
Expected result	Status Code: 400 Bad Request Response Headers contain Content-Type: application/json Pet is not created Response body contains a validation error message indicating that the "name" field exceeds the maximum allowed length (255 characters)

PET-22 / Pet / POST /pet: Add a new pet to the store

Pet creation with integer value instead of a string value in "name" field

Status	Time spent	Assignee
Failed	01:01:09	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Failed	01:01:09	Anastasia Kozub	D-14 (Open)
Finish time			
2026-06-05 17:11:23			

Steps

Step	1
Action	Create a new request and set method to POST
Expected result	Request is created and method is set to POST
Step	2
Action	Enter https://petstore.swagger.io/v2/pet in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Content-Type: application/json
Expected result	Header is added and active
Step	4
Action	Open Body tab, select raw and JSON format

Expected result	Body editor is ready for JSON input
Step	5
Action	Paste the JSON with numeric value in "name" field from "Data" into the body
Input data	<pre>{ "id": 167, "category": { "id": 1, "name": "Dogs" }, "name": 12345, "photoUrls": ["https://images.unsplash.com/photo-1503256207526-0d5d80fa2f47?q=80&w=686&auto=format&fit=crop&ixlib=rb-4.1.0&ixid=M3wxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVufDB8fHx8fA%3D%3D"], "tags": [{ "id": 1, "name": "test" }], "status": "available" }</pre>
Expected result	JSON is pasted into the body area
Step	6
Action	Click Send
Expected result	Status Code: 400 Bad Request Response Headers contain Content-Type: application/json Pet is not created Response body contains validation error message indicating that "name" field must be a string type

PET-23 / Pet / POST /pet: Add a new pet to the store

Pet creation with numeric string in "name" field (digits only)

Status	Time spent	Assignee
Passed	00:00:21	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Passed	00:00:21.733	Anastasia Kozub	-
Finish time			
2026-06-05 17:39:49			

Steps

Step	1
Action	Create a new request and set method to POST
Expected result	Request is created and method is set to POST
Step	2
Action	Enter https://petstore.swagger.io/v2/pet in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Content-Type: application/json
Expected result	Header is added and active
Step	4
Action	Open Body tab, select raw and JSON format

Expected result	Body editor is ready for JSON input
Step	5
Action	Paste the JSON with numeric string in "name" field from "Data" into the body area
Input data	<pre>{ "id": 168, "category": { "id": 2, "name": "Cats" }, "name": "12345678", "photoUrls": ["https://images.unsplash.com/photo-1514888286974-6c03e2ca1dba?q=80&w=1143&auto=format&fit=crop&ixlib=rb-4.1.0&ixid=M3wxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVufDB8fHx8fA%3D%3D"], "tags": [{ "id": 1, "name": "test" }], "status": "available" }</pre>
Expected result	JSON is pasted into the body area
Step	6
Action	Click Send
Expected result	• Status Code: 200 OK • Response Headers contain Content-Type: application/json • The pet is successfully created, and the response body contains the created pet object with the numeric string "12345678" in the "name" field.

PET-24 / Pet / POST /pet: Add a new pet to the store

Pet creation with URL value in "name" field

Status	Time spent	Assignee
Passed	00:00:02	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Passed	00:00:02.283	Anastasia Kozub	-

Finish time

2026-06-05 17:39:53

Steps

Step	1
Action	Create a new request and set method to POST
Expected result	Request is created and method is set to POST
Step	2
Action	Enter https://petstore.swagger.io/v2/pet in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Content-Type: application/json
Expected result	Header is added and active
Step	4
Action	Open Body tab, select raw and JSON format
Expected result	Body editor is ready for JSON input

Step	5
Action	Paste the JSON with URL value in "name" field from "Data" into the body area
Input data	<pre>{ "id": 169, "category": { "id": 1, "name": "Dogs" }, "name": "https://google.com", "photoUrls": ["https://images.unsplash.com/photo-1503256207526-0d5d80fa2f47?q=80&w=686&auto=format&fit=crop&ixlib=rb-4.1.0&ixid=M3wxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVufDB8fHx8fA%3D%3D"], "tags": [{ "id": 1, "name": "test" }], "status": "available" }</pre>
Expected result	JSON is pasted into the body area
Step	6
Action	Click Send
Expected result	• Status Code: 200 OK • Response Headers contain Content-Type: application/json • The pet is successfully created, and the response body contains the created pet object with the URL string "https://google.com" in the "name" field

PET-25 / Pet / POST /pet: Add a new pet to the store

Pet creation with special characters and digits in "name" field

Status	Time spent	Assignee
Passed	00:00:04	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Passed	00:00:04.896	Anastasia Kozub	-

Finish time

2026-06-05 17:39:59

Steps

Step	1
Action	Create a new request and set method to POST
Expected result	Request is created and method is set to POST
Step	2
Action	Enter https://petstore.swagger.io/v2/pet in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Content-Type: application/json
Expected result	Header is added and active
Step	4
Action	Open Body tab, select raw and JSON format

Expected result	Body editor is ready for JSON input
Step	5
Action	Paste the JSON with special characters in "name" field from "Data" into the body
Input data	<pre>{ "id": 170, "category": { "id": 3, "name": "Birds" }, "name": "T-Bo5e&#Co'2.", "photoUrls": ["https://plus.unsplash.com/premium_photo-1724864863815-1469c8b74711?q=80&w=687&auto=format&fit=crop&ixlib=rb-4.1.0&ixid=M3wxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVufDB8fHx8fA%3D%3D"], "tags": [{ "id": 1, "name": "test" }], "status": "available" }</pre>
Expected result	JSON is pasted into the body area
Step	6
Action	Click Send
Expected result	• Status Code: 200 OK • Response Headers contain Content-Type: application/json • The pet is successfully created, and the response body contains the created pet object with the string "T-Bo5e&#Co'2." in the "name" field

PET-27 / Pet / POST /pet: Add a new pet to the store

Pet creation with invalid data type in "id" field (string instead of number)

Status	Time spent	Assignee
Failed	00:07:40	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Failed	00:07:40	Anastasia Kozub	D-15 (Open)
Finish time			
2026-06-05 18:22:39			

Steps

Step	1
Action	Create a new request and set method to POST
Expected result	Request is created and method is set to POST
Step	2
Action	Enter https://petstore.swagger.io/v2/pet in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Content-Type: application/json
Expected result	Header is added and active
Step	4
Action	Open Body tab, select raw and JSON format

Expected result	Body editor is ready for JSON input
Step	5
Action	Paste the JSON with invalid data type in "id" field from "Data" into the body area
Input data	<pre>{ "id": "abc", "category": { "id": 1, "name": "Dogs" }, "name": "Charlie", "photoUrls": ["https://images.unsplash.com/photo-1503256207526-0d5d80fa2f47?q=80&w=686&auto=format&fit=crop&ixlib=rb-4.1.0&ixid=M3wxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVufDB8fHx8fA%3D%3D"], "tags": [{ "id": 2, "name": "friendly" }], "status": "available" }</pre>
Expected result	JSON is pasted into the body area
Step	6
Action	Click Send
Expected result	Status Code: 400 Bad Request Response Headers contain Content-Type: application/json Pet is not created Response body contains validation error indicating that "id" field must be a number (integer)

PET-28 / Pet / POST /pet: Add a new pet to the store

Pet creation with null value in "id" field

Status	Time spent	Assignee
Failed	00:07:08	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Failed	00:07:08	Anastasia Kozub	D-16 (Open)
Finish time			

2026-06-05 18:32:53

Steps

Step	1
Action	Create a new request and set method to POST
Expected result	Request is created and method is set to POST
Step	2
Action	Enter https://petstore.swagger.io/v2/pet in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Content-Type: application/json
Expected result	Header is added and active
Step	4
Action	Open Body tab, select raw and JSON format
Expected result	Body editor is ready for JSON input

Step	5
Action	Paste the JSON with null value in "id" field from "Data" into the body area
Input data	<pre>{ "id": null, "category": { "id": 1, "name": "Dogs" }, "name": "Rocky", "photoUrls": ["https://images.unsplash.com/photo-1503256207526-0d5d80fa2f47?q=80&w=686&auto=format&fit=crop&ixlib=rb-4.1.0&ixid=M3wxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVufDB8fHx8fA%3D%3D"], "tags": [{ "id": 1, "name": "test" }], "status": "available" }</pre>
Expected result	JSON is pasted into the body area
Step	6
Action	Click Send
Expected result	Status Code: 400 Bad Request Response Headers contain Content-Type: application/json Pet is not created Response body contains validation error indicating that "id" field cannot be null

PET-29 / Pet / POST /pet: Add a new pet to the store

Pet creation with negative value in "id" field

Status	Time spent	Assignee
Failed	00:02:13	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Failed	00:02:13	Anastasia Kozub	D-17 (Open)

Finish time

2026-06-05 18:37:07

Steps

Step	1
Action	Create a new request and set method to POST
Expected result	Request is created and method is set to POST
Step	2
Action	Enter https://petstore.swagger.io/v2/pet in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Content-Type: application/json
Expected result	Header is added and active
Step	4
Action	Open Body tab, select raw and JSON format
Expected result	Body editor is ready for JSON input

Step	5
Action	Paste the JSON with negative value in "id" field from Data into the body area
Input data	<pre>{ "id": -1, "category": { "id": 1, "name": "Dogs" }, "name": "Negative", "photoUrls": ["https://images.unsplash.com/photo-1503256207526-0d5d80fa2f47?q=80&w=686&auto=format&fit=crop&ixlib=rb-4.1.0&ixid=M3wxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVufDB8fHx8fA%3D%3D"], "tags": [{ "id": 1, "name": "test" }], "status": "available" }</pre>
Expected result	JSON is pasted into the body area
Step	6
Action	Click Send
Expected result	Status Code: 400 Bad Request Response Headers contain Content-Type: application/json Pet is not created Response body contains validation error indicating that "id" must be a positive number

PET-30 / Pet / POST /pet: Add a new pet to the store

Pet creation with floating-point value in "id" field

Status	Time spent	Assignee
Passed	00:00:46	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Passed	00:00:46.941	Anastasia Kozub	-

Finish time

2026-06-05 18:39:26

Steps

Step	1
Action	Create a new request and set method to POST
Expected result	Request is created and method is set to POST
Step	2
Action	Enter https://petstore.swagger.io/v2/pet in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Content-Type: application/json
Expected result	Header is added and active
Step	4
Action	Open Body tab, select raw and JSON format
Expected result	Body editor is ready for JSON input

Step	5
Action	Paste the JSON with floating-point value in "id" field from Data into the body area
Input data	<pre>{ "id": 12.34, "category": { "id": 3, "name": "Birds" }, "name": "Float", "photoUrls": ["https://plus.unsplash.com/premium_photo-1724864863815-1469c8b74711?q=80&w=687&auto=format&fit=crop&ixlib=rb-4.1.0&ixid=M3wxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVufDB8fHx8fA%3D%3D"], "tags": [{ "id": 1, "name": "test" }], "status": "available" }</pre>
Expected result	JSON is pasted into the body area
Step	6
Action	Click Send
Expected result	Status Code: 400 Bad Request Response Headers contain Content-Type: application/json Pet is not created Response body contains validation error indicating that "id" must be an integer

PET-31 / Pet / POST /pet: Add a new pet to the store

Pet creation with boolean value in "id" field

Status	Time spent	Assignee
Failed	00:02:59	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Failed	00:02:59	Anastasia Kozub	D-18 (Open)
Finish time			

2026-06-05 18:42:31

Steps

Step	1
Action	Create a new request and set method to POST
Expected result	Request is created and method is set to POST
Step	2
Action	Enter https://petstore.swagger.io/v2/pet in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Content-Type: application/json
Expected result	Header is added and active
Step	4
Action	Open Body tab, select raw and JSON format
Expected result	Body editor is ready for JSON input

Step	5
Action	Paste JSON with boolean value in "id" field from Data into the body area
Input data	<pre>{ "id": true, "category": { "id": 1, "name": "Dogs" }, "name": "BoolPet", "photoUrls": ["https://images.unsplash.com/photo-1503256207526-0d5d80fa2f47?q=80&w=686&auto=format&fit=crop&ixlib=rb-4.1.0&ixid=M3wxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVufDB8fHx8fA%3D%3D"], "tags": [{ "id": 1, "name": "test" }], "status": "available" }</pre>
Expected result	JSON is pasted into the body area
Step	6
Action	Click Send
Expected result	Status Code: 400 Bad Request Response Headers contain Content-Type: application/json Pet is not created Response body contains validation error indicating that "id" must be numeric type

PET-32 / Pet / POST /pet: Add a new pet to the store

Pet creation with empty string value in "id" field

Status	Time spent	Assignee
Failed	00:07:56	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Failed	00:07:56	Anastasia Kozub	D-19 (Open)
Finish time			

2026-06-06 07:51:10

Steps

Step	1
Action	Create a new request and set method to POST
Expected result	Request is created and method is set to POST
Step	2
Action	Enter https://petstore.swagger.io/v2/pet in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Content-Type: application/json
Expected result	Header is added and active
Step	4
Action	Open Body tab, select raw and JSON format
Expected result	Body editor is ready for JSON input

Step	5
Action	Paste JSON with empty string in "id" field from Data into the body area
Input data	<pre>{ "id": "", "category": { "id": 1, "name": "Dogs" }, "name": "EmptyIDPet", "photoUrls": ["https://images.unsplash.com/photo-1503256207526-0d5d80fa2f47?q=80&w=686&auto=format&fit=crop&ixlib=rb-4.1.0&ixid=M3wxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVufDB8fHx8fA%3D%3D"], "tags": [{ "id": 1, "name": "test" }], "status": "available" }</pre>
Expected result	JSON is pasted into the body area
Step	6
Action	Click Send
Expected result	Status Code: 400 Bad Request Response Headers contain Content-Type: application/json Pet is not created Response body contains validation error indicating that "id" must be numeric type

PET-33 / Pet / POST /pet: Add a new pet to the store

Pet creation with mixed numeric string in "id" field

Status	Time spent	Assignee
Failed	00:01:34	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Failed	00:01:34	Anastasia Kozub	D-20 (Open)

Finish time

2026-06-06 07:56:34

Steps

Step	1
Action	Create a new request and set method to POST
Expected result	Request is created and method is set to POST
Step	2
Action	Enter https://petstore.swagger.io/v2/pet in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Content-Type: application/json
Expected result	Header is added and active
Step	4
Action	Open Body tab, select raw and JSON format
Expected result	Body editor is ready for JSON input

Step	5
Action	Paste JSON with mixed string in "id" field from Data into the body area
Input data	<pre>{ "id": "123abc", "category": { "id": 1, "name": "Dogs" }, "name": "MixID", "photoUrls": ["https://images.unsplash.com/photo-1503256207526-0d5d80fa2f47?q=80&w=686&auto=format&fit=crop&ixlib=rb-4.1.0&ixid=M3wxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVufDB8fHx8fA%3D%3D"], "tags": [{ "id": 1, "name": "test" }], "status": "available" }</pre>
Expected result	JSON is pasted into the body area
Step	6
Action	Click Send
Expected result	Status Code: 400 Bad Request Response Headers contain Content-Type: application/json Pet is not created Response body contains validation error indicating that "id" must be numeric only

PET-34 / Pet / POST /pet: Add a new pet to the store

Pet creation with string value in "photoUrls" field

Status	Time spent	Assignee
Failed	00:02:55	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Failed	00:02:55	Anastasia Kozub	D-21 (Open)
Finish time			
2026-06-06 11:15:38			

Steps

Step	1
Action	Create a new request and set method to POST
Expected result	Request is created and method is set to POST
Step	2
Action	Enter https://petstore.swagger.io/v2/pet in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Content-Type: application/json
Expected result	Header is added and active
Step	4
Action	Open Body tab, select raw and JSON format
Expected result	Body editor is ready for JSON input

Step	5
Action	Paste JSON with string instead of an array in "photoUrls" field from "Data" into the body area
Input data	<pre>{ "id": 171, "category": { "id": 1, "name": "Dogs" }, "name": "StringPhotoUrlsPet", "photoUrls": "https://images.unsplash.com/photo-1503256207526-0d5d80fa2f47?q=80&w=686&auto=format&fit=crop&ixlib=rb-4.1.0&ixid=M3wxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVufDB8fHx8fA%3D%3D", "tags": [{ "id": 1, "name": "test" }], "status": "available" }</pre>
Expected result	JSON is pasted into the body area
Step	6
Action	Click Send
Expected result	Status Code: 400 Bad Request Response Headers contain Content-Type: application/json Pet is not created Response body contains validation error indicating that "photoUrls" must be array of strings

PET-35 / Pet / POST /pet: Add a new pet to the store

Pet creation with object value instead of an array in "photoUrls" field

Status	Time spent	Assignee
Failed	00:01:49	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Failed	00:01:49	Anastasia Kozub	D-22 (Open)
Finish time			
2026-06-06 14:30:59			

Steps

Step	1
Action	Create a new request and set method to POST
Expected result	Request is created and method is set to POST
Step	2
Action	Enter https://petstore.swagger.io/v2/pet in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Content-Type: application/json
Expected result	Header is added and active
Step	4
Action	Open Body tab, select raw and JSON format

Expected result	Body editor is ready for JSON input
Step	5
Action	Paste JSON with an object instead of array in "photoUrls" field from "Data" into the body area
Input data	<pre>{ "id": 172, "category": { "id": 2, "name": "Cats" }, "name": "ObjectPhotoUrlsPet", "photoUrls": { "url": "https://images.unsplash.com/photo-1514888286974-6c03e2ca1dba?q=80&w=1143&auto=format&fit=crop&ixlib=rb-4.1.0&ixid=M3wxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVufDB8fHx8fA%3D%3D" }, "tags": [{ "id": 1, "name": "test" }], "status": "available" }</pre>
Expected result	JSON is pasted into the body area
Step	6
Action	Click Send
Expected result	Status Code: 400 Bad Request Response Headers contain Content-Type: application/json Pet is not created Response body contains validation error indicating that "photoUrls" must be array of strings

PET-36 / Pet / POST /pet: Add a new pet to the store

Pet creation with integer value instead of an array in photoUrls field

Status	Time spent	Assignee
Failed	00:02:04	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Failed	00:02:04	Anastasia Kozub	D-23 (Open)
Finish time			
2026-06-06 14:34:39			

Steps

Step	1
Action	Create a new request and set method to POST
Expected result	Request is created and method is set to POST
Step	2
Action	Enter https://petstore.swagger.io/v2/pet in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Content-Type: application/json
Expected result	Header is added and active
Step	4
Action	Open Body tab, select raw and JSON format

Expected result	Body editor is ready for JSON input
Step	5
Action	Paste JSON with number instead of array in "photoUrls" field from "Data" into the body area
Input data	<pre>{ "id": 173, "category": { "id": 1, "name": "Dogs" }, "name": "NumberPhotoUrlsPet", "photoUrls": 12345, "tags": [{ "id": 1, "name": "test" }], "status": "available" }</pre>
Expected result	JSON is pasted into the body area
Step	6
Action	Click Send
Expected result	Status Code: 400 Bad Request Response Headers contain Content-Type: application/json Pet is not created Response body contains validation error indicating that "photoUrls" must be an array of strings, not integer

PET-37 / Pet / POST /pet: Add a new pet to the store

Pet creation with empty string instead of array in "photoUrls" field

Status	Time spent	Assignee
Failed	00:01:59	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Failed	00:01:59	Anastasia Kozub	D-24 (Open)
Finish time			
2026-06-06 17:06:05			

Steps

Step	1
Action	Create a new request and set method to POST
Expected result	Request is created and method is set to POST
Step	2
Action	Enter https://petstore.swagger.io/v2/pet in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Content-Type: application/json
Expected result	Header is added and active
Step	4
Action	Open Body tab, select raw and JSON format

Expected result	Body editor is ready for JSON input
Step	5
Action	Paste JSON with empty string instead of array in "photoUrls" field from "Data" into the body area
Input data	<pre>{ "id": 174, "category": { "id": 1, "name": "Dogs" }, "name": "EmptyStringPhotoUrlsPet", "photoUrls": "", "tags": [{ "id": 1, "name": "test" }], "status": "available" }</pre>
Expected result	JSON is pasted into the body area
Step	6
Action	Click Send
Expected result	Status Code: 400 Bad Request Response Headers contain Content-Type: application/json Pet is not created Response body contains validation error indicating that "photoUrls" must be an array of strings

PET-38 / Pet / POST /pet: Add a new pet to the store

Pet creation with boolean instead of an array in photoUrls field

Status	Time spent	Assignee
Failed	00:01:24	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Failed	00:01:24	Anastasia Kozub	D-25 (Open)
Finish time			
2026-06-06 17:08:52			

Steps

Step	1
Action	Create a new request and set method to POST
Expected result	Request is created and method is set to POST
Step	2
Action	Enter https://petstore.swagger.io/v2/pet in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Content-Type: application/json
Expected result	Header is added and active
Step	4
Action	Open Body tab, select raw and JSON format

Expected result	Body editor is ready for JSON input
Step	5
Action	Paste JSON with boolean instead of array in "photoUrls" field from "Data" into the body area
Input data	<pre>{ "id": 175, "category": { "id": 1, "name": "Dogs" }, "name": "BooleanPhotoUrlsPet", "photoUrls": true, "tags": [{ "id": 1, "name": "test" }], "status": "available" }</pre>
Expected result	JSON is pasted into the body area
Step	6
Action	Click Send
Expected result	Status Code: 400 Bad Request Response Headers contain Content-Type: application/json Pet is not created Response body contains validation error indicating that "photoUrls" must be an array of strings, not boolean

PET-39 / Pet / POST /pet: Add a new pet to the store

Pet creation with mixed data types in "photoUrls" array

Status	Time spent	Assignee
Failed	00:08:20	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Failed	00:08:20	Anastasia Kozub	D-26 (Open)
Finish time			

2026-06-06 17:18:22

Steps

Step	1
Action	Create a new request and set method to POST
Expected result	Request is created and method is set to POST
Step	2
Action	Enter https://petstore.swagger.io/v2/pet in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Content-Type: application/json
Expected result	Header is added and active
Step	4
Action	Open Body tab, select raw and JSON format
Expected result	Body editor is ready for JSON input

Step	5
Action	Paste JSON with mixed data types in "photoUrls" field from "Data" into the body area
Input data	<pre>{ "id": 176, "category": { "id": 1, "name": "Dogs" }, "name": "MixedTypesPhotoUrlsPet", "photoUrls": ["https://images.unsplash.com/photo-1503256207526-0d5d80fa2f47?q=80&w=686&auto=format&fit=crop&ixlib=rb-4.1.0&ixid=M3wxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVufDB8fHx8fA%3D%3D", 123, true], "tags": [{ "id": 1, "name": "test" }], "status": "available" }</pre>
Expected result	JSON is pasted into the body area
Step	6
Action	Click Send
Expected result	Status Code: 400 Bad Request Response Headers contain Content-Type: application/json Pet is not created Response body contains validation error indicating that "photoUrls" must be an array of strings

PET-40 / Pet / POST /pet: Add a new pet to the store

Pet creation with object inside "photoUrls" array

Status	Time spent	Assignee
Failed	00:02:37	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Failed	00:02:37	Anastasia Kozub	D-27 (Open)

Finish time

2026-06-06 17:22:34

Steps

Step	1
Action	Create a new request and set method to POST
Expected result	Request is created and method is set to POST
Step	2
Action	Enter https://petstore.swagger.io/v2/pet in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Content-Type: application/json
Expected result	Header is added and active
Step	4
Action	Open Body tab, select raw and JSON format
Expected result	Body editor is ready for JSON input

Step	5
Action	Paste JSON with object inside "photoUrls" array from "Data" into the body area
Input data	<pre>{ "id": 177, "category": { "id": 1, "name": "Dogs" }, "name": "ObjectInsidePhotoUrlsPet", "photoUrls": [{ "url": "https://images.unsplash.com/photo-1503256207526-0d5d80fa2f47?q=80&w=686&auto=format&fit=crop&ixlib=rb-4.1.0&ixid=M3wxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVufDB8fHx8fA%3D%3D" }], "tags": [{ "id": 1, "name": "test" }], "status": "available" }</pre>
Expected result	JSON is pasted into the body area
Step	6
Action	Click Send
Expected result	Status Code: 400 Bad Request Response Headers contain Content-Type: application/json Pet is not created Response body contains validation error indicating that "photoUrls" must be an array of strings

PET-41 / Pet / POST /pet: Add a new pet to the store

Pet creation with null element inside "tags" array

Status	Time spent	Assignee
Failed	00:01:44	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Failed	00:01:44	Anastasia Kozub	D-28 (Open)
Finish time			

2026-06-06 17:25:56

Steps

Step	1
Action	Create a new request and set method to POST
Expected result	Request is created and method is set to POST
Step	2
Action	Enter https://petstore.swagger.io/v2/pet in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Content-Type: application/json
Expected result	Header is added and active
Step	4
Action	Open Body tab, select raw and JSON format
Expected result	Body editor is ready for JSON input

Step	5
Action	Paste JSON with null inside "tags" array from "Data" into the body area
Input data	<pre>{ "id": 178, "category": { "id": 1, "name": "Dogs" }, "name": "NullInsideTagsArrayPet", "photoUrls": ["https://images.unsplash.com/photo-1503256207526-0d5d80fa2f47?q=80&w=686&auto=format&fit=crop&ixlib=rb-4.1.0&ixid=M3wxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVufDB8fHx8fA%3D%3D"], "tags": [null], "status": "available" }</pre>
Expected result	JSON is pasted into the body area
Step	6
Action	Click Send
Expected result	Status Code: 400 Bad Request Response Headers contain Content-Type: application/json Pet is not created Response body contains validation error indicating that "tags" must be an array of objects, null element inside the array is not allowed

PET-42 / Pet / POST /pet: Add a new pet to the store

Pet creation with empty string instead of array in "tags" field

Status	Time spent	Assignee
Failed	00:01:30	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Failed	00:01:30	Anastasia Kozub	D-29 (Open)
Finish time			
2026-06-06 17:28:44			

Steps

Step	1
Action	Create a new request and set method to POST
Expected result	Request is created and method is set to POST
Step	2
Action	Enter https://petstore.swagger.io/v2/pet in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Content-Type: application/json
Expected result	Header is added and active
Step	4
Action	Open Body tab, select raw and JSON format

Expected result	Body editor is ready for JSON input
Step	5
Action	Paste JSON with empty string instead of array in "tags" from "Data" into the body area
Input data	<pre>{ "id": 179, "category": { "id": 3, "name": "Birds" }, "name": "TagsAsEmptyStringPet", "photoUrls": ["https://plus.unsplash.com/premium_photo-1724864863815-1469c8b74711?q=80&w=687&auto=format&fit=crop&ixlib=rb-4.1.0&ixid=M3wxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVufDB8fHx8fA%3D%3D"], "tags": "", "status": "available" }</pre>
Expected result	JSON is pasted into the body area
Step	6
Action	Click Send
Expected result	Status Code: 400 Bad Request Response Headers contain Content-Type: application/json Pet is not created Response body contains validation error indicating that "tags" must be an array of objects

PET-43 / Pet / POST /pet: Add a new pet to the store

Pet creation with empty string element inside "tags" array

Status	Time spent	Assignee
Failed	00:02:16	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Failed	00:02:16	Anastasia Kozub	D-30 (Open)

Finish time

2026-06-06 17:32:15

Steps

Step	1
Action	Create a new request and set method to POST
Expected result	Request is created and method is set to POST
Step	2
Action	Enter https://petstore.swagger.io/v2/pet in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Content-Type: application/json
Expected result	Header is added and active
Step	4
Action	Open Body tab, select raw and JSON format
Expected result	Body editor is ready for JSON input

Step	5
Action	Paste JSON with empty string as element inside "tags" array from "Data" into the body area
Input data	<pre>{ "id": 180, "category": { "id": 2, "name": "Cats" }, "name": "EmptyStringInTagsArrayPet", "photoUrls": ["https://images.unsplash.com/photo-151488286974-6c03e2ca1dba?q=80&w=1143&auto=format&fit=crop&ixlib=rb-4.1.0&ixid=M3wxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVufDB8fHx8fA%3D%3D"], "tags": [""], "status": "available" }</pre>
Expected result	JSON is pasted into the body area
Step	6
Action	Click Send
Expected result	Status Code: 400 Bad Request Response Headers contain Content-Type: application/json Pet is not created Response body contains validation error indicating that "tags" must be an array of objects, not string values

PET-44 / Pet / POST /pet: Add a new pet to the store

Pet creation with string instead of integer in "id" field inside "tags" array

Status	Time spent	Assignee
Failed	00:01:24	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Failed	00:01:24	Anastasia Kozub	D-31 (Open)
Finish time			
2026-06-06 17:36:10			

Steps

Step	1
Action	Create a new request and set method to POST
Expected result	Request is created and method is set to POST
Step	2
Action	Enter https://petstore.swagger.io/v2/pet in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Content-Type: application/json
Expected result	Header is added and active
Step	4
Action	Open Body tab, select raw and JSON format

Expected result	Body editor is ready for JSON input
Step	5
Action	Paste JSON with string instead of integer in tag "id" from "Data" into the body area
Input data	<pre>{ "id": 181, "category": { "id": 1, "name": "Dogs" }, "name": "StringIdInTagPet", "photoUrls": ["https://images.unsplash.com/photo-1503256207526-0d5d80fa2f47?q=80&w=686&auto=format&fit=crop&ixlib=rb-4.1.0&ixid=M3wxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVufDB8fHx8fA%3D%3D"], "tags": [{ "id": "abc", "name": "test" }], "status": "available" }</pre>
Expected result	JSON is pasted into the body area
Step	6
Action	Click Send
Expected result	Status Code: 400 Bad Request Response Headers contain Content-Type: application/json Pet is not created Response body contains validation error indicating that tag "id" must be an integer

PET-45 / Pet / POST /pet: Add a new pet to the store

Pet creation with integer instead of string in "name" field inside "tags" array

Status	Time spent	Assignee
Failed	00:01:46	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Failed	00:01:46	Anastasia Kozub	D-32 (Open)
Finish time			
2026-06-06 17:39:27			

Steps

Step	1
Action	Create a new request and set method to POST
Expected result	Request is created and method is set to POST
Step	2
Action	Enter https://petstore.swagger.io/v2/pet in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Content-Type: application/json
Expected result	Header is added and active
Step	4
Action	Open Body tab, select raw and JSON format

Expected result	Body editor is ready for JSON input
Step	5
Action	Paste JSON with integer instead of string in tag "name" from "Data" into the body area
Input data	<pre>{ "id": 182, "category": { "id": 1, "name": "Dogs" }, "name": "IntegerNameInTagPet", "photoUrls": ["https://images.unsplash.com/photo-1503256207526-0d5d80fa2f47?q=80&w=686&auto=format&fit=crop&ixlib=rb-4.1.0&ixid=M3wxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVufDB8fHx8fA%3D%3D"], "tags": [{"id": 1, "name": 12345}], "status": "available" }</pre>
Expected result	JSON is pasted into the body area
Step	6
Action	Click Send
Expected result	Status Code: 400 Bad Request Response Headers contain Content-Type: application/json Pet is not created Response body contains validation error indicating that tag "name" must be a string

PET-46 / Pet / POST /pet: Add a new pet to the store

Pet creation with empty object inside "tags" array

Status	Time spent	Assignee
Failed	00:02:58	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Failed	00:02:58	Anastasia Kozub	D-33 (Open)

Finish time

2026-06-06 17:44:38

Steps

Step	1
Action	Create a new request and set method to POST
Expected result	Request is created and method is set to POST
Step	2
Action	Enter https://petstore.swagger.io/v2/pet in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Content-Type: application/json
Expected result	Header is added and active
Step	4
Action	Open Body tab, select raw and JSON format
Expected result	Body editor is ready for JSON input

Step	5
Action	Paste JSON with empty object inside "tags" array from "Data" into the body area
Input data	<pre>{ "id": 183, "category": { "id": 1, "name": "Dogs" }, "name": "EmptyObjectInTagsPet", "photoUrls": ["https://images.unsplash.com/photo-1503256207526-0d5d80fa2f47?q=80&w=686&auto=format&fit=crop&ixlib=rb-4.1.0&ixid=M3wxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVufDB8fHx8fA%3D%3D"], "tags": [{}], "status": "available" }</pre>
Expected result	JSON is pasted into the body area
Step	6
Action	Click Send
Expected result	Status Code: 400 Bad Request Response Headers contain Content-Type: application/json Pet is not created Response body contains validation error indicating that tag object cannot be empty

PET-47 / Pet / POST /pet: Add a new pet to the store

Pet creation with tag object containing only "id" field (missing "name")

Status	Time spent	Assignee
Failed	00:20:49	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Failed	00:20:49	Anastasia Kozub	D-34 (Open)
Finish time			
2026-06-06 18:09:02			

Steps

Step	1
Action	Create a new request and set method to POST
Expected result	Request is created and method is set to POST
Step	2
Action	Enter https://petstore.swagger.io/v2/pet in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Content-Type: application/json
Expected result	Header is added and active
Step	4
Action	Open Body tab, select raw and JSON format

Expected result	Body editor is ready for JSON input
Step	5
Action	Paste JSON with tag object containing only "id" from "Data" into the body area
Input data	<pre>{ "id": 184, "category": { "id": 1, "name": "Dogs" }, "name": "OnlyTagIdPet", "photoUrls": ["https://plus.unsplash.com/premium_photo-1666777247416-ee7a95235559?q=80&w=687&auto=format&fit=crop&ixlib=rb-4.1.0&ixid=M3wxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVufDB8fHx8fA%3D%3D"], "tags": [{ "id": 1 }], "status": "available" }</pre>
Expected result	JSON is pasted into the body area
Step	6
Action	Click Send
Expected result	Status Code: 400 Bad Request Response Headers contain Content-Type: application/json Pet is not created Response body contains validation error indicating that tag "id" is required

PET-48 / Pet / POST /pet: Add a new pet to the store

Pet creation with empty string instead of object in "category" field

Status	Time spent	Assignee
Failed	00:02:01	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Failed	00:02:01	Anastasia Kozub	D-35 (Open)
Finish time			
2026-06-06 18:13:27			

Steps

Step	1
Action	Create a new request and set method to POST
Expected result	Request is created and method is set to POST
Step	2
Action	Enter https://petstore.swagger.io/v2/pet in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Content-Type: application/json
Expected result	Header is added and active
Step	4
Action	Open Body tab, select raw and JSON format

Expected result	Body editor is ready for JSON input
Step	5
Action	Paste JSON with empty string in "category" field from "Data" into the body area
Input data	<pre>{ "id": 185, "category": "", "name": "EmptyStringCategoryPet", "photoUrls": ["https://plus.unsplash.com/premium_photo-1666777247416-ee7a95235559?q=80&w=687&auto=format&fit=crop&ixlib=rb-4.1.0&ixid=M3wxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVufDB8fHx8fA%3D%3D"], "tags": [{"id": 1, "name": "test"}], "status": "available" }</pre>
Expected result	JSON is pasted into the body area
Step	6
Action	Click Send
Expected result	Status Code: 400 Bad Request Response Headers contain Content-Type: application/json Pet is not created Response body contains validation error indicating that "category" must be an object, not a string

PET-49 / Pet / POST /pet: Add a new pet to the store

Pet creation with empty object in "category" field

Status	Time spent	Assignee
Failed	00:02:14	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Failed	00:02:14	Anastasia Kozub	D-36 (Open)
Finish time			

2026-06-06 18:21:48

Steps

Step	1
Action	Create a new request and set method to POST
Expected result	Request is created and method is set to POST
Step	2
Action	Enter https://petstore.swagger.io/v2/pet in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Content-Type: application/json
Expected result	Header is added and active
Step	4
Action	Open Body tab, select raw and JSON format
Expected result	Body editor is ready for JSON input

Step	5
Action	Paste JSON with empty object in "category" field from "Data" into the body area
Input data	<pre>{ "id": 186, "category": {}, "name": "EmptyObjectCategoryPet", "photoUrls": ["https://plus.unsplash.com/premium_photo-1666777247416-ee7a95235559?q=80&w=687&auto=format&fit=crop&ixlib=rb-4.1.0&ixid=M3wxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVufDB8fHx8fA%3D%3D"], "tags": [{"id": 1, "name": "test"}], "status": "available" }</pre>
Expected result	JSON is pasted into the body area
Step	6
Action	Click Send
Expected result	Status Code: 400 Bad Request Response Headers contain Content-Type: application/json Pet is not created Response body contains validation error indicating that category object cannot be empty

PET-50 / Pet / POST /pet: Add a new pet to the store

Pet creation with boolean instead of object in "category" field

Status	Time spent	Assignee
Failed	00:01:13	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Failed	00:01:13	Anastasia Kozub	D-37 (Open)
Finish time			
2026-06-06 18:24:30			

Steps

Step	1
Action	Create a new request and set method to POST
Expected result	Request is created and method is set to POST
Step	2
Action	Enter https://petstore.swagger.io/v2/pet in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Content-Type: application/json
Expected result	Header is added and active
Step	4
Action	Open Body tab, select raw and JSON format

Expected result	Body editor is ready for JSON input
Step	5
Action	Paste JSON with boolean value in "category" field from "Data" into the body area
Input data	<pre>{ "id": 187, "category": true, "name": "BooleanCategoryPet", "photoUrls": ["https://plus.unsplash.com/premium_photo-1666777247416-ee7a95235559?q=80&w=687&auto=format&fit=crop&ixlib=rb-4.1.0&ixid=M3wxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVufDB8fHx8fA%3D%3D"], "tags": [{"id": 1, "name": "test"}], "status": "available" }</pre>
Expected result	JSON is pasted into the body area
Step	6
Action	Click Send
Expected result	Status Code: 400 Bad Request Response Headers contain Content-Type: application/json Pet is not created Response body contains validation error indicating that "category" must be an object and cannot be a boolean

PET-51 / Pet / POST /pet: Add a new pet to the store

Pet creation with array instead of object in "category" field

Status	Time spent	Assignee
Failed	00:01:31	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Failed	00:01:31	Anastasia Kozub	D-38 (Open)
Finish time			
2026-06-06 18:27:00			

Steps

Step	1
Action	Create a new request and set method to POST
Expected result	Request is created and method is set to POST
Step	2
Action	Enter https://petstore.swagger.io/v2/pet in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Content-Type: application/json
Expected result	Header is added and active
Step	4
Action	Open Body tab, select raw and JSON format

Expected result	Body editor is ready for JSON input
Step	5
Action	Paste JSON with array in "category" field from "Data" into the body area
Input data	<pre>{ "id": 188, "category": [{"id": 1, "name": "Dogs"}], "name": "ArrayCategoryPet", "photoUrls": ["https://plus.unsplash.com/premium_photo-1666777247416-ee7a95235559?q=80&w=687&auto=format&fit=crop&ixlib=rb-4.1.0&ixid=M3wxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVufDB8fHx8fA%3D%3D"], "tags": [{"id": 1, "name": "test"}], "status": "available" }</pre>
Expected result	JSON is pasted into the body area
Step	6
Action	Click Send
Expected result	Status Code: 400 Bad Request Response Headers contain Content-Type: application/json Pet is not created Response body contains validation error indicating that "category" must be an object, not an array

PET-52 / Pet / POST /pet: Add a new pet to the store

Pet creation with integer instead of string in category "name" field

Status	Time spent	Assignee
Failed	00:01:55	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Failed	00:01:55	Anastasia Kozub	D-39 (Open)
Finish time			
2026-06-06 18:30:04			

Steps

Step	1
Action	Create a new request and set method to POST
Expected result	Request is created and method is set to POST
Step	2
Action	Enter https://petstore.swagger.io/v2/pet in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Content-Type: application/json
Expected result	Header is added and active
Step	4
Action	Open Body tab, select raw and JSON format

Expected result	Body editor is ready for JSON input
Step	5
Action	Paste JSON with integer in category "name" from "Data" into the body area
Input data	<pre>{ "id": 189, "category": { "id": 1, "name": 777 }, "name": "InvalidNameTypePet", "photoUrls": ["https://plus.unsplash.com/premium_photo-1666777247416-ee7a95235559?q=80&w=687&auto=format&fit=crop&ixlib=rb-4.1.0&ixid=M3wxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVufDB8fHx8fA%3D%3D"], "tags": [{ "id": 1, "name": "test" }], "status": "available" }</pre>
Expected result	JSON is pasted into the body area
Step	6
Action	Click Send
Expected result	Status Code: 400 Bad Request Response Headers contain Content-Type: application/json Pet is not created Response body contains validation error indicating that category "name" must be a string

PET-53 / Pet / POST /pet: Add a new pet to the store

Pet creation with empty string instead of object in "category" field

Status	Time spent	Assignee
Failed	00:01:07	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Failed	00:01:07	Anastasia Kozub	-
Finish time			
2026-06-06 18:32:48			

Steps

Step	1
Action	Create a new request and set method to POST
Expected result	Request is created and method is set to POST
Step	2
Action	Enter https://petstore.swagger.io/v2/pet in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Content-Type: application/json
Expected result	Header is added and active
Step	4
Action	Open Body tab, select raw and JSON format

Expected result	Body editor is ready for JSON input
Step	5
Action	Paste JSON with empty string in "category" field from "Data" into the body area
Input data	<pre>{ "id": 190, "category": "", "name": "InvalidCategoryTypePet", "photoUrls": ["https://plus.unsplash.com/premium_photo-1666777247416-ee7a95235559?q=80&w=687&auto=format&fit=crop&ixlib=rb-4.1.0&ixid=M3wxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVufDB8fHx8fA%3D%3D"], "tags": [{ "id": 1, "name": "test" }], "status": "available" }</pre>
Expected result	JSON is pasted into the body area
Step	6
Action	Click Send
Expected result	Status Code: 400 Bad Request Response Headers contain Content-Type: application/json Pet is not created Response body contains validation error indicating that "category" must be an object

PET-54 / Pet / POST /pet: Add a new pet to the store

Pet creation with string instead of integer in category "id" field

Status	Time spent	Assignee
Failed	00:00:58	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Skipped	00:00:07.023	Anastasia Kozub	-
Finish time			
2026-06-06 18:33:26			

Steps

Step	1
Action	Create a new request and set method to POST
Expected result	Request is created and method is set to POST
Step	2
Action	Enter https://petstore.swagger.io/v2/pet in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Content-Type: application/json
Expected result	Header is added and active
Step	4
Action	Open Body tab, select raw and JSON format

Expected result	Body editor is ready for JSON input
Step	5
Action	Paste JSON with string instead of integer in "id" for "category" field from "Data" into the body area
Input data	<pre>{ "id": 191, "category": { "id": "abc", "name": "cats" }, "name": "InvalidCategoryTypePet", "photoUrls": ["https://plus.unsplash.com/premium_photo-1666777247416-ee7a95235559?q=80&w=687&auto=format&fit=crop&ixlib=rb-4.1.0&ixid=M3wxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVufDB8fHx8fA%3D%3D"], "tags": [{ "id": 1, "name": "test" }], "status": "available" }</pre>
Expected result	JSON is pasted into the body area
Step	6
Action	Click Send
Expected result	Status Code: 400 Bad Request Response Headers contain Content-Type: application/json Pet is not created Response body contains validation error message indicating that "id" for the "category" field cannot be string

Result 2

Status	Time spent	User	Defects
Retest	00:00:00	Anastasia Kozub	-
Finish time	2026-06-07 09:32:42		
Steps			

Step	1
Action	Create a new request and set method to POST
Expected result	Request is created and method is set to POST
Step	2
Action	Enter https://petstore.swagger.io/v2/pet in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Content-Type: application/json
Expected result	Header is added and active
Step	4
Action	Open Body tab, select raw and JSON format
Expected result	Body editor is ready for JSON input
Step	5
Action	Paste JSON with string instead of integer in "id" for "category" field from "Data" into the body area
Input data	<pre>{ "id": 191, "category": { "id": "abc", "name": "cats" }, "name": "InvalidCategoryTypePet", "photoUrls": ["https://plus.unsplash.com/premium_photo-1666777247416-ee7a95235559?q=80&w=687&auto=format&fit=crop&ixlib=rb-4.1.0&ixid=M3wxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVufDB8fHx8fA%3D%3D'", "tags": [{ "id": 1, "name": "test" }],</pre>

```
"status": "available"
```

```
}
```

Expected
result

JSON is pasted into the body area

Step

6

Action

Click Send

Expected
result

Status Code: 400 Bad Request

Response Headers contain Content-Type: application/json

Pet is not created

Response body contains validation error message indicating that "id" for the "category" field cannot be string

Result 3

Status

Time spent

User

Defects

Failed

00:00:51

Anastasia Kozub

D-54 (Open)

Finish time

2026-06-07 09:34:12

Steps

Step

1

Action

Create a new request and set method to POST

Expected
result

Request is created and method is set to POST

Step

2

Action

Enter <https://petstore.swagger.io/v2/pet> in the URL field

Expected
result

URL is entered in the address field

Step	3
Action	Open Headers tab and add Content-Type: application/json
Expected result	Header is added and active
Step	4
Action	Open Body tab, select raw and JSON format
Expected result	Body editor is ready for JSON input
Step	5
Action	Paste JSON with string instead of integer in "id" for "category" field from "Data" into the body area
Input data	<pre>{ "id": 191, "category": { "id": "abc", "name": "cats" }, "name": "InvalidCategoryTypePet", "photoUrls": ["https://plus.unsplash.com/premium_photo-1666777247416-ee7a95235559?q=80&w=687&auto=format&fit=crop&ixlib=rb-4.1.0&ixid=M3wxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVufDB8fHx8fA%3D%3D"], "tags": [{ "id": 1, "name": "test" }], "status": "available" }</pre>
Expected result	JSON is pasted into the body area
Step	6
Action	Click Send

Expected result	Status Code: 400 Bad Request
	Response Headers contain Content-Type: application/json
	Pet is not created
	Response body contains validation error message indicating that "id" for the "category" field cannot be string

PET-55 / Pet / POST /pet: Add a new pet to the store

Pet creation with null in category "id" field

Status	Time spent	Assignee
Failed	00:02:04	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Failed	00:02:04	Anastasia Kozub	D-40 (Open)
Finish time			

2026-06-06 18:35:35

Steps

Step	1
Action	Create a new request and set method to POST
Expected result	Request is created and method is set to POST
Step	2
Action	Enter https://petstore.swagger.io/v2/pet in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Content-Type: application/json
Expected result	Header is added and active
Step	4
Action	Open Body tab, select raw and JSON format
Expected result	Body editor is ready for JSON input

Step	5
Action	Paste JSON with null in "category" field for "id" from "Data" into the body area
Input data	<pre>{ "id": 192, "category": { "id": null, "name": "cats" }, "name": "InvalidCategoryTypePet", "photoUrls": ["https://plus.unsplash.com/premium_photo-1666777247416-ee7a95235559?q=80&w=687&auto=format&fit=crop&ixlib=rb-4.1.0&ixid=M3wxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVufDB8fHx8fA%3D%3D"], "tags": [{"id": 1, "name": "test"}], "status": "available" }</pre>
Expected result	JSON is pasted into the body area
Step	6
Action	Click Send
Expected result	Status Code: 400 Bad Request Response Headers contain Content-Type: application/json Pet is not created Response body contains validation error message indicating that "id" field for "category" field is required

PET-56 / Pet / POST /pet: Add a new pet to the store

Pet creation with null in category "name" field

Status	Time spent	Assignee
Failed	00:01:44	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Failed	00:01:44	Anastasia Kozub	D-41 (Open)

Finish time

2026-06-06 18:39:42

Steps

Step	1
Action	Create a new request and set method to POST
Expected result	Request is created and method is set to POST
Step	2
Action	Enter https://petstore.swagger.io/v2/pet in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Content-Type: application/json
Expected result	Header is added and active
Step	4
Action	Open Body tab, select raw and JSON format
Expected result	Body editor is ready for JSON input

Step	5
Action	Paste JSON with null in "name" field for "category" field from "Data" into the body area
Input data	<pre>{ "id": 193, "category": { "id": 1, "name": null }, "name": "InvalidCategoryTypePet", "photoUrls": ["https://plus.unsplash.com/premium_photo-1666777247416-ee7a95235559?q=80&w=687&auto=format&fit=crop&ixlib=rb-4.1.0&ixid=M3wxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVufDB8fHx8fA%3D%3D"], "tags": [{"id": 1, "name": "test"}], "status": "available" }</pre>
Expected result	JSON is pasted into the body area
Step	6
Action	Click Send
Expected result	Status Code: 400 Bad Request Response Headers contain Content-Type: application/json Pet is not created Response body contains validation error message indicating that "name" field for "category" field cannot be null

PET-57 / Pet / POST /pet: Add a new pet to the store

Pet creation with missing "id" field for "category" field

Status	Time spent	Assignee
Failed	00:02:18	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Failed	00:02:18	Anastasia Kozub	D-42 (Open)

Finish time

2026-06-06 18:43:17

Steps

Step	1
Action	Create a new request and set method to POST
Expected result	Request is created and method is set to POST
Step	2
Action	Enter https://petstore.swagger.io/v2/pet in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Content-Type: application/json
Expected result	Header is added and active
Step	4
Action	Open Body tab, select raw and JSON format
Expected result	Body editor is ready for JSON input

Step	5
Action	Paste JSON without "id" field for "category" field from "Data" into the body area
Input data	<pre>{ "id": 194, "category": { "name": "cats" }, "name": "InvalidCategoryTypePet", "photoUrls": ["https://plus.unsplash.com/premium_photo-1666777247416-ee7a95235559?q=80&w=687&auto=format&fit=crop&ixlib=rb-4.1.0&ixid=M3wxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVufDB8fHx8fA%3D%3D"], "tags": [{"id": 1, "name": "test"}], "status": "available" }</pre>
Expected result	JSON is pasted into the body area
Step	6
Action	Click Send
Expected result	Status Code: 400 Bad Request Response Headers contain Content-Type: application/json Pet is not created Response body contains validation error message indicating that "id" field for "category" field is required

PET-58 / Pet / POST /pet: Add a new pet to the store

Pet creation with missing "name" field for "category" field

Status	Time spent	Assignee
Failed	00:01:51	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Failed	00:01:51	Anastasia Kozub	D-43 (Open)
Finish time			
2026-06-06 18:46:28			

Steps

Step	1
Action	Create a new request and set method to POST
Expected result	Request is created and method is set to POST
Step	2
Action	Enter https://petstore.swagger.io/v2/pet in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Content-Type: application/json
Expected result	Header is added and active
Step	4
Action	Open Body tab, select raw and JSON format
Expected result	Body editor is ready for JSON input

Step	5
Action	Paste JSON without "name" field for "category" field from "Data" into the body area
Input data	<pre>{ "id": 195, "category": { "id": 1 }, "name": "InvalidCategoryTypePet", "photoUrls": ["https://plus.unsplash.com/premium_photo-1666777247416-ee7a95235559?q=80&w=687&auto=format&fit=crop&ixlib=rb-4.1.0&ixid=M3wxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVufDB8fHx8fA%3D%3D"], "tags": [{"id": 1, "name": "test"}], "status": "available" }</pre>
Expected result	JSON is pasted into the body area
Step	6
Action	Click Send
Expected result	Status Code: 400 Bad Request Response Headers contain Content-Type: application/json Pet is not created Response body contains validation error message indicating that "name" field for "category" field is required

PET-59 / Pet / POST /pet: Add a new pet to the store

Pet creation with value not included in enum list in "status" field

Status	Time spent	Assignee
Failed	00:01:16	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Failed	00:01:16	Anastasia Kozub	D-44 (Open)
Finish time			
2026-06-06 18:49:00			

Steps

Step	1
Action	Create a new request and set method to POST
Expected result	Request is created and method is set to POST
Step	2
Action	Enter https://petstore.swagger.io/v2/pet in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Content-Type: application/json
Expected result	Header is added and active
Step	4
Action	Open Body tab, select raw and JSON format

Expected result	Body editor is ready for JSON input
Step	5
Action	Paste JSON with value not included in enum list in "status" field from "Data" into the body area
Input data	<pre>{ "id": 196, "category": { "id": 1, "name": "cats" }, "name": "InvalidStatusPet", "photoUrls": ["https://plus.unsplash.com/premium_photo-1666777247416-ee7a95235559?q=80&w=687&auto=format&fit=crop&ixlib=rb-4.1.0&ixid=M3wxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVufDB8fHx8fA%3D%3D"], "tags": [{"id": 1, "name": "test"}], "status": "happy" }</pre>
Expected result	JSON is pasted into the body area
Step	6
Action	Click Send
Expected result	Status Code: 400 Bad Request Response Headers contain Content-Type: application/json Pet is not created Response body contains validation error message indicating that "status" value is not allowed by enum

PET-60 / Pet / POST /pet: Add a new pet to the store

Pet creation with integer instead of string in "status" field

Status	Time spent	Assignee
Failed	00:01:09	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Failed	00:01:09	Anastasia Kozub	D-45 (Open)

Finish time

2026-06-06 18:51:48

Steps

Step	1
Action	Create a new request and set method to POST
Expected result	Request is created and method is set to POST
Step	2
Action	Enter https://petstore.swagger.io/v2/pet in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Content-Type: application/json
Expected result	Header is added and active
Step	4
Action	Open Body tab, select raw and JSON format
Expected result	Body editor is ready for JSON input

Step	5
Action	Paste JSON with integer in "status" field from "Data" into the body area
Input data	<pre>{ "id": 197, "category": { "id": 1, "name": "cats" }, "name": "InvalidStatusPet", "photoUrls": ["https://plus.unsplash.com/premium_photo-1666777247416-ee7a95235559?q=80&w=687&auto=format&fit=crop&ixlib=rb-4.1.0&ixid=M3wxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVufDB8fHx8fA%3D%3D"], "tags": [{"id": 1, "name": "test"}], "status": 123 }</pre>
Expected result	JSON is pasted into the body area
Step	6
Action	Click Send
Expected result	Status Code: 400 Bad Request Response Headers contain Content-Type: application/json Pet is not created Response body contains validation error message indicating that "status" field must be a string

PET-61 / Pet / POST /pet: Add a new pet to the store

Pet creation with boolean instead of string in "status" field

Status	Time spent	Assignee
Failed	00:01:37	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Failed	00:01:37	Anastasia Kozub	D-46 (Open)
Finish time			
2026-06-06 18:55:24			

Steps

Step	1
Action	Create a new request and set method to POST
Expected result	Request is created and method is set to POST
Step	2
Action	Enter https://petstore.swagger.io/v2/pet in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Content-Type: application/json
Expected result	Header is added and active
Step	4
Action	Open Body tab, select raw and JSON format

Expected result	Body editor is ready for JSON input
Step	5
Action	Paste JSON with boolean in "status" field from "Data" into the body area
Input data	<pre>{ "id": 198, "category": { "id": 1, "name": "cats" }, "name": "InvalidStatusPet", "photoUrls": ["https://plus.unsplash.com/premium_photo-1666777247416-ee7a95235559?q=80&w=687&auto=format&fit=crop&ixlib=rb-4.1.0&ixid=M3wxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVufDB8fHx8fA%3D%3D"], "tags": [{"id": 1, "name": "test"}], "status": true }</pre>
Expected result	JSON is pasted into the body area
Step	6
Action	Click Send
Expected result	Status Code: 400 Bad Request Response Headers contain Content-Type: application/json Pet is not created Response body contains validation error message indicating that "status" field must be a string

PET-62 / Pet / POST /pet: Add a new pet to the store

Pet creation with empty string in "status" field

Status	Time spent	Assignee
Failed	00:01:24	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Failed	00:01:24	Anastasia Kozub	D-47 (Open)

Finish time

2026-06-06 18:58:08

Steps

Step	1
Action	Create a new request and set method to POST
Expected result	Request is created and method is set to POST
Step	2
Action	Enter https://petstore.swagger.io/v2/pet in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Content-Type: application/json
Expected result	Header is added and active
Step	4
Action	Open Body tab, select raw and JSON format
Expected result	Body editor is ready for JSON input

Step	5
Action	Paste JSON with empty string in "status" field from "Data" into the body area
Input data	<pre>{ "id": 199, "category": { "id": 1, "name": "cats" }, "name": "InvalidStatusPet", "photoUrls": ["https://plus.unsplash.com/premium_photo-1666777247416-ee7a95235559?q=80&w=687&auto=format&fit=crop&ixlib=rb-4.1.0&ixid=M3wxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVufDB8fHx8fA%3D%3D", "tags": [{ "id": 1, "name": "test" }], "status": "" } }</pre>
Expected result	JSON is pasted into the body area
Step	6
Action	Click Send
Expected result	Status Code: 400 Bad Request Response Headers contain Content-Type: application/json Pet is not created Response body contains validation error message indicating that "status" field cannot be empty

PET-63 / Pet / POST /pet: Add a new pet to the store

Pet creation with whitespace in "status" field

Status	Time spent	Assignee
Failed	00:01:12	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Failed	00:01:12	Anastasia Kozub	D-48 (Open)
Finish time			

2026-06-06 19:01:00

Steps

Step	1
Action	Create a new request and set method to POST
Expected result	Request is created and method is set to POST
Step	2
Action	Enter https://petstore.swagger.io/v2/pet in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Content-Type: application/json
Expected result	Header is added and active
Step	4
Action	Open Body tab, select raw and JSON format
Expected result	Body editor is ready for JSON input

Step	5
Action	Paste JSON with whitespace in "status" field from "Data" into the body area
Input data	<pre>{ "id": 200, "category": { "id": 1, "name": "Dogs" }, "name": "InvalidStatusPet", "photoUrls": ["https://plus.unsplash.com/premium_photo-1666777247416-ee7a95235559?q=80&w=687&auto=format&fit=crop&ixlib=rb-4.1.0&ixid=M3wxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVufDB8fHx8fA%3D%3D"], "tags": [{"id": 1, "name": "test"}], "status": " "</pre>
Expected result	JSON is pasted into the body area
Step	6
Action	Click Send
Expected result	Status Code: 400 Bad Request Response Headers contain Content-Type: application/json Pet is not created Response body contains validation error message indicating that "status" field cannot contain only whitespace

PET-64 / Pet / GET/pet: Find a pet by ID

Find a pet by valid pet ID

Status	Time spent	Assignee
Passed	00:00:03	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Passed	00:00:03.626	Anastasia Kozub	-
Finish time			
2026-06-06 19:02:27			

Steps

Step	1
Action	Create a new request and set method to GET
Expected result	Request is created and method is set to GET
Step	2
Action	Enter [https://petstore.swagger.io/v2/pet/342]() in the URL field
Input data	https://petstore.swagger.io/v2/pet/150
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Accept: application/json
Expected result	Header is added and active
Step	4
Action	Click Send
Expected result	Status Code: 200 OK
	Response Headers contain Content-Type: application/json

Response body contains pet data with pet ID 342

Pet data is displayed successfully

PET-65 / Pet / GET/pet: Find a pet by ID

Find a pet with string instead of integer in pet ID

Status	Time spent	Assignee
Passed	00:00:21	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Passed	00:00:21.089	Anastasia Kozub	-

Finish time

2026-06-06 19:02:55

Steps

Step	1
Action	Create a new request and set method to GET
Expected result	Request is created and method is set to GET
Step	2
Action	Enter https://petstore.swagger.io/v2/pet/abc in the URL field
Input data	https://petstore.swagger.io/v2/pet/abc
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Accept: application/json
Expected result	Header is added and active
Step	4
Action	Click Send
Expected result	Status Code: 400 Bad Request Response Headers contain Content-Type: application/json

Response body contains validation error message indicating that pet ID must be an integer

PET-66 / Pet / GET/pet: Find a pet by ID

Find a pet with non-existing pet ID

Status	Time spent	Assignee
Passed	00:00:06	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Passed	00:00:06.677	Anastasia Kozub	-

Finish time

2026-06-06 19:03:03

Steps

Step	1
Action	Create a new request and set method to GET
Expected result	Request is created and method is set to GET
Step	2
Action	Enter https://petstore.swagger.io/v2/pet/999999999 in the URL field
Input data	https://petstore.swagger.io/v2/pet/999999999
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Accept: application/json
Expected result	Header is added and active
Step	4
Action	Click Send

Status Code: 400 Bad Request

Expected
result

Response Headers contain Content-Type: application/json

Response body contains error message indicating that pet with provided pet ID does not exist

PET-67 / Pet / GET/pet: Find a pet by ID

Find a pet with negative integer in pet ID

Status	Time spent	Assignee
Passed	00:00:02	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Passed	00:00:02.127	Anastasia Kozub	-

Finish time

2026-06-06 19:03:07

Steps

Step	1
Action	Create a new request and set method to GET
Expected result	Request is created and method is set to GET
Step	2
Action	Enter https://petstore.swagger.io/v2/pet/-1 in the URL field
Input data	https://petstore.swagger.io/v2/pet/-1
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Accept: application/json
Expected result	Header is added and active
Step	4
Action	Click Send

Status Code: 400 Bad Request

Expected
result

Response Headers contain Content-Type: application/json

Response body contains validation error message indicating that pet ID must be a positive integer

PET-68 / Pet / PUT/pet: Updating an existing pet

Update pet with valid request body

Status	Time spent	Assignee
Passed	00:00:31	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Passed	00:00:31.565	Anastasia Kozub	-

Finish time

2026-06-06 19:03:41

Steps

Step	1
Action	Create a new request and set method to PUT
Expected result	Request is created and method is set to PUT
Step	2
Action	Enter https://petstore.swagger.io/v2/pet in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Content-Type: application/json
Expected result	Header is added and active
Step	4
Action	Open Body tab, select raw and JSON format
Expected result	Body editor is ready for JSON input

Step	5
Action	Paste valid JSON with existing pet data into the body area
Input data	<pre>{ "id": 201, "category": { "id": 1, "name": "cats" }, "name": "UpdatedPet", "photoUrls": ["https://plus.unsplash.com/premium_photo-1667030474693-6d0632f97029?q=80&w=687&auto=format&fit=crop&ixlib=rb-4.1.0&ixid=M3wxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVufDB8fHx8fA%3D%3D\"], "tags": [{ "id": 1, "name": "test" }], "status": "available" }</pre>
Expected result	JSON is pasted into the body area
Step	6
Action	Click Send
Expected result	Status Code: 200 OK Response Headers contain Content-Type: application/json Response body contains updated pet data

PET-69 / Pet / PUT/pet: Updating an existing pet

Update pet via PUT request and verify changes via GET request

Status	Time spent	Assignee
Passed	00:00:02	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Passed	00:00:02.109	Anastasia Kozub	-
Finish time			
2026-06-06 19:03:45			

Steps

Step	1
Action	Create a new request and set method to PUT
Expected result	Request is created and method is set to PUT
Step	2
Action	Enter https://petstore.swagger.io/v2/pet in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Content-Type: application/json
Expected result	Header is added and active
Step	4
Action	Open Body tab, select raw and JSON format

Expected result	Body editor is ready for JSON input
Step	5
Action	Paste updated pet data into the request body
Input data	<pre>{ "id": 202, "category": { "id": 1, "name": "dogs" }, "name": "UpdatedPetName", "photoUrls": ["https://plus.unsplash.com/premium_photo-1666777247416-ee7a95235559?q=80&w=687&auto=format&fit=crop&ixlib=rb-4.1.0&ixid=M3wxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVufDB8fHx8fA%3D%3D"], "tags": [{"id": 1, "name": "updated"}], "status": "pending" }</pre>
Expected result	JSON is pasted into the body area
Step	6
Action	Click Send
Expected result	Status Code: 200 OK Response Headers contain Content-Type: application/json Response body contains updated pet data
Step	7
Action	Create a new request and set method to GET
Expected result	Request is created and method is set to GET
Step	8

Action	Enter https://petstore.swagger.io/v2/pet/ 202 in the URL field with the same id used in PUT request
Expected result	URL is entered in the address field with used petId
Step	9
Action	Click Send
Expected result	Status Code: 200 OK Response Headers contain Content-Type: application/json Response body contains pet data with values from PUT request

PET-70 / Pet / PUT/pet: Updating an existing pet

Update only required fields of existing pet

Status	Time spent	Assignee
Passed	00:00:01	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Passed	00:00:01.281	Anastasia Kozub	-

Finish time

2026-06-06 19:03:48

Steps

Step	1
Action	Create a new request and set method to PUT
Expected result	Request is created and method is set to PUT
Step	2
Action	Enter https://petstore.swagger.io/v2/pet in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Content-Type: application/json
Expected result	Header is added and active
Step	4
Action	Open Body tab, select raw and JSON format
Expected result	Body editor is ready for JSON input

Step	5
Action	Paste JSON with only required fields into the body area
Input data	<pre>{ "name": "MinimalUpdatePet" }</pre>
Expected result	JSON is pasted into the body area
Step	6
Action	Click Send
Expected result	Status Code: 200 OK Response Headers contain Content-Type: application/json Response body contains updated pet data

PET-71 / Pet / PUT/pet: Updating an existing pet

Update pet with string value in "id" field

Status	Time spent	Assignee
Failed	00:03:11	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Failed	00:03:11	Anastasia Kozub	D-49 (Open)

Finish time

2026-06-07 08:32:33

Steps

Step	1
Action	Create a new request and set method to PUT
Expected result	Request is created and method is set to PUT
Step	2
Action	Enter https://petstore.swagger.io/v2/pet in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Content-Type: application/json
Expected result	Header is added and active
Step	4
Action	Open Body tab, select raw and JSON format
Expected result	Body editor is ready for JSON input

Step	5
Action	Paste JSON with string value in "id" field into the body area
Input data	{ "id": "abc", "category": { "id": 1, "name": "cats" }, "name": "InvalidIdPet", "photoUrls": [" https://plus.unsplash.com/premium_photo-1667030474693-6d0632f97029?q=80&w=687&auto=format&fit=crop&ixlib=rb-4.1.0&ixid=M3wxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVufDB8fHx8fA%3D%3D "], "tags": [{"id": 1, "name": "test"}], "status": "available" }
Expected result	JSON is pasted into the body area
Step	6
Action	Click Send
Expected result	Status Code: 400 Bad Request Response Headers contain Content-Type: application/json Response body contains validation error message indicating that "id" must be an integer

PET-72 / Pet / PUT/pet: Updating an existing pet

Update pet without "name" field

Status	Time spent	Assignee
Failed	00:03:46	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Failed	00:03:46	Anastasia Kozub	D-50 (Open)

Finish time

2026-06-07 08:44:31

Steps

Step	1
Action	Create a new request and set method to PUT
Expected result	Request is created and method is set to PUT
Step	2
Action	Enter https://petstore.swagger.io/v2/pet in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Content-Type: application/json
Expected result	Header is added and active
Step	4
Action	Open Body tab, select raw and JSON format
Expected result	Body editor is ready for JSON input

Step	5
Action	Paste full pet object without "name" field into the body area
Input data	<pre>{ "id": 203, "category": { "id": 1, "name": "cats" }, "photoUrls": ["https://plus.unsplash.com/premium_photo-1667030474693-6d0632f97029?q=80&w=687&auto=format&fit=crop&ixlib=rb-4.1.0&ixid=M3wxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVufDB8fHx8fA%3D%3D"], "tags": [{"id": 1, "name": "test"}], "status": "available" }</pre>
Expected result	JSON is pasted into the body area
Step	6
Action	Click Send
Expected result	Status Code: 400 Bad Request Response Headers contain Content-Type: application/json Response body contains validation error message indicating that "name" field is required

PET-73 / Pet / PUT/pet: Updating an existing pet

Update pet with empty request body

Status	Time spent	Assignee
Failed	00:03:50	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Failed	00:03:50	Anastasia Kozub	D-51 (Open)

Finish time

2026-06-07 09:16:08

Steps

Step	1
Action	Create a new request and set method to PUT
Expected result	Request is created and method is set to PUT
Step	2
Action	Enter https://petstore.swagger.io/v2/pet in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Content-Type: application/json
Expected result	Header is added and active
Step	4
Action	Open Body tab, select raw and JSON format
Expected result	Body editor is ready for JSON input

Step	5
Action	Paste full pet object without "name" field into the body area
Input data	{}
Expected result	JSON is pasted into the body area
Step	6
Action	Click Send
Expected result	Status Code: 400 Bad Request Response Headers contain Content-Type: application/json Response body contains validation error message indicating that request body is empty

PET-74 / Pet / PUT/pet: Updating an existing pet

Update pet with null value in "name" field

Status	Time spent	Assignee
Failed	00:04:21	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Failed	00:04:21	Anastasia Kozub	D-52 (Open)

Finish time

2026-06-07 09:23:18

Steps

Step	1
Action	Create a new request and set method to PUT
Expected result	Request is created and method is set to PUT
Step	2
Action	Enter https://petstore.swagger.io/v2/pet in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Content-Type: application/json
Expected result	Header is added and active
Step	4
Action	Open Body tab, select raw and JSON format
Expected result	Body editor is ready for JSON input

Step	5
Action	Paste full pet object with null value in "name" field into the body area
Input data	<pre>{ "id": 204, "category": { "id": 1, "name": "cats" }, "name": null, "photoUrls": ["https://plus.unsplash.com/premium_photo-1667030474693-6d0632f97029?q=80&w=687&auto=format&fit=crop&ixlib=rb-4.1.0&ixid=M3wxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVufDB8fHx8fA%3D%3D\"], "tags": [{ "id": 1, "name": "test" }], "status": "available" }</pre>
Expected result	JSON is pasted into the body area
Step	6
Action	Click Send
Expected result	Status Code: 400 Bad Request Response Headers contain Content-Type: application/json Response body contains validation error message indicating that "name" field cannot be null

PET-75 / Pet / PUT/pet: Updating an existing pet

Update pet with value outside allowed enum in "status" field

Status	Time spent	Assignee
Failed	00:02:10	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Failed	00:02:10	Anastasia Kozub	D-53 (Open)
Finish time			
2026-06-07 09:27:10			

Steps

Step	1
Action	Create a new request and set method to PUT
Expected result	Request is created and method is set to PUT
Step	2
Action	Enter https://petstore.swagger.io/v2/pet in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Headers tab and add Content-Type: application/json
Expected result	Header is added and active
Step	4
Action	Open Body tab, select raw and JSON format

Expected result	Body editor is ready for JSON input
Step	5
Action	Paste full pet object with value outside allowed enum in "status" field into the body area
Input data	<pre>{ "id": 205, "category": { "id": 1, "name": "cats" }, "name": "InvalidStatusPet", "photoUrls": ["https://plus.unsplash.com/premium_photo-1667030474693-6d0632f97029?q=80&w=687&auto=format&fit=crop&ixlib=rb-4.1.0&ixid=M3wxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVufDB8fHx8fA%3D%3D"], "tags": [{"id": 1, "name": "test"}], "status": "flying" }</pre>
Expected result	JSON is pasted into the body area
Step	6
Action	Click Send
Expected result	Status Code: 400 Bad Request Response Headers contain Content-Type: application/json Response body contains validation error message indicating that "status" field contains unsupported value

PET-76 / Pet / DELETE/pet: Delete a pet

Delete existing pet with valid pet ID

Status	Time spent	Assignee
Passed	00:00:53	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Passed	00:00:53.329	Anastasia Kozub	-

Finish time

2026-06-07 09:29:07

Steps

Step	1
Action	Create a new request and set method to DELETE
Expected result	Request is created and method is set to DELETE
Step	2
Action	Enter https://petstore.swagger.io/v2/pet/150 in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Body tab and verify that request body is empty
Expected result	Body tab is open and request body is empty
Step	4
Action	Click Send
Expected result	• Status Code: 200 OK • Response Headers contain Content-Type: application/json • Response body contains confirmation of successful deletion • Pet is successfully deleted from the system

Step	5
Action	Create a new request and set method to GET
Expected result	Request is created and method is set to GET
Step	6
Action	Enter https://petstore.swagger.io/v2/pet/ 150 in the URL field
Expected result	URL is entered in the address field
Step	7
Action	Click Send
Expected result	• Status Code: 404 Not Found • Response contains valid headers • Response body contains message that pet was not found

PET-77 / Pet / DELETE/pet: Delete a pet

Repeat DELETE request for already deleted pet

Status	Time spent	Assignee
Passed	00:01:10	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Passed	00:01:10.449	Anastasia Kozub	-

Finish time

2026-06-07 09:30:20

Steps

Step	1
Action	Create a new request and set method to DELETE
Expected result	Request is created and method is set to DELETE
Step	2
Action	Enter https://petstore.swagger.io/v2/pet/ 150 in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Body tab and verify that request body is empty
Expected result	Body tab is open and request body is empty
Step	4
Action	Click Send
Expected result	- Status Code: 404 Not Found - Response contains valid headers - Response body contains message that pet was not found or was already deleted

PET-78 / Pet / DELETE/pet: Delete a pet

Delete pet with non-existing pet ID

Status	Time spent	Assignee
Passed	00:00:02	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Passed	00:00:02.835	Anastasia Kozub	-

Finish time

2026-06-07 09:30:25

Steps

Step	1
Action	Create a new request and set method to DELETE
Expected result	Request is created and method is set to DELETE
Step	2
Action	Enter https://petstore.swagger.io/v2/pet/999999 in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Body tab and verify that request body is empty
Expected result	Body tab is open and request body is empty
Step	4
Action	Click Send
Expected result	• Status Code: 404 Not Found • Response contains valid headers • Response body contains message that pet was not found

PET-79 / Pet / DELETE/pet: Delete a pet

Delete pet with string value instead of pet ID

Status	Time spent	Assignee
Passed	00:00:00	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Passed	00:00:00.891	Anastasia Kozub	-

Finish time

2026-06-07 09:30:27

Steps

Step	1
Action	Create a new request and set method to DELETE
Expected result	Request is created and method is set to DELETE
Step	2
Action	Enter https://petstore.swagger.io/v2/pet/abc in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Body tab and verify that request body is empty
Expected result	Body tab is open and request body is empty
Step	4
Action	Click Send
Expected result	- Status Code: 404 Not Found - Response contains valid headers - Response body contains validation error message for invalid pet ID format

PET-81 / Pet / DELETE/pet: Delete a pet

Delete pet without pet ID

Status	Time spent	Assignee
Passed	00:00:01	Anastasia Kozub

Results

Result 1

Status	Time spent	User	Defects
Passed	00:00:01.479	Anastasia Kozub	-

Finish time

2026-06-07 09:30:30

Steps

Step	1
Action	Create a new request and set method to DELETE
Expected result	Request is created and method is set to DELETE
Step	2
Action	Enter https://petstore.swagger.io/v2/pet/ in the URL field
Expected result	URL is entered in the address field
Step	3
Action	Open Body tab and verify that request body is empty
Expected result	Body tab is open and request body is empty
Step	4
Action	Click Send
Expected result	- Status Code: 404 Not Found - Response contains valid headers - Request is not processed because pet ID is missing