



OPERATOR IRAN AIR FLIGHT NO IRA1552
REGISTRATION EPIBK (A310-304) - MSN: 671 DATE JUN 02 2026
STD 15:10 STA 19:10
ROUTE OING - OEJN NAM 1701 DIST 1470 ALTN OEMA
OING.IMPI1B IMPIR A414 BUBUX A647 RAGET Z431 LOVEK B411 ASH B544
NOMDA NOMD1E.OEJN

Calculations are based on : [KGS]
FMACH: 80 FL 340 DOW 81713

PLD 2000
EZFW 83713 MZFW 114000
ETOW 130684 MTOW 157000 ACT.
ELDW 112613 MLDW 124000 ACT.

ATC CLEARANCE :

TAKEOFF ALTN NOT SELECTED

CREW : 2 / 8 / ---
PAX :/...../.....

SOB

ALTERNATE 1 OEJN.DATA3D DATAP A424 DEGVU DEGV1H.OEMA

ELEV: 2134

OEJN TAF : -

OEMA TAF : -

TAF : -

	FUEL	TIME	LMC
TRIP	18071	03:38	
+ CONTINGENCY [5 %]	903	00:11	
+ ALTERNATE 1 [OEMA]	3246	00:33	
+ ALTERNATE 2	0	00:00	
+ FINAL RESERVE	2000	00:30	
+ OPS . EXTRA	2000	00:24	
+ ADDITIONAL	0	00:00	
= MINIMUM TAKE-OFF	26220	05:16	
+ TANKERING	20751	04:13	
+ TAXI	300		
= TOTAL FUEL	47271	09:29	
+ COMDR . EXTRA		REASON :	
= TOTAL RAMP FOB			

WEIGHT DRIFT
[KGS]

x Δ
1000 FUEL
- 10 - 0930
- 5 - 0472
+5 +0508
+10 +1097

ALTITUDE DRIFT

FL	AVG. WIND	Δ FUEL	Δ T	Δ SH	M SH	ISA DEV
300	051H	+0696	- 10	03	07	10
320	055H	+0281	- 05	01	05	09
360	057H	- 0018	+01	01	05	09

340 059H +0000 +00 01 05 09

MAX SHEAR : DATOL [5]

-> FUEL INCLUDES 10.0 PCT PERF FACTOR

A T I S	OING ELEV: -28	QNH	TAKE-OFF			LANDING	
			V1	VR	V2	V REF	
	OEJN ELEV: 50	QNH	S.TRIM	CG	CONF	V APP	
			U ☐ D ☐			V FTO	
			FLEX ASMD	A ON ☐ I OFF ☐	A ON ☐ C OFF ☐	CONF	
				RWY / COND		LDTA	A ON ☐ I OFF ☐
						RWY / COND	

OFF VALID FOR SIX HOURS AFTER STD AND APPROVED BY:

CM 1 SADEGHIROSHAN, ALI

PF: PM

Commander's Signature

Dispatcher's Signature

HOUSHMAND, MALIHE

CM 2 KERAMATI, ALI

PF: PM

- OFF HAS BEEN PREPARED IN ACCORDANCE
WITH COMPANY OPERATION POLICY.
- MAXIMUM FORECAST IS 36 HOURS AFTER WX
DATA UPDATE TIME.

INTERNATIONAL SYSTEM OF UNITS :

- WIND DIRECTION IN DEGREES
- WIND SPEED IN KNOTS
- TEMPERATURE IN CENTIGRADE
- DISTANCE IN MILES
- ALTITUDE IN FEET



OFF BLOCK	 :	TAKE OFF	 :	LAND	 :	ON BLOCK	 :	BLOCK TIME	 :	FLIGHT TIME	 :
--------------	---------------	-------------	---------------	------	---------------	-------------	---------------	---------------	---------------	----------------	---------------

NAV DATA AIRAC 2605 VALID UNTIL: 11 JUN 2026 23:59

WX DATA 02 JUN 2026 00:00

WAYPOINT	AIRWAY FL / TROP	MEA GMR	DIST TOTAL	WD / WS WCOMP	TRK HDG	SAT / ISA SR	TIME TOTAL	ETA / ATA	REMAIN USED	ACTUAL REM / USD
OING N3654.7 E05423.9	IMPI1B 000/0	153	0	000/000 001 H	000	15 / 00 01	00:00 00:00	 /	46971 300	 /
GGN N3655.8 E05422.5	IMPI1B 120/379	153	15	296/015 011 H	254	03 / 12 03	00:02 00:02	 /	46481 790	 /
IMPIR N3650.0 E05358.8	A414 200/381	70 130	20 35	264/031 029 H	249	-16 / 09 03	00:03 00:05	 /	45830 1441	 /
DATOL N3647.3 E05347.1	A414 240/381	70 130	9.7 44.7	276/047 042 H	250	-24 / 09 05	00:01 00:06	 /	45515 1756	 /
DNZ N3638.9 E05311.3	A414 310/383	150 130	30 74.7	269/076 014 H	190	-39 / 08 01	00:04 00:10	 /	44535 2736	 /
TOC N3624.8 E05308.3	A414 340/383	130	14.3 89	271/085 013 H	190	-44 / 09 01	00:04 00:14	 /	44070 3201	 /
LABET N3609.8 E05301.4	A414 340/381	150 130	15.7 104.7	272/084 021 H	191	-45 / 08 01	00:02 00:16	 /	43895 3376	 /
BUBUX N3530.4 E05248.2	A647 340/439	140 210	40.8 145.5	272/088 085 H	256	-44 / 09 01	00:06 00:22	 /	43364 3907	 /
MUXOR N3529.5 E05241.8	A647 340/439	140 210	5.3 150.8	272/088 085 H	256	-44 / 09 01	00:01 00:23	 /	43301 3970	 /
ETP 1 N3523.0 E05150.1	A647 340/487	153	42.6 193.4	274/092 091 H	256	-45 / 08 01	00:07 00:30	 /	42735 4536	 /
VR N3520.6 E05138.2	A647 340/487	90 153	10 203.4	274/092 091 H	276	-45 / 08 01	00:01 00:31	 /	42603 4668	 /
IKA N3524.6 E05110.7	A647 340/428	90 153	22.8 226.2	272/086 085 H	275	-44 / 09 01	00:04 00:35	 /	42318 4953	 /
RUS N3526.7 E05054.3	A647 340/547	210 114	13.5 239.7	273/085 085 H	266	-44 / 09 01	00:02 00:37	 /	42149 5122	 /
PAVET N3526.7 E04953.0	A647 340/465	180 121	50 289.7	265/093 078 H	229	-44 / 09 01	00:08 00:45	 /	41521 5750	 /
LOXAM N3504.2 E04916.0	A647 340/487	180 121	37.6 327.3	268/106 100 H	247	-44 / 09 02	00:06 00:51	 /	41026 6245	 /
HAM N3452.0 E04833.0	A647 340/484	160 141	37.3 364.6	265/111 099 H	235	-44 / 09 03	00:06 00:57	 /	40535 6736	 /
ETP 2 N3447.0 E04818.1	A647 340/485	141	13 377.6	263/108 106 H	235	-44 / 09 03	00:03 01:00	 /	40360 6911	 /
ASRIL N3428.2 E04745.2	A647 340/485	160 134	33 410.6	263/108 106 H	251	-44 / 09 03	00:05 01:05	 /	39917 7354	 /
KMS N3420.4 E04710.2	A647 340/493	160 134	30 440.6	263/108 092 H	228	-44 / 09 03	00:05 01:10	 /	39532 7739	 /
FIR-BAGHDAD N3331.6 E04555.0	ORBB 340/493	77	79.3 519.9	263/108 092 H	228	-44 / 09 03	00:13 01:23	 /	38501 8770	 /
RAGET N3330.8 E04553.8	Z431 340/493	160 77	1.2 521.1	257/094 092 H	244	-44 / 09 01	00:00 01:23	 /	38496 8775	 /
VAXEN N3318.0 E04515.0	Z431 340/501	160 77	34.9 556	255/098 066 H	203	-44 / 09 02	00:05 01:28	 /	38076 9195	 /



LOVEK N3222.1 E04440.0	B411 340/508	160 18	63.1 619.1	253/094 092 H	241 243	-44 / 09 01	00:10 01:38	 /	37282 9989	 /
ELODI N3202.9 E04351.4	B411 340/508	160 21	45.5 664.6	249/092 091 H	240 241	-44 / 09 01	00:07 01:45	 /	36716 10555	 /
RUKAM N3150.1 E04319.6	B411 340/503	160 26	29.9 694.5	248/092 092 H	240 241	-44 / 09 01	00:05 01:50	 /	36344 10927	 /
RALTI N3142.1 E04300.0	B411 340/513	160 26	18.5 713	247/086 086 H	240 241	-44 / 09 01	00:03 01:53	 /	36118 11153	 /
MURIB N3112.6 E04150.6	B411 340/510	120 36	65.1 778.1	243/085 084 H	239 239	-44 / 09 01	00:10 02:03	 /	35314 11957	 /
FIR-JEDDAH N3112.6 E04150.6	OEJD 340/510	36	0 778.1	243/085 084 H	239 239	-44 / 09 01	00:00 02:03	 /	35322 11949	 /
AAR N3054.5 E04108.5	B411 340/503	120 34	40.4 818.5	241/084 083 H	245 245	-43 / 10 01	00:06 02:09	 /	34824 12447	 /
KAVID N3035.9 E04011.8	B411 340/513	120 43	52.3 870.8	239/083 082 H	244 244	-43 / 10 01	00:08 02:17	 /	34186 13085	 /
NEVOL N3024.8 E03938.7	B411 340/518	120 47	30.7 901.5	239/086 085 H	244 244	-43 / 10 01	00:05 02:22	 /	33817 13454	 /
ASH N3007.4 E03847.9	B544 340/537	155 43	47.3 948.8	235/082 040 H	170 179	-44 / 09 03	00:07 02:29	 /	33301 13970	 /
LABAD N2919.4 E03854.2	B544 340/517	155 47	48.2 997	235/073 034 H	169 177	-43 / 10 04	00:07 02:36	 /	32785 14486	 /
ENABI N2906.6 E03855.8	B544 340/510	155 47	12.8 1009.8	234/069 033 H	169 176	-43 / 10 04	00:02 02:38	 /	32656 14615	 /
ETP 3 N2826.4 E03858.2	B544 340/515	49	39.9 1049.7	242/059 020 H	169 176	-42 / 11 02	00:05 02:43	 /	32244 15027	 /
SOBAS N2756.0 E03904.9	B544 340/515	155 60	31 1080.7	242/059 020 H	169 175	-42 / 11 02	00:04 02:47	 /	31925 15346	 /
HLF N2626.0 E03916.1	B544 340/503	155 73	90.3 1171	257/047 001 H	164 169	-41 / 12 01	00:11 02:58	 /	31040 16231	 /
BELAL N2546.5 E03925.4	B544 340/501	155 90	40.3 1211.3	258/042 001 H	164 169	-41 / 12 01	00:05 03:03	 /	30654 16617	 /
ALTEP N2522.0 E03931.0	B544 340/513	130 90	25 1236.3	263/038 003 T	164 168	-41 / 12 02	00:03 03:06	 /	30414 16857	 /
PMA N2432.8 E03942.3	B544 340/527	130 98	50 1286.3	265/030 010 H	194 197	-41 / 12 01	00:06 03:12	 /	29912 17359	 /
SISUD N2345.1 E03925.6	B544 340/531	120 98	50 1336.3	266/022 007 H	194 196	-41 / 12 01	00:06 03:18	 /	29416 17855	 /
ASLAD N2337.7 E03923.1	B544 340/531	120 98	7.7 1344	266/022 007 H	194 196	-41 / 12 01	00:01 03:19	 /	29345 17926	 /
TOD N2321.2 E03918.6	B544 340/531	98	17 1361	266/022 006 H	194 196	-41 / 12 01	00:02 03:21	 /	29190 18081	 /
RBG N2247.5 E03905.8	B544 240/526	120 80	35.5 1396.5	156/013 012 H	175 175	-18 / 12 01	00:06 03:27	 /	29088 18183	 /
NOMDA N2242.9 E03905.9	NOMD1E 220/526	120 80	4.5 1401	152/013 011 H	178 178	-14 / 12 01	00:01 03:28	 /	29071 18200	 /
LADLA N2235.2 E03906.2	NOMD1E 200/524	80	8 1409	148/015 010 H	191 191	-09 / 12 01	00:01 03:29	 /	29054 18217	 /
NABGI N2210.5 E03901.2	NOMD1E 120/524	80	26 1435	000/000 001 H	191 191	-09 / 12 01	00:04 03:33	 /	28985 18286	 /



IranAir

TAVKU N2204.6 E03900.0	NOMD1E 100/524	80	7 1442	000/000 001 H	159 159	-05 / 12 01	00:01 03:34	 /	28968 18303	 /
DAVGA N2159.0 E03902.3	NOMD1E 100/524	70	7 1449	000/000 001 H	159 159	-05 / 12 01	00:01 03:35	 /	28951 18320	 /
EMOXO N2153.3 E03904.5	NOMD1E 100/524	70	7 1456	000/000 001 H	160 160	-05 / 12 01	00:01 03:36	 /	28934 18337	 /
OEJN N2140.9 E03909.4	NOMD1E 000	49	14 1470		000 000		00:02 03:38	 /	28900 18371	 /

[ID: GBTJED SANY]

MINIMUM DIVERSION FUEL

[OEMA, 5246]



WINDS/TEMPERATURES ALOFT FORECAST

CLB	LABEL	FL300: 271/078 (-36)	FL320: 271/081 (-40)	FL340: 272/084 (-45)	FL360: 270/087 (-48)	FL380: 269/089 (-50)
FL100: 335/006	BUBUX	FL300: 270/070 (-36)	FL320: 271/079 (-40)	FL340: 272/088 (-44)	FL360: 272/087 (-47)	FL380: 271/085 (-50)
FL140: 260/014	MUXOR	FL300: 270/070 (-36)	FL320: 271/079 (-40)	FL340: 272/088 (-44)	FL360: 272/087 (-47)	FL380: 271/085 (-50)
FL180: 253/025	VR	FL300: 273/077 (-36)	FL320: 273/084 (-40)	FL340: 274/092 (-45)	FL360: 272/092 (-48)	FL380: 271/092 (-51)
FL220: 272/039	IKA	FL300: 270/074 (-36)	FL320: 271/080 (-40)	FL340: 272/086 (-44)	FL360: 270/089 (-48)	FL380: 268/092 (-52)
FL260: 272/059	RUS	FL300: 270/074 (-36)	FL320: 271/080 (-40)	FL340: 272/086 (-44)	FL360: 270/089 (-48)	FL380: 268/092 (-52)
FL300: 268/074	PAVET	FL300: 272/075 (-36)	FL320: 272/080 (-40)	FL340: 273/085 (-44)	FL360: 271/087 (-48)	FL380: 270/089 (-52)
FL340: 271/081	LOXAM	FL300: 266/077 (-36)	FL320: 265/085 (-40)	FL340: 265/093 (-44)	FL360: 265/092 (-47)	FL380: 266/091 (-50)
FL380: 268/084	HAM	FL300: 267/082 (-36)	FL320: 267/094 (-40)	FL340: 268/106 (-44)	FL360: 267/100 (-48)	FL380: 266/095 (-52)
DES	ASRIL	FL300: 267/082 (-36)	FL320: 266/096 (-40)	FL340: 265/111 (-44)	FL360: 265/103 (-47)	FL380: 266/095 (-51)
	KMS	FL300: 267/082 (-36)	FL320: 265/095 (-40)	FL340: 263/108 (-44)	FL360: 264/102 (-48)	FL380: 265/095 (-52)
	RAGET	FL300: 268/086 (-35)	FL320: 265/097 (-39)	FL340: 263/108 (-44)	FL360: 264/102 (-47)	FL380: 265/096 (-51)
	VAXEN	FL300: 263/083 (-35)	FL320: 260/088 (-39)	FL340: 257/094 (-44)	FL360: 259/092 (-48)	FL380: 262/091 (-53)
	LOVEK	FL300: 262/083 (-35)	FL320: 258/090 (-39)	FL340: 255/098 (-44)	FL360: 257/095 (-47)	FL380: 260/091 (-51)
	ELODI	FL300: 260/080 (-35)	FL320: 256/087 (-39)	FL340: 253/094 (-44)	FL360: 256/093 (-48)	FL380: 259/092 (-52)
	RUKAM	FL300: 257/078 (-34)	FL320: 253/085 (-39)	FL340: 249/092 (-44)	FL360: 252/090 (-48)	FL380: 256/089 (-52)
	RALTI	FL300: 256/077 (-35)	FL320: 252/084 (-39)	FL340: 248/092 (-44)	FL360: 252/092 (-48)	FL380: 255/091 (-52)
	MURIB	FL300: 251/069 (-35)	FL320: 249/077 (-39)	FL340: 247/086 (-44)	FL360: 251/086 (-48)	FL380: 256/086 (-52)
	AAR	FL300: 248/066 (-35)	FL320: 245/075 (-39)	FL340: 243/085 (-44)	FL360: 248/085 (-48)	FL380: 254/086 (-52)
	KAVID	FL300: 246/065 (-35)	FL320: 244/074 (-39)	FL340: 241/084 (-43)	FL360: 247/084 (-47)	FL380: 254/084 (-51)
	NEVOL	FL300: 245/063 (-35)	FL320: 242/073 (-39)	FL340: 239/083 (-43)	FL360: 246/083 (-47)	FL380: 252/082 (-51)
	ASH	FL300: 244/066 (-35)	FL320: 241/076 (-39)	FL340: 239/086 (-43)	FL360: 244/086 (-47)	FL380: 250/085 (-51)
	LABAD	FL300: 240/061 (-35)	FL320: 238/071 (-39)	FL340: 235/082 (-44)	FL360: 240/082 (-48)	FL380: 246/083 (-53)
	ENABI	FL300: 244/050 (-35)	FL320: 239/061 (-39)	FL340: 235/073 (-43)	FL360: 242/073 (-48)	FL380: 250/074 (-52)
	SOBAS	FL300: 243/050 (-34)	FL320: 239/059 (-38)	FL340: 234/069 (-43)	FL360: 243/070 (-47)	FL380: 251/072 (-52)
	HLF	FL300: 230/057 (-33)	FL320: 236/058 (-37)	FL340: 242/059 (-42)	FL360: 247/062 (-47)	FL380: 251/066 (-51)
	BELAL	FL300: 218/049 (-32)	FL320: 237/048 (-36)	FL340: 257/047 (-41)	FL360: 256/050 (-46)	FL380: 255/053 (-50)
	ALTEP	FL300: 215/040 (-32)	FL320: 236/041 (-36)	FL340: 258/042 (-41)	FL360: 256/043 (-46)	FL380: 254/044 (-50)
	PMA	FL300: 214/035 (-32)	FL320: 238/036 (-36)	FL340: 263/038 (-41)	FL360: 256/039 (-46)	FL380: 249/040 (-50)
	SISUD	FL300: 215/025 (-31)	FL320: 240/027 (-36)	FL340: 265/030 (-41)	FL360: 259/030 (-46)	FL380: 253/030 (-50)
	ASLAD	FL300: 205/019 (-30)	FL320: 235/020 (-35)	FL340: 266/022 (-41)	FL360: 262/023 (-46)	FL380: 257/025 (-50)
		FL300: 205/019 (-30)	FL320: 235/020 (-35)	FL340: 266/022 (-41)	FL360: 262/023 (-46)	FL380: 257/025 (-50)

ALTERNATE 1 OEJN.DATA3D DATAP A424 DEGVU DEGV1H.OEMA

FL : 250

AVGWD : 017 T

WAYPOINT	AIRWAY	MEA	DIST	WD / WS	TRK	SAT / ISA	TIME	ETA / ATA	REMAIN	ACTUAL
	FL / TROP	GMR	TOTAL	WCOMP	HDG	SR	TOTAL		USED	
OEJN	DATA3D		0.0	000/000	000	15 / 00	00:00	 /	28900	 /
N2140.9 E03909.4	000/0	70	0.0	001 H	000	01	00:00		18371	
DE16L	DATA3D		15.0	000/000	149	-09 / 00	00:03	 /	28243	 /
N2140.0 E03910.8	120/0	70	15.0	001 H	149	01	00:03		19028	
JN230	DATA3D		4.0	000/000	083	-13 / 00	00:01	 /	28028	 /
N2137.4 E03912.5	140/0	70	19.0	001 H	083	01	00:04		19243	
JN238	DATA3D		12.0	000/000	341	-25 / 00	00:02	 /	27591	 /
N2138.7 E03925.2	200/0	70	31.0	001 H	341	01	00:06		19680	
JN225	DATA3D		14.0	000/000	340	-35 / 00	00:03	 /	26935	 /
N2151.3 E03920.2	250/0	70	45.0	001 H	340	01	00:09		20336	
TOC	DATA3D		4.0	000/000	340	-35 / 00	00:00	 /	26937	 /
N2155.0 E03918.8	250/0	70	49.0	001 H	340	01	00:09		20334	
RIBIL	DATA3D		2.0	001/001	031	-35 / 00	00:00	 /	26914	 /
N2156.2 E03918.3	250/0	70	51.0	001 H	031	01	00:09		20357	
JN229	DATA3D		16.0	001/001	003	-35 / 00	00:02	 /	26721	 /
N2209.6 E03927.1	250/0	80	67.0	001 H	003	01	00:11		20550	
JN326	DATA3D		12.0	001/001	003	-35 / 00	00:02	 /	26579	 /
N2221.0 E03927.9	250/0	80	79.0	001 H	003	01	00:13		20692	



DATAP N2239.4 E03929.2	A424 250/522	120 80	19.0 98.0	152/019 012 T	016 018	-19 / 16 01	00:02 00:15	 /	26352 20919	 /
RULEB N2301.0 E03937.5	A424 250/522	130 98	22.8 120.8	156/019 016 T	359 360	-19 / 16 01	00:03 00:18	 /	26084 21187	 /
TOD N2315.9 E03937.2	A424 250/522	150 98	15.0 135.8	156/019 017 T	359 360	-19 / 16 01	00:02 00:20	 /	25887 21384	 /
ORMEK N2334.9 E03939.3	A424 221/531	150 98	18.0 153.8	141/016 012 T	359 359	-09 / 16 01	00:03 00:23	 /	25835 21436	 /
DEGVU N2342.7 E03939.7	DEGV1H 201/531	150 98	7.8 161.6	112/020 003 T	013 013	-05 / 16 01	00:01 00:24	 /	25817 21454	 /
MA443 N2411.2 E03947.2	DEGV1H 121/531	150 98	30.0 191.6	000/000 001 H	350 350	-09 / 16 01	00:05 00:29	 /	25726 21545	 /
OBTOX N2417.1 E03945.9	DEGV1H 121/531	150 98	7.0 198.6	000/000 001 H	349 349	-09 / 16 01	00:01 00:30	 /	25708 21563	 /
OEMA N2433.0 E03942.3	DEGV1H 021	150 98	17.0 215.6		000		00:03 00:33	 /	25654 21617	 /

CRITICAL FUEL SCENARIO

[DEPRESSURISATION / FL100]

ETP NO	ERA	ATIS	ETP	REM. FUEL	REQ. FUEL	DIFF. FUEL	TIME	DIST [NM]	[RWY, LEN, MB, LLZ, CAT]
[CALL SIGN] FREQUENCIES									
1	OING	128.800	VR/ -10.00	42735	3941	38794	00:22	156	[RW13,10827,129,IGGN,1] [RW31,10827,309]
[APP - GORGAN] 118.75									
2	OIFM	128.250	ASRIL/ -33	40360	4990	35370	00:31	214	[RW07L,14432,74] [RW07R,14432,74] [RW25L,14432,254] [RW25R,14432,254,IIFN,1]
[APP - ESFAHAN] 119.5,124.6									
3	ORBI	126.920	SOBAS/ -31	32244	8208	24036	00:58	396	[RW15L,13123,146,IYDB,2] [RW15R,10830,146] [RW33L,10830,326] [RW33R,13123,326,IYCA,2]
[APP - BAGHDAD] 122.4,126.57									
	OEJN	126.200	DESTINATION	28900	0	0	00:00		[RW16C,13123,156,IJDC,1] [RW16L,13123,156,IDF,1] [RW16R,12467,156,IJDD,1] [RW34C,13123,336,IJDW,1] [RW34L,12467,336,IJDL,1] [RW34R,13123,336,IEAL,1]
[APP - JEDDAH] 345.6,358.7,123.8,124,124.67,125.85									

PRE-DETERMINED POINT PROCEDURE :

ERA	ATIS	PDP	REM. FUEL	REQ. FUEL	DIFF. FUEL	TIME	DIST [NM]	FL	[RWY, LEN, MB, LLZ, CAT]
[CALL SIGN] FREQUENCIES									



Short ICAO ATC Flight Plan for flight **IRA1552-OING-OEJN** (STD 21510)

(FPL - IRA1552 - IS
- A310/H - SDFHIRWY/S
- OING1510
- N0470F340 IMPIR1B IMPIR A414 BUBUX A647 RAGET Z431 LOVEK B411 ASH B544 NOMDA
NOMDA1E
- OEJN0338 OEMA
- PBN/B3B4B5D4 DOF/260602 REG/EPIBK
EET/ORBB0123 OEJD0203 RALT/OIFM ORBI SEL/HQAR PER/C RMK/ YK/1A05N312230JG
- E/0929 P/TBN R/VE S/M J/L D/06 240 C YELLOW A/BLUE OVER WHITE
C/SADEGHIROSHAN)

End of Short ICAO ATC Flight Plan



SUMMARY INFORMATION

DATE JUN 02 2026
COMMANDER SADEGHIROSHAN, ALI
AIRCRAFT EPIBK (A310-304)
FLIGHT NO IRA1552
ROUTE [GBT - GORGAN
JED - KING ABDULAZIZ INTL
TRIP TIME 03:38
ALTITUDE 34000 FT
CABIN SENIOR



Note :



TRIP INFORMATION

DATE JUN 02 2026 STD 15:10 STA 19:10 REGISTER EPIBK FLIGHT NO IRA1552 SI [KGS]
ROUTE OING.IMPI1B IMPIR A414 BUBUX A647 RAGET Z431 LOVEK B411 ASH B544 NOMDA NOMD1E.OEJN
OING - OEJN



FL / STP CLB

DOW OPT 81713
PAX / /
A/ B/ C/
SOB + =
EZFW 83713
MTOW 157000 RTOW
ETOW 130684 ATOW

Note :

TRIP FUEL 18071
ALTN 1 FUEL 3246 MOD [OEMA, 5246]
ALTN 2 FUEL 0 MOD
RAMP FUEL 47271

[illegible]

DOC ID#: 2026FBGHKOA OFP Generated On: 02 Jun 2026 07:09:20 & Valid until: 02 Jun 2026 21:10:00 (UTC) Page 8 of 8