



OPERATOR IRAN AIR FLIGHT NO IRA1553
REGISTRATION EPIBK (A310-304) - MSN: 671 DATE JUN 02 2026
STD 20:10 STA 23:55
ROUTE OEJN - OIMM NAM 1489 DIST 1671.8 ALTN OIII, OIIE
OEJN.DATA3X DATAP A424 PMA B544 ASH B411 PAXAT B411 ILM G202 ALTET
Z730 BUBAV DCT DAXIL B411 SAV G667 RUS R661 DHN B411 RIBUX DCT
MSD .OIMM

Calculations are based on : [KGS]
FMACH: 80 FL 330 DOW 81713

PLD 25000
EZFV 106713 MZFW 114000
ETOW 135243 MTOW 157000 ACT.
ELDW 118159 MLDW 124000 ACT.

ATC CLEARANCE :

TAKEOFF ALTN NOT SELECTED

CREW : 2 / 8 / ---
PAX :/...../.....

SOB

ALTERNATE 1 OIMM.ORDO1B ORDOB A647 MUXOR MUXO1V.OIII

ELEV: 3956

ALTERNATE 2 OIMM.ORDO1B ORDOB A647 MUXOR MUXO1V.OIIE

ELEV: 3305

OIMM TAF : -

OIII TAF : -

OIIE TAF : -

	FUEL	TIME	LMC
TRIP	17084	03:15	
+ CONTINGENCY [5 %]	854	00:09	
+ ALTERNATE 1 [OIII]	5592	01:06	
+ ALTERNATE 2 [OIIE]	5504	01:05	
+ FINAL RESERVE	2000	00:30	
+ OPS . EXTRA	3000	00:34	
+ ADDITIONAL	0	00:00	
= MINIMUM TAKE-OFF	28530	05:34	
+ TANKERING	0	00:00	
+ TAXI	300		
= TOTAL FUEL	28830	05:34	
+ COMDR . EXTRA		REASON :	
= TOTAL RAMP FOB			

WEIGHT DRIFT
[KGS]

x Δ
1000 FUEL
- 10 - 0877
- 5 - 0455
+5 +0526
+10 +1124

ALTITUDE DRIFT

FL	AVG. WIND	Δ FUEL	Δ T	Δ SH	M SH	ISA DEV
290	050T	+1666	+01	03	07	10
310	054T	+0766	+00	02	06	10
350	059T	- 0164	+02	02	04	09
370	057T	- 0202	+04	02	04	10

330 058T +0000 +00 01 02 09

MAX SHEAR : SOBAS [2]

-> FUEL INCLUDES 10.0 PCT PERF FACTOR

A T I S	OEJN ELEV: 50	QNH	TAKE-OFF			LANDING	
			V1	VR	V2	V REF	
			S.TRIM	CG	CONF	V APP	
			U ☐ D ☐			V FTO	
		QNH				CONF	
			FLEX ASMD	A ON ☐ I OFF ☐	A ON ☐ C OFF ☐	LDTA	A ON ☐ I OFF ☐
	OIMM ELEV: 3266	QNH		RWY / COND		RWY / COND	

OFF VALID FOR SIX HOURS AFTER STD AND APPROVED BY:

CM 1 SADEGHIROSHAN, ALI

PF PM

Commander's Signature

Dispatcher's Signature

HOUSHMAND, MALIHE

CM 2 KERAMATI, ALI

PF PM

- OFF HAS BEEN PREPARED IN ACCORDANCE
WITH COMPANY OPERATION POLICY.
- MAXIMUM FORECAST IS 36 HOURS AFTER WX
DATA UPDATE TIME.

INTERNATIONAL SYSTEM OF UNITS :

- WIND DIRECTION IN DEGREES
- WIND SPEED IN KNOTS
- TEMPERATURE IN CENTIGRADE
- DISTANCE IN MILES
- ALTITUDE IN FEET



OFF BLOCK	 :	TAKE OFF	 :	LAND	 :	ON BLOCK	 :	BLOCK TIME	 :	FLIGHT TIME	 :
--------------	---------------	-------------	---------------	------	---------------	-------------	---------------	---------------	---------------	----------------	---------------

NAV DATA AIRAC 2605 VALID UNTIL: 11 JUN 2026 23:59

WX DATA 02 JUN 2026 00:00

WAYPOINT	AIRWAY FL / TROP	MEA GMR	DIST TOTAL	WD / WS WCOMP	TRK HDG	SAT / ISA SR	TIME TOTAL	ETA / ATA	REMAIN USED	ACTUAL REM / USD
OEJN N2140.9 E03909.4	DATA3X 000/0	70	0 0	000/000 001 H	000 000	15 / 00 01	00:00 00:00	 /	28530 300	 /
DE34L N2142.2 E03907.6	DATA3X 015/0	70	3 3	000/000 001 H	330 330	13 / 00 01	00:00 00:00	 /	28435 395	 /
JN272 N2146.2 E03905.1	DATA3X 050/0	70	5 8	000/000 001 H	311 311	05 / 00 01	00:00 00:00	 /	28276 554	 /
ORSOD N2152.9 E03856.5	DATA3X 120/0	13	11 19	000/000 001 H	337 337	-09 / 00 01	00:01 00:01	 /	27924 906	 /
SERSO N2204.2 E03851.1	DATA3X 180/0	17	13 32	000/000 001 H	041 041	-21 / 00 01	00:02 00:03	 /	27509 1321	 /
JN383 N2209.9 E03856.6	DATA3X 220/0	17	8 40	000/000 001 H	041 041	-29 / 00 01	00:01 00:04	 /	27254 1576	 /
RALVI N2218.0 E03904.5	DATA3X 250/0	80	11 51	000/000 001 H	046 046	-35 / 00 01	00:01 00:05	 /	26903 1927	 /
JN510 N2234.0 E03922.9	DATA3X 310/0	80	24 75	000/000 001 H	046 046	-47 / 00 01	00:03 00:08	 /	26135 2695	 /
DATAP N2239.4 E03929.2	A424 330/522	120 80	9 84	265/011 003 T	016 016	-37 / 14 01	00:01 00:09	 /	25850 2980	 /
TOC N2250.0 E03932.4	A424 330/522	80	11 95	249/006 003 T	016 016	-37 / 14 01	00:06 00:15	 /	25493 3337	 /
RULEB N2301.0 E03937.5	A424 330/522	130 98	11.8 106.8	259/013 001 T	359 358	-37 / 14 01	00:01 00:16	 /	25365 3465	 /
ORMEK N2334.9 E03939.3	A424 330/531	150 98	33.8 140.6	254/017 003 T	359 358	-38 / 13 01	00:04 00:20	 /	24996 3834	 /
DEGVU N2342.7 E03939.7	A424 330/531	150 98	7.8 148.4	253/020 004 T	359 357	-38 / 13 01	00:01 00:21	 /	24915 3915	 /
PMA N2432.8 E03942.3	B544 330/527	130 98	50 198.4	254/029 001 H	344 341	-38 / 13 01	00:06 00:27	 /	24364 4466	 /
ALTEP N2522.0 E03931.0	B544 330/513	155 90	50 248.4	253/034 002 H	344 340	-38 / 13 01	00:06 00:33	 /	23817 5013	 /
BELAL N2546.5 E03925.4	B544 330/501	155 90	25 273.4	256/040 003 H	344 340	-39 / 12 01	00:03 00:36	 /	23549 5281	 /
HLF N2626.0 E03916.1	B544 330/503	155 73	40.3 313.7	252/047 003 T	349 344	-39 / 12 01	00:05 00:41	 /	23116 5714	 /
SOBAS N2756.0 E03904.9	B544 330/515	155 60	90.3 404	247/057 008 T	349 343	-40 / 11 02	00:11 00:52	 /	22153 6677	 /
ETP 1 N2820.6 E03906.0	B544 330/510	47	23.9 427.9	242/064 014 T	349 343	-41 / 10 02	00:04 00:56	 /	21908 6922	 /
ENABI N2906.6 E03855.8	B544 330/510	155 47	47 474.9	242/064 014 T	349 342	-41 / 10 02	00:05 01:01	 /	21428 7402	 /
LABAD N2919.4 E03854.2	B544 330/517	155 47	12.8 487.7	242/067 015 T	349 342	-41 / 10 02	00:02 01:03	 /	21305 7525	 /
ASH N3007.4 E03847.9	B411 330/537	120 43	48.2 535.9	236/078 076 T	064 065	-41 / 10 01	00:05 01:08	 /	20861 7969	 /



NEVOL N3024.8 E03938.7	B411 330/518	120 47	47.3 583.2	242/082 081 T	064 064	-41 / 10 01	00:05 01:13	 /	20434 8396	 /
KAVID N3035.9 E04011.8	B411 330/513	120 43	30.7 613.9	243/079 078 T	064 064	-41 / 10 01	00:03 01:16	 /	20157 8673	 /
AAR N3054.5 E04108.5	B411 330/503	120 34	52.3 666.2	244/079 078 T	059 059	-42 / 09 01	00:06 01:22	 /	19679 9151	 /
FIR-BAGHDAD N3112.6 E04150.6	ORBB 330/503	 36	40.4 706.6	244/079 078 T	059 059	-42 / 09 01	00:04 01:26	 /	19314 9516	 /
MURIB N3112.6 E04150.6	B411 330/510	160 36	0 706.6	244/082 081 T	059 059	-42 / 09 01	00:00 01:26	 /	19319 9511	 /
RALTI N3142.1 E04300.0	B411 330/513	160 26	65.1 771.7	248/081 079 T	060 059	-42 / 09 01	00:07 01:33	 /	18720 10110	 /
RUHAM N3150.1 E04319.6	B411 330/503	160 26	18.5 790.2	249/081 079 T	060 059	-42 / 09 01	00:02 01:35	 /	18560 10270	 /
ELODI N3202.9 E04351.4	B411 330/508	160 21	29.9 820.1	251/083 080 T	061 060	-42 / 09 01	00:03 01:38	 /	18290 10540	 /
LOVEK N3222.1 E04440.0	B411 330/508	160 18	45.5 865.6	254/087 076 T	048 044	-42 / 09 01	00:05 01:43	 /	17878 10952	 /
LONOR N3238.6 E04505.0	B411 330/504	160 19	26.8 892.4	256/090 077 T	048 043	-42 / 09 01	00:03 01:46	 /	17640 11190	 /
NOLDO N3249.5 E04521.5	B411 330/500	160 19	17.7 910.1	256/089 074 T	045 040	-42 / 09 01	00:02 01:48	 /	17483 11347	 /
PAPUS N3253.6 E04527.1	B411 330/496	160 19	6.2 916.3	256/090 075 T	045 040	-42 / 09 01	00:01 01:49	 /	17430 11400	 /
PAXAT N3320.9 E04605.3	B411 330/491	130 115	42.1 958.4	258/086 070 T	046 041	-42 / 09 01	00:05 01:54	 /	17047 11783	 /
FIR-TEHRAN N3321.4 E04605.9	OIIX 330/491	 115	0.7 959.1	258/086 070 T	046 041	-42 / 09 01	00:00 01:54	 /	17046 11784	 /
ILM N3334.7 E04624.9	G202 330/488	130 115	20.7 979.8	260/089 086 T	091 093	-43 / 08 01	00:02 01:56	 /	16864 11966	 /
ALTET N3332.2 E04700.8	Z730 330/485	160 120	30 1009.8	261/088 065 T	042 036	-42 / 09 01	00:03 01:59	 /	16590 12240	 /
BUBAV N3359.6 E04736.2	DCT 330/485	 120	40.2 1050	261/093 086 T	061 058	-43 / 08 01	00:04 02:03	 /	16238 12592	 /
ETP 2 N3411.4 E04808.4	DCT 330/490	 141	29 1079	266/095 091 T	061 058	-43 / 08 01	00:04 02:07	 /	15984 12846	 /
DAXIL N3451.6 E04934.9	B411 330/490	160 129	82 1161	266/095 091 T	072 070	-43 / 08 01	00:08 02:15	 /	15268 13562	 /
SAV N3501.1 E05022.3	G667 330/481	90 114	40 1201	267/093 059 T	041 033	-42 / 09 01	00:05 02:20	 /	14910 13920	 /
SOGOL N3508.5 E05031.5	G667 330/476	90 114	10.5 1211.5	267/088 057 T	041 034	-42 / 09 01	00:01 02:21	 /	14818 14012	 /
RUS N3526.7 E05054.3	R661 330/547	90 114	26.1 1237.6	268/083 081 T	094 095	-43 / 08 02	00:03 02:24	 /	14586 14244	 /
IKA N3524.6 E05110.7	R661 330/428	90 153	13.5 1251.1	268/085 083 T	095 096	-43 / 08 01	00:01 02:25	 /	14470 14360	 /
VR N3520.6 E05138.2	R661 330/487	110 153	22.8 1273.9	269/089 088 T	091 091	-42 / 09 01	00:02 02:27	 /	14270 14560	 /
DHN N3515.3 E05243.2	B411 330/425	160 210	53.4 1327.3	269/097 093 T	075 073	-42 / 09 01	00:06 02:33	 /	13805 15025	 /



GIBAB N3532.2 E05436.9	B411 330/533	130 100	94.5 1421.8	276/084 077 T	076 073	-42 / 09 01	00:10 02:43	 /	12968 15862	 /
ETP 3 N3534.8 E05457.3	B411 330/378	100	16.8 1438.6	276/082 076 T	076 073	-42 / 09 01	00:02 02:45	 /	12828 16002	 /
ITELO N3535.6 E05500.9	B411 330/378	130 103	3 1441.6	276/082 076 T	076 073	-42 / 09 01	00:00 02:45	 /	12804 16026	 /
MUSEG N3546.9 E05626.5	B411 330/517	130 98	70.7 1512.3	275/079 074 T	077 075	-42 / 09 01	00:08 02:53	 /	12179 16651	 /
RABAM N3554.7 E05729.9	B411 330/513	130 116	52.1 1564.4	275/076 071 T	077 075	-42 / 09 01	00:06 02:59	 /	11723 17107	 /
TOD N3555.5 E05734.0	B411 330/513	130 116	3.4 1567.8	275/076 072 T	077 075	-42 / 09 01	00:00 02:59	 /	11730 17100	 /
LOXED N3558.9 E05806.1	B411 282/371	130 122	26.2 1594	272/050 048 T	078 078	-26 / 09 01	00:04 03:03	 /	11659 17171	 /
RIBUX N3601.2 E05826.8	DCT 232/412	128	16.8 1610.8	264/031 030 T	077 077	-16 / 09 01	00:03 03:06	 /	11606 17224	 /
MSD N3613.9 E05939.0	DCT 082/375	260 132	60 1670.8	000/000 001 H	000 000	-01 / 09 01	00:09 03:15	 /	11446 17384	 /
OIMM N3614.1 E05938.7	0 032	1 100	1 1671.8		000 000		00:00 03:15	 /	11446 17384	 /

[ID: JEDMHD SANY]

MINIMUM DIVERSION FUEL

[OIII, 7592]

[OIIE, 7504]



WINDS/TEMPERATURES ALOFT FORECAST

CLB	RULEB	FL290: 191/015 (-28)	FL310: 219/012 (-32)	FL330: 259/013 (-37)	FL350: 274/013 (-43)	FL370: 263/014 (-48)
FL100: 107/007	ORMEK	FL290: 193/019 (-28)	FL310: 218/017 (-33)	FL330: 254/017 (-38)	FL350: 268/017 (-44)	FL370: 258/018 (-49)
FL140: 099/019	DEGVU	FL290: 195/021 (-29)	FL310: 218/019 (-33)	FL330: 253/020 (-38)	FL350: 266/021 (-43)	FL370: 258/022 (-48)
FL180: 141/014	PMA	FL290: 207/026 (-29)	FL310: 226/027 (-33)	FL330: 254/029 (-38)	FL350: 265/030 (-43)	FL370: 258/029 (-48)
FL220: 167/015	ALTEP	FL370: 257/034 (-48)	FL290: 217/034 (-29)	FL310: 231/035 (-33)	FL330: 253/034 (-38)	FL350: 262/033 (-43)
FL260: 171/020	BELAL	FL290: 220/039 (-30)	FL310: 231/041 (-34)	FL330: 256/040 (-39)	FL350: 266/041 (-43)	FL370: 260/042 (-48)
FL300: 196/012	HLF	FL290: 225/044 (-30)	FL310: 231/048 (-34)	FL330: 252/047 (-39)	FL350: 260/048 (-44)	FL370: 256/050 (-49)
FL340: 288/010	SOBAS	FL290: 235/051 (-31)	FL310: 237/056 (-35)	FL330: 247/057 (-40)	FL350: 254/060 (-44)	FL370: 257/063 (-48)
FL380: 258/012	ENABI	FL290: 241/048 (-32)	FL310: 243/055 (-36)	FL330: 242/064 (-41)	FL350: 245/070 (-45)	FL370: 251/072 (-49)
	LABAD	FL290: 242/047 (-32)	FL310: 245/055 (-37)	FL330: 242/067 (-41)	FL350: 244/074 (-45)	FL370: 251/076 (-50)
	ASH	FL290: 237/059 (-32)	FL310: 237/066 (-37)	FL330: 236/078 (-41)	FL350: 239/084 (-45)	FL370: 245/085 (-50)
	NEVOL	FL290: 242/062 (-33)	FL310: 243/070 (-37)	FL330: 242/082 (-41)	FL350: 245/088 (-45)	FL370: 250/089 (-49)
	KAVID	FL290: 244/059 (-32)	FL310: 244/067 (-37)	FL330: 243/079 (-41)	FL350: 245/085 (-45)	FL370: 251/086 (-49)
	AAR	FL290: 245/060 (-32)	FL310: 245/067 (-37)	FL330: 244/079 (-42)	FL350: 247/085 (-46)	FL370: 252/086 (-49)
	MURIB	FL290: 245/064 (-33)	FL310: 244/071 (-37)	FL330: 244/082 (-42)	FL350: 247/088 (-46)	FL370: 252/089 (-49)
	RALTI	FL290: 250/065 (-32)	FL310: 248/072 (-37)	FL330: 248/081 (-42)	FL350: 250/086 (-46)	FL370: 255/086 (-49)
	RUKAM	FL290: 251/064 (-32)	FL310: 249/071 (-37)	FL330: 249/081 (-42)	FL350: 251/086 (-46)	FL370: 255/086 (-49)
	ELODI	FL290: 253/068 (-33)	FL310: 251/074 (-38)	FL330: 251/083 (-42)	FL350: 253/089 (-46)	FL370: 257/091 (-50)
	LOVEK	FL290: 256/072 (-33)	FL310: 255/078 (-37)	FL330: 254/087 (-42)	FL350: 255/090 (-46)	FL370: 259/089 (-49)
	LONOR	FL290: 258/075 (-33)	FL310: 256/081 (-37)	FL330: 256/090 (-42)	FL350: 257/093 (-46)	FL370: 260/091 (-49)
	NOLDO	FL290: 258/074 (-33)	FL310: 256/080 (-37)	FL330: 256/089 (-42)	FL350: 257/091 (-46)	FL370: 261/088 (-49)
	PAPUS	FL290: 259/075 (-33)	FL310: 258/082 (-37)	FL330: 256/090 (-42)	FL350: 257/092 (-46)	FL370: 262/088 (-49)
	PAXAT	FL290: 263/072 (-33)	FL310: 261/079 (-37)	FL330: 258/086 (-42)	FL350: 259/089 (-46)	FL370: 261/087 (-49)
	ILM	FL290: 259/075 (-33)	FL310: 258/081 (-38)	FL330: 260/089 (-43)	FL350: 263/093 (-47)	FL370: 265/092 (-50)
	ALTET	FL290: 261/073 (-33)	FL310: 260/079 (-38)	FL330: 261/088 (-42)	FL350: 263/092 (-46)	FL370: 265/090 (-50)
	BUBAV	FL290: 260/078 (-33)	FL310: 260/086 (-38)	FL330: 261/093 (-43)	FL350: 263/096 (-47)	FL370: 265/093 (-50)
	DAXIL	FL290: 267/074 (-34)	FL310: 266/081 (-38)	FL330: 266/095 (-43)	FL350: 266/099 (-47)	FL370: 268/092 (-50)
	SAV	FL290: 269/071 (-34)	FL310: 268/078 (-39)	FL330: 267/093 (-42)	FL350: 267/098 (-46)	FL370: 269/093 (-50)
	SOGOL	FL290: 269/067 (-35)	FL310: 268/074 (-39)	FL330: 267/088 (-42)	FL350: 267/094 (-46)	FL370: 268/093 (-50)
	RUS	FL290: 269/068 (-35)	FL310: 269/074 (-39)	FL330: 268/083 (-43)	FL350: 267/089 (-47)	FL370: 268/091 (-50)
	IKA	FL290: 270/069 (-35)	FL310: 269/076 (-39)	FL330: 268/085 (-43)	FL350: 268/091 (-47)	FL370: 268/092 (-50)
	VR	FL290: 270/069 (-35)	FL310: 269/076 (-39)	FL330: 268/085 (-43)	FL350: 268/091 (-47)	FL370: 268/092 (-50)
	DHN	FL290: 270/071 (-35)	FL310: 269/077 (-39)	FL330: 269/089 (-42)	FL350: 269/094 (-46)	FL370: 269/091 (-49)
	GIBAB	FL290: 270/069 (-35)	FL310: 269/079 (-39)	FL330: 269/097 (-42)	FL350: 269/102 (-46)	FL370: 270/094 (-49)
	ITELO	FL290: 278/071 (-35)	FL310: 277/077 (-39)	FL330: 276/084 (-42)	FL350: 276/087 (-45)	FL370: 276/085 (-48)
	MUSEG	FL290: 277/069 (-35)	FL310: 276/075 (-39)	FL330: 276/082 (-42)	FL350: 276/085 (-46)	FL370: 276/084 (-49)
	RABAM	FL290: 275/066 (-34)	FL310: 274/071 (-38)	FL330: 275/079 (-42)	FL350: 276/081 (-45)	FL370: 276/078 (-48)
		FL290: 275/063 (-34)	FL310: 274/069 (-38)	FL330: 275/076 (-42)	FL350: 276/079 (-45)	FL370: 276/077 (-47)

ALTERNATE 1 OIMM.ORDO1B ORDOB A647 MUXOR MUXO1V.OIIM

FL : 320

AVGWD : 072 H

WAYPOINT	AIRWAY	MEA	DIST	WD / WS	TRK	SAT / ISA	TIME	ETA / ATA	REMAIN	ACTUAL
	FL / TROP	GMR	TOTAL	WCOMP	HDG	SR	TOTAL		USED	
OIMM	ORDO1B		0.0	000/000	000	09 / 00	00:00	 /	11446	 /
N3614.1 E05938.7	032/0	132	0.0	001 H	000	01	00:00		17384	
MSD	ORDO1B		1.0	000/000	273	07 / 00	00:00	 /	11446	 /
N3613.9 E05939.0	047/375	132	1.0	001 H	273	01	00:00		17384	
ORDOB	A647	140	60.0	273/073	258	-38 / -17	00:10	 /	9235	 /
N3616.1 E05825.1	188/362	128	61.0	070 H	261	01	00:10		19595	
TOC	A647		9.0	274/074	258	-39 / 10	00:01	 /	9022	 /
N3614.3 E05814.2	320/362	128	70.0	071 H	261	01	00:11		19808	
VUSUL	A647	140	5.0	274/073	258	-39 / 10	00:01	 /	8967	 /
N3614.1 E05807.4	320/368	128	75.0	071 H	261	01	00:12		19863	
SBZ	A647	140	27.1	273/073	257	-40 / 09	00:04	 /	8658	 /
N3610.2 E05734.2	320/377	117	102.1	071 H	260	01	00:16		20172	
MITUS	A647	140	30.0	274/071	257	-40 / 09	00:04	 /	8322	 /
N3605.6 E05657.8	320/515	119	132.1	068 H	260	01	00:20		20508	



ULANO N3552.5 E05520.7	A647 320/392	140 103	79.9 212.0	274/076 073 H	256 259	-40 / 09 01	00:12 00:32	 /	7409 21421	 /
ODKAT N3546.8 E05441.8	A647 320/504	140 100	32.2 244.2	273/079 076 H	255 258	-40 / 09 01	00:05 00:37	 /	7048 21782	 /
MIRUR N3542.3 E05411.7	A647 320/539	140 100	24.9 269.1	271/078 075 H	255 258	-40 / 09 01	00:04 00:41	 /	6766 22064	 /
RAPKI N3534.9 E05322.1	A647 320/397	140 148	41.0 310.1	272/080 077 H	256 259	-41 / 08 01	00:06 00:47	 /	6294 22536	 /
TOD N3531.8 E05306.7	A647 320/397	140 148	13.0 323.1	272/080 076 H	256 259	-41 / 08 01	00:02 00:49	 /	6150 22680	 /
RUBIL N3531.9 E05259.4	A647 320/375	140 210	5.0 328.1	272/079 075 H	256 256	-41 / 08 01	00:01 00:50	 /	6134 22696	 /
BUBUX N3530.4 E05248.2	A647 290/439	140 210	9.2 337.3	273/071 067 H	256 256	-35 / 08 01	00:01 00:51	 /	6117 22713	 /
MUXOR N3529.5 E05241.8	MUXO1V 290/439	140 210	5.3 342.6	273/071 069 H	261 261	-35 / 08 01	00:01 00:52	 /	6100 22730	 /
TRN37 N3523.1 E05156.3	MUXO1V 199/533	140 153	38.0 380.6	264/033 032 H	261 261	-05 / 08 01	00:06 00:58	 /	5994 22836	 /
VR N3520.6 E05138.2	MUXO1V 159/487	140 153	15.0 395.6	271/029 002 H	357 357	05 / 08 01	00:02 01:00	 /	5959 22871	 /
D1050 N3536.1 E05137.2	MUXO1V 139/487	140 153	16.0 411.6	000/000 001 H	290 290	-11 / 08 01	00:03 01:03	 /	5906 22924	 /
CI29R N3537.4 E05132.5	MUXO1V 139/487	140 153	4.0 415.6	000/000 001 H	290 290	-11 / 08 01	00:01 01:04	 /	5889 22941	 /
OIII N3541.3 E05118.9	MUXO1V 039	140 153	12.0 427.6		000		00:02 01:06	 /	5854 22976	 /

ALTERNATE 2 OIMM.ORDO1B ORDOB A647 MUXOR MUXO1V.OIIE

FL : 320

AVGWD : 072 H

WAYPOINT	AIRWAY FL / TROP	MEA GMR	DIST TOTAL	WD / WS WCOMP	TRK HDG	SAT / ISA SR	TIME TOTAL	ETA / ATA	REMAIN USED	ACTUAL REM / USD
OIMM N3614.1 E05938.7	ORDO1B 032/0	132	0.0 0.0	000/000 001 H	000 000	09 / 00 01	00:00 00:00	 /	11446 17384	 /
MSD N3613.9 E05939.0	ORDO1B 047/375	132	1.0 1.0	000/000 001 H	273 273	07 / 00 01	00:00 00:00	 /	11446 17384	 /
ORDOB N3616.1 E05825.1	A647 188/362	140 128	60.0 61.0	273/073 070 H	258 261	-38 / -17 01	00:10 00:10	 /	9258 19572	 /
TOC N3614.5 E05815.4	A647 320/362	140 128	8.0 69.0	274/074 071 H	258 261	-39 / 10 01	00:01 00:11	 /	9048 19782	 /
VUSUL N3614.1 E05807.4	A647 320/368	140 128	6.0 75.0	274/073 071 H	258 261	-39 / 10 01	00:01 00:12	 /	8982 19848	 /
SBZ N3610.2 E05734.2	A647 320/377	140 117	27.1 102.1	273/073 071 H	257 260	-40 / 09 01	00:04 00:16	 /	8673 20157	 /
MITUS N3605.6 E05657.8	A647 320/515	140 119	30.0 132.1	274/071 068 H	257 260	-40 / 09 01	00:04 00:20	 /	8337 20493	 /
ULANO N3552.5 E05520.7	A647 320/392	140 103	79.9 212.0	274/076 073 H	256 259	-40 / 09 01	00:12 00:32	 /	7424 21406	 /
ODKAT N3546.8 E05441.8	A647 320/504	140 100	32.2 244.2	273/079 076 H	255 258	-40 / 09 01	00:05 00:37	 /	7063 21767	 /



MIRUR N3542.3 E05411.7	A647 320/539	140 100	24.9 269.1	271/078 075 H	255 258	-40 / 09 01	00:04 00:41	 /	6781 22049	 /
RAPKI N3534.9 E05322.1	A647 320/397	140 148	41.0 310.1	272/080 077 H	256 259	-41 / 08 01	00:06 00:47	 /	6309 22521	 /
TOD N3533.2 E05313.8	A647 320/397	140 148	7.0 317.1	272/080 076 H	256 259	-41 / 08 01	00:01 00:48	 /	6240 22590	 /
RUBIL N3531.9 E05259.4	A647 310/375	140 210	11.0 328.1	273/076 072 H	256 256	-39 / 08 01	00:02 00:50	 /	6206 22624	 /
BUBUX N3530.4 E05248.2	A647 303/439	140 210	9.2 337.3	275/066 062 H	256 256	-30 / 08 01	00:01 00:51	 /	6189 22641	 /
MUXOR N3529.5 E05241.8	MUXO1V 303/439	140 210	5.3 342.6	275/066 064 H	261 261	-30 / 08 01	00:01 00:52	 /	6172 22658	 /
VR N3520.6 E05138.2	MUXO1V 133/487	140 153	53.0 395.6	291/026 024 H	273 273	11 / 08 01	00:09 01:01	 /	6012 22818	 /
CF29R N3521.0 E05123.4	MUXO1V 133/487	140 153	13.0 408.6	000/000 001 H	289 289	-11 / 08 01	00:02 01:03	 /	5977 22853	 /
OIIE N3525.0 E05109.1	MUXO1V 033	140 153	13.0 421.6		000		00:02 01:05	 /	5942 22888	 /

CRITICAL FUEL SCENARIO

[DEPRESSURISATION / FL100]

ETP NO	ERA	ATIS	ETP	REM. FUEL	REQ. FUEL	DIFF. FUEL	TIME	DIST [NM]	[RWY, LEN, MB, LLZ, CAT]	
[CALL SIGN] FREQUENCIES										
1	OEJN	126.200	ENABI/ -47	21908	8474	13434	01:00	400	[RW16C,13123,156,IJDC,1] [RW16L,13123,156,IDFJ,1] [RW16R,12467,156,IJDD,1] [RW34C,13123,336,IJDW,1] [RW34L,12467,336,IJDL,1] [RW34R,13123,336,IEAL,1]	
[APP - JEDDAH] 345.6,358.7,123.8,124,124.67,125.85										
2	ORBI	126.920	DAXIL/ -82	15984	4717	11267	00:30	203	[RW15L,13123,146,IYDB,2] [RW15R,10830,146] [RW33L,10830,326] [RW33R,13123,326,IYCA,2]	
[APP - BAGHDAD] 122.4,126.57										
3	OIFM	128.250	ITELO/ -3.	12828	5185	7643	00:33	230	[RW07L,14432,74] [RW07R,14432,74] [RW25L,14432,254] [RW25R,14432,254,IIFN,1]	
[APP - ESFAHAN] 119.5,124.6										
	OIMM	126.400	DESTINATION	11446	0	0	00:00		[RW13L,12500,130] [RW13R,12861,130] [RW31L,12861,310] [RW31R,12500,310,IMSD,1]	
[APP - MASHHAD] 119.5,127.3										

PRE-DETERMINED POINT PROCEDURE :

ERA	ATIS	PDP	REM. FUEL	REQ. FUEL	DIFF. FUEL	TIME	DIST [NM]	FL	[RWY, LEN, MB, LLZ, CAT]
[CALL SIGN] FREQUENCIES									



Short ICAO ATC Flight Plan for flight **IRA1553-OEJN-OIMM** (STD 22010)

(FPL-IRA1553-IS
-A310/H-SDFHIRWY/S
-OEJN2010
-N0474F330 DATAP3X DATAP A424 PMA B544 ASH B411 ILM G202 ALTET Z730 BUBAV DCT
DAXIL B411 SAV G667 RUS R661 DHN B411 RIBUX DCT MSD DCT
-OIMM0315 OIII OIIE
-PBN/B3B4B5D4 DOF/260602 REG/EPIBK
EET/ORBB0126 OIIX0154 RALT/ORBI OIFM SEL/HQAR PER/C RMK/ YK/1A05N312230JG
-E/0534 P/TBN R/VE S/M J/L D/06 240 C YELLOW A/BUE OVER WHITE
C/SADEGHIROSHAN)

End of Short ICAO ATC Flight Plan



SUMMARY INFORMATION

DATE JUN 02 2026
COMMANDER SADEGHIROSHAN, ALI
AIRCRAFT EPIBK (A310-304)
FLIGHT NO IRA1553
ROUTE JED - KING ABDULAZIZ INTL
MHD - SHAHID HASHEMI NEJAD INTL
TRIP TIME 03:15
ALTITUDE 33000 FT
CABIN SENIOR



Note :



TRIP INFORMATION

DATE JUN 02 2026 STD 20:10 STA 23:55 REGISTER EPIBK FLIGHT NO IRA1553 SI [KGS]



ROUTE OEJN.DATA3X DATAP A424 PMA B544 ASH B411 PAXAT B411 ILM G202 ALTET Z730 BUBAV DCT DAXIL B411
OEJN - OIMM SAV G667 RUS R661 DHN B411 RIBUX DCT MSD .OIMM

FL / STP CLB

DOW OPT 81713

Note :

PAX / /
A/ B/ C/

SOB + =

TRIP FUEL 17084

ALTN 1 FUEL 5592 MOD [OIII, 7592]

EZFW 106713

ALTN 2 FUEL 5504 MOD [OIIE, 7504]

MTOW 157000 RTOW

RAMP FUEL 28830

ETOW 135243 ATOW

[illegible]

DOC ID#: 2026FBGDBTA OFP Generated On: 02 Jun 2026 07:04:48 & Valid until: 03 Jun 2026 02:10:00 (UTC) Page 9 of 9