


# Assignment 1

Mobile Application Development (Theory)

---



Submitted to  
Submitted by

Mr. Muhammad Ahmad  
Addan Abdullah

Roll #: SU92-BSSEM-F22-059  
Section: SE-6B

Submitted on

Feb 7th, 2025

---

DEPARTMENT OF SOFTWARE ENGINEERING  
SUPERIOR UNIVERSITY, LAHORE

## Contents


GitHub Repository .....	3
Question 1 .....	4
Screenshots .....	4
Code .....	7
Question 2 .....	30
Screenshots .....	30
Code .....	33


## GitHub Repository

[GitHub Repository for Assignment 1](#)


## Question 1

### Screenshots





## Assignment 1 – Mobile Application Development (Theory)



### Code

```
// main.dart
import 'package:assignment_1_q_1/pages/login_page.dart';
import 'package:flutter/material.dart';

void main() {
  runApp(const MyApp());
}

class MyApp extends StatelessWidget {
  const MyApp({super.key});
```

```
@override
Widget build(BuildContext context) {
  return MaterialApp(
    title: "Assignment 1 - Question 1",
    theme: ThemeData(
      primarySwatch: Colors.blue,
    ),
    home: const LoginPage(),
  );
}

// main_page.dart
import 'package:flutter/material.dart';
import
'package:animated_bottom_navigation_bar/animated_bottom_navigation_bar.dart';
import 'package:assignment_1_q_1/pages/placeholder_page.dart';

class MyHomePage extends StatefulWidget {
  const MyHomePage({super.key});

  @override
  State<MyHomePage> createState() => _MyHomePageState();
}

class _MyHomePageState extends State<MyHomePage> {
  final _pageController = PageController(initialPage: 0);
  int pageIndex = 0;

  @override
  void dispose() {
    _pageController.dispose();

    super.dispose();
  }

  @override
  Widget build(BuildContext context) {
    return Scaffold(
      body: PageView(
        physics: const NeverScrollableScrollPhysics(),
        controller: _pageController,
        children: const [
          MainPage(),
          PlaceholderPage(),
          PlaceholderPage(),
          PlaceholderPage(),
        ],
      ),
    );
  }
}
```



```

    ),
    floatingActionButton: FloatingActionButton(
      onPressed: () {
        Navigator.pop(context);
      },
      shape: CircleBorder(),
      backgroundColor: Colors.deepPurple,
      foregroundColor: Colors.white,
      child: Icon(Icons.add),
    ),
    floatingActionButtonLocation: FloatingActionButtonLocation.centerDocked,
    bottomNavigationBar: AnimatedBottomNavigationBar(
      icons: [
        Icons.home,
        Icons.calendar_month,
        Icons.camera_alt,
        Icons.notifications,
      ],
      activeColor: Colors.deepPurple,
      inactiveColor: Colors.grey,
      backgroundColor: Color(0xFFE4E4E4),
      activeIndex: pageIndex,
      gapLocation: GapLocation.center,
      onTap: (index) {
        setState(() {
          pageIndex = index;
        });
        _pageController.animateToPage(
          index,
          duration: const Duration(milliseconds: 300),
          curve: Curves.ease,
        );
      },
    ),
  );
}

class MainPage extends StatelessWidget {
  const MainPage({super.key});

  @override
  Widget build(BuildContext context) {
    return Stack(
      children: [
        Container(
          height: MediaQuery.of(context).size.height / 10 * 2,
          decoration: BoxDecoration(

```

## Assignment 1 – Mobile Application Development (Theory)

```
        color: Colors.deepPurple,
        borderRadius: BorderRadius.vertical(bottom: Radius.circular(24)),
    ),
),
Padding(
  padding: EdgeInsets.only(
    // top: MediaQuery.of(context).size.height / 10,
    left: 20,
    right: 20,
  ),
  child: SingleChildScrollView(
    child: Column(
      crossAxisAlignment: CrossAxisAlignment.center,
      children: [
        Padding(
          padding: const EdgeInsets.only(
            top: 12,
            bottom: 16,
          ),
          child: Row(
            mainAxisAlignment: MainAxisAlignment.spaceBetween,
            crossAxisAlignment: CrossAxisAlignment.center,
            children: [
              Container(
                padding: EdgeInsets.all(8),
                decoration: BoxDecoration(
                  color: Colors.white,
                  borderRadius: BorderRadius.circular(100),
                ),
                child: Icon(Icons.person),
              ),
              Text(
                "Sabat Tarnak",
                style: TextStyle(
                  color: Colors.white,
                  fontWeight: FontWeight.bold,
                ),
              ),
              Container(
                padding: EdgeInsets.all(8),
                decoration: BoxDecoration(
                  color: Colors.white,
                  borderRadius: BorderRadius.circular(100),
                ),
                child: Icon(Icons.message),
              ),
            ],
          ),
        ),
      ],
    ),
  ),
),
```

## Assignment 1 – Mobile Application Development (Theory)

```
),
ItemPriceWidget(),
Padding(
  padding: const EdgeInsets.symmetric(vertical: 8.0),
  child: Container(
    decoration: BoxDecoration(
      color: Colors.white,
      borderRadius: BorderRadius.circular(8),
    ),
    child: Column(
      children: [
        Padding(
          padding: const EdgeInsets.all(16),
          child: Row(
            mainAxisAlignment: MainAxisAlignment.spaceBetween,
            children: [
              Text(
                "Latest Products",
                style: TextStyle(
                  fontWeight: FontWeight.bold,
                  fontSize: 14,
                  color: Colors.grey,
                ),
              ),
              Text(
                "View All",
                style: TextStyle(
                  color: Colors.grey,
                ),
              ),
            ],
          ),
        ),
        SizedBox(
          height: 125,
          child: ListView(
            scrollDirection: Axis.horizontal,
            children: [
              LatestProductItemWidget(
                name: "Lorem Ipsum",
                price: "28,000",
                imageURL:
                  "https://images.unsplash.com/photo-
1584623572201-d0385667e46d?fm=jpg&q=60&w=3000&ixlib=rb-
4.0.3&ixid=M3wxMjA3fDB8MHxzZWZyY2h8Mnx8Z3Jhc3MlMjBmaWVsZHX1bnwwfHwwfHx8MA%3D%3
D",
              ),
              LatestProductItemWidget(
```

## Assignment 1 – Mobile Application Development (Theory)

```
        name: "Lorem Ipsum",  
        price: "4,200",  
    ),  
    LatestProductItemWidget(  
      name: "Lorem Ipsum",  
      price: "30,000",  
    ),  
    LatestProductItemWidget(  
      name: "Lorem Ipsum",  
      price: "2,000",  
    ),  
  ],  
),  
),  
),  
],  
),  
),  
),  
PostWidget(  
  imageURL:  
    "https://cdn-icons-  
png.flaticon.com/512/6858/6858485.png",  
),  
],  
),  
),  
),  
],  
);  
}
```

```
class PostWidget extends StatelessWidget {
  final String? imageURL;
  const PostWidget({
    super.key,
    this.imageURL,
  });

  @override
  Widget build(BuildContext context) {
    return Container(
      padding: EdgeInsets.all(8),
      decoration: BoxDecoration(
        color: Colors.white,
        borderRadius: BorderRadius.circular(8),
      ),
      child: Row(
```

## Assignment 1 – Mobile Application Development (Theory)

```
crossAxisAlignment: CrossAxisAlignment.start,
mainAxisAlignment: MainAxisAlignment.spaceBetween,
mainAxisSize: MainAxisSize.max,
children: [
  Padding(
    padding: const EdgeInsets.only(right: 8.0),
    child: Container(
      height: 50,
      decoration: BoxDecoration(
        borderRadius: BorderRadius.circular(100),
        border: Border.all(
          color: Colors.deepPurple,
          width: 2,
        ),
        color: Colors.grey,
      ),
      child: imageURL != null
        ? Image.network(
            imageURL!,
            fit: BoxFit.fitHeight,
          )
        : Icon(
            Icons.person,
            size: 50,
          ),
    ),
  ),
  Flexible(
    child: Column(
      crossAxisAlignment: CrossAxisAlignment.start,
      children: [
        Text(
          "Martin Pamier",
          style: TextStyle(
            fontWeight: FontWeight.bold,
            fontSize: 20,
          ),
        ),
        Text(
          "Just now",
          style: TextStyle(
            color: Colors.grey,
            fontSize: 11,
          ),
        ),
        Text(
          "Lorem Ipsum dolor sit amet, consectetur adipiscing
elit."),
      ],
    ),
  ),
],
),
),
```

## Assignment 1 – Mobile Application Development (Theory)

```
Container(  
  clipBehavior: Clip.antiAlias,  
  decoration: BoxDecoration(  
    borderRadius: BorderRadius.circular(8),  
  ),  
  child: Image.network(  
    "https://marialouisedesign.com/wp-  
content/uploads/2022/03/Baby-Chicks-15.jpg",  
  ),  
),  
],  
,  
,  
),  
Icon(Icons.more_vert),  
],  
,  
);  
}  
}
```

```
class LatestProductItemWidget extends StatelessWidget {  
  final String name;  
  final String price;  
  final String? imageURL;  
  
  const LatestProductItemWidget({  
    super.key,  
    required this.name,  
    required this.price,  
    this.imageURL,  
  });  
  
  @override  
  Widget build(BuildContext context) {  
    return Padding(  
      padding: const EdgeInsets.symmetric(horizontal: 8),  
      child: Column(  
        children: [  
          Container(  
            width: 75,  
            height: 75,  
            clipBehavior: Clip.antiAlias,  
            decoration: BoxDecoration(  
              borderRadius: BorderRadius.circular(120),  
              color: Colors.grey,  
            ),  
            child: imageURL != null  
              ? Image.network(  

```

## Assignment 1 – Mobile Application Development (Theory)

```
        imageURL!,
        fit: BoxFit.fitHeight,
      ),
      : Icon(Icons.photo),
    ),
    Text(
      name,
      style: TextStyle(
        color: Colors.grey,
      ),
    ),
    Text(
      price,
      style: TextStyle(
        fontWeight: FontWeight.bold,
        fontSize: 14,
        color: Colors.grey,
      ),
    ),
  ],
),
);
}

class DropDownWidget extends StatefulWidget {
  const DropDownWidget({
    super.key,
  });

  @override
  State<DropDownWidget> createState() => _DropDownWidgetState();
}

class _DropDownWidgetState extends State<DropDownWidget> {
  String value = "Today";
  @override
  Widget build(BuildContext context) {
    return DropdownButton(
      borderRadius: BorderRadius.circular(8),
      underline: Container(),
      value: value,
      items: [
        DropdownMenuItem(
          value: "Today",
          child: Text(
            "Today",
            style: TextStyle(
```

```

        color: Colors.grey,
      ),
    ),
  ),
  DropdownMenuItem(
    value: "Yesterday",
    child: Text(
      "Yesterday",
      style: TextStyle(
        color: Colors.grey,
      ),
    ),
  ),
),
],
onChanged: (String? newValue) {
  setState(() => value = newValue ?? "Today");
},
);
}
}

```

```

class ItemPriceWidget extends StatelessWidget {
  const ItemPriceWidget({super.key});

  @override
  Widget build(BuildContext context) {
    return Container(
      padding: EdgeInsets.symmetric(
        horizontal: 16,
      ),
      decoration: BoxDecoration(
        color: Colors.white,
        borderRadius: BorderRadius.circular(4),
        boxShadow: [BoxShadow(blurRadius: 4)],
      ),
      child: Column(
        mainAxisAlignment: MainAxisAlignment.min,
        children: [
          Row(
            mainAxisAlignment: MainAxisAlignment.max,
            mainAxisAlignment: MainAxisAlignment.spaceBetween,
            children: [
              Text(
                "Items Price",
                style: TextStyle(
                  color: Colors.grey,
                  fontSize: 16,
                  fontWeight: FontWeight.bold,

```



## Assignment 1 – Mobile Application Development (Theory)

```
),  
    ),  
    const DropdownWidget(),  
  ],  
),  
SingleChildScrollView(  
  scrollDirection: Axis.horizontal,  
  child: Row(  
    mainAxisAlignment: MainAxisAlignment.max,  
    crossAxisAlignment: CrossAxisAlignment.spaceBetween,  
    children: [  
      PriceBoxItem(  
        price: "22,000",  
        icon: Icons.pets,  
      ),  
      PriceBoxItem(  
        price: "23,000",  
        icon: Icons.pets,  
      ),  
      PriceBoxItem(  
        price: "1,800",  
        icon: Icons.pets,  
      ),  
      PriceBoxItem(  
        price: "1,800",  
        icon: Icons.pets,  
      ),  
      PriceBoxItem(  
        price: "29,000",  
        icon: Icons.pets,  
      ),  
    ],  
  ),  
),  
Divider(),  
Padding(  
  padding: const EdgeInsets.only(bottom: 8.0),  
  child: Row(  
    mainAxisAlignment: MainAxisAlignment.max,  
    crossAxisAlignment: CrossAxisAlignment.spaceBetween,  
    children: [  
      InteractionButton(  
        icon: Icons.thumb_up,  
        text: "Like",  
      ),  
      InteractionButton(  
        icon: Icons.message_rounded,  
        text: "Message",
```

## Assignment 1 – Mobile Application Development (Theory)

```
        ),
        InteractionButton(
            icon: Icons.share,
            text: "Share",
        ),
    ],
),
),
],
),
);
}
}

class InteractionButton extends StatelessWidget {
  const InteractionButton({
    super.key,
    required this.icon,
    required this.text,
  });

  final IconData icon;
  final String text;

  @override
  Widget build(BuildContext context) {
    return Row(
      children: [
        Padding(
          padding: const EdgeInsets.symmetric(
            horizontal: 8,
            vertical: 2,
          ),
          child: Icon(
            icon,
            size: 18,
            color: Colors.grey,
          ),
        ),
        Text(
          text,
          style: TextStyle(
            color: Colors.grey,
            fontSize: 14,
          ),
        ),
      ],
    );
  }
}
```

```

    }
  }

class PriceBoxItem extends StatelessWidget {
  const PriceBoxItem({
    super.key,
    required this.icon,
    required this.price,
  });

  final IconData icon;
  final String price;

  @override
  Widget build(BuildContext context) {
    return Padding(
      padding: const EdgeInsets.symmetric(horizontal: 8.0),
      child: Column(
        children: [
          Container(
            decoration: BoxDecoration(
              color: const Color.fromRGBO(255, 193, 7, 0.5),
              borderRadius: BorderRadius.circular(8),
            ),
            child: Padding(
              padding: const EdgeInsets.all(8.0),
              child: Icon(
                icon,
                size: 36,
              ),
            ),
          ),
          Text(
            price,
            style: TextStyle(
              color: const Color.fromARGB(255, 209, 157, 0),
              fontWeight: FontWeight.bold,
              fontSize: 16,
            ),
          ),
        ],
      ),
    );
  }
}

// login_page.dart
import 'package:assignment_1_q_1/pages/main_page.dart';

```

## Assignment 1 – Mobile Application Development (Theory)

```
import 'package:assignment_1_q_1/widget/get_size.dart';
import 'package:font_awesome_flutter/font_awesome_flutter.dart';
import
'package:custom_sliding_segmented_control/custom_sliding_segmented_control.dar
t';
import 'package:flutter/material.dart';

class LoginPage extends StatefulWidget {
  const LoginPage({super.key});

  @override
  State<LoginPage> createState() => _LoginPageState();
}

class _LoginPageState extends State<LoginPage> {
  int pageNo = 0;
  final PageController pageController = PageController();
  Size formSize = Size.zero;

  @override
  Widget build(BuildContext context) {
    return Scaffold(
      body: Container(
        decoration: BoxDecoration(
          gradient: LinearGradient(
            colors: [Color(0xff9735ec), Color(0xffd620ff)],
            stops: [0.25, 0.75],
            begin: Alignment.topCenter,
            end: Alignment.bottomCenter,
          ),
        ),
        child: Padding(
          padding: const EdgeInsets.all(24),
          child: Column(
            mainAxisAlignment: MainAxisAlignment.min,
            crossAxisAlignment: CrossAxisAlignment.spaceBetween,
            children: [
              SizedBox(
                width: 256,
                height: 256,
                child: Image.network(
                  "https://play-
lh.googleusercontent.com/LyyerN01S0lgfaRZTFa2N6lc2wJefKp4rPtoXDEPvHGjwZI58n2vS
Wezlgpf_eF82A"),
              ),
              Padding(
                padding: const EdgeInsets.symmetric(vertical: 16),
                child: CustomSlidingSegmentedControl<int>{
```

## Assignment 1 – Mobile Application Development (Theory)

```
initialValue: pageNo,
children: {
  0: Text(
    "Existing",
    style: TextStyle(
      fontWeight: FontWeight.bold,
      color: pageNo == 0 ? Colors.white : Colors.deepPurple,
    ),
  ),
  1: Text(
    "New User",
    style: TextStyle(
      fontWeight: FontWeight.bold,
      color: pageNo == 1 ? Colors.white : Colors.deepPurple,
    ),
  ),
},
decoration: BoxDecoration(
  color: Colors.white,
  borderRadius: BorderRadius.circular(24),
),
thumbDecoration: BoxDecoration(
  gradient: LinearGradient(
    colors: [Color(0xff9735ec), Color(0xffd620ff)],
    stops: [0.25, 0.75],
    begin: Alignment.centerRight,
    end: Alignment.centerLeft,
  ),
  borderRadius: BorderRadius.circular(24),
  boxShadow: [
    BoxShadow(
      color: Colors.black.withValues(alpha: .3),
      blurRadius: 4.0,
      spreadRadius: 1.0,
      offset: Offset(
        0.0,
        2.0,
      ),
    ),
  ],
),
duration: Duration(milliseconds: 250),
curve: Curves.easeInOut,
onValueChanged: (v) {
  setState(() {
    pageNo = v;
    pageController.animateToPage(
      pageNo,
```

## Assignment 1 – Mobile Application Development (Theory)

```

        duration: Durations.medium1,
        curve: Curves.easeInOut,
    );
});
},
),
Expanded(
  child: PageView(
    physics: NeverScrollableScrollPhysics(),
    controller: pageController,
    children: [
      Stack(
        children: [
          GetSize(
            onChildSize: (size) {
              setState(() {
                formSize = size;
              });
            },
          ),
          child: Container(
            width: double.infinity,
            decoration: BoxDecoration(
              borderRadius: BorderRadius.circular(8),
              color: Colors.white,
            ),
          ),
          child: Padding(
            padding: const EdgeInsets.only(
              bottom: 30,
              left: 15,
              right: 15,
              top: 10,
            ),
          ),
          child: Column(
            mainAxisAlignment: MainAxisAlignment.min,
            children: [
              _makeInputField(
                Icons.person,
                "Username",
              ),
              _makeInputField(
                Icons.email,
                "Email",
              ),
              _makeInputField(
                Icons.lock,
                "Password",
                obscureText: true,

```

## Assignment 1 – Mobile Application Development (Theory)

```
        ),
        _makeInputField(
            Icons.lock,
            "Confirm Password",
            obscureText: true,
        ),
    ],
),
),
),
),
),
),
    _makeHangingGradientButton("Sign Up"),
],
),
Stack(
  children: [
    GetSize(
      onChildSize: (size) {
        setState(() {
          formSize = size;
        });
      },
      child: Container(
        width: double.infinity,
        decoration: BoxDecoration(
          borderRadius: BorderRadius.circular(8),
          color: Colors.white,
        ),
      ),
      child: Padding(
        padding: const EdgeInsets.only(
          bottom: 30,
          left: 15,
          right: 15,
          top: 10,
        ),
      ),
      child: Column(
        mainAxisAlignment: MainAxisAlignment.min,
        children: [
          _makeInputField(
            Icons.person,
            "Username",
          ),
          _makeInputField(
            Icons.lock,
            "Password",
            obscureText: true,
          ),
        ],
      ),
    ],
  ),
),
```

```

    ),
  ),
),
),
_makeHangingGradientButton("Login"),
Positioned(
  left: 0,
  right: 0,
  bottom: 0,
  child: Column(
    children: [
      TextButton(
        style: ElevatedButton.styleFrom(
          backgroundColor: Colors.transparent,
          shadowColor: Colors.transparent,
        ),
        onPressed: () {
          Navigator.push(
            context,
            MaterialPageRoute(
              builder: (BuildContext) => MyHomePage(),
            ),
          );
        },
      ),
      child: Text(
        "Forget Password?",
        style: TextStyle(
          color: Colors.white,
          fontWeight: FontWeight.bold,
        ),
      ),
    ],
  ),
  SizedBox(height: 20),
  Stack(
    alignment: Alignment.center,
    children: [
      Divider(
        color: Colors.white,
      ),
      Text(
        "OR",
        style: TextStyle(
          color: Colors.white,
          backgroundColor: Color(0xffd620ff),
          fontWeight: FontWeight.bold,
        ),
      ),
    ],
  ),
],

```



## Assignment 1 – Mobile Application Development (Theory)

```
),
    SizedBox(height: 20),
    Row(
      mainAxisAlignment: MainAxisAlignment.min,
      children: [
        IconButton(
          onPressed: () {},
          icon: Container(
            padding: EdgeInsets.all(8),
            decoration: BoxDecoration(
              color: Colors.white,
              borderRadius:
                BorderRadius.circular(100),
            ),
            child: Icon(Icons.facebook_rounded),
          ),
        ),
        SizedBox(width: 16),
        IconButton(
          onPressed: () {},
          icon: Container(
            padding: EdgeInsets.all(8),
            decoration: BoxDecoration(
              color: Colors.white,
              borderRadius:
                BorderRadius.circular(100),
            ),
            child: Icon(FontAwesomeIcons.google),
          ),
        ),
      ],
    ),
  ],
),
);
```

```
TextFormField _makeInputField(IconData icon, String label,
```

```

    {bool obscureText = false}) {
return TextFormField(
  obscureText: obscureText,
  decoration: InputDecoration(
    suffixIcon: Icon(icon),
    label: Text(
      label,
      style: TextStyle(
        color: Colors.grey,
      ),
    ),
  ),
);
}

Positioned _makeHangingGradientButton(String buttonText) {
return Positioned(
  top: formSize.height - 15,
  left: formSize.width / 2 - 50,
  right: formSize.width / 2 - 50,
  child: DecoratedBox(
    decoration: BoxDecoration(
      borderRadius: BorderRadius.circular(24),
      gradient: LinearGradient(
        colors: [
          Color(0xff9735ec),
          Color(0xffd620ff),
        ],
      ),
    ),
    child: TextButton(
      onPressed: () {
        Navigator.push(
          context,
          MaterialPageRoute(
            builder: (BuildContext) => MyHomePage(),
          ),
        );
      },
      style: TextButton.styleFrom(
        backgroundColor: Colors.transparent,
        foregroundColor: Colors.white,
      ),
      child: Text(
        buttonText,
        style: TextStyle(
          fontWeight: FontWeight.bold,
        ),
      ),
    ),
  ),
);
}

```

```

        ),
      ),
    ),
  );
}
}

// placeholder_page.dart
import 'package:assignment_1_q_1/pages/login_page.dart';
import 'package:flutter/material.dart';

class PlaceholderPage extends StatelessWidget {
  const PlaceholderPage({super.key});

  @override
  Widget build(BuildContext context) {
    return Container(
      color: Colors.yellow,
      child: Center(
        child: TextButton(
          onPressed: () {
            Navigator.push(
              context,
              MaterialPageRoute(
                builder: (context) {
                  return LoginPage();
                },
              ),
            );
          },
          child: Text("Placeholder"),
        ),
      ),
    );
  }
}

```

```

// get_size.dart
import 'package:flutter/material.dart';
import 'package:flutter/rendering.dart';

class GetSize extends StatefulWidget {
  final Widget child;
  final ValueChanged<Size> onChildSize;

  const GetSize({
    super.key,
    required this.child,
  });
}

```

```

        required this.onChildSize,
    });

    @override
    State<GetSize> createState() => _GetSizeState();
}

class _GetSizeState extends State<GetSize> {
    @override
    Widget build(BuildContext context) {
        return _SizeTracker(
            onSizeChanged: widget.onChildSize,
            child: widget.child,
        );
    }
}

class _SizeTracker extends SingleChildRenderObjectWidget {
    const _SizeTracker({
        required this.onSizeChanged,
        required Widget super.child,
    });

    final ValueChanged<Size> onSizeChanged;

    @override
    RenderObject createRenderObject(BuildContext context) {
        return _SizeTrackingRenderObject(onSizeChanged);
    }

    @override
    void updateRenderObject(
        BuildContext context, covariant _SizeTrackingRenderObject renderObject)
    {
        renderObject.onSizeChanged = onSizeChanged;
    }
}

class _SizeTrackingRenderObject extends RenderProxyBox {
    _SizeTrackingRenderObject(this.onSizeChanged);

    ValueChanged<Size> onSizeChanged;
    Size? _previousSize;

    @override
    void performLayout() {
        super.performLayout();
        if (size != _previousSize) {

```


## Assignment 1 – Mobile Application Development (Theory)


```
    _previousSize = size;
    WidgetsBinding.instance.addPostFrameCallback((_) {
        onSizeChanged(size);
    });
}
}
```

## Question 2


### Screenshots

## Assignment 1 – Mobile Application Development (Theory)









### Code

```
// main.dart
import 'package:assignment_1_q_2/pages/login_page.dart';
import 'package:flutter/material.dart';

void main() {
  runApp(const MainApp());
}

class MainApp extends StatelessWidget {
  const MainApp({super.key});
```

```
@override
Widget build(BuildContext context) {
  return MaterialApp(
    debugShowCheckedModeBanner: false,
    home: LoginPage(),
  );
}

// login_page.dart
import 'package:assignment_1_q_2/pages/home_page.dart';
import 'package:flutter/material.dart';

class LoginPage extends StatelessWidget {
  const LoginPage({
    super.key,
  });

  @override
  Widget build(BuildContext context) {
    return Scaffold(
      body: Column(
        children: [
          Expanded(
            child: Image.asset("assets/images/hanging_plant.png"),
          ),
          Container(
            width: double.infinity,
            height: MediaQuery.sizeOf(context).height / 10 * 6,
            decoration: BoxDecoration(
              color: Color(0xFF329e60),
              borderRadius: BorderRadius.vertical(top: Radius.circular(36)),
            ),
            child: Padding(
              padding: const EdgeInsets.all(36),
              child: Padding(
                padding: const EdgeInsets.only(top: 16),
                child: Column(
                  mainAxisAlignment: MainAxisAlignment.max,
                  mainAxisSize: MainAxisSize.min,
                  children: [
                    CustomForm(),
                    FilledButton(
                      style: ElevatedButton.styleFrom(
                        backgroundColor: Colors.white,
                        foregroundColor: Colors.black,
                        shape: RoundedRectangleBorder(
```

## Assignment 1 – Mobile Application Development (Theory)

```
borderRadius: BorderRadius.circular(8),
    ),
  ),
  onPressed: () {
    Navigator.push(
      context,
      MaterialPageRoute(builder: (context) => HomePage()),
    );
  },
  child: Padding(
    padding: const EdgeInsets.symmetric(
      vertical: 8,
    ),
    child: SizedBox(
      width: double.infinity,
      child: Center(child: Text("Sign In")),
    ),
  ),
),
Row(
  mainAxisAlignment: MainAxisAlignment.center,
  mainAxisAlignment: MainAxisAlignment.max,
  children: [
    Text(
      "New User? ",
      style: TextStyle(
        color: Colors.white54,
      ),
    ),
    Text(
      "Sign Up",
      style: TextStyle(
        color: Colors.white,
      ),
    ),
  ],
),
],
),
],
),
),
),
),
),
],
),
);
}
```

## Assignment 1 – Mobile Application Development (Theory)

```
class CustomForm extends StatefulWidget {
  const CustomForm({
    super.key,
  });

  @override
  State<CustomForm> createState() => _CustomFormState();
}

class _CustomFormState extends State<CustomForm> {
  final FocusNode _focusNodeUsername = FocusNode();
  final FocusNode _focusNodePassword = FocusNode();

  Color usernameColor = Colors.white54;
  Color passwordColor = Colors.white54;

  void _focusChangeUsername() {
    setState(() {
      usernameColor =
        _focusNodeUsername.hasFocus ? Colors.white : Colors.white54;
    });
  }

  void _focusChangePassword() {
    setState(() {
      passwordColor =
        _focusNodePassword.hasFocus ? Colors.white : Colors.white54;
    });
  }

  @override
  void initState() {
    super.initState();
    _focusNodeUsername.addListener(_focusChangeUsername);
    _focusNodePassword.addListener(_focusChangePassword);
  }

  @override
  void dispose() {
    super.dispose();
    _focusNodeUsername.removeListener(_focusChangeUsername);
    _focusNodePassword.removeListener(_focusChangePassword);
    _focusNodeUsername.dispose();
    _focusNodePassword.dispose();
  }

  @override
  Widget build(BuildContext context) {
```

```

return Column(
  children: [
    TextFormField(
      focusNode: _focusNodeUsername,
      decoration: InputDecoration(
        focusedBorder: UnderlineInputBorder(
          borderSide: BorderSide(color: Colors.white),
        ),
        enabledBorder: UnderlineInputBorder(
          borderSide: BorderSide(color: usernameColor),
        ),
        prefixIcon: Icon(
          Icons.person,
          color: usernameColor,
        ),
        labelText: "Username",
        labelStyle: TextStyle(color: usernameColor),
      ),
    ),
    TextFormField(
      focusNode: _focusNodePassword,
      decoration: InputDecoration(
        focusedBorder: UnderlineInputBorder(
          borderSide: BorderSide(color: Colors.white),
        ),
        enabledBorder: UnderlineInputBorder(
          borderSide: BorderSide(color: passwordColor),
        ),
        prefixIcon: Icon(
          Icons.lock,
          color: passwordColor,
        ),
        labelText: "Password",
        labelStyle: TextStyle(color: passwordColor),
      ),
    ),
    Align(
      alignment: Alignment.centerRight,
      child: Text(
        "Forget Password?",
        style: TextStyle(color: Colors.white54),
      ),
    ),
  ],
);
}

```

```
// home_page.dart
import 'package:assignment_1_q_2/pages/plant_page.dart';
import 'package:assignment_1_q_2/widget/likeable_button.dart';
import 'package:flutter/material.dart';

class HomePage extends StatelessWidget {
  const HomePage({super.key});

  @override
  Widget build(BuildContext context) {
    return Scaffold(
      drawer: Drawer(
        child: Column(
          children: [
            TextButton(
              onPressed: () {
                Navigator.pop(context);
                Navigator.pop(context);
              },
              child: Text("LOL"),
            ),
          ],
        ),
      ),
      appBar: AppBar(
        backgroundColor: Colors.transparent,
        surfaceTintColor: Colors.transparent,
        actions: [
          Padding(
            padding: const EdgeInsets.all(8.0),
            child: IconButton(
              onPressed: () {},
              icon: Icon(Icons.shopping_cart),
            ),
          ),
        ],
      ),
      body: Padding(
        padding: const EdgeInsets.all(16),
        child: Column(
          crossAxisAlignment: CrossAxisAlignment.start,
          children: [
            Text(
              "What Kinds \nOf Plants You Want",
              style: TextStyle(
                fontWeight: FontWeight.bold,
                fontSize: 24,
              ),
            ),
          ],
        ),
      ),
    );
  }
}
```

## Assignment 1 – Mobile Application Development (Theory)

```
),
Padding(
  padding: const EdgeInsets.symmetric(vertical: 16),
  child: Container(
    clipBehavior: Clip.antiAlias,
    decoration: BoxDecoration(
      borderRadius: BorderRadius.circular(8),
    ),
    child: TextField(
      decoration: InputDecoration(
        focusedBorder: InputBorder.none,
        filled: true,
        fillColor: Colors.grey.shade300,
        enabledBorder: InputBorder.none,
        prefixIcon: Icon(Icons.search),
        suffixIcon: Icon(Icons.mic),
        labelText: "Search",
        labelStyle: TextStyle(color: Colors.grey),
      ),
    ),
  ),
),
SelectableButtonRow(),
Expanded(
  child: Padding(
    padding: const EdgeInsets.all(16),
    child: SingleChildScrollView(
      child: Column(
        mainAxisAlignment: MainAxisAlignment.min,
        children: [
          Row(
            mainAxisAlignment: MainAxisAlignment.max,
            mainAxisAlignment: MainAxisAlignment.spaceBetween,
            children: [
              PlantCardWidget(
                name: "Ficus",
                price: "12",
                imageUrl:
                  "https://figandfreya.com/cdn/shop/products/fic
uselasticaburgundy4figandfreya_ceac6ad8-ef53-4ac4-aff7-
fe77b5e01382.png?v=1629403627&width=1800",
              ),
              PlantCardWidget(
                name: "Cactus",
                price: "12",
                imageUrl:
```

## Assignment 1 – Mobile Application Development (Theory)

```
        "https://figandfreya.com/cdn/shop/products/fic
uselasticaburgundy4figandfreya_ceac6ad8-ef53-4ac4-aff7-
fe77b5e01382.png?v=1629403627&width=1800",
    ),
  ],
),
 SizedBox(height: 16),
 Row(
   mainAxisAlignment: MainAxisAlignment.max,
   mainAxisAlignment: MainAxisAlignment.spaceBetween,
   children: [
     PlantCardWidget(
       name: "Samantha",
       price: "12",
       imageUrl:
         "https://figandfreya.com/cdn/shop/products/fic
uselasticaburgundy4figandfreya_ceac6ad8-ef53-4ac4-aff7-
fe77b5e01382.png?v=1629403627&width=1800",
     ),
     PlantCardWidget(
       name: "Alovera",
       price: "12",
       imageUrl:
         "https://figandfreya.com/cdn/shop/products/fic
uselasticaburgundy4figandfreya_ceac6ad8-ef53-4ac4-aff7-
fe77b5e01382.png?v=1629403627&width=1800",
     ),
   ],
 ),
 ],
 ),
 ),
 ),
 ),
 ),
 ],
 ),
 ),
 );
 }
```

```
class PlantCardWidget extends StatelessWidget {
  final String name;
  final String price;
  final String imageUrl;
  final String type;

  const PlantCardWidget({
```



```

    super.key,
    required this.name,
    required this.price,
    required this.imageUrl,
    this.type = "Indoor",
  });

@override
Widget build(BuildContext context) {
  return Container(
    width: MediaQuery.sizeOf(context).width / 2.5,
    padding: EdgeInsets.all(16),
    decoration: BoxDecoration(
      color: Color(0xFF329e60),
      borderRadius: BorderRadius.circular(8),
    ),
    child: Column(
      children: [
        Row(
          mainAxisAlignment: MainAxisAlignment.max,
          crossAxisAlignment: CrossAxisAlignment.spaceBetween,
          children: [
            Text(
              type,
              style: TextStyle(
                color: Colors.white54,
                fontWeight: FontWeight.bold,
              ),
            ),
            LikeableButton(),
          ],
        ),
        GestureDetector(
          onTap: () {
            Navigator.push(
              context,
              MaterialPageRoute(
                builder: (context) => PlantPage(
                  name: name,
                  price: price,
                  imageUrl: imageUrl,
                ),
              ),
            );
          },
          child: SizedBox(
            height: 125,
            child: Image.network(

```

## Assignment 1 – Mobile Application Development (Theory)

```
        imageUrl,
        fit: BoxFit.fitHeight,
      ),
    ),
  ),
  Row(
    mainAxisAlignment: MainAxisAlignment.max,
    mainAxisAlignment: MainAxisAlignment.spaceBetween,
    children: [
      Column(
        crossAxisAlignment: CrossAxisAlignment.start,
        children: [
          Text(
            name,
            style: TextStyle(
              fontWeight: FontWeight.bold,
              fontSize: 14,
              color: Colors.white,
            ),
          ),
          Text(
            "Price: $price$",
            style: TextStyle(
              fontWeight: FontWeight.bold,
              fontSize: 12,
              color: Colors.white54,
            ),
          ),
        ],
      ),
    ],
  ),
  Container(
    decoration: BoxDecoration(
      color: Color.fromARGB(22, 255, 255, 255),
      borderRadius: BorderRadius.circular(8),
    ),
    child: IconButton(
      onPressed: () {},
      icon: Icon(
        Icons.add,
        color: Colors.white,
      ),
    ),
  ),
],
),
],
),
);
```

```

    }
}

class SelectableButtonRow extends StatefulWidget {
  const SelectableButtonRow({
    super.key,
  });

  @override
  State<SelectableButtonRow> createState() => _SelectableButtonRowState();
}

class _SelectableButtonRowState extends State<SelectableButtonRow> {
  int _selectedIndex = 0;
  @override
  Widget build(BuildContext context) {
    return Row(
      mainAxisAlignment: MainAxisAlignment.max,
      mainAxisAlignment: MainAxisAlignment.spaceBetween,
      children: [
        TextButton(
          onPressed: () {
            setState(() {
              _selectedIndex = 0;
            });
          },
          child: Text(
            "All",
            style: TextStyle(
              color: _selectedIndex == 0 ? Colors.greenAccent : Colors.grey,
            ),
          ),
        ),
        TextButton(
          onPressed: () {
            setState(() {
              _selectedIndex = 1;
            });
          },
          child: Text(
            "Small",
            style: TextStyle(
              color: _selectedIndex == 1 ? Colors.greenAccent : Colors.grey,
            ),
          ),
        ),
        TextButton(
          onPressed: () {

```

## Assignment 1 – Mobile Application Development (Theory)

```
        setState(() {
          _selectedIndex = 2;
        });
      },
      child: Text(
        "Medium",
        style: TextStyle(
          color: _selectedIndex == 2 ? Colors.greenAccent : Colors.grey,
        ),
      ),
    ),
    TextButton(
      onPressed: () {
        setState(() {
          _selectedIndex = 3;
        });
      },
      child: Text(
        "Hanging",
        style: TextStyle(
          color: _selectedIndex == 3 ? Colors.greenAccent : Colors.grey,
        ),
      ),
    ),
  ],
);
}
```

```
// plant_page.dart
import 'package:assignment_1_q_2/widget/likeable_button.dart';
import 'package:flutter/material.dart';
```

```
class PlantPage extends StatelessWidget {
  final String name;
  final String price;
  final String imageUrl;
  const PlantPage({
    super.key,
    required this.name,
    required this.price,
    required this.imageUrl,
  });
```

```
@override
Widget build(BuildContext context) {
  return Scaffold(
    appBar: AppBar(
```

## Assignment 1 – Mobile Application Development (Theory)

```
centerTitle: true,
title: Text(
  "Details",
  style: TextStyle(
    color: Colors.grey,
    fontSize: 18,
  ),
),
actions: [
  Padding(
    padding: const EdgeInsets.all(8.0),
    child: LikeableButton(
      color: Color(0x9D504E4E),
    ),
  ),
],
),
body: Padding(
  padding: const EdgeInsets.all(16),
  child: Column(
    mainAxisAlignment: MainAxisAlignment.max,
    mainAxisAlignment: MainAxisAlignment.spaceBetween,
    crossAxisAlignment: CrossAxisAlignment.start,
    children: [
      Image.network(
        "https://figandfreya.com/cdn/shop/products/ficuselasticaburgundy
4figandfreya_ceac6ad8-ef53-4ac4-aff7-
fe77b5e01382.png?v=1629403627&width=1800",
        fit: BoxFit.fitHeight,
      ),
      Column(
        mainAxisAlignment: MainAxisAlignment.start,
        crossAxisAlignment: CrossAxisAlignment.start,
        children: [
          Text(
            name,
            style: TextStyle(
              fontSize: 18,
              fontWeight: FontWeight.bold,
            ),
          ),
          Text(
            "Regular Price: \$$price",
            style: TextStyle(
              fontSize: 12,
              color: Colors.grey,
            ),
          ),
        ],
      ),
    ],
  ),
),
```

## Assignment 1 – Mobile Application Development (Theory)

```
    ],
  ),
  Row(
    mainAxisAlignment: MainAxisAlignment.spaceBetween,
    children: [
      CounterWidget(),
      Row(
        children: List.generate(
          5,
          (index) => Icon(
            Icons.star,
            color: Colors.amber,
          ),
        ),
      ),
    ],
  ),
  Text(
    "Lorem ipsum dolor sit amet, consectetur adipiscing elit. Maecenas vestibulum facilisis suscipit. Suspendisse elementum lacus tortor, sed mollis leo scelerisque vitae. Sed consectetur ut metus vel mattis.",
    style: TextStyle(
      fontSize: 12,
      color: Colors.grey,
    ),
  ),
  FilledButton(
    style: ElevatedButton.styleFrom(
      backgroundColor: Color(0xFF329e60),
      foregroundColor: Colors.white,
      shape: RoundedRectangleBorder(
        borderRadius: BorderRadius.circular(8),
      ),
    ),
    onPressed: () {},
    child: Padding(
      padding: const EdgeInsets.symmetric(
        vertical: 16,
      ),
      child: SizedBox(
        width: double.infinity,
        child: Center(child: Text("Buy Now")),
      ),
    ),
  ),
],
),
```

```

    ),
  );
}
}

class CounterWidget extends StatefulWidget {
  const CounterWidget({
    super.key,
  });

  @override
  State<CounterWidget> createState() => _CounterWidgetState();
}

class _CounterWidgetState extends State<CounterWidget> {
  int _count = 1;
  @override
  Widget build(BuildContext context) {
    return Row(
      children: [
        IconButton(
          style: ElevatedButton.styleFrom(
            backgroundColor: Color(0xFF329e60),
            foregroundColor: Colors.white,
            shape: RoundedRectangleBorder(
              borderRadius: BorderRadius.circular(8),
            ),
          ),
          onPressed: () {
            setState(() {
              _count++;
            });
          },
          icon: Icon(Icons.add),
        ),
        Padding(
          padding: const EdgeInsets.symmetric(horizontal: 8),
          child: Text(
            _count.toString(),
            style: TextStyle(fontWeight: FontWeight.bold),
          ),
        ),
        IconButton(
          style: ElevatedButton.styleFrom(
            backgroundColor: Color(0xFF329e60),
            foregroundColor: Colors.white,
            shape: RoundedRectangleBorder(
              borderRadius: BorderRadius.circular(8),
            ),
          ),
          onPressed: () {
            setState(() {
              _count--;
            });
          },
          icon: Icon(Icons.remove),
        ),
      ],
    );
  }
}

```

```

        ),
      ),
      onPressed: () {
        setState(() {
          if (_count == 1) return;
          _count--;
        });
      },
      icon: Icon(Icons.remove),
    ),
  ],
);
}
}

// likable_button.dart
import 'package:flutter/material.dart';
import 'package:font_awesome_flutter/font_awesome_flutter.dart';

class LikeableButton extends StatefulWidget {
  final Color color;
  const LikeableButton({
    super.key,
    this.color = Colors.white54,
  });

  @override
  State<LikeableButton> createState() => _LikeableButtonState();
}

class _LikeableButtonState extends State<LikeableButton> {
  bool liked = false;
  @override
  Widget build(BuildContext context) {
    return IconButton(
      onPressed: () => setState(() => liked = !liked),
      icon: Icon(
        liked ? FontAwesomeIcons.solidHeart : FontAwesomeIcons.heart,
        color: widget.color,
      ),
    );
  }
}

```