

ФЕДЕРАЛЬНОЕ АГЕНТСТВО СВЯЗИ
ФЕДЕРАЛЬНОЕ ГОСУДАРСТВЕННОЕ БЮДЖЕТНОЕ ОБРАЗОВАТЕЛЬНОЕ
УЧРЕЖДЕНИЕ ВЫСШЕГО ОБРАЗОВАНИЯ
«САНКТ-ПЕТЕРБУРГСКИЙ ГОСУДАРСТВЕННЫЙ УНИВЕРСИТЕТ
ТЕЛЕКОММУНИКАЦИЙ ИМ. ПРОФ. М.А. БОНЧ-БРУЕВИЧА»
(СПбГУТ)

Факультет Инфокоммуникационных сетей и систем

Кафедра Защищенных систем связи

Лабораторная работа №7

Выполнил:

Громов А.А., ИКТЗ-83

(Ф.И.О., № группы)

(подпись)

Проверил:

Гельфанд А.М.

(уч. степень, уч. звание, Ф.И.О.)

(подпись)

Санкт-Петербург

2020

8.1.4.7 Packet Tracer - Subnetting Scenario 1

Listing 1: R1 show run

```
1  version 15.1
2  no service timestamps log datetime msec
3  no service timestamps debug datetime msec
4  no service password-encryption
5  hostname R1
6  !
7  ip cef
8  no ipv6 cef
9  !
10 license udi pid CISCO1941/K9 sn FTX1524V069
11 spanning-tree mode pvst
12 !
13 interface GigabitEthernet0/0
14 ip address 192.168.100.1 255.255.255.224
15 duplex auto
16 speed auto
17 !
18 interface GigabitEthernet0/1
19 ip address 192.168.100.33 255.255.255.224
20 duplex auto
21 speed auto
22 !
23 interface Serial0/0/0
24 ip address 192.168.100.129 255.255.255.224
25 clock rate 64000
26 !
27 interface Serial0/0/1
28 no ip address
29 clock rate 2000000
30 shutdown
31 !
32 interface Vlan1
33 no ip address
34 shutdown
35 !
36 router eigrp 1
37 network 192.168.100.0
38 !
39 ip classless
40 !
41 ip flow-export version 9
42 !
43 line con 0
44 !
45 line aux 0
46 !
47 line vty 0 4
48 login
49 end
```

Listing 2: S3 show run

```
1  version 12.2
2  no service timestamps log datetime msec
3  no service timestamps debug datetime msec
4  no service password-encryption
5  !
6  hostname S3
7  !
8  spanning-tree mode pvst
9  spanning-tree extend system-id
10 !
11 interface FastEthernet0/1
12 .
13 .
14 .
15 interface FastEthernet0/24
16 !
17 interface GigabitEthernet0/1
18 !
19 interface GigabitEthernet0/2
20 !
21 interface Vlan1
22 ip address 192.168.100.66 255.255.255.224
23 !
24 ip default-gateway 192.168.100.65
25 !
26 line con 0
27 !
28 line vty 0 4
29 login
30 line vty 5 15
31 login
32 !
33 end
```

IP config of pc4

PC4

Physical Config **Desktop** Programming Attributes

IP Configuration X

Interface FastEthernet0

IP Configuration

☐ DHCP ☒ Static

IPv4 Address 192.168.100.126

Subnet Mask 255.255.255.224

Default Gateway 192.168.100.97

DNS Server 0.0.0.0

IPv6 Configuration

☐ Automatic ☒ Static

IPv6 Address /

Link Local Address FE80::260:70FF:FE47:AAC1

Default Gateway

DNS Server

802.1X

☐ Use 802.1X Security

☐ Top

8.2.1.4 Packet Tracer - Designing and Implementing a VLSM Addressing Scheme

Listing 3: Branch 1

```
1  version 15.1
2  no service timestamps log datetime msec
3  no service timestamps debug datetime msec
4  no service password-encryption
5  hostname Branch1
6  !
7  ip cef
8  no ipv6 cef
9  !
10 license udi pid CISCO1941/K9 sn FTX1524V069
11 !
12 spanning-tree mode pvst
13 !
14 interface GigabitEthernet0/0
15 ip address 10.11.48.97 255.255.255.240
16 duplex auto
17 speed auto
18 !
19 interface GigabitEthernet0/1
20 ip address 10.11.48.65 255.255.255.224
21 duplex auto
22 speed auto
23 !
24 interface Serial0/0/0
25 ip address 10.11.48.121 255.255.255.252
26 clock rate 64000
27 !
28 interface Serial0/0/1
29 no ip address
30 clock rate 2000000
31 shutdown
32 !
33 interface Vlan1
34 no ip address
35 shutdown
36 !
37 router eigrp 1
38 network 10.11.48.0 0.0.0.255
39 !
40 ip classless
41 !
42 ip flow-export version 9
43 !
44 line con 0
45 !
46 line aux 0
47 !
48 line vty 0 4
49 login
```

Listing 4: Branch 2

```
1  version 15.1
2  no service timestamps log datetime msec
3  no service timestamps debug datetime msec
4  no service password-encryption
5  !
6  hostname Branch2
7  !
8  ip cef
9  no ipv6 cef
10 !
11 license udi pid CISCO1941/K9 sn FTX15248AMB
12 !
13 spanning-tree mode pvst
14 !
15 interface GigabitEthernet0/0
16 ip address 10.11.48.113 255.255.255.248
17 duplex auto
18 speed auto
19 !
20 interface GigabitEthernet0/1
21 ip address 10.11.48.1 255.255.255.192
22 duplex auto
23 speed auto
24 !
25 interface Serial0/0/0
26 ip address 10.11.48.122 255.255.255.252
27 !
28 interface Serial0/0/1
29 no ip address
30 clock rate 2000000
31 shutdown
32 !
33 interface Vlan1
34 no ip address
35 shutdown
36 !
37 router eigrp 1
38 network 10.11.48.0 0.0.0.255
39 !
40 ip classless
41 !
42 ip flow-export version 9
43 !
44 line con 0
45 !
46 line aux 0
47 !
48 line vty 0 4
49 login
50 !
51 end
```

Listing 5: Room-312

```
1  version 12.2
2  no service timestamps log datetime msec
3  no service timestamps debug datetime msec
4  no service password-encryption
5  !
6  hostname Room-312
7  !
8  spanning-tree mode pvst
9  spanning-tree extend system-id
10 !
11 interface FastEthernet0/1
12 .
13 .
14 .
15 interface FastEthernet0/24
16 !
17 interface GigabitEthernet0/1
18 !
19 interface GigabitEthernet0/2
20 !
21 interface Vlan1
22 ip address 10.11.48.114 255.255.255.248
23 !
24 ip default-gateway 10.11.48.113
25 !
26 line con 0
27 !
28 line vty 0 4
29 login
30 line vty 5 15
31 login
32 !
33 end
```

IP config PC-D

PC-D

Physical Config **Desktop** Programming Attributes

IP Configuration X

Interface FastEthernet0

IP Configuration

☐ DHCP ☒ Static

IPv4 Address 10.11.48.62

Subnet Mask 255.255.255.192

Default Gateway 10.11.48.1

DNS Server 0.0.0.0

IPv6 Configuration

☐ Automatic ☒ Static

IPv6 Address /

Link Local Address FE80::260:70FF:FE47:AAC1

Default Gateway

DNS Server

802.1X

☐ Use 802.1X Security

☐ Top