09/24 Expert communication

Communication channel	Wechat
Date	09/24
Time	12:00PM-18:00
Attendees	Minghui Zhang John Xu (expert)

Agenda

1. Understand the working principle between cooker and electricity heating equipment

Notes


- 1. If we use electricity heating equipment, there is no need to use the steam
- 2. The meal come out from the cooker, the meal is hot and then go to the fat press to press the oil out.
- 3. The electricity heat oil tank is full with oil. As the oil become heat, the oil will be sent to the batch cooker jacket. The hot oil then can heat the cooker up.
- 4. For steam type: boiler is required to heat water. The hot steam goes into the shaft and cooker jacket. Then, the cooker heat the meat. Another dis advantage is it is not easy to transport.
- 5. Thus, the decision is to include the electricity heating equipment in the design.


Action Items


No action required. This meeting is only to clarify the working principle for heating equipment. And choose the properly heating source.

Action	Owner	Due
Use electricity heating	All team	N.A
equipment		

Screenshots of communication with experts






















During the fat screw phase, there is no heating in the process right?





Let me explain

That's will be great. Thank you for your help btw




2019年9月24日 下午3:02















the meal come out from cooker, the meal is hot, and then go to press, oil come out

I am confused about the electricity pipe. Where is the electricity pipe? How the big box" electricity heating equipment heat the pipe?





This is electricity heat oil tank, full with oil. The oil become hot, go to batch cooker jacket

Oh, so still need a pipe to connect the two box?



2019年9月24日 下午3:08

For the boiler source, we just send the hot steam into the cooker directly? Is it correct?
















This is electricity heat oil tank, full with oil. The oil become hot, go to batch cooker jacket

Oh, so still need a pipe to connect the two box?



2019年9月24日 下午3:08

For the boiler source, we just send the hot steam into the cooker directly? Is it correct?







So, I need a PowerPoint nearby for the heating pipe?

















for steam heating, the shaft inside and jacket inside has steam

2019年9月24日 下午3:14



The heating pipe is electricity, just need electricity.



Like electricity boiler, boiler use electricity heat pipe to heat water. We use electricity heat pipe to heat oil.

Oh ok. This is very clear. We have a meeting with our boss this afternoon. So I am trying to get everything very clear. Thank you again for your explanation!





Contact me if any question














One more question is why the steam boiler is not easily transported?



Is it because of the temperature will down?





The boiler is not easy to transport. You need connect electricity, water and soft water system. The boiler can be design to container





