

CAMPUSCONNECT 2026

Linux Commands, AWS EC2 & Web Application Verification Report

Project: CampusConnect 2026


Server: AWS EC2 / Ubuntu Linux

Application: PHP + MySQL + Apache

This report documents the supplied screenshots covering server setup, database verification, web-server status, PHP installation, and functional testing of the CampusConnect student registration portal.

Screenshot Evidence


Screenshot 5 — AWS EC2 Instance Overview



Details: Shows the running AWS EC2 instance used for the CampusConnect deployment. The instance is in the Asia Pacific (Sydney) region and the screen displays its public/private IPv4 information and instance state.

Verification/Result: Key evidence: EC2 instance is Running; Apache/PHP/MySQL work is being performed on this server.

Screenshot 6 — Linux User Creation and Sudo Group




Details: Shows creation of the Linux user 'campus' with sudo access. The command 'sudo adduser campus' creates the account, followed by 'sudo usermod -aG sudo campus'. The 'id campus' command verifies membership in the sudo group.

Verification/Result: Result: the campus user exists and belongs to the sudo group.

Visible command(s):

```
sudo adduser campus
sudo usermod -aG sudo campus
id campus
```

Screenshot 7 — MySQL Database and Table Structure



```
--> created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP
--> );
Query OK, 0 rows affected (0.06 sec)

mysql> SHOW TABLES;
+-----+
| Tables_in_campusconnect |
+-----+
| students                 |
+-----+
1 row in set (0.00 sec)

mysql> DESCRIBE students;
+-----+
| Field      | Type          | Null | Key | Default | Extra          |
+-----+
| id          | int           | NO   | PRI | NULL    | auto_increment |
| full_name   | varchar(100)  | NO   |     | NULL    |                |
| student_id  | varchar(50)   | NO   | UNI | NULL    |                |
| email       | varchar(100)  | NO   | UNI | NULL    |                |
| college_name | varchar(150)  | NO   |     | NULL    |                |
| location    | varchar(100)  | NO   |     | NULL    |                |
| event_name  | varchar(150)  | NO   |     | NULL    |                |
| password    | varchar(255)  | NO   |     | NULL    |                |
| created_at  | timestamp     | YES  |     | CURRENT_TIMESTAMP | DEFAULT_GENERATED |
+-----+
9 rows in set (0.01 sec)

mysql>
```

Details: Shows the CampusConnect MySQL database selected with 'use campusconnect;'. 'SHOW TABLES;' confirms the students table exists. 'DESCRIBE students;' verifies the table structure, including id, full_name, student_id, email, college_name, location, event_name, password, and created_at.

Verification/Result: Result: the database and students table are created with the expected fields.

Visible command(s):

```
use campusconnect;
SHOW TABLES;
DESCRIBE students;
```

Screenshot 9 — Apache Web Root and Application Files

The screenshot shows an AWS CloudShell terminal window. The top bar indicates the region is Asia Pacific (Sydney) and the user is aadesh. The terminal output shows the status of the Apache2 service, which is active and running. It lists the invocation ID, documentation link, main PID, status, tasks, memory, CPU, and CGroup. Below this, it shows the command to start the service and the directory listing of /var/www/html/campusconnect, which contains files like dashboard.php, db.php, index.php, login.php, logout.php, register.php, and style.css. The bottom of the terminal shows the instance ID i-0e1d4c6b2695f597d (exam) and its public and private IP addresses.

```
Loaded: loaded (/usr/lib/systemd/system/apache2.service; enabled; preset: enabled)
Active: active (running) since Sun 2026-09-06 12:38:42 UTC; 1min 22s ago
Invocation: 37821fcb4852464b87ca883013501338
Docs: https://httpd.apache.org/docs/2.4/
Main PID: 39288 (apache2)
Status: "Total requests: 0; Idle/Busy workers 100/0;Requests/sec: 0; Bytes served/sec: 0 B/sec"
Tasks: 6 (limit: 627)
Memory: 15.2M (peak: 15.7M)
CPU: 105ms
CGroup: /system.slice/apache2.service
├─39288 /usr/sbin/apache2 -k start -DFOREGROUND
├─39292 /usr/sbin/apache2 -k start -DFOREGROUND
├─39293 /usr/sbin/apache2 -k start -DFOREGROUND
├─39294 /usr/sbin/apache2 -k start -DFOREGROUND
├─39295 /usr/sbin/apache2 -k start -DFOREGROUND
└─39300 /usr/sbin/apache2 -k start -DFOREGROUND

Sep 06 12:38:42 ip-172-31-32-73 systemd[1]: Starting apache2.service - The Apache HTTP Server...
Sep 06 12:38:42 ip-172-31-32-73 systemd[1]: Started apache2.service - The Apache HTTP Server.
ubuntu@ip-172-31-32-73:/var/www/html/campusconnect$ ls -l
total 32
-rwxr-xr-x 1 www-data www-data 1069 Sep  6 12:37 dashboard.php
-rwxr-xr-x 1 www-data www-data 289 Sep  6 12:34 db.php
-rwxr-xr-x 1 www-data www-data 988 Sep  6 12:35 index.php
-rwxr-xr-x 1 www-data www-data 2672 Sep  6 12:36 login.php
-rwxr-xr-x 1 www-data www-data 105 Sep  6 12:37 logout.php
-rwxr-xr-x 1 www-data www-data 4991 Sep  6 12:36 register.php
-rwxr-xr-x 1 www-data www-data 2908 Sep  6 12:34 style.css
ubuntu@ip-172-31-32-73:/var/www/html/campusconnect$
```


i-0e1d4c6b2695f597d (exam)
PublicIPs: 54.206.90.85 PrivateIPs: 172.31.32.73

Details: Shows Apache service information and the contents of /var/www/html/campusconnect. The directory contains dashboard.php, db.php, index.php, login.php, logout.php, register.php, and style.css.

Verification/Result: Result: Apache is serving the CampusConnect application files from the web root.

Visible command(s):
sudo systemctl status apache2
ls -l

Screenshot 10 — CampusConnect Home Page



Details: Shows the live CampusConnect 2026 landing page in the browser. The page includes navigation for Home, Register, and Login, plus Register Now and Student Login buttons.

Verification/Result: Result: the main web interface loads successfully from the EC2 server.

Screenshot 12 — Student Registration Form

The screenshot shows a web browser window with the URL `http://54.206.90.85/campusconnect/register.php`. The page title is "CampusConnect" and the subtitle is "Register for CampusConnect 2026". The form contains the following fields:

- Full Name:** Enter your full name
- Student ID:** Enter student ID
- Email:** student@example.com
- College Name:** Enter college name
- Location:** Enter your location
- Event:** Select Event (dropdown menu)
- Password:** Create a password

A "Create Registration" button is located at the bottom of the form. The browser's taskbar shows the date and time as 05:58 on 06-09-2026.

Details: Shows the Student Registration page with fields for Full Name, Student ID, Email, College Name, Location, Event, and Password, followed by the Create Registration button.

Verification/Result: Result: the registration interface is available and ready for student data entry.


Screenshot 13 — Registration Success and Browser Validation

The screenshot shows the same web browser window as Screenshot 12, but with a success message displayed at the top of the form: "Registration successful! You can now log in." The form fields are still present, but the "College Name" field has a validation error message: "Please fill out this field." The browser's taskbar shows the date and time as 05:59 on 06-09-2026.

Details: Shows the registration page after a successful submission message. The screen also displays the browser's required-field validation prompt, demonstrating that HTML form validation is active.

Verification/Result: Result: a registration success message is displayed and client-side required-field validation is present.


Screenshot 14 — Student Login Page



Details: Shows the Student Login page with Email / Student ID and Password fields and a LOGIN button.

Verification/Result: Result: the login interface is available for registered students.


Screenshot 15 — Successful Login and Dashboard



Details: Shows the CampusConnect dashboard after successful authentication. The page displays a Login Successful message, a welcome message, and a Logout control.

Verification/Result: Result: valid credentials successfully create a logged-in session and open the dashboard.

Screenshot 16 — Invalid Login Validation



Details: Shows the Student Login page after an unsuccessful authentication attempt. The page displays the message 'Invalid username or password.'

Verification/Result: Result: invalid credentials are rejected and an error message is shown.

Screenshot 17 — Database Record Verification

The screenshot shows an AWS CloudShell terminal window. The user has connected to an EC2 instance via SSH. The terminal displays the following commands and output:

```
mysql> use campusconnect;
Reading table information for completion of table and column names
You can turn off this feature to get a quicker startup with -A

Database changed
mysql> show tables;
+-----+
| Tables_in_campusconnect |
+-----+
| students                 |
+-----+
1 row in set (0.00 sec)

mysql> select *from students;
+-----+-----+-----+-----+-----+-----+-----+
| id | full_name      | student_id | email          | college_name | location  | event_name | password      |
+-----+-----+-----+-----+-----+-----+-----+
| 1  | aadesh chaudhari | 01        | aadesh@gmail.com | new arts college | ahilyanagar | Sports Meet 2026 | $2y$12$Pxhlb/1oEjUujgZ32BvreOIqakMQenNz23lXttI4tiOuKfCqx0Im |
+-----+-----+-----+-----+-----+-----+-----+
1 row in set (0.00 sec)

mysql>
```

The terminal also shows a notification for a public IP address: 54.206.90.85 and a private IP address: 172.31.32.73. The bottom of the terminal shows the AWS CloudShell interface with the user 'aadesh' and the region 'Asia Pacific (Sydney)'.

Details: Shows 'select * from students;' in MySQL and a stored student record. The displayed record includes the submitted student details and a hashed password value.

Verification/Result: Result: submitted registration data is stored in the students table.

Visible command(s):
use campusconnect;
select * from students;

Screenshot 18 — Apache Service Status Verification

The screenshot shows an AWS CloudShell terminal window. The user has connected to an EC2 instance via SSH. The terminal displays the following commands and output:

```
ubuntu@ip-172-31-32-73:~$ sudo systemctl status apache2
● apache2.service - The Apache HTTP Server
   Loaded: loaded (/usr/lib/systemd/system/apache2.service; enabled; preset: enabled)
   Active: active (running) since Sun 2026-09-06 12:54:55 UTC; 14min ago
     Invocation: 69506954e6794d7f9a4259de012a0691
       Docs: https://httpd.apache.org/docs/2.4/
    Main PID: 39549 (apache2)
   Status: "Total requests: 19; Idle/Busy workers 100/0; Requests/sec: 0.0221; Bytes served/sec: 28 B/sec"
     Tasks: 8 (limit: 627)
    Memory: 20.5M (peak: 22.4M)
       CPU: 1.101s
   CGroup: /system.slice/apache2.service
           └─39549 /usr/sbin/apache2 -k start -DFOREGROUND
             └─39553 /usr/sbin/apache2 -k start -DFOREGROUND
               └─39554 /usr/sbin/apache2 -k start -DFOREGROUND
                 └─39555 /usr/sbin/apache2 -k start -DFOREGROUND
                   └─39556 /usr/sbin/apache2 -k start -DFOREGROUND
                     └─39557 /usr/sbin/apache2 -k start -DFOREGROUND
                       └─39575 /usr/sbin/apache2 -k start -DFOREGROUND
                        └─39576 /usr/sbin/apache2 -k start -DFOREGROUND

Sep 06 12:54:55 ip-172-31-32-73 systemd[1]: Starting apache2.service - The Apache HTTP Server...
Sep 06 12:54:55 ip-172-31-32-73 systemd[1]: Started apache2.service - The Apache HTTP Server.
ubuntu@ip-172-31-32-73:~$
```

The terminal also shows a notification for a public IP address: 54.206.90.85 and a private IP address: 172.31.32.73. The bottom of the terminal shows the AWS CloudShell interface with the user 'aadesh' and the region 'Asia Pacific (Sydney)'.


Details: Shows 'sudo systemctl status apache2'. Apache is loaded, enabled, and active (running), with the Apache HTTP Server reported as started.

Verification/Result: Result: the web server is running correctly.

Visible command(s):

```
sudo systemctl status apache2
```

Screenshot 19 — MySQL Service Status Verification




Details: Shows 'sudo systemctl status mysql'. MySQL is loaded, enabled, and active (running), with the server reported as operational.

Verification/Result: Result: the database service is running correctly.

Visible command(s):

```
sudo systemctl status mysql
```

Screenshot 20 — PHP Version Verification




Details: Shows 'php -v' returning PHP 8.5.4 (CLI), together with Zend Engine information.

Verification/Result: Result: PHP is installed and available on the server.

Visible command(s):

php -v

Screenshot 22 — Localhost Application Test with curl



Details: Shows 'curl http://localhost/campusconnect/' returning the application's HTML source, including the CampusConnect 2026 title, stylesheet reference, navigation links, and hero section.

Verification/Result: Result: Apache successfully serves the CampusConnect application locally.

Visible command(s):

```
sudo ss -tulnp | grep :80  
curl https://localhost/campusconnect/  
curl http://localhost/campusconnect/
```

Final Verification Summary

- AWS EC2 instance is running and provides the server environment.
- The Linux 'campus' user was created and verified as a sudo-group member.
- The campusconnect MySQL database contains the students table with the expected registration fields.
- Apache is enabled and active, and the CampusConnect PHP files are present in the Apache web directory.
- PHP 8.5.4 is installed and available from the command line.
- The CampusConnect 2026 home page, registration page, login page, and dashboard are reachable in the browser.
- Successful registration data is stored in MySQL, and the password shown in the database is hashed rather than plain text.
- Invalid login attempts are rejected with an appropriate error message.
- The localhost curl test returns the CampusConnect HTML, confirming the application is being served by Apache.