№10

vi

, ,

-01-23

ľ

■ vi

Linux. - vi,

~/work/os/lab06.

```
aagorbachev@dk2n27 - $ cd work
aagorbachev@dk2n27 -/work $ mkdir os
aagorbachev@dk2n27 -/work $ cd os
aagorbachev@dk2n27 -/work/os $ mkdir lab10
aagorbachev@dk2n27 -/work/os $ "
```

. 1:

```
aagorbachev@dk2n27 ~/work/os $ cd lab10
aagorbachev@dk2n27 ~/work/os/lab10 $
```

. 2: cd

vi hello.sh

```
aagorbachev@dk2n27 ~/work/os $ cd lab10
aagorbachev@dk2n27 ~/work/os/lab10 $ vi hello.sh
```

. **3:** vi

i .

. 5:

Esc

.

.

```
#!/bin/bash
HELL=Hello
function hello {
```

```
w( ) q( ),
                                                                           Enter
                                   #!/bin/bash
HELL=Hello
function hello (
LOCAL HELLO=World
```

```
aagorbachev@dk2n27 -/work/os/labl0 $ chmod +x hello.sh
aagorbachev@dk2n27 -/work/os/labl0 $ ls -1
utoro 1
-rwxr-xr-x 1 aagorbachev studsci 97 anp 12 19:32 hello.sh
aagorbachev@dk2n27 -/work/os/labl0 $
```

. 8: chmod

2.

vi

HELL

. 9: HELL

HELLO

. 10:

LOCAL.

```
#!/bin/bash
HELLO=Hello
HELLO=World
echo $Hello
echo $HELLO
#!/bin/bash
HELLO=World
echo $Hello
echo $HELLO
```

```
: local, Esc
```

. 11: local

. ; echo \$HELLO.

```
/bin/bash
function hello {
local HELLO=World
echo $Hello
echo $HELLO
#!/bin/bash
echo $Hello
echo $HELLO
echo $HELLO
```

Esc

. 12:


. 13:

u .

. 14:

```
Il/Bis/Passo
HILLO-HEID (
Iocal HELLO-HEID (
Iocal HEID (
Iocal H
```

: vi.



Linux. vi,

23/23