SDS-style test document

Acid Yellow 23 / Tartrazine

Document ID: TEST-SDS-TARTRAZINE | Revision: 1.0 | Generated: 13 October 2026

SYNTHETIC TEST FIXTURE. Created for software upload, extraction and matching tests. Not an authentic SDS or certificate, not supplier-issued, and not evidence of AP approval. All simulated values must remain excluded from real compliance decisions.

1. Identification

Material: Acid Yellow 23 / Tartrazine. CAS: 1934-21-0. User-entered supplier reference: Sun Chemical (not authenticated; not the issuer). Associated test batch: DYE-YEL-23. Intended application supplied by user: ingredient in liquid watercolor paint. Issuer: Affine synthetic test fixture. Emergency contact: not supplied; this document is not an emergency reference.

2. Hazard identification

Hazard classification, signal word, pictograms and hazard statements: not assessed. No non-hazardous classification is asserted. Obtain the genuine supplier SDS.

3. Composition / information on ingredients

Declared material identity: Acid Yellow 23 / Tartrazine; CAS 1934-21-0, supplied by the user. Raw-material purity and constituents: not verified. Formula inclusion: 8.50% w/w of finished formula. This inclusion percentage is NOT raw-material purity. Simulated CoA values are separate test data.

4. First-aid measures

Not populated with safety instructions in this synthetic fixture. Consult the current authentic supplier SDS and site procedures; do not use this document for operational decisions.

5. Fire-fighting measures

Not populated with safety instructions in this synthetic fixture. Consult the current authentic supplier SDS and site procedures; do not use this document for operational decisions.

6. Accidental release measures

Not populated with safety instructions in this synthetic fixture. Consult the current authentic supplier SDS and site procedures; do not use this document for operational decisions.

7. Handling and storage

Not populated with safety instructions in this synthetic fixture. Consult the current authentic supplier SDS and site procedures; do not use this document for operational decisions.

8. Exposure controls / personal protection

Not populated with safety instructions in this synthetic fixture. Consult the current authentic supplier SDS and site procedures; do not use this document for operational decisions.

SDS-style test document | Acid Yellow 23 / Tartrazine

SYNTHETIC TEST FIXTURE | TEST-SDS-TARTRAZINE

9. Physical and chemical properties

No verified material properties supplied. Simulated batch observations, if any, appear only in the paired test CoA.

10. Stability and reactivity

Not assessed. Stability, incompatibilities and decomposition products require authentic source information.

11. Toxicological information

No toxicity study, exposure assessment or finished-product safety conclusion supplied. Ingredient identity alone does not establish safety.

12. Ecological information

Not assessed; no environmental classification is asserted.

13. Disposal considerations

No disposal guidance provided. Use applicable site procedures and authentic supplier information.

14. Transport information

Transport classification not assessed; no exemption or classification is asserted.

15. Regulatory information

No LHAMA, CPSIA, ASTM D-4236 or ACMI compliance is established by this fixture. DOC-TOX-8821 was named in the request but its contents were not supplied.

16. Other information

Provenance: user-provided ingredient names, CAS identifiers, formula percentages, supplier labels and batch IDs. No supplier document was used or authenticated. The complete supplied formula totals 99.50%, leaving 0.50% unallocated. Maintain synthetic=true and evidence status synthetic/unverified in the application.