

SQL Programming

Distinct

SQL provides a mechanism to insure that duplicate rows do not appear in the result table.

One of the critical features of a pure relational database design is that duplicate rows should not exist in any of the base tables.

The theory behind relational db systems that mandates unique rows in base tables also suggests that rows in the result table be unique.

However SQL does NOT guarantee unique rows in the result table. But, if uniqueness is critical to the particular application, SQL does have the necessary tools to support that need.

The DISTINCT phrase can be used within the SELECT clause to insure that duplicate rows are not created in the result table.

The additional syntax for this feature specifies that the DISTINCT keyword appear immediately after the keyword SELECT:

```
SELECT [ALL | DISTINCT] column-list
```

As you can see, there are two options here: ALL or DISTINCT. The use of brackets [] to enclose these keywords indicates that their use is optional. So in this description we see that the programmer may specify ALL or DISTINCT, or neither of those keywords.

The ALL option is the default, hence these two forms are equivalent:

```
SELECT column-list
```

```
SELECT ALL column-list
```

As to stylistic conventions, I see little value in using the ALL keyword. It is commonly expected that all rows will be returned, hence the use of ALL does not improve readability nor understanding.

Module 10: Distinct

iSQL*Plus Release 9.0.1 - Microsoft Internet Explorer provided by Cox High Speed Int...

File Edit View Favorites Tools Help

```
SELECT home_country
FROM talent;
```

Execute Output: Work Screen Clear Screen Save Script

HOME_COUNTRY
Germany
USA
USA
USA
USA
USA
USA
USA
USA
USA
USA
USA
UK
UK
USA
USA
USA
Austria
USA
USA
USA
USA
USA
USA
Ireland
USA
USA

Done Internet

Page B-2 ALL

iSQL*Plus Release 9.0.1 - Microsoft Internet Explorer provided by Cox High Speed Int...

File Edit View Favorites Tools Help

```
SELECT ALL home_country
FROM talent;
```

Execute Output: Work Screen Clear Screen Save Script

HOME_COUNTRY
Germany
USA
USA
USA
USA
USA
USA
USA
USA
USA
USA
USA
USA
UK
UK
USA
USA
USA
Austria
USA
USA
USA
USA
USA
USA
USA
Ireland
USA
USA

Done Internet

Module 10: Distinct

iSQL*Plus Release 9.0.1 - Microsoft Internet Explorer provided by Cox High Speed Int...

File Edit View Favorites Tools Help

```
SELECT ALL home_country  
FROM talent;
```

Execute Output: Work Screen Clear Screen Save Script

HOME_COUNTRY
Germany
USA
USA
USA
USA
USA
USA
USA
USA
USA
USA
UK
UK
USA
USA
USA
Austria
USA
USA
USA
USA
USA
USA
USA
Ireland
USA
USA

Done Internet

Page B-3 DISTINCT

iSQL*Plus Release 9.0.1 - Microsoft Internet Explorer provided by Cox High Speed Int...

File Edit View Favorites Tools Help

ORACLE iSQL*Plus

[Password](#) [Log Out](#) [Help](#)

Script Location: Browse... Load Script

Enter statements:

```
SELECT DISTINCT home_country  
FROM talent;
```

Execute Output: Work Screen Clear Screen Save Script

HOME_COUNTRY
Austria
Germany
Ireland
UK
USA

Done Internet

Module 10: Distinct

The screenshot shows the iSQL*Plus web interface in a Microsoft Internet Explorer browser window. The browser title is "iSQL*Plus Release 9.0.1 - Microsoft Internet Explorer provided by Cox High Speed Int...". The interface includes a menu bar (File, Edit, View, Favorites, Tools, Help) and a toolbar with icons for Password, Log Out, and Help. The Oracle logo and "iSQL*Plus" text are displayed. Below this, there is a "Script Location:" field with a "Browse..." button and a "Load Script" button. A section labeled "Enter statements:" contains a text area with the following SQL query:

```
SELECT DISTINCT home_country
FROM talent;
```

Below the text area are buttons for "Execute", "Output:" (with a dropdown menu set to "Work Screen"), "Clear Screen", and "Save Script". At the bottom, a table displays the results of the query:

HOME_COUNTRY
Austria
Germany
Ireland
UK
USA

The browser's status bar at the bottom shows "Done" and "Internet".

Page B-4: Sorted Output

On the previous slides you had the opportunity to view SQL statements that used each of these keywords.

As an aside, did you notice that the rows in the output table were sorted when the SELECT statement specified DISTINCT?

Although this is a common behavior in many vendor implementations of SQL, it is not part of the SQL standard. So, if sorted output is important in your application, explicitly use the ORDER BY clause in conjunction with the DISTINCT phrase.

Let me clarify this point.

If you are writing a SQL application that is expected to run on many platforms (Oracle, MySQL, SQL Server, ...) then you'll want to write your code so that it conforms to the SQL standard.

Similarly, if you think that your company might change database vendors someday, then you'll also want to write 'to the standard'.

In my opinion, the only time you'll ever want to deviate from the standard is when you're trying to optimize your code (application) for performance reasons. But be aware of the costs you incur when you do so. Every program that deviates from the standard will have to be re-written, tested, and debugged, if and when you decide to port it (convert it) to another platform.

Module 10: Distinct

Page B-6 Scope

Again, you should notice that the DISTINCT operator removes duplicate **rows** from the result table.

In this example, only unique rows, that is combinations of home_country and home_state values, are carried forward to the result table.

In this regard then, we can say that the *scope* of the DISTINCT operator is the entire column list

The screenshot shows the iSQL*Plus interface in a Microsoft Internet Explorer window. The title bar reads "iSQL*Plus Release 9.0.1 - Microsoft Internet Explorer provided by Cox High Speed Int...". The menu bar includes File, Edit, View, Favorites, Tools, and Help. The main text area contains the SQL query: `SELECT DISTINCT home_country, home_state FROM talent;`. Below the query are buttons for "Execute", "Output: Work Screen", "Clear Screen", and "Save Script". The results are displayed in a table with two columns: HOME_COUNTRY and HOME_STATE. The table contains 18 rows of data, with the first row being Austria, Styria and the last row being USA, Oklahoma. At the bottom left, it says "18 rows selected." The status bar at the bottom shows "Done" and "Internet".

HOME_COUNTRY	HOME_STATE
Austria	Styria
Germany	
Ireland	Dublin
UK	Kent
UK	Lancashire
USA	California
USA	District of
USA	Georgia
USA	Hawaii
USA	Illinois
USA	Kentucky
USA	Massachusetts
USA	Minnesota
USA	Nebraska
USA	New Jersey
USA	New Mexico
USA	New York
USA	Oklahoma

Now as we've been working through these modules one of the things that I've tried to emphasize is that you develop your intuitions about how SQL operates. This conceptual understanding will help you when you come to learn the more complex features of the language.

In this regard I have emphasized that the WHERE clause identifies rows in the base table that should be *carried forward* to the result table. The WHERE clause tells SQL which rows to keep.

I have specifically avoided using phrases such as 'the WHERE clause is used to *eliminate* rows', because the notion of 'identifying the keepers' is critical to my understanding of how SQL works.

But here we are discussing the nature of the DISTINCT phrase and I'm talking about eliminating duplicate rows, removing duplicate entries.

What's up with that? Why the change in focus?

'Cause that's the way I think it works.

While the WHERE clause is all about keeping rows and carrying them forward, I see the DISTINCT phrase as simply eliminating, and removing duplicates

But if it helps you, we can phrase the workings of the DISTINCT phrase in a more positive light.

The scope of the DISTINCT phrase is the entire column-list, in this regard, the DISTINCT option ensures that only single instances of unique column patterns are carried over to the result table.

Should DISTINCT be a phrase, or a clause?

DISTINCT and ALL are phrases within the SELECT clause, and quite frankly, this placement just doesn't jibe with my intuitions.

Does it make sense to you?

When I think about the clauses in the Select statement, my reasoning runs along these lines:

FROM: makes a copy of the base table(s)
for this statements processing.

WHERE: identifies which base table rows
are carried forward to the result
table

SELECT: identifies which columns are
ultimately kept in the result table


With these kinds of intuitions the SELECT clause is the last place I'd expect any row-level activity to be taking place.

Post your comments to this inquiry on the Bb site.

DISTINCT, unique
ALL

Scope

Port, convert



Please drop me an email if you noticed any errors in this module. I'd also appreciate reading your comments, criticisms, and or suggestions as to how this module could be improved.

Thanks,

bil



That's All