```
n=int(input())
a=[]
for i in range(n):
 b=int(input())
 a.append(b)
for arr in a:
 print(arr,end=" ")
₹
    5
     10
     04
     30
     10 0 4 50 30
a=[12,34,56,78,12,34,34]
b=a[0]
for i in range(len(a)):
 if b<a[i]:
   b=a[i]
print(b)
→ 34
     56
     78
a=[12,34,56,78,12,34,34]
b=a[0]
for i in range(len(a)):
 if b>a[i]:
   b=a[i]
print(b)
→ 12
n=[12,12,34,56,67]
s=0
for i in range(len(n)):
 s=s+n[i]
print(s)
→ 181
n=[12,12,34,56,67]
s=0
for i in range(len(n)):
 s=s+n[i]
a=s/len(n)
print(a)
<del>36.</del>2 36.2
a=[1,2,3,4,5,6,7,8,9,10]
0=0
e=0
for char in a:
 if char%2==0:
   e+=1
 else:
   0+=1
print(o,e)
→ 5 5
a=[1,2,3,4,5,6,7,8,9,10]
o=[]
e=[]
for char in a:
 if char%2==0:
   e.append(char)
  else:
   o.append(char)
print(o,e)
```

```
→ [1, 3, 5, 7, 9] [2, 4, 6, 8, 10]
a=[1,2,-8,-6,-3,-5,-3]
p=0
n=0
for char in a:
 if char<0:
   n+=1
 else:
   p+=1
print(n,p)
→ 5 2
a=[1,2,3,4,5,6,7,8,9]
for char in a:
 if char==t:
    print("yes")
    break
else:
    print("no")
→ yes
a=[2,3,6,2,3,8,4,3]
b=[]
c=[]
for i in range(len(a)):
 if a[i] in b:
    c.append(a[i])
  else:
   b.append(a[i])
print(set(c))
→ {2, 3}
a=[1,2,3,4,5]
b=[2,3,4,5]
c=a+b
print(c)
→ [1, 2, 3, 4, 5, 2, 3, 4, 5]
a=[1,2,3,4,5,6]
1=0
r=len(a)-1
while l<r:
 a[1],a[r]=a[r],a[1]
 1+=1
 r-=1
print(a)
→ [6, 5, 4, 3, 2, 1]
a=[34,33,32,31,30,4]
a.sort(reverse=True)
print(a)
→ [34, 33, 32, 31, 30, 4]
a=[35,56,45,23,56,72]
a.sort()
print(a[1])
print(a[-2])
⋺▼ 35
     56
Start coding or generate with AI.
```