

Solar Installation, Simplified.

WAAREE RADIANCE ALL-IN-ONE KIT

Introducing WAAREE RADIANCE - All-In-One Solar Kit. From expert consultation to seamless installation, we handle everything. No more endless research, confusing paperwork, or unreliable contractors. Just pure, clean energy powering your home and saving you money.

**WAAREE
RADIANCE**



-  Low Maintenance
-  Easy Installation
-  30 Year Performance Warranty*
-  12 Year Module Warranty*
-  8 year Warranty* on Inverter
-  Reduce Electricity Bill and Carbon Footprint

Avail Subsidy Benefit up to ₹ 78,000* with PM Surya Ghar Muft Bijli Yojana

FOR MORE INFORMATION

1800-2121-321



waaree@waaree.com

T&C

*The module and inverter images are for representation only; the actual product may vary by variant.

*The warranty period for products may vary for different product variants. Please refer to the specific product details for exact coverage.

*To claim the warranty on the inverter, customers must register their product online by scanning the provided QR code.



Please Scan for Inverter
Warranty Registration

Price List-June 2025 (excl. GST & Freight)

Sr.No	Capacity	Module (Wp)	100+ Qty	51-100 Qty	1-50 Qty
1	3 KWp - 6 Modules Standard (1 Phase)	560/565/570	₹ 1,20,900	₹ 1,21,441	₹ 1,22,449
2	3 KWp - 6 Modules Premium (1 Phase)	560/565/570	₹ 1,24,700	₹ 1,25,241	₹ 1,26,249
3	4 KWp - 8 Modules (1 Phase)	560/565/570	₹ 1,66,200	₹ 1,67,127	₹ 1,68,901
4	5 KWp - 9 Modules (1 Phase)	560/565/570	₹ 1,86,700	₹ 1,87,627	₹ 1,89,401
5	5 KWp - 9 Modules (3 Phase)	560/565/570	₹ 2,00,700	₹ 2,02,039	₹ 2,04,614
6	5 KWp - 10 Modules (1 Phase)	560/565/570	₹ 2,01,600	₹ 2,02,527	₹ 2,04,301
7	5 KWp - 10 Modules (3 Phase)	560/565/570	₹ 2,15,400	₹ 2,16,739	₹ 2,19,314
8	8 KWp - 15 Modules (3 Phase)	560/565/570	₹ 3,05,300	₹ 3,06,639	₹ 3,09,420
9	10 KWp - 19 Modules (3 Phase)	560/565/570	₹ 3,67,000	₹ 3,68,236	₹ 3,71,326

Terms and Condition**

- Price Valid for the month of June 2025.

SINGLE PHASE-3 KWP ONGRID - BOQ

Sr. No.	Component	Specification	Qty.	Units
1	PV Module	BiN-08-560/565/570 (DCR)	6	Nos
2	Inverter (Ongrid)	WS On Grid 1 phase Inverter 3 KVA-Gen4	1	Nos
3	DCDB	DCDB Specifications: - I/C & O/C 25A DC fuse in positive (1 in 1 out) - I/C & O/C Terminal Block negative - DC SPD type 2 - 600V - PC enclosure with IP65 protection - Suitable I/P and O/P MC4 connectors	1	Nos
4	AC Combinar Box	For 3kW AC Distribution Box b/w inverter & Client LT (Field ACDB with following 3 kW - One I/C - 1X25 Amp (2-pole) MCB - SPD 2P Type -2 - Wall mounted - IP 65 indoor Polycarbonate Enclosure	1	Nos
5	DC Cable	1C, 4 Sqmm Cu. XLPO DC Cable - Red	30	Meters
6		1C, 4 Sqmm Cu. XLPO DC Cable - Black	30	Meters
7	AC Cables(From Inverter to ACDB)	2C, Cu. Flexible cable 2.5 Sqmm	20	Meters
8	MC-4 Connectors	MC4 Compatible connectors(Pair)	4	Nos
9	Lighting Arrestor	Conventional type LA 1m high LA HDG	1	Nos
10	Earthing kit(EarthRod)	Earthing Rod with 1m long Copper bonded electrode 14 mm dia 250 microns	3	Nos
11	Earthing kit(Earth Chemical)	25kg Earthing chemical fill	1	Nos
12	Earthing kit(Earth Chamber)	350 mm dia FRP Earth pit chamber with Cover	3	Nos
13	Earthing cables(For Module, DCDB, ACDB & Inverters)	1C, 6 Sqmm Cu. Flexible cable, Green(For Modules to Modules Earthing)	40	Meters
14	Lugs(For Module, DCDB, ACDB & Inverters)	6 Sqmm Cu. Ring type lug	25	Nos
15	Lugs(For AC Cable)	2.5 Sqmm Cu. Ring type lug	4	Nos
16	Fixing accessories(Nut bolts for M-M)	SS 304 Bolt nut for mod-mod M4x25 (B+N+2PL+1 Serated Washer)	25	Nos
17	Fixing accessories(Cable Tie - Nylon)	UV protected Cable Ties-250mm,UL Listed UV Resistant Nylon Cable Ties	1	package
18	Fixing accessories(Cable Tie - SS)	UV protected Cable Ties-300mm,SS Cable Ties - Fire Proof, UV Resistant and Halogen Free Cable ties, SS304, Self Locking, Highly chemical and corrosion resistant.	1	package
19	Conduit pipes & Fixing accessories(PU foam bottle 750ml)	PU foam bottle 750ml	1	Nos
20	Fixing accessories(Tape)	Insulation Tape for 3 phase (Red-1, Yellow-1, Blue-1, Black-1, Green-1)	1	Nos
21	Fixing accessories(DC Cable Dressing Clips(SS 316 without sharp edges))	DC Cable Dressing Clips(SS 316 without sharp edges)	6	Nos

Terms and Condition**

- Price Valid for the month of June 2025.
- Mentioned BoM consists of 21 different products including 560Wp/565Wp & 570Wp Bi-Facial DCR TOPCON Module, Inverter, ACDB, DCDB, ACCables, DCCables, Earthing Items, Lightning Arrestor, Lugs, Cable Ties, PU Foam Bottle, Ferrules, Insulation Tapes and Cable Dressing Clips
- Image is for the reference purpose only. To get more details you can connect us at 18002121321 or Local EPC Sales Team.

SINGLE PHASE-4 KWP ONGRID - BOQ

Sr. No.	Component	Specification	Qty.	Units
1	PV Module	BiN-08-560/565/570 (DCR)	8	Nos
2	Inverter (Ongrid)	WS On Grid 1 phase Inverter 4.5 KVA-Gen4	1	Nos
3	DCDB	DCDB Specifications: - I/C & O/C 25A DC fuse in positive (1 in 1 out) - I/C & O/C Terminal Block negative - DC SPD type 2 - 600V - PC enclosure with IP65 protection - Suitable I/P and O/P MC4 connectors	1	Nos
4	AC Combinar Box	For 4kW AC Distribution Box b/w inverter & Client LT (Field ACDB with following 3 kW - One I/C - 1X25 Amp (2-pole) MCB - SPD 2P Type -2 - Wall mounted - IP 65 indoor Polycarbonate Enclosure	1	Nos
5	DC Cable	1C, 4 Sqmm Cu. XLPO DC Cable - Red	30	Meters
6		1C, 4 Sqmm Cu. XLPO DC Cable - Black	30	Meters
7	AC Cables(From Inverter to ACDB)	2C, Cu. Flexible cable 2.5 Sqmm	20	Meters
8	MC-4 Connectors	MC4 Compatible connectors(Pair)	4	Nos
9	Lighting Arrestor	Conventional type LA 1m high LA HDG	1	Nos
10	Earthing kit(EarthRod)	Earthing Rod with 1m long Copper bonded electrode 14 mm dia 250 microns	3	Nos
11	Earthing kit(Earth Chemical)	25kg Earthing chemical fill	1	Nos
12	Earthing kit(Earth Chamber)	350 mm dia FRP Earth pit chamber with Cover	3	Nos
13	Earthing cables(For Module, DCDB, ACDB & Inverters)	1C, 6 Sqmm Cu. Flexible cable, Green(For Modules to Modules Earthing)	41	Meters
14	Lugs(For Module, DCDB, ACDB & Inverters)	6 Sqmm Cu. Ring type lug	25	Nos
15	Lugs(For AC Cable)	2.5 Sqmm Cu. Ring type lug	4	Nos
16	Fixing accessories(Nut bolts for M-M)	SS 304 Bolt nut for mod-mod M4x25 (B+N+2PL+1 Serated Washer)	25	Nos
17	Fixing accessories(Cable Tie - Nylon)	UV protected Cable Ties-250mm,UL Listed UV Resistant Nylon Cable Ties	1	package
18	Fixing accessories(Cable Tie - SS)	UV protected Cable Ties-300mm,SS Cable Ties - Fire Proof, UV Resistant and Halogen Free Cable ties, SS304, Self Locking, Highly chemical and corrosion resistant.	1	package
19	Conduit pipes & Fixing accessories(PU foam bottle 750ml)	PU foam bottle 750ml	1	Nos
20	Fixing accessories(Tape)	Insulation Tape for 3 phase (Red-1, Yellow-1, Blue-1, Black-1, Green-1)	1	Nos
21	Fixing accessories(DC Cable Dressing Clips(SS 316 without sharp edges))	DC Cable Dressing Clips(SS 316 without sharp edges)	8	Nos

Terms and Condition**

- Price Valid for the month of June 2025.
- Mentioned BoM consists of 21 different products including 560Wp/565Wp & 570Wp Bi-Facial DCR TOPCON Module, Inverter, ACDB, DCDB, ACCables, DCCables, Earthing Items, Lightning Arrestor, Lugs, Cable Ties, PU Foam Bottle, Ferrules, Insulation Tapes and Cable Dressing Clips
- Image is for the reference purpose only. To get more details you can connect us at 18002121321 or Local EPC Sales Team.

SINGLE PHASE-5KWP (9/10 MODULES) ONGRID - BOQ

Sr. No.	Component	Specification	Qty.	Units
1	PV Module	BiN-08-560/565/570 (DCR)	9	Nos
2	Inverter (Ongrid)	WS On Grid 1 phase Inverter 5 KVA-Gen4	1	Nos
3	DCDB	DCDB Specifications: - I/C & O/C 25A DC fuse in positive (2 in 2 out) - I/C & O/C Terminal Block negative - DC SPD type 2 - 1000V - PC enclosure with IP65 protection - Suitable I/P and O/P MC4 connectors	1	Nos
4	AC Combinar Box	For 4 & 5 kW AC Distribution Box b/w inverter & Client LT (Field ACDB with following 4 & 5 kW - One I/C - 1X32 Amp (2-pole) MCB - 1 x SPD 2P Type -2 - Wall mounted - IP 65 indoor Polycarbonate Enclosure	1	Nos
5	DC Cable	1C, 4 Sqmm Cu. XLPO DC Cable - Red	60	Meters
6		1C, 4 Sqmm Cu. XLPO DC Cable - Black	60	Meters
7	AC Cables(From Inverter to ACDB)	2C, Cu. Flexible cable 2.5 Sqmm	20	Meters
8	MC-4 Connectors	MC4 Compatible connectors(Pair)	4	Nos
9	Lighting Arrestor	Conventional type LA 1m high LA HDG	1	Nos
10	Earthing kit(EarthRod)	Earthing Rod with 1m long Copper bonded electrode 14 mm dia 250 microns	3	Nos
11	Earthing kit(Earth Chemical)	25kg Earthing chemical fill	1	Nos
12	Earthing kit(Earth Chamber)	350 mm dia FRP Earth pit chamber with Cover	3	Nos
13	Earthing cables(For Module, DCDB, ACDB & Inverters)	1C, 6 Sqmm Cu. Flexible cable, Green(For Modules to Modules Earthing)	41	Meters
14	Lugs(For Module, DCDB, ACDB & Inverters)	6 Sqmm Cu. Ring type lug	30	Nos
15	Lugs(For AC Cable)	2.5 Sqmm Cu. Ring type lug	10	Nos
16	Fixing accessories(Nut bolts for M-M)	SS 304 Bolt nut for mod-mod M4x25 (B+N+2PL+1 Serated Washer)	30	Nos
17	Fixing accessories(Cable Tie - Nylon)	UV protected Cable Ties-250mm,UL Listed UV Resistant Nylon Cable Ties	1	package
18	Fixing accessories(Cable Tie - SS)	UV protected Cable Ties-300mm,SS Cable Ties - Fire Proof, UV Resistant and Halogen Free Cable ties, SS304, Self Locking, Highly chemical and corrosion resistant.	1	package
19	Conduit pipes & Fixing accessories(PU foam bottle 750ml)	PU foam bottle 750ml	1	Nos
20	Fixing accessories(Tape)	Insulation Tape for 3 phase (Red-1, Yellow-1, Blue-1, Black-1, Green-1)	1	Nos
21	Fixing accessories(DC Cable Dressing Clips(SS 316 without sharp edges))	DC Cable Dressing Clips(SS 316 without sharp edges)	9	Nos

Terms and Condition**

- Price Valid for the month of June 2025.
- Mentioned BoM consists of 21 different products including 560Wp/565Wp & 570Wp Bi-Facial DCR TOPCON Module, Inverter, ACDB, DCDB, ACCables, DCCables, Earthing Items, Lightning Arrestor, Lugs, Cable Ties, PU Foam Bottle, Ferrules, Insulation Tapes and Cable Dressing Clips
- Image is for the reference purpose only. To get more details you can connect us at 18002121321 or Local EPC Sales Team.

THREE PHASE - 5 KWP (9/10 MODULES) ONGRID - BOQ

Sr. No.	Component	Specification	Qty.	Units
1	PV Module	BiN-08-560/565/570 (DCR)	9	Nos
2	Inverter (Ongrid)	WS On Grid 3 phase Inverter 5 KVA-Gen4	1	Nos
3	DCDB	DCDB Specifications: - I/C & O/C 25A DC fuse in positive (2 in 2 out) - I/C & O/C Terminal Block negative - DC SPD type 2 - 1000V - PC enclosure with IP65 protection - Suitable I/P and O/P MC4 connectors	1	Nos
4	AC Combinar Box	For 6 & 8 kW "AC Distribution Box b/w inverter & Client LT (Field ACDB with following 6 & 8 kW - One I/C - 1X32 Amp (4-pole) MCB - 1 x SPD 4P Type -2 - Wall mounted - IP 65 indoor Polycarbonate Enclosure"	1	Nos
5	DC Cable	1C, 4 Sqmm Cu. XLPO DC Cable - Red	60	Meters
6		1C, 4 Sqmm Cu. XLPO DC Cable - Black	60	Meters
7	AC Cables(From Inverter to ACDB)	4C, Cu. Flexible cable 4 Sqmm	20	Meters
8	MC-4 Connectors	MC4 Compatible connectors(Pair)	4	Nos
9	Lighting Arrestor	Conventional type LA 1m high LA HDG	1	Nos
10	Earthing kit(EarthRod)	Earthing Rod with 1m long Copper bonded electrode 14 mm dia 250 microns	3	Nos
11	Earthing kit(Earth Chemical)	25kg Earthing chemical fill	1	Nos
12	Earthing kit(Earth Chamber)	350 mm dia FRP Earth pit chamber with Cover	3	Nos
13	Earthing cables(For Module, DCDB, ACDB & Inverters)	1C, 6 Sqmm Cu. Flexible cable, Green(For Modules to Modules Earthing)	41	Meters
14	Lugs(For Module, DCDB, ACDB & Inverters)	6 Sqmm Cu. Ring type lug	30	Nos
15	Lugs(For AC Cable)	4 Sqmm Cu. Ring type lug	10	Nos
16	Fixing accessories(Nut bolts for M-M)	SS 304 Bolt nut for mod-mod M4x25 (B+N+2PL+1 Serated Washer)	30	Nos
17	Fixing accessories(Cable Tie - Nylon)	UV protected Cable Ties-250mm,UL Listed UV Resistant Nylon Cable Ties	1	package
18	Fixing accessories(Cable Tie - SS)	UV protected Cable Ties-300mm,SS Cable Ties - Fire Proof, UV Resistant and Halogen Free Cable ties, SS304, Self Locking, Highly chemical and corrosion resistant.	1	package
19	Conduit pipes & Fixing accessories(PU foam bottle 750ml)	PU foam bottle 750ml	1	Nos
20	Fixing accessories(Tape)	Insulation Tape for 3 phase (Red-1, Yellow-1, Blue-1, Black-1, Green-1)	1	Nos
21	Fixing accessories(DC Cable Dressing Clips(SS 316 without sharp edges))	DC Cable Dressing Clips(SS 316 without sharp edges)	9	Nos

Terms and Condition**

- Price Valid for the month of June 2025.
- Mentioned BoM consists of 21 different products including 560Wp/565Wp & 570Wp Bi-Facial DCR TOPCON Module, Inverter, ACDB, DCDB, ACCables, DCCables, Earthing Items, Lightning Arrestor, Lugs, CableTies, PU Foam Bottle, Ferrules, InsulationTapes and Cable Dressing Clips
- Image is for the reference purpose only. To get more details you can connect us at 18002121321 or Local EPC Sales Team.

THREE PHASE - 8KWP ONGRID - BOQ

Sr. No.	Component	Specification	Qty.	Units
1	PV Module	BiN-08-560/565/570(DCR)	15	Nos
2	Inverter (Ongrid)	WS On Grid 3 phase Inverter 8 KVA-Gen4	1	Nos
3	DCDB	DCDB Specifications: - I/C & O/C 25A DC fuse in positive (2 in 2 out) - I/C & O/C Terminal Block negative - DC SPD type 2 - 1000V - PC enclosure with IP65 protection - Suitable I/P and O/P MC4 connectors	1	Nos
4	AC Combinar Box	For 6 & 8 kW "AC Distribution Box b/w inverter & Client LT (Field ACDB with following 6 & 8 kW - One I/C - 1X32 Amp (4-pole) MCB - 1 x SPD 4P Type -2 - Wall mounted - IP 65 indoor Polycarbonate Enclosure"	1	Nos
5	DC Cable	1C, 4 Sqmm Cu. XLPO DC Cable - Red	60	Meters
6		1C, 4 Sqmm Cu. XLPO DC Cable - Black	60	Meters
7	AC Cables(From Inverter to ACDB)	4C, Cu. Flexible cable 10 Sqmm	20	Meters
8	MC-4 Connectors	MC4 Compatible connectors(Pair)	4	Nos
9	Lighting Arrestor	Conventional type LA 1m high LA HDG	1	Nos
10	Earthing kit(EarthRod)	Earthing Rod with 3m long Copper bonded electrode 17.2 mm dia 250 microns	3	Nos
11	Earthing kit(Earth Chemical)	25kg Earthing chemical fill	3	Nos
12	Earthing kit(Earth Chamber)	350 mm dia FRP Earth pit chamber with Cover	3	Nos
13	Earthing cables(For Module, DCDB, ACDB & Inverters)	1C, 6 Sqmm Cu. Flexible cable, Green(For Modules to Modules Earthing)	42	Meters
14	Lugs(For Module, DCDB, ACDB & Inverters)	6 Sqmm Cu. Ring type lug	40	Nos
15	Lugs(For Ac Cable)	10 Sqmm Cu. Ring type lug	30	Nos
16	Fixing accessories(Nut bolts for M-M)	SS 304 Bolt nut for mod-mod M4x25 (B+N+2PL+1 Serated Washer)	40	Nos
17	Fixing accessories(Cable Tie - Nylon)	UV protected Cable Ties-250mm,UL Listed UV Resistant Nylon Cable Ties	1	package
18	Fixing accessories(Cable Tie - SS)	UV protected Cable Ties-300mm,SS Cable Ties - Fire Proof, UV Resistant and Halogen Free Cable ties, SS304, Self Locking, Highly chemical and corrosion resistant.	1	package
19	Conduit pipes & Fixing accessories(PU foam bottle 750ml)	PU foam bottle 750ml	1	Nos
20	Fixing accessories(Tape)	Insulation Tape for 3 phase (Red-1, Yellow-1, Blue-1, Black-1, Green-1)	1	Nos
21	Fixing accessories(DC Cable Dressing Clips(SS 316 without sharp edges))	DC Cable Dressing Clips(SS 316 without sharp edges)	15	Nos

Terms and Condition**

- Price Valid for the month of June 2025.
- Mentioned BoM consists of 21 different products including 560Wp/565Wp & 570Wp Bi-Facial DCR TOPCON Module, Inverter, ACDB, DCDB, ACCables, DCCables, Earthing Items, Lightning Arrestor, Lugs, CableTies, PU Foam Bottle, Ferrules, InsulationTapes and Cable Dressing Clips
- Image is for the reference purpose only. To get more details you can connect us at 18002121321 or Local EPC Sales Team.

THREE PHASE-10 KWP ONGRID - BOQ

Sr. No.	Component	Specification	Qty.	Units
1	PV Module	BiN-08-560/565/570 (DCR)	19	Nos
2	Inverter (Ongrid)	WS On Grid 3 phase Inverter 10 KVA-Gen4	1	Nos
3	DCDB	DCDB Specifications: - I/C & O/C 25A DC fuse in positive (2 in 2 out) - I/C & O/C Terminal Block negative - DC SPD type 2 - 1000V - PC enclosure with IP65 protection - Suitable I/P and O/P MC4 connectors	1	Nos
4	AC Combinar Box	For 10 kW AC Distribution Box b/w inverter & Client LT (Field ACDB with following 10 kW - One I/C - 1X20 Amp (4-pole) MCB - 1 x SPD 4P Type -2 - Wall mounted - IP 65 indoor Polycarbonate Enclosure	1	Nos
5	DC Cable	1C, 4 Sqmm Cu. XLPO DC Cable - Red	60	Meters
6		1C, 4 Sqmm Cu. XLPO DC Cable - Black	60	Meters
7	AC Cables(From Inverter to ACDB)	4C, Cu. Flexible cable 10 Sqmm	20	Meters
8	MC4 Connectors	MC4 Compatible connectors(Pair)	4	Nos
9	Lighting Arrestor	Conventional type LA 1m high LA HDG	1	Nos
10	Earthing kit(EarthRod)	Earthing Rod with 3m long Copper bonded electrode 17.2 mm dia 250 microns	3	Nos
11	Earthing kit(Earth Chemical)	25kg Earthing chemical fill	3	Nos
12	Earthing kit(Earth Chamber)	350 mm dia FRP Earth pit chamber with Cover	3	Nos
13	Earthing cables(For Module, DCDB, ACDB & Inverters)	1C, 6 Sqmm Cu. Flexible cable, Green(For Modules to Modules Earthing)	43	Meters
14	Lugs(For Module, DCDB, ACDB & Inverters)	6 Sqmm Cu. Ring type lug	50	Nos
15	Lugs(For AC Cable)	10 Sqmm Cu. Ring type lug	10	Nos
16	Fixing accessories(Nut bolts for M-M)	SS 304 Bolt nut for mod-mod M4x25 (B+N+2PL+1 Serrated Washer)	50	Nos
17	Fixing accessories(Cable Tie - Nylon)	UV protected Cable Ties-250mm,UL Listed UV Resistant Nylon Cable Ties	1	package
18	Fixing accessories(Cable Tie - SS)	UV protected Cable Ties-300mm,SS Cable Ties - Fire Proof, UV Resistant and Halogen Free Cable ties, SS304, Self Locking, Highly chemical and corrosion resistant.	1	package
19	Conduit pipes & Fixing accessories(PU foam bottle 750ml)	PU foam bottle 750ml	1	Nos
20	Fixing accessories(Tape)	Insulation Tape for 3 phase (Red-1, Yellow-1, Blue-1, Black-1, Green-1)	1	Nos
21	Fixing accessories(DC Cable Dressing Clips(SS 316 without sharp edges))	DC Cable Dressing Clips(SS 316 without sharp edges)	19	Nos

Terms and Condition**

- Price Valid for the month of June 2025.
- Mentioned BoM consists of 21 different products including 54560Wp/565Wp & 570Wp Bi-Facial DCR TOPCON Module, Inverter, ACDB, DCDB, ACCables, DCCables, Earthing Items, Lightning Arrestor, Lugs, Cable Ties, PU Foam Bottle, Ferrules, Insulation Tapes and Cable Dressing Clips
- Image is for the reference purpose only. To get more details you can connect us at 18002121321 or Local EPC Sales Team.

KIT QUANTITY - VEHICLE TYPE MATRIX

Capacity ↓ / Vehicle Type →	17 FT	20 FT	32 FT	40 FT
3 KW	1-22	23-27	28-55	56-66
4 KW	1-18	19-20	21-41	42-49
5 KW/5.5 KW	1-13	14-17	18-33	34-40
8 KW	1-9	10-11	12-22	23-26
10 KW	1-7	8	9-17	18-24

Terms and Condition**

- Calculate Freight from the District-wise Freight Chart for all Vehicle Types mentioned above.

