## On the Subject of Morse-A-Maze


It is AMazing that the status light got a life of its own.

- Decode the Morse code from the blinking status light. Off state is green, On state is red.\*\*
- The first thing transmitted is the word used to find the maze.
- The second thing transmitted is the coordinates the status light needs to be placed on. Coordinates are a letter from A-F, representing columns, followed by a number from 1-6, representing rows. The upper left is Al.
- If the word is listed in Table 1, use the corresponding information in the table to determine which maze to look up. If the number you get is greater than 18, keep subtracting 18 until you are in the range of 0-17.
- Otherwise, look up the word in Tables 2 and 3.
- Warning: Do not cross the lines shown in the maze. These lines are invisible on the bomb.
- If there is an unlit BOB indicator and 4 batteries in 3 holders in the configuration of 2×AA and 2×D, Bob will actively prevent you from earning any strikes. Thanks Bob.

## Table 1:

motifs	<ul> <li>If any two-factor widgets are present, use the sum of the 2nd least significant digit of each two-factor code.</li> <li>Otherwise, use the number of unsolved modules.</li> </ul>		
prove*	Number of solved modules	tight	Number of strikes
bistro*	Number of battery holders	border	Number of unique ports
prints	Total number of ports	assay	Number of lit indicators
stance	Number of unlit indicators	spring	Number of indicators
prone	Number of port plates	couch	The last digit of the serial number
stands	The sum of the serial number digits	sweet*	Number of batteries
sweets	First serial number digit	studio	Starting time in minutes
again	Day of week at bomb start (Sunday = 0, Saturday = 6).	apron	Number of empty port plates
incest	Position of first serial number letter minus one (A=0, B=1, C=2,)		

<sup>\* -</sup> The maze for these words can change.



<sup>\*\* -</sup> Refer to page 3 for colorblind mode details. Refer to page 4 for some configuration options.

Table 2:






Table 3:



<sup>\*</sup>If Colorblind mode is enabled, the module will ensure that at least the OffState or the MorseXmitState is set to Off, regardless of current configuration options.



## Configuration Options for MorseAMaze-settings.txt

It is possible to change the colors of the status light for the various states of the module. The following colors are possible.

- $\bullet$  0 Off
- 1 Green
- 2 Red
- 3 Random

These are the options that can be configured, and their default values.

- SolvedState The state the status light changes to once the module is solved. (default: Off)
- StrikeState The state the status light changes to for one second when a strike is earned. (default: Off)
- OffState The off state of the status light while morse code is being transmitted. (default: Green)
- MorseXmitState The on state of the status light while morse code is being transmitted. (default: Red)

Finally, if you wish to reset everything back to default, just change "ResetToDefault" from false to true