



## Statistics for the SDGs - indicators for national priorities



Goal 2. Zero hunger		
Priority Promotion of healthy lifestyle, including healthy nutrition, among adults and children (decrease in proportion of persons with overweight and obesity)  Definition Percentage of population aged 18 years and more with a BMI equal 30 or more.  Unit  Available dimentions  Obesity is defined as abnormal or excessive fat accumulation that presents a risk to health. A crude population measure of obesity is the body mass index (BMI). A person with a BMI of 30 or more is generally considered obese.  Body mass index (BMI) is defined as a person's weight in kilograms divided by the square of the person's height in metres (kg/m2). For adults over 20 years old, BMI falls into one of the following categories:  - <18.5 - underweight, - 18.5 - 24.9 - normal weight, - 25.0 - 29.9 - pre-obesity, - 30.0 - 34.9 - obesity class II, - >=40 - obesity class III.  The BMI ranges are based on the effect excessive body fat has on disease and death and are reasonably well related to adiposity. BMI was developed as a risk indicator of disease; as BMI increases, so does the risk for some diseases. Some common conditions related to overweight and obesity include: premature death, cardiovascular diseases, high blood pressure, osteoarthritis, some cancers and diabetes.  Data source  World Health Organization  Annual data; since 2010	Name of the indicator	2.7.a Prevalence of obesity among adults
Definition   Percentage of population aged 18 years and more with a BMI equal 30 or more.	Sustainable Development Goal	Goal 2. Zero hunger
Desity is defined as abnormal or excessive fat accumulation that presents a risk to health. A crude population measure of obesity is the body mass index (BMI). A person with a BMI of 30 or more is generally considered obese.    Body mass index (BMI) is defined as a person's weight in kilograms divided by the square of the person's height in metres (kg/m2). For adults over 20 years old, BMI falls into one of the following categories:	Priority	
Available dimentions  Sex  Obesity is defined as abnormal or excessive fat accumulation that presents a risk to health. A crude population measure of obesity is the body mass index (BMI). A person with a BMI of 30 or more is generally considered obese.  Body mass index (BMI) is defined as a person's weight in kilograms divided by the square of the person's height in metres (kg/m2). For adults over 20 years old, BMI falls into one of the following categories:  - <18.5 - underweight, - 18.5 - 24.9 - normal weight, - 25.0 - 29.9 - pre-obesity, - 30.0 - 34.9 - obesity class II, - 35.0 - 39.9 - obesity class III.  The BMI ranges are based on the effect excessive body fat has on disease and death and are reasonably well related to adiposity. BMI was developed as a risk indicator of disease; as BMI increases, so does the risk for some diseases. Some common conditions related to overweight and obesity include: premature death, cardiovascular diseases, high blood pressure, osteoarthritis, some cancers and diabetes.  Data source  World Health Organization  Annual data; since 2010	Definition	Percentage of population aged 18 years and more with a BMI equal 30 or more.
Obesity is defined as abnormal or excessive fat accumulation that presents a risk to health. A crude population measure of obesity is the body mass index (BMI). A person with a BMI of 30 or more is generally considered obese.  Body mass index (BMI) is defined as a person's weight in kilograms divided by the square of the person's height in metres (kg/m2). For adults over 20 years old, BMI falls into one of the following categories:  - <18.5 - underweight, - 18.5 - 24.9 - normal weight, - 25.0 - 29.9 - pre-obesity, - 30.0 - 34.9 - obesity class I, - 35.0 - 39.9 - obesity class II, - >=40 - obesity class III.  The BMI ranges are based on the effect excessive body fat has on disease and death and are reasonably well related to adiposity. BMI was developed as a risk indicator of disease; as BMI increases, so does the risk for some diseases. Some common conditions related to overweight and obesity include: premature death, cardiovascular diseases, high blood pressure, osteoarthritis, some cancers and diabetes.  Data source  World Health Organization  Annual data; since 2010	Unit	percent [%]
health. A crude population measure of obesity is the body mass index (BMI). A person with a BMI of 30 or more is generally considered obese.  Body mass index (BMI) is defined as a person's weight in kilograms divided by the square of the person's height in metres (kg/m2). For adults over 20 years old, BMI falls into one of the following categories:  - <18.5 - underweight, - 18.5 - 24.9 - normal weight, - 25.0 - 29.9 - pre-obesity, - 30.0 - 34.9 - obesity class I, - 35.0 - 39.9 - obesity class II.  The BMI ranges are based on the effect excessive body fat has on disease and death and are reasonably well related to adiposity. BMI was developed as a risk indicator of disease; as BMI increases, so does the risk for some diseases. Some common conditions related to overweight and obesity include: premature death, cardiovascular diseases, high blood pressure, osteoarthritis, some cancers and diabetes.  Data source  Data availability  Annual data; since 2010	Available dimentions	sex
Data availability  Annual data; since 2010	Methodological explanations	health. A crude population measure of obesity is the body mass index (BMI). A person with a BMI of 30 or more is generally considered obese.  Body mass index (BMI) is defined as a person's weight in kilograms divided by the square of the person's height in metres (kg/m2). For adults over 20 years old, BMI falls into one of the following categories:  • <18.5 - underweight, • 18.5 - 24.9 - normal weight, • 25.0 - 29.9 - pre-obesity, • 30.0 - 34.9 - obesity class I, • 35.0 - 39.9 - obesity class II, • >=40 - obesity class III.  The BMI ranges are based on the effect excessive body fat has on disease and death and are reasonably well related to adiposity. BMI was developed as a risk indicator of disease; as BMI increases, so does the risk for some diseases. Some common conditions related to overweight and obesity include: premature death, cardiovascular
	Data source	World Health Organization
Notes	Data availability	Annual data; since 2010
	Notes	

Last update: 09-02-2021, 08:50