

Evidence identity and commit lineage

Evidence base: 63b6e06

Human Story: a562c47

Anchor: a701743

Replay Report: ec50c1f

Generation audit: a701743

Replay audit: ec50c1f

Generation PASS / committed Anchor / Replay PASS / zero effects

tri_party_airline_orchestrator_IIm

Human role: Interpret the whole tri-party goal and propose the bounded semantic route that precedes BSEP creation.

Side: Transaction-level advisory side.

Bounded information: Sealed references for the fixed transaction and deterministic mock Airline evidence; no unbounded private or connector context.

Accepted canonical meaning: The transaction should be routed through a bounded tri-party semantic program and a BSEP membrane before downstream architecture work.

Structured fields: `actor\_id=tri\_party\_airline\_orchestrator\_IIm`; `side=transaction`; exact transaction ID; `validation\_status=PASS`; `accepted=true`.

Validation: PASS / accepted true Downstream: Runtime BSEP construction and the bounded context supplied to the semantic Architect.

Authority boundary: Advisory only; it created no authority, permission, action, payment, ticket, booking, packet, receipt, or FinalOutput.

tri_party_airline_semantic_architect_IIm

Human role: Propose a semantic actor topology and validation obligations from BSEP-derived bounded context.

Side: Transaction-level advisory side.

Bounded information: The validated BSEP-derived transaction context, sealed references, and deterministic mock Airline evidence.

Accepted canonical meaning: A bounded actor topology and validation plan can organize the client, airline, bank, vertical-cell, and cross-root reviews.

Structured fields: `actor\_id=tri\_party\_airline\_semantic\_architect\_IIm`; `side=transaction`; exact transaction ID; `validation\_status=PASS`; `accepted=true`.

Validation: PASS / accepted true Downstream: Runtime orchestration of the remaining bounded semantic reviewers and validators.

Authority boundary: Advisory only; the proposed topology did not become authority, permission, a transaction action, or a Root decision.

client_purchase_intent_reviewer_llm

Human role: Review which hard-compatible offer best matches the client's soft travel preferences.

Side: Client-side advisory evidence for ClientRoot.

Bounded information: Client-side BSEP projection, sealed references, the fixed transaction identity, and deterministic mock offers.

Accepted canonical meaning: Offer `offer:mock\_airline\_al:PAR-LIM:001` best matches the lower-price and window-seat preferences while the compared offers remain hard-compatible.

Structured fields: `actor\_id=client\_purchase\_intent\_reviewer\_llm`; `side=client`; exact transaction ID; accepted Offer A identity; `validation\_status=PASS`; `accepted=true`.

Validation: PASS / accepted true Downstream: Validated canonical semantic evidence and the ClientRoot offer-selection decision.
Authority boundary: Advisory only; ClientRoot, not Gemini, made the accepted client-side decision.

client_profile_privacy_reviewer_11m

Human role: Review how passenger and payment references remain opaque and how private fields stay bounded.

Side: Client-side advisory evidence for ClientRoot and the secret boundary.

Bounded information: Client-side sealed references and deterministic descriptions of opaque passenger/payment identities; no raw private profile or payment instrument.

Accepted canonical meaning: Passenger and payment references should remain opaque, with access controlled through bounded privacy mechanisms rather than raw-field exposure.

Structured fields: `actor\_id=client\_profile\_privacy\_reviewer\_11m`; `side=client`; exact transaction ID; `validation\_status=PASS`; `accepted=true`.

Validation: PASS / accepted true Downstream: Runtime privacy/secret-boundary checks and ClientRoot review.

Authority boundary: Advisory only; it neither accessed raw secrets nor authorized use of private or payment data.

airline_offer_policy_reviewer_11m

Human role: Review the proposed Airline offer under bounded policy evidence.

Side: Airline-side advisory evidence for AirlineRoot.

Bounded information: Airline BSEP projection, sealed references, deterministic mock Airline evidence, and the fixed transaction.

Accepted canonical meaning: Offer `offer:mock\_airline\_al:PAR-LIM:001` was reviewed as acceptable advisory policy evidence.

Structured fields: `actor\_id=airline\_offer\_policy\_reviewer\_11m`; `side=airline`; exact transaction ID; accepted Offer A identity; `validation\_status=PASS`; `accepted=true`.

Validation: PASS / accepted true Downstream: Airline fare/seat vertical children, semantic synthesis, and AirlineRoot offer resolution.

Authority boundary: Advisory only; AirlineRoot retained authoritative offer resolution.

airline_fare_rules_vertical_cell_llm

Human role: Perform a bounded child review of fare-rule considerations for the proposed offer.

Side: Airline-side vertical advisory cell.

Bounded information: Airline BSEP projection plus the validated canonical summary from `airline\_offer\_policy\_reviewer\_llm`; no parent raw response or sibling raw output.

Accepted canonical meaning: Offer `offer:mock\_airline\_al:PAR-LIM:001` passed the bounded fare-rules advisory review.

Structured fields: `actor\_id=airline\_fare\_rules\_vertical\_cell\_llm`; `side=airline`; parent actor `airline\_offer\_policy\_reviewer\_llm`; parent validation `PASS`; parent canonical summary received; `validation\_status=PASS`; `accepted=true`.

Validation: PASS / accepted true Downstream: Parent/Root review and validated causal semantic synthesis.

Authority boundary: Advisory only; the child returned evidence to parent or Root review and created no authority or transaction artifact.

airline_seat_baggage_vertical_cell_llm

Human role: Perform a bounded child review of seat and baggage considerations for the proposed offer.

Side: Airline-side vertical advisory cell.

Bounded information: Airline BSEP projection plus the validated canonical summary from `airline\_offer\_policy\_reviewer\_llm`; no parent raw response or sibling raw output.

Accepted canonical meaning: Offer `offer:mock\_airline\_al:PAR-LIM:001` passed the bounded seat/baggage advisory review.

Structured fields: `actor\_id=airline\_seat\_baggage\_vertical\_cell\_llm`; `side=airline`; parent actor `airline\_offer\_policy\_reviewer\_llm`; parent validation `PASS`; parent canonical summary received; `validation\_status=PASS`; `accepted=true`.

Validation: PASS / accepted true Downstream: Parent/Root review and validated causal semantic synthesis.

Authority boundary: Advisory only; the child did not make the AirlineRoot decision or create a ticket/booking artifact.

airline_ticketing_policy_reviewer_11m

Human role: Review the preconditions for mock ticket evidence.

Side: Airline-side advisory evidence for AirlineRoot.

Bounded information: Airline-side sealed references and deterministic mock hold, payment-authorization, client-approval, and ticket-evidence concepts.

Accepted canonical meaning: Mock ticket evidence requires a confirmed hold, successful mock payment authorization, and explicit client approval; the mock receipt is not an actual issued ticket.

Structured fields: `actor\_id=airline\_ticketing\_policy\_reviewer\_11m`; `side=airline`; exact transaction ID; `validation\_status=PASS`; `accepted=true`.

Validation: PASS / accepted true Downstream: AirlineRoot ticket-issue review and the deterministic Corridor's ticket phase.
Authority boundary: Advisory only; it did not grant ticket permission or issue any ticket.

bank_payment_policy_reviewer_11m

Human role: Review the bounded mock payment-authorization evidence.

Side: Bank-side advisory evidence for BankRoot.

Bounded information: Bank BSEP projection and sealed mock amount, merchant, debtor-slot, consent, and payment-token references.

Accepted canonical meaning: The bounded fields describe a mock authorization proposal and protected payment reference, not settlement or an external bank action.

Structured fields: `actor\_id=bank\_payment\_policy\_reviewer\_11m`; `side=bank`; exact transaction ID; deterministic review status `PASS`; `validation\_status=PASS`; `accepted=true`.

Validation: PASS / accepted true Downstream: Bank idempotency child review and BankRoot authorization-boundary validation. Authority boundary: Advisory only; BankRoot retained the scoped authorization boundary and no payment was executed.

bank_idempotency_risk_vertical_cell_11m

Human role: Review duplicate-payment, idempotency, expiry, TTL, amount, and merchant mismatch risk.

Side: Bank-side vertical advisory cell.

Bounded information: Bank BSEP projection plus the validated canonical summary from `bank\_payment\_policy\_reviewer\_11m`; no parent raw response or sibling raw output.

Accepted canonical meaning: The bounded mock authorization evidence passed the idempotency and mismatch-pressure review.

Structured fields: `actor\_id=bank\_idempotency\_risk\_vertical\_cell\_11m`; `side=bank`; parent actor `bank\_payment\_policy\_reviewer\_11m`; parent validation `PASS`; parent canonical summary received; deterministic review status `PASS`; `validation\_status=PASS`; `accepted=true`.

Validation: PASS / accepted true Downstream: Parent/Root review and BankRoot authorization evidence checks.

Authority boundary: Advisory only; the child created no payment, permission, receipt, or BankRoot final.

bank_payment_status_explainer_llm

Human role: Explain the evidence distinction between mock authorization and settlement.

Side: Bank-side advisory evidence.

Bounded information: Bank projection, fixed transaction identity, and deterministic evidence-only payment-status concepts.

Accepted canonical meaning: A payment-status receipt is evidence of a mock state; it is neither settlement, action permission, nor final commitment.

Structured fields: `actor\_id=bank\_payment\_status\_explainer\_llm`; `side=bank`; exact transaction ID; evidence-only receipt classification; `validation\_status=PASS`; `accepted=true`.

Validation: PASS / accepted true Downstream: BankRoot evidence classification and final trace construction.

Authority boundary: Advisory only; no settlement, payment instruction, or authority was created.

tri_party_evidence_consistency_reviewer_llm

Human role: Review consistency across client, airline, and bank evidence.

Side: Cross-root advisory side.

Bounded information: Cross-root BSEP projection, sealed references, fixed transaction identity, and deterministic mock evidence.

Accepted canonical meaning: Offer `offer:mock\_airline\_al:PAR-LIM:001` remained coherent across the reviewed evidence.

Structured fields: `actor\_id=tri\_party\_evidence\_consistency\_reviewer\_llm`; `side=cross\_root\_advisory`; exact transaction ID; accepted Offer A identity; `validation\_status=PASS`; `accepted=true`.

Validation: PASS / accepted true Downstream: Validated causal synthesis and Root-side consistency checks.

Authority boundary: Advisory only; the reviewer is not a fourth Root and cannot transfer authority across Roots.

Ledger timeline rows 0-9

00 | AirlineTransactionScopeV01 | airline_transaction_scope:tri_airline_purchase:PAR-LIM:2026-08-12:client_001 | transaction_scope:non_authoritative | deps 0 | trace

01 | ClientBSEPProjectionV01 | client_bsep_projection | bsep_side:client | deps 1 | trace

02 | AirlineBSEPProjectionV01 | airline_bsep_projection | bsep_side:airline | deps 1 | trace

03 | BankBSEPProjectionV01 | bank_bsep_projection | bsep_side:bank | deps 1 | trace

04 | CrossRootAdvisoryBSEPProjectionV01 | cross_root_bsep_projection | bsep_side:cross_root_advisory | deps 1 | trace

05 | ValidatedAirlineSemanticSelectionEvidenceV01 | canonical_selection:offer:mock_airline_al:PAR-LIM:001 | runtime_canonicalization:advisory | deps 1 | trace

06 | ClientRootOfferSelectionDecisionV01 | client_root_offer_selection_decision:offer:mock_airline_al:PAR-LIM:001 | root:client_os_001 | deps 1 | trace

07 | AirlineRootSelectedOfferResolutionV01 | airline_root_selected_offer_resolution:offer:mock_airline_al:PAR-LIM:001 | root:mock_airline_al | deps 1 | trace

08 | AirlineOfferPacketV01 | airline_offer_packet:semantic_causal:001 | root:mock_airline_al | deps 1 | trace

09 | AirlineHoldCommitPacketV01 | airline_hold_commit_packet:semantic_causal:001 | root:mock_airline_al | deps 1 | trace

Ledger timeline rows 10-18

10 | AirlineOfferHoldReceiptV01 | offer_hold_receipt:mock_airline_al:001 | root:mock_airline_al | deps 1 | trace
11 | ClientPurchaseIntentV01 | client_purchase_intent:client_001:001 | root:client_os_001 | deps 1 | trace
12 | BankPaymentAuthorizationRefV01 | bank_payment_authorization_ref:mock_bank_a:001 | root:mock_bank_a | deps 1 | trace
13 | AirlineTicketIssueIntentV01 | airline_ticket_issue_commit_packet:mock_airline_al:001 | root:mock_airline_al | deps 3 | trace
14 | MockTicketReceiptV01 | mock_ticket_receipt:mock_airline_al:001 | root:mock_airline_al | deps 1 | trace
15 | MockPurchaseReceiptV01 | mock_purchase_receipt:client_001:001 | root:client_os_001 | deps 3 | trace
16 | ClientRootFinalV01 | client_root_final:001 | root:client_os_001 | deps 3 | ROOT FINAL
17 | AirlineRootFinalV01 | airline_root_final:001 | root:mock_airline_al | deps 6 | ROOT FINAL
18 | BankRootFinalV01 | bank_root_final:001 | root:mock_bank_a | deps 1 | ROOT FINAL

Crypto, hashes, and committed Anchor

Manifest Core:

4f6d9abe351e986abf147150a5dd4e76816430cf80bb718b50fa3536719a2472

Source package:

00662506fc3afe95d619a5003b572c9c1c9475e5ba26f7759b694115d092fdfa

Chain tail:

1f56be26e253f878e8d165d06a4da4430c1c4ec2e22daea1fc98c57b2f3b40fe

Anchor SHA-256:

54ee8e6dcceaa846ecc4bf8968b0ab26c9bcb849663a76c0cb9d01d564c694b0

Replay Report SHA-256:

7ceaa5400ef6b35fb1e39f2bdc739a68cb9bb4373d82e7586feee901ef414b57

Stored status: SELF_CONSISTENT_UNANCHORED

Signature verified: false

Replay and zero-rerun boundary

Replay status: PASS

Timeline rows: 19

External Anchor supplied: true

External Anchor verified: true

Package bytes unchanged: true

transaction reruns: 0

semantic reruns: 0

Corridor reruns: 0

Ledger recollections: 0

Crypto recollections: 0

provider / network / Gemini: 0 / 0 / 0

created authority / permission / action / packet / receipt / FinalOutput: 0

real-world effects: 0

Claim-evidence reference

C01 | generation_pass | PASS | docs/audit_reports/auditor_airline_all_real_full_stack_v01_generation_anchor_publication.log
 C02 | real_gemini_calls_12 | 12 | docs/audit_reports/auditor_airline_all_real_full_stack_v01_generation_anchor_publication.log
 C03 | actor_validations_12_pass_0_fail | 12 PASS / 0 FAIL | docs/audit_reports/auditor_airline_all_real_full_stack_v01_generation_anchor_publication.log
 C04 | transaction_route_and_date | tri_airline_purchase:PAR-LIM:2026-08-12:client_001 / PAR to LIM / 2026-08-12 | docs/airline_all_real_full_stack_human_story_v01.md
 C05 | offer_a_selected | offer:mock_airline_al:PAR-LIM:001 | docs/audit_reports/auditor_airline_all_real_full_stack_v01_generation_anchor_publication.log
 C06 | four_bsep_projections_pass | 4 PASS | docs/airline_all_real_full_stack_human_story_v01.md
 C07 | three_sovereign_roots | ClientRoot / AirlineRoot / BankRoot | docs/airline_all_real_full_stack_human_story_v01.md
 C08 | corridor_pass | PASS | docs/audit_reports/auditor_airline_all_real_full_stack_v01_generation_anchor_publication.log
 C09 | corridor_execution_count_1 | 1 | docs/audit_reports/auditor_airline_all_real_full_stack_v01_generation_anchor_publication.log
 C10 | ledger_entries_19 | 19 | docs/audit_reports/auditor_airline_all_real_full_stack_v01_generation_anchor_publication.log
 C11 | ledger_dependency_edges_29 | 29 | docs/audit_reports/auditor_airline_all_real_full_stack_v01_generation_anchor_publication.log
 C12 | ledger_root_finals_3 | 3 | docs/audit_reports/auditor_airline_all_real_full_stack_v01_generation_anchor_publication.log
 C13 | crypto_source_files_9 | 9 | docs/audit_reports/auditor_airline_all_real_full_stack_v01_generation_anchor_publication.log
 C14 | critical_package_files_11 | 11 | docs/audit_reports/auditor_airline_all_real_full_stack_v01_generation_anchor_publication.log
 C15 | stored_verification_unanchored | SELF_CONSISTENT_UNANCHORED | docs/airline_all_real_full_stack_crypto_anchor_v01.json
 C16 | committed_external_anchor | True | docs/airline_all_real_full_stack_crypto_anchor_v01.json
 C17 | fresh_anchored_verification_pass | PASS | docs/airline_all_real_full_stack_replay_report_v01.json
 C18 | replay_timeline_rows_19 | 19 | docs/airline_all_real_full_stack_replay_report_v01.json
 C19 | replay_provider_network_gemini_zero | provider 0 / network 0 / Gemini 0 | docs/airline_all_real_full_stack_replay_report_v01.json
 C20 | real_world_effects_zero | 0 | docs/airline_all_real_full_stack_replay_report_v01.json
 C21 | package_bytes_unchanged | True | docs/airline_all_real_full_stack_replay_report_v01.json
 C22 | historical_failure_evidence_preserved | True | docs/audit_reports/auditor_airline_all_real_full_stack_v01_anchored_replay.log
 C23 | failed_package_not_promoted_and_recovery_distinct | failed package promoted false; recovery package distinct true | docs/audit_reports/auditor_airline_all_real_full_stack_v01_anchored_replay.log
 C24 | signature_verified_false | False | docs/airline_all_real_full_stack_replay_report_v01.json

Non-claims and verification instructions

**NOT A REAL TICKET
NOT A REAL BOOKING
NOT A REAL PAYMENT
NOT PRODUCTION
GEMINI OUTPUT IS NOT TRUTH OR AUTHORITY
CRYPTO VALIDITY IS NOT SEMANTIC TRUTH
THE COMMITTED HASH ANCHOR IS NOT SIGNER AUTHENTICATION
NO PKI / NO ROOT ATTESTATION
REPLAY IS NOT EFFECT AUTHORIZATION**

Verify SHA256SUMS, inspect the claim matrix, and follow repository-relative committed evidence paths.