

First Year Electrical Engineering CSE121 - Computer Programming 2016-2017 Second Semester

Project

Due Date for Project Submission: Friday May 12th, 2017 (till 11:59PM).

Teams: No Groups, Work is individual based (Each Student submit a project).

Notes:

- Automatic Grading will be applied over an online system.
- Use the Submission Manual that explains how to register on the online system and submit, test/evaluate your code.
- The online system can automatically detect copied submissions with intelligent comparison (plagiarism detection). All detected copies of students submissions will take **-ve** grade.

Project Description

It is required to develop a program to do operations on polygons data. The program use a defined string format to represent polygons. All polygons will be in one line input. For example:

Polygons=[(1,1),(4,1),(4,5),(1,5);(3,4),(6,4),(6,12),(3,12)]

Polygons Data

The Polygons line contains a list of polygons data separated by ';'. Fields of a Polygon is represented by a set of points separated by ','. The number of polygons are up to 1000 polygon. Each polygon has up to 100 points.

Definition of Redundant Point

A redundant point is a point of the polygon points that can be deleted without change in the polygon shape. Like

```
(1,1),(2,1),(4,1),(4,3),(1,3)
(1,2),(4,2),(4,2),(4,8),(1,8)
(1,2),(4,2),(4,2),(4,2),(4,8),(1,8)
```

In the second case two neighbor identical points any one of them can be redundant (you should select only the second one). If more than two points are identical and follow each other, all of them are redundant except the first point of them.

Intersecting Polygons

Intersecting Polygons are polygons sharing common area, side, or point(s).

Connected Polygons

Two Connected Polygons are polygons that are intersecting or polygons which have path from one to the other through intersecting polygons.

Operations

When the program start, the user enters one Polygons Line in the defined above format then followed by **one or more** operations from the below table (each operation in a line). The program ends when it reads **Quit** operation.

Level	Operation	Action Required from the Program
1	Number_Polygons	Print the number of polygons.
	Total_Number_Points	Print the total number of points in all polygons.
	Minimum_X	Print the minimum X value of all points.
	Maximum_X	Print the maximum X value of all points
	Minimum_Y	Print the minimum Y value of all points.
	Maximum_Y	Print the maximum Y value of all points
	Enclosing_Rectangle	Print the minimum Enclosing Rectangle that includes all polygons inside it.
	Total_Redundant_Points	The number of Redundant points in all polygons
	Quit	End program
2	Polygon_Points n	List all points of the n th polygon (neglecting redundant points) n start from 1 (1 means the first polygon)
		output should be in the same format of input polygons string i.e. (1,1),(4,1),(4,2),(1,2)
	Point_Polygons (2,1)	List all polygons IDs (ID is 1 for the first polygon, 2 for the

	second polygon,) of polygons that have the point (2,1) in their points list The output is a comma separated IDs of polygons having the point like 2,4,6,10
List_Polygons_Points More n	List Polygons having more than n points excluding redundant points where n is an integer. The output is a comma separated IDs of polygons like 2,4,6,10
List_Polygons_Points Less n	List Polygons having less than n points excluding redundant points where n is an integer. The output is a comma separated IDs of polygons like 2,4,6,10
List_Polygons_Points Equal n	List Polygons having exactly n points excluding redundant points where n is an integer. The output is a comma separated IDs of polygons like 2,4,6,10
List_Points_Polygons More n	List all Points that are in the list of more than n polygons where n is an integer. The output is a comma separated points like

	(3,2),(4,1)
List_Points_Polygons Less n	List all Points that are in the
	list of less than n polygons
	where n is an integer.
	The output is a comma
	separated points like
	(3,2),(4,1)
List_Points_Polygons Equal n	List all Points that are in the
	list of less than n polygons
	where n is an integer.
	The output is a comma
	separated points like
	(3,2),(4,1)
Polygon_Perimeter n	Print the perimeter of the n th
	polygon.
List_Triangles	List all Polygon IDs of polygons
	that are triangles.
	The output is a comma
	separated IDs of polygons like
	2,4,6,10
List_Rectangles	List all Polygon IDs of polygons
	that are rectangles.
	The output is a comma
	separated IDs of polygons like
	2,4,6,10
List_Trapezoid	List all Polygon IDs of polygons
	that are trapezoid.
	The output is a comma
	separated IDs of polygons like
	2,4,6,10

3	Inside_Rectangle (1,2),(1,5),(6,5),(6,1)	List all Polygon IDs of polygons
		that are inside the given
		rectangle.
		The output is a comma
		separated IDs of polygons like
		2,4,6,10
	Inside_Circle (1,2),5	List all Polygon IDs of polygons
		that are inside the given Circle
		(Center, radius in the format
		(1,2),5).
		The output is a comma
		separated IDs of polygons like
		2,4,6,10
	Polygon_Area n	Print the polygon area of the
	76 =	n th polygon
	Polygons_Area_Range minArea,maxArea	List all Polygon IDs of polygons
		that have area <= minArea and
		>=maxArea.
		The output is a comma
		The output is a comma
		separated IDs of polygons like 2,4,6,10
	Polygons_Enclosing_Point (1,2)	List all Polygon IDs of polygons
	1 2.780.10_2.10.1031.18_1 31.11 (1,72)	that have the point (1,2) inside
		it (or on its boundaries).
		,
		The output is a comma
		separated IDs of polygons like
		2,4,6,10
	Is_Intersecting i,j	Print TRUE if i th polygon
		intersects the j th polygon
	Intersecting_Group 3,5,6	Print TRUE if the list of
		polygon are all intersecting
		with each other (each one is

		intersecting with all other polygons)
	Largest_Intersecting_Pair	Print the two IDs of polygons that are intersecting and having the largest sum of area. The output is a comma
		separated IDs of polygons like 2,4
	Largest_Rectangle_Inside n	Print the largest rectangle that can inside the nth polygon.
		output should be in the same format of input polygons string i.e. (1,1),(4,1),(4,2),(1,2)
	Largest_Circle_Inside n	Print the largest circle that can inside the nth polygon. output should be in the format center, radius i.e.
Extra Marks	Is_Connected i,j	(1,1),5 Print TRUE if i th polygon is connected to the j th polygon
	Is_Connected_Group 1,2,5	Print TRUE if all polygon in the list are connected.
	Maximum_Intersecting_Group	List polygon IDs forming the largest set of polygons that are intersecting (any ID should intersect with All other IDs in the list)
	Maximum_Connected_Group	List polygon IDs forming the largest set of polygons that are connected directly or indirectly (through another polygon)

Project Marks Distribution:

30% to support operations in Level 1

40% to support operations in Level 2

30% to support operations in Level 3

20% for Extra Marks Part

General Constraints:

- 1- User can input up to 1000 polygons and each has up to 100 points.
- 2- X and Y of any point can be float.
- 3- Graphics library and Time class can not be used in that project.
- 4- All your code should be in one file.
- 5- Do not prompt user to enter anything, just read the input directly and print the output of operations directly.
- 6- At any operation if the output is empty the operation should print "none"
- 7- Output should not include any extra white spaces or any extra texts more than the results.

Hints:

- 1. You should write int main() and you should not write void main()
- 2. Never use system("pause");
- 3. While parsing data, you will need to convert from string to a number. Use atof() function defined in <cstdlib>.

The conversion code is f=atof(s.c_str()); Use the following example as a guide:

```
#include<iostream>
#include<string>
#include<cstdlib>

using namespace std;

int main() {
    // To convert from string to float use atof function
    // atof needs #include<cstdlib>

string s = "1.5";
float f;
f = atof(s.c_str());

return 0;
}
```