

Global Mental Health 4a

Please respond to each question or statement by marking one box per row.

		Excellent	Very good	Good	Fair	Poor
Global02	In general, would you say your quality of life is:	☐ 5	☐ 4	☐ 3	☐ 2	☐ 1
Global04	In general, how would you rate your mental health, including your mood and your ability to think?	☐ 5	☐ 4	☐ 3	☐ 2	☐ 1
Global05	In general, how would you rate your satisfaction with your social activities and relationships?	☐ 5	☐ 4	☐ 3	☐ 2	☐ 1
	In the past 7 days...					
		Never	Rarely	Sometimes	Often	Always
Global10r	How often have you been bothered by emotional problems such as feeling anxious, depressed or irritable?	☐ 5	☐ 4	☐ 3	☐ 2	☐ 1

Emotional Distress – Depression – Short Form 8a

Please respond to each question or statement by marking one box per row.

In the past 7 days...

		Never	Rarely	Sometimes	Often	Always
EDDEP04	I felt worthless	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5
EDDEP06	I felt helpless.....	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5
EDDEP29	I felt depressed.....	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5
EDDEP41	I felt hopeless.....	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5
EDDEP22	I felt like a failure	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5
EDDEP36	I felt unhappy.....	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5
EDDEP05	I felt that I had nothing to look forward to	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5
EDDEP09	I felt that nothing could cheer me up.....	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5

Emotional Distress – Anxiety – Short Form 8a

Please respond to each question or statement by marking one box per row.

In the past 7 days...

		Never	Rarely	Sometimes	Often	Always
EDANX01	I felt fearful.....	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5
EDANX40	I found it hard to focus on anything other than my anxiety	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5
EDANX41	My worries overwhelmed me.....	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5
EDANX53	I felt uneasy	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5
EDANX46	I felt nervous.....	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5
EDANX07	I felt like I needed help for my anxiety	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5
EDANX05	I felt anxious	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5
EDANX54	I felt tense	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5

Social Isolation – Short Form 8a

Please respond to each item by marking one box per row.

		Never	Rarely	Sometimes	Usually	Always
UCLA11x2	I feel left out.....	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5
UCLA13x3	I feel that people barely know me.....	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5
UCLA14x2	I feel isolated from others	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5
UCLA18x2	I feel that people are around me but not with me	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5
Iso-CaPS1	I feel isolated even when I am not alone ..	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5
Iso-CaPS2	I feel that people avoid talking to me	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5
Iso-CaPS3	I feel detached from other people	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5
Iso-CaPS9	I feel like a stranger to those around me	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5

Emotional Support – Short Form 8a

Please respond to each item by marking one box per row.

		Never	Rarely	Sometimes	Usually	Always
FSE31053x2	I have someone who will listen to me when I need to talk	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5
FSE31059x2	I have someone to confide in or talk to about myself or my problems	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5
SS12x	I have someone who makes me feel appreciated	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5
SSQ3x2	I have someone to talk with when I have a bad day	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5
FSE31069x2	I have someone who understands my problems.....	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5
SSE-CaPS6	I have someone I trust to talk with about my feelings.....	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5
FSE31066x2	I have someone with whom to share my most private worries and fears	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5
SSQ4x2	I have someone I trust to talk with about my problems	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5

Companionship – Short Form 6a

Please respond to each item by marking one box per row.

		Never	Rarely	Sometimes	Usually	Always
FSE31057x2	Do you have someone with whom to have fun?	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5
FSE31061x2	Do you have someone with whom to relax?	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5
FSE31068x	Do you have someone with whom you can do something enjoyable?	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5
UCLA15x2	Can you find companionship when you want it?	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5
SSC-CaPS1	Do you have someone to keep you company at home?	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5
SSC-CaPS10	Do you have someone to go with you to an event?	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5

Ability to Participate in Social Roles and Activities – Short Form 8a

Please respond to each item by marking one box per row.

		Never	Rarely	Sometimes	Usually	Always
SRPPER11_ CaPS	I have trouble doing all of my regular leisure activities with others	☐ 5	☐ 4	☐ 3	☐ 2	☐ 1
SRPPER18_ CaPS	I have trouble doing all of the family activities that I want to do.....	☐ 5	☐ 4	☐ 3	☐ 2	☐ 1
SRPPER23_ CaPS	I have trouble doing all of my usual work (include work at home)	☐ 5	☐ 4	☐ 3	☐ 2	☐ 1
SRPPER46_ CaPS	I have trouble doing all of the activities with friends that I want to do	☐ 5	☐ 4	☐ 3	☐ 2	☐ 1
SRPPER15_ CaPS	I have to limit the things I do for fun with others.....	☐ 5	☐ 4	☐ 3	☐ 2	☐ 1
SRPPER28r1	I have to limit my regular activities with friends	☐ 5	☐ 4	☐ 3	☐ 2	☐ 1
SRPPER14r1	I have to limit my regular family activities	☐ 5	☐ 4	☐ 3	☐ 2	☐ 1
SRPPER26_ CaPS	I have trouble doing all of the work that is really important to me (include work at home)	☐ 5	☐ 4	☐ 3	☐ 2	☐ 1

Spirituality – Short Form 6a

Please respond to each question or statement by marking one box per row.

		Not at all	A little bit	Somewhat	Quite a bit	Very much
SPT2262	Spiritual beliefs give meaning to my life	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5
SPT2057	Spiritual beliefs give me hope	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5
SPT2036	I find comfort in my faith	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5
SPT2043	My spirituality gives me inner strength...	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5
SPT1772	Prayer is a meaningful part of my life	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5
SPT1969	I feel supported by a higher power	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5

Spirituality – Personal Strength – Short Form 6b

Please respond to each question or statement by marking one box per row.

		Not at all	A little bit	Somewhat	Quite a bit	Very much
SPT1923	Spirituality is an important part of my health.....	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5
SPT1944	I live my life according to spiritual beliefs ...	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5
SPT2043	My spirituality gives me inner strength	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5
SPT2057	Spiritual beliefs give me hope.....	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5
SPT2072	Spirituality gives me comfort in times of trouble	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5
SPT2262	Spiritual beliefs give meaning to my life.....	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5

Spirituality – Religiosity – Short Form 6c

Please respond to each question or statement by marking one box per row.

		Never	Rarely	Sometimes	Often	Almost always
SPT1684	I seek spiritual support from clergy.....	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5
SPT1731	I attend religious services	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5
		Not at all	A little bit	Somewhat	Quite a bit	Very much
SPT1736	I experience my spirituality through religious activities.....	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5
SPT1743	I find peace in a religious place	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5
SPT1747	My place of worship is important to me.....	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5
SPT1751	I find strength in religious services	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5

Mediterranean Diet Adherence Screener (MEDAS)

Adapted from: www.predimed.es, Int J Epidemiol. 2012 Apr; 41(2):377-385, J Nutr. 2011 Jun; 141(6):1140-1145 (Nov 2017)

		ANSWER	POINTS
1.	Do you use olive oil as the main source of fat for cooking?	Yes No	
2.	How many tablespoons of olive oil do you use each day? <i>Include olive oil used in salads, meals eaten away from home, frying etc</i>	# tablespoons per day	
3.	How many servings of vegetables do you eat per day? <i>One serving is ½ cup raw or cooked vegetables or 1 cup of raw salad greens</i>	# servings per day	
4.	How many servings of whole fruit do you eat per day? <i>One serving is ½ cup or a medium sized piece of whole fruit</i>	# serving per day	
5.	How many servings of red meat, hamburger or sausages do you eat per week? <i>One serving is 3 ½ -5 ½ ounces (100-150 grams)</i>	# servings per week	
6.	How many servings of butter, margarine or cream do you consume per day? <i>One serving is 1 Tablespoon. This does not include soft non-hydrogenated margarines</i>	# servings per day	
7.	How many sugar sweetened beverages do you drink per week? <i>One serving is 355ml or one can of pop or 12 ounces. This includes any drinks with added sugars such as regular pop, fruit drinks, sports drinks, energy drinks, iced tea</i>	# servings per week	
8.	Do you drink wine? How much do you drink per week? <i>1 glass = 150ml or 5 oz If you do not drink wine or alcohol, do not start</i>	# glasses per week	
9.	How many servings of legumes like kidney beans, chick peas, lentils, black beans, split peas do you eat per week? <i>One serving is 5 ounces or 150 grams or ½ - 2/3 cup</i>	# servings per week	
10.	How many servings of fish or seafood do you eat per week? <i>One serving of fish is 3 ½ -5 ½ ounces or 100-150 grams One serving of seafood is 4-5 pieces or 7 ounces or 200 grams</i>	# servings per week	
11.	How many times do you eat baked goods such as pie, cookies, cake or doughnuts per week?	# times per week	
12.	How many times do you eat nuts per week? <i>1 serving is 30 grams or 1 ounce</i>	# times per week	
13.	Do you eat chicken or turkey more often than beef, pork, hamburger or sausage?	Yes No	
14.	How many times per week do you eat dishes with a sauce of tomato, garlic, onion/leeks sautéed in olive oil?	# times per week	
		TOTAL Points	

FIGURE 1

REAP-S v.2 (Rapid Eating Assessment for Participants, Shortened Version, v.2)

In an average week, how often do you:

1. Not feel well enough to shop or cook?	Every day (0)	More than 2 times a week (1)	2 or fewer times a week (2)	Never (3)
2. Eat fewer than 2 meals per day?	Every day (0)	More than 2 times a week (1)	2 or fewer times a week (2)	Never (3)
3. Eat less than 3 oz per day (see sizes below) of high-protein foods such as poultry, meat, fish, or tofu; 1 oz of nuts; or 1½ cups of beans? 3 oz meat, chicken, or fish is the size of a deck of cards or ONE of the following: 1 regular hamburger, 1 chicken thigh or leg, 1 medium filet of fish, a small porkchop, or a small handful of nuts.	Every day (0)	More than 2 times a week (1)	2 or fewer times a week (2)	Never (3)
4. Consume less than 2 servings of a calcium-rich food such as milk, yogurt, cheese, or calcium-fortified soy, rice, or almond milk? 1 Serving = 1 cup milk or yogurt; 2 oz cheese.	Every day (0)	More than 2 times a week (1)	2 or fewer times a week (2)	Never (3)
5. Eat 3 or more servings of vegetables per day? (<i>Do not include potatoes and corn as vegetables.</i>) 1 Serving = ½ cup cooked vegetables or 1 cup leafy raw vegetables. <i>½ cup is the size of a lightbulb and 1 cup is the size of a baseball.</i>	Every day (3)	More than 3 times a week (2)	3 or fewer times a week (1)	Never (0)
6. Eat 2 or more servings of fruit per day? (<i>Do not include fruit juice or fruit drinks.</i>) 1 Serving = ½ cup or 1 medium fruit. <i>½ cup is the size of a lightbulb.</i>	Every day (3)	More than 3 times a week (2)	3 or fewer times a week (1)	Never (0)
7. Eat 2 or more servings of whole grain products or high-fiber starches a day? 1 Serving = 1 slice 100% whole grain bread or crackers; 1 cup whole grain cereal like Shredded Wheat, Wheaties, or oatmeal; ½ cup brown rice, whole wheat pasta, boiled or baked potatoes, yucca, yams, or plantain. <i>½ cup is the size of a lightbulb.</i>	Every day (3)	More than 3 times a week (2)	3 or fewer times a week (1)	Never (0)
8. Eat fish, shellfish, or other seafood?	Every day (3)	More than 3 times a week (2)	3 or fewer times a week (1)	Never (0)
9. Eat beans, peas, lentils, or other legumes?	Every day (3)	More than 3 times a week (2)	3 or fewer times a week (1)	Never (0)
10. Eat tree nuts, peanuts, or nut butters?	Every day (3)	More than 3 times a week (2)	3 or fewer times a week (1)	Never (0)
11. Use olive oil, peanut oil, or other vegetable oils?	Every day (3)	More than 3 times a week (2)	3 or fewer times a week (1)	Never (0)

REAP-S v.2 (Rapid Eating Assessment for Participants, Shortened Version, v.2).

Reprinted with permission from Segal-Isaacson CJ, Thompson KH, Wylie-Rosett J. REAP-S v.2 (Rapid Eating Assessment for PARTICIPANTS, Shortened Version, v.2). 2022.

12. Eat high-fat meats such as hamburger, ribs, steak, lamb chops, chicken or turkey wings, hot dogs, or cold cuts such as bologna and salami?	Every day (0)	More than 3 times a week (1)	3 or fewer times a week (2)	Never (3)
13. Eat more than 1 tablespoon of cooking or table fats that are solid at room temperature, such as butter, stick margarine, bacon fat, or vegetable shortening (like Crisco)? <i>1 tablespoon is the size of a poker chip.</i>	Every day (0)	More than 3 times a week (1)	3 or fewer times a week (2)	Never (3)
14. Drink 12 oz or more of non-diet soda, fruit drink/punch, fruit juice, or Kool-Aid per day? <i>1 can of soda = 12 oz.</i>	Every day (0)	More than 3 times a week (1)	3 or fewer times a week (2)	Never (3)
15. Eat sweets like cake, cookies, pastries, donuts, toaster pastries, muffins, chocolate, and candies?	Every day (0)	More than 3 times a week (1)	3 or fewer times a week (2)	Never (3)
16. Eat packaged snack foods such as chips, salted pretzels, or pizza bites?	Every day (0)	More than 3 times a week (1)	3 or fewer times a week (2)	Never (3)
17. Eat meals from restaurants, take-out places, convenience stores, or entertainment venues?	Every day (0)	More than 3 times a week (1)	3 or fewer times a week (2)	Never (3)
18. Prepare meals at home from basic ingredients such as fresh or frozen vegetables, uncooked poultry, pasta, or beans?	Every day (3)	More than 3 times a week (2)	3 or fewer times a week (1)	Never (0)
19. Have more than 1 alcoholic drink per day (women) or 2 alcoholic drinks per day (men)? 1 Drink = 5 fluid oz of wine; 12 fluid oz of beer; 1½ oz of hard liquor such as vodka, whiskey, gin.	Every day (0)	More than 3 times a week (1)	3 or fewer times a week (2)	Never (3)
20. Walk for at least 1 mile (about 2,000 steps) or exercise for at least 15 minutes?	Every day (3)	More than 3 times a week (2)	3 or fewer times a week (1)	Never (0)
21. How interested are you in making changes to your eating or physical activity habits to be healthier?	Very interested	Interested	Disinterested	Very disinterested

SCORING: The highest possible score for REAP-S v.2 is 60 points. Although higher numbers generally represent healthier habits, a given person might be high in one subscale and low in another. Therefore, we encourage clinicians to focus on subscale scores and perhaps individual scale items rather than a total score for the REAP-S v.2 screener. We also recommend clinicians provide patient education for those specific areas where the person has low or lower scores (and possibly praise the patient for good habits too!).

Section	Patient's score	Action	
		Investigate/discuss	Encourage/commend
Food sufficiency/food insufficiency		8 or lower	Greater than 8
Healthy eating pattern		14 or lower	Greater than 14
Low nutrient density foods		16 or lower	Greater than 16
Exercise		1 or lower	Greater than 1
Readiness to change		Disinterested/very disinterested	Very interested/interested

Alcohol use disorders identification test consumption (AUDIT C)

This alcohol harm assessment tool consists of the consumption questions from the full alcohol use disorders identification test (AUDIT).

Questions	Scoring system					Your score
	0	1	2	3	4	
How often do you have a drink containing alcohol?	Never	Monthly or less	2 to 4 times per month	2 to 3 times per week	4 or more times per week	
How many units of alcohol do you drink on a typical day when you are drinking?	0 to 2	3 to 4	5 to 6	7 to 9	10 or more	
How often have you had 6 or more units if female, or 8 or more if male, on a single occasion in the last year?	Never	Less than monthly	Monthly	Weekly	Daily or almost daily	

AUDIT C score	
----------------------	--

Scoring:

- A total of 5 or more is a positive screen
- 0 to 4 indicates low risk
- 5 to 7 indicates increasing risk
- 8 to 10 indicates higher risk
- 11 to 12 indicates possible dependence

What to do next

If you have a score of 5 or more and time permits, complete the remaining alcohol harm questions below to obtain a full AUDIT score.

Remaining AUDIT assessment questions

Questions	Scoring system					Your score
	0	1	2	3	4	
How often during the last year have you found that you were not able to stop drinking once you had started?	Never	Less than monthly	Monthly	Weekly	Daily or almost daily	
How often during the last year have you failed to do what was normally expected from you because of your drinking?	Never	Less than monthly	Monthly	Weekly	Daily or almost daily	
How often during the last year have you needed an alcoholic drink in the morning to get yourself going after a heavy drinking session?	Never	Less than monthly	Monthly	Weekly	Daily or almost daily	
How often during the last year have you had a feeling of guilt or remorse after drinking?	Never	Less than monthly	Monthly	Weekly	Daily or almost daily	
How often during the last year have you been unable to remember what happened the night before because you had been drinking?	Never	Less than monthly	Monthly	Weekly	Daily or almost daily	
Have you or somebody else been injured as a result of your drinking?	No		Yes, but not in the last year		Yes, during the last year	
Has a relative or friend, doctor or other health worker been concerned about your drinking or suggested that you cut down?	No		Yes, but not in the last year		Yes, during the last year	

Total AUDIT score	
--------------------------	--

Scoring:

- 0 to 7 indicates low risk
- 8 to 15 indicates increasing risk
- 16 to 19 indicates higher risk
- 20 or more indicates possible dependence

Alcohol unit reference

One unit of alcohol



Half pint of "regular" beer, lager or cider



Half a small glass of wine



1 single measure of spirits



1 small glass of sherry



1 single measure of aperitifs

Drinks more than a single unit



Pint of "regular" beer, lager or cider



Pint of "strong" or "premium" beer, lager or cider



Alcopop or a 275ml bottle of regular lager



440ml can of "regular" lager or cider



440ml can of "super strength" lager



250ml glass of wine (12%)



75cl Bottle of wine (12%)

Heaviness of Smoking Index (HSI)

1. On the days that you smoke, how soon after you wake up do you have your first cigarette?
 - A. Within 5 minutes (3 points)
 - B. 6- 30 minutes (2 points)
 - C. 31-60 minutes (1 point)
 - D. After 60 minutes (0 points)
2. How many cigarettes do you typically smoke per day?
 - A. 10 or fewer (0 points)
 - B. 11-20 (1 point)
 - C. 21-30 (2 points)
 - D. 31 or more (3 points)

SCORING:

0-2: low addiction

3-4: moderate addiction

5-6: high addiction