Web Engineering & Development (SWE 363)

2.2 More HTML (Hypertext Markup Language)

Prepared By Dr. Omar Hammad

Presented By Hasan Al-kaf

Announcements <

- We allow teams of 4 but with higher expectations
- Graders assigned and will be looking into your code

In today's Lecture:

- Links
- Containers
- Forms
- Form Widgets

Reference:

• Zybook: 2.5 to 2.9

Links

Connect different pages together

a simple Link

Link

A link with an image

Board activity:

How can we link to a page located in the same directory?

Containers

grouping elements together

Common Container tags

- <header> : Header
- <main> : Main Content
- <section> : Section
- <article> : Article
- <footer> : Footer
- <nav> : Navigation
- <div> : Division
- : Span

Messy Code Example

chtml>chead>ctitle>Wy Page</title></head>codody>chi>kelcomec/hi>cp>This is a paragraph with no spacing or proper indentation making it very hard to read and maintain
-/div>clitch herec/a>cling src="image_jpg" alt="image">cscript>function doSomething(){var x=1;var y=2;var result=x+y;return result]>c/script>c/body>c/html>

Board Challenge:

How would you structure this page using containers?

Clean Code Example

```
<!DOCTYPE html>
       <html lang="en">
       <head>
           <meta charset="UTF-8">
          <meta name="viewport" content="width=device-width, initial-scale=1.0">
           <title>My Page</title>
       </head>
       <body>
           <header>
              <h1>Welcome</h1>
           </header>
           <main>
              This is a paragraph with proper spacing and indentation, making it easy to read and maintain.
              <section class="content">
                  <l
                      Item 1
                      Item 2
                      Item 3
                  </section>
              <a href="link.html">Click here</a>
              <img src="image.jpg" alt="Descriptive image text">
           </main>
SWE 363</26/dy>Sec 1 | KFUPM
       </html>
```

Block vs Inline Elements

- Block: Takes up the full width of the container: <div>, <section>, <article>,
 <header>, <footer>, , <h1>, <h2>, <h3>, <h4>, <h5>, <h6>
- Inline: Takes up only the width of the content: , <a> , , ,

13

Forms

Make website interactive

A simple form

action: The URL where the form data will be sent

method: The HTTP method to use (POST or GET)

input: The input field where the user will enter the data

submit: The button that will submit the form

15

Get vs Post

- Get: Sends the data in the URL
- Post: Sends the data in the body of the request

Data look like:

Client Request

GET /process_form.php?name=John

POST /process_form.php

Data (key-value pairs)

name=John

Server Response

Common Form Widgets (Elements)

- <input> : Input (text, password, email, number, etc.)
- <select> : Select (dropdown menu)
- <textarea> : Textarea (large text field)
- <button> : Button (submit, reset, etc.)
- <checkbox> : Checkbox (multiple choice)
- <radio> : Radio (single choice)
- <submit> : Submit (submit the form)
- <reset> : Reset (reset the form)

30m

Let's build a social media app

Starter code at: github.com/Web-Engineering-KFUPM/2.2_social_media_app

Next Class

• Basics of CSS

20