


1	2	3	4	5	6	7	8	
Elément	NOMREPERE	NBRE	UNITES	SOUSQTE	FABRICANT	CATALOGUE	DESCCAT	REQUETE1
				*1	HOFFMAN	A36C30BLP	ELECTRICAL JUNCTION BOX	WALL-MOUNT ENCLOSURE
				*1	SCHNEIDER ELECTRIC	MGN61522	MINIATURE CIRCUIT BREAKER, Multi9 C60H-DC SERIES, C CHARACTERISTIC, DIN RAIL MOUNTING	2-POLE CIRCUIT BREAKER
				*1	SCHNEIDER ELECTRIC	MGN61522	MINIATURE CIRCUIT BREAKER, Multi9 C60H-DC SERIES, C CHARACTERISTIC, DIN RAIL MOUNTING	2-POLE CIRCUIT BREAKER
				*1	SCHNEIDER ELECTRIC	MGN61522	MINIATURE CIRCUIT BREAKER, Multi9 C60H-DC SERIES, C CHARACTERISTIC, DIN RAIL MOUNTING	2-POLE CIRCUIT BREAKER
				*1	SCHNEIDER ELECTRIC	MGN61522	MINIATURE CIRCUIT BREAKER, Multi9 C60H-DC SERIES, C CHARACTERISTIC, DIN RAIL MOUNTING	2-POLE CIRCUIT BREAKER
				*1	SCHNEIDER ELECTRIC	MGN61522	MINIATURE CIRCUIT BREAKER, Multi9 C60H-DC SERIES, C CHARACTERISTIC, DIN RAIL MOUNTING	2-POLE CIRCUIT BREAKER
				*1	SCHNEIDER ELECTRIC	MGN61522	MINIATURE CIRCUIT BREAKER, Multi9 C60H-DC SERIES, C CHARACTERISTIC, DIN RAIL MOUNTING	2-POLE CIRCUIT BREAKER
				*1	AB	199-DR1	ZINC/STEEL DIN RAIL EN 50022 (35mm x 7.5mm x 1m)	35mm x 7.5mm
				*1	AB	800H-PR16G	GREEN PILOT LIGHT - STANDARD, ROUND OILTIGHT	30.5mm
				*1	AB	800H-PR16G	GREEN PILOT LIGHT - STANDARD, ROUND OILTIGHT	30.5mm
				*1	AB	800H-PR16R	RED PILOT LIGHT - STANDARD, ROUND OILTIGHT	30.5mm
				*1	AB	800H-DR6A	PUSH BUTTON - MUSHROOM, NEMA 4/4X	30.5mm
				*1	AB	800H-BR6A	PUSH BUTTON - MOMENTARY, NEMA 4/4X	30.5mm EXTENDED
				*1	GE	CR115B1	LIMIT SWITCH - INDUSTRIAL	PRECISION SNAP-ACTING
				*1	GE	CR115B1	LIMIT SWITCH - INDUSTRIAL	PRECISION SNAP-ACTING
				*1	AB	700-P200A1	P TYPE ELECTRICALLY HELD RELAY, 4 POLE, AC COIL, CONVERTIBLE CONTACTS	TYPE P
				*1	AB	700-P200A1	P TYPE ELECTRICALLY HELD RELAY, 4 POLE, AC COIL, CONVERTIBLE CONTACTS	TYPE P
				*1	AB	700-P200A1	P TYPE ELECTRICALLY HELD RELAY, 4 POLE, AC COIL, CONVERTIBLE CONTACTS	TYPE P
				*1	AB	700-P200A1	P TYPE ELECTRICALLY HELD RELAY, 4 POLE, AC COIL, CONVERTIBLE CONTACTS	TYPE P
				*1	AB	700-P200A1	P TYPE ELECTRICALLY HELD RELAY, 4 POLE, AC COIL, CONVERTIBLE CONTACTS	TYPE P
				*1	AB	700-P200A1	P TYPE ELECTRICALLY HELD RELAY, 4 POLE, AC COIL, CONVERTIBLE CONTACTS	TYPE P
				*1	AB	700-P200A1	P TYPE ELECTRICALLY HELD RELAY, 4 POLE, AC COIL, CONVERTIBLE CONTACTS	TYPE P
				*1	AB	700-P200A1	P TYPE ELECTRICALLY HELD RELAY, 4 POLE, AC COIL, CONVERTIBLE CONTACTS	TYPE P
				*1	AB	700-P200A1	P TYPE ELECTRICALLY HELD RELAY, 4 POLE, AC COIL, CONVERTIBLE CONTACTS	TYPE P
				*1	AB	700-P200A1	P TYPE ELECTRICALLY HELD RELAY, 4 POLE, AC COIL, CONVERTIBLE CONTACTS	TYPE P
				*1	SCHNEIDER ELECTRIC	MGN61522	MINIATURE CIRCUIT BREAKER, Multi9 C60H-DC SERIES, C CHARACTERISTIC, DIN RAIL MOUNTING	2-POLE CIRCUIT BREAKER
				*1	AB	199-DR1	ZINC/STEEL DIN RAIL EN 50022 (35mm x 7.5mm x 1m)	35mm x 7.5mm
				*1	AB	140UE-H2S3-D16	IEC MOLDED CASE SWITCH, 160A, H-FRAME, 20...29kA w/140U-H-RVM21R	3-POLE CIRCUIT BREAKER
				*1	AB	140U-H-RVM21R	ROTARY, VARIABLE-DEPTH OPERATING MECHANISM, NEMA 4X, RED/YELLOW HANDLE, 21 IN. (53.34 CM) OPERATING ROD	OPERATING MECHANISM
				*1	AB	199-DR1	ZINC/STEEL DIN RAIL EN 50022 (35mm x 7.5mm x 1m)	35mm x 7.5mm
	-Transfo			*1	SQD	1.5S1F	1PH TRANSFORMER, CLASS 7400	DRY TRANSFORMER


FOLIO 5: NOMENCLATURE

0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8

XC200 TERMINAL



X100 TERMINAL




FOLIO 3:
PLAN
BORNIER

				SCALE: Comme l'œuvre	
				ENGINEER: ZENZER ABDELOUAHAB	
				DUSSAMA SOUABI	
				PLAN BORNIER	
				SHEET: A1	
				FILENAME: xxx10	
Top	Revision	Date	By		

ABDELOUAHAB
DUSSAMA
SOUABI


Autodesk

NO	DATE	REVISION	BY
DIMENSIONNEMENT ET CONTROLE-COMMANDE DES CIMBLES LACUNES POUR STATION DU TRAIN			
ENGINEER		CHECKED BY	
ZAR NO		DRAWN BY	
SCALE		DATE	
SHEET NO		SHEET NO	
SHEET NO		07	



	1	2	3	4	5	6	7	8
A	04/05/2025 22:33:51							A
	NOMREPERE	NBRE	SOUSQTE	CATALOGUE	DESCCAT	FABRICANT	REQUETE1	
	-QB3							
	-QB2							
	-MA1							
	-RD1							
	-TA1 230/48V							
	-QB1							
	-QA1							
	-GROUND							
	-GROUND							
	-GROUND							
	-GROUND							
	-GROUND							
	-MA5							
	-MA4							
	-MA3							
	-MA2							
	-QB6							
	-QB5							
	-QB4							
	-KM10							
	-KM9							
	-KM8							
	-KM7							
	-KM6							
	-KM5							
	-KM4							
	-KM3							
	-KM2							
	-KM1							
	-Sc15-							
	-Sc15+							
	-Sc14-							
	-Sc14+							
	-Sc13-							
	-Sc13+							
	-Sc12-							
	-Sc12+							
	-Sc11-							
	-Sc11+							
	-TX2 3s							
	-S2							
	-TX1 3s							
	-S3							
	-S2							
	-AUT							
	-AU							
F	1	2	3	4	5	6	7	8

FOLIO 4:
NOMENCLATURE



FOLIO 2: SCHEMA DE COMMANDE

TAGNAME	DESC1	CNT1	SUBOTY1	MFG	CAT	CATDESC	QUERY1
AU	Arrêt d'urgence			TX2		Relais Temporisé	
AUT	BP Mode Automatique			KMT_KM10		Sobine Contacteur	
S2	Fin de course Entrée de la station						
S3	Fin de course Sortie de la station						
Scl1+...Scl5+	Fin de course sortie Comble						
Scl1+...Scl5-	Fin de course entrée Comble						
TX1	Relais temporisé			SCHNEIDER ELECTRIC	NV430986	CIRCUIT BREAKER COMPACT NSX160F 3 PROTECTED POLES RATED CURRENT 160A	3-POLES CIRCUIT BREAKER

				SCALE		Comble lacune	
				DATE		NAME	
				Edt	10.05.25	xxx6	
				Chec	00.00.00	xxx7	
				ZENZER ABDELOUAHAB			
				OUSSAMA SOUABI			
				Schéma de Commande			
				SHEETS			
				A1			
No:	Revision	Date	By	FILENAME			
				xxx10			