Cardetails cart details payment

pro studio

studio favicon.ico globals.css layout.tsx page.tsx omponents Caraaaapi.tsx Footer.tsx

Hero.tsx Navbar.tsx anity config

client.ts fetch.ts image.ts

queries.ts schemaT... 0 cars.ts 1

index.ts
index.ts
env.ts
sanity-query.ts
sanity-utils.ts

```
src > sanity > lib > 75 quenes.ts > [6] allproducts
 ∨ to app
                                        import { defineQuery } from "next-sanity";
  > Cardetails
  > 📹 cart
                                       export const allproducts - defineQuery('
    *[_type --"product"]{
    _id,
  > 🔳 payment
                                             __name,
__name,
__description
__price
__discountPercentage
__priceWithoutDiscount
  > m pro
  > mi studio
iii favicon.ico
     i globals.css
                                              rating,
reviews,
      page.tsx
                                             _tags,
"imageUrl" : image.asset -> url
  Caraaaapi.tsx
                                             export const fourPro = defineQuery('
    *[_type =="product"][0..3]{
    _id,
     Maybar.tsx

✓ 

sanity

  > onfig
                                                 ∨ 📹 lib
                                                  _rating.
_reviews.
                                                  _tags,
"imageUrl" : image.asset -> url
      75 sanity-query.ts
                              PROBLEMS 1 OUTPUT DEBUG CONSOLE TERMINAL PORTS COMMENTS
     TS structure.ts

√ ■ types

                              GET / 200 in 149ms

√ Compiled in 564ms (2377 modules)

x./sr/corponents/blog/RenderBodyContent.tsx

Error: Failed to read source code from C:\Users\perfect solution\Desktop\Projects\rana-hack-main\src\components\blog\RenderBodyContent.tsx
   15 blog ts
  .env.local
   .eslintrc.json
                              Caused by: The system cannot find the path specified. (os error 3) \,
   gitignore.
   next-env.d.ts
                              Import trace for requested module:
./snc/components/blog/RenderBodyContent.tsx
./snc/app/page.tsx
GET / 500 in 30ms
  next.config.mjs
    m package-lock json
```

```
> Cardetails
> mm cart
> 📹 details
> 🔳 payment
 > m pro
 > 🔳 studio
                                   name: 'type',
type: 'string',
title: 'Car Type',
  [2] favicon.ico
    globals.css
                                           description: 'Type of the car (e.g., Sport, Sedan, SUV, etc.)',
    a page.tsx
name: 'fuelCapacity',

type: .string',

title: 'Fuel Capacity',

description: 'Fuel capacity or battery capacity (e.g., 981, 108kWh)',
   💮 Caraaaapi.tsx
    Hero.tsx
                                   | laname: 'transmission',
| type: 'string',
| description: 'Type of transmission (e.g., Manual, Automatic)',
| laname: 'seatingCapacity',
    Navbar.tsx
v a sanity
> config
V 📹 lib
     15 fetch.ts
     TS image.ts
                                   name: 'seatingCapacity',
type: string,
title: 'Seating Capacity',
description: 'Number of seats (e.g., 2 People, 4 seats)',
     IIS live.ts
∨ 📹 schemaT... 🌼
                                    name: 'pricePerDay',
type: string',
    sanity-query.ts
   75 sanity-utils.ts
                            PROBLEMS (1) OUTPUT DEBUG CONSOLE TERMINAL PORTS COMMENTS.
    structure.ts
∨ 🦏 types
                           GET / 200 in 149ms

Compiled in 564ms (2377 modules)

Ser/components/blog/RenderBodyContent.tsx

Error: Failed to read source code from C:\Users\perfect solution\Desktop\Projects\rana-hack-main\src\components\blog\RenderBodyContent.tsx
  15 blog.ts
env.local
 eslintrajson
 .gitignore
                           Caused by:
The system cannot find the path specified. (os error 3)
() hintre
 75 next-env.d.ts
                           Import trace for requested module:
./src/components/blog/RenderBodyContent.tsx
./src/app/page.tsx
GET / 500 in 39ms
 next.config.mjs
 package-lock.json
package.json
```

v 🕝 app

src > sanity > schemaTypes > ™ cars.ts > [●] default > 🔑 fields > 🔑 options > 🥬 hotspot


```
Y 🔞 app
       > 🔳 Cardetails
         > 📹 cart
         > 🔳 details
                                                                                                          export const schema: {types: SchemaTypeDefinition[]} = {
    types: [car],
        > 🔳 payment
        > mm pro
       > iii studio
               globals.css
                layout.tsx
                 page.tsx
     Hero,tsx
Navbar,tsx
       > 🗰 config
       v 🐗 lib
                   III image.ts
                  TS live ts
                 75 queries.ts
∨ ■ schemaT... □


15 cars.ts 1


16 index.ts
               75 sanity-query.ts
               35 sanity-utils ts
                                                                                   PROBLEMS (1) OUTPUT DEBUG CONSOLE TERMINAL PORTS COMMENTS
               structure.ts
GET / 200 in 149ms


$\int \text{Compiled in 560ms (2377 modules)} \\
$\times.\frac{1}{3}\text{Formion of the foliation of the
       blog.ts
.env.local
         .gitignore
                                                                                   Caused by:
The system cannot find the path specified. (os error 3)
                                                                                  Import trace for requested module:
./src/components/blog/RenderBodyContent.tsx
./src/app/page.tsx
GET / 500 in 39ms n
        next.config.mjs
               package-lock json
```

package ison




























Show More

MORENT

Our vision is to provide convenience and help increase your sales business.

 About
 Community
 Socials

 How it works
 Events
 Discord

 Featured
 Blog
 Instagram

 Partnership
 Podcast
 Twitter

 Business Relation
 Invite a friend
 Facebook

©2022 MORENT. All rights reserved

Privacy & Policy Terms & Condition