```
Assignment no .2 saurabh shukla sir i neuron
1.
#include<stdio.h>
int main()
{
  int a;
  printf("ENTER THE NUMBER\n");
  scanf("%d",&a);
  a\%=10;
  printf("unit digit is %d",a);
  return 0;
}
2.
#include<stdio.h>
int main()
{
  printf("ENTER THE NUMBER\n");
  scanf("%d",&a);
  a/=10;
  printf("NO. WITHOUT LAST DIGIT IS %d",a);
  return 0;
}
3.
#include<stdio.h>
int main()
{
  int a,b,c;
  printf(" ENTER THE TWO NUMBER\n");
  scanf("%d%d",&a,&b);
  c=a;
  a=b;
  b=c;
  printf("%d\n%d",a,b);
  return 0;
}
4.
#include<stdio.h>
int main()
{
  int a,b;
  printf(" ENTER THE TWO NUMBER\n");
  scanf("%d%d",&a,&b);
  a=a+b;
  b=a-b;
  a=a-b;
  printf("%d\n%d",a,b);
  return 0;
}
```

```
5.
#include<stdio.h>
int main()
  int a,b;
  printf("ENTER THE THREE DIGIT NUMBER\n");
  scanf("%d",&a);
  b=a/100+(a/10)\%10+a\%10;
  printf("%d",b);
  return 0;
}
6.
#include<stdio.h>
int main()
{
  int a;
  char b;
  printf("ENTER THE CHARACTER \n");
  scanf("%c",&b);
  a=b;
  printf("%d",a);
  return 0;
}
9.
#include<stdio.h>
int main()
{
  printf("%d\n",sizeof(int));
  printf("%d\n",sizeof(float));
  printf("%d\n",sizeof(double));
  printf("%d\n",sizeof(char));
  return 0;
}
10.
#include<stdio.h>
int main()
{
  int a;
  printf("enter the number\n");
  scanf("%d",&a);
  a/=10;
  a*=10;
  printf("%d",a);
  return 0;
}
```

```
11.
#include<stdio.h>
int main()
{
  int a,b;
  printf("enter the number\n");
  scanf("%d",&a);
  printf("enter the adding number\n");
  scanf("%d",&b);
  a=a*10+b;
  printf("%d",a);
  return 0;
}
12.
#include<stdio.h>
int main()
{
  float a;
  printf("enter the INR\n");
  scanf("%f",&a);
  printf("USD is %f",a/76.23);
  return 0;
}
13.
#include<stdio.h>
int main()
{
  int a,b,c;
  printf("enter the number\n");
  scanf("%d",&a);
  b=a%10;
  a/=10;
  c=100*b+a;
  printf("%d",c);
  return 0;
}
```