


DSA IN C++



⇒ Your rough solution — Flowchart / Pseudocode
↓
⇒ Program in (HLL) High level Language = Source Code
↓
Machine understandable Language.

Flowchart — Representing our solution in a diagrammatic form.




— Terminator — Start/end



— I/P & O/P — I/O gram



— Process — Rectangle



— Decision Making — Rhombus




— Directing Flow chart — Arrows



Connector.

⇒ Sum of 2 no's



Pseudo code → Way of Representing Logic

(or) generic way.


⇒ Sum of 2 no's

- Read 2 no's a & b
- Sum = a+b
- Print sum

[You can write it as you want]


⇒ Simple Interest (SI) :-

$$SI = \frac{P \times T \times R}{100}$$




⇒ Avg. of 3 no's

a, b, c $avg = \frac{a+b+c}{3}$




$\Rightarrow a < b \Rightarrow \text{Yes (or) No}$




Pseudo

$\rightarrow$ Read a, b
 $\rightarrow$ if $a < b$
 Print "Yes"
 $\rightarrow$ else
 Print "No"

$\Rightarrow +ve, -ve, 0$



$\Rightarrow \text{Odd (or) Even}$




Pseudo


$\rightarrow$ Read a
 $\rightarrow$ if $a \% 2 == 0$
 Print even
 $\rightarrow$ else
 Print odd

$\Rightarrow \Delta^k$


$$\begin{aligned}
 a + b &> c \\
 b + c &> a \\
 a + c &> b
 \end{aligned}$$




⇒ Loops n (input) ⇒ Print all 1 to n




⇒ [1 to n] odd no. n (input).




⇒ [1 to n] n (input) ⇒ even no.



⇒ Sum (1 to n) (inclusive)



⇒ Factorial of n



(recursive) (n to 1) sum

