

1. Develop a PHP program to display prime numbers between the given range.

```
<html>

<body>

<form method="post">

Enter a Starting Number: <input type="text"
name="t1"><br><br>

Enter a Ending Number: <input type="text"
name="t2"><br><br>

<input type="submit" name="submit" value="Submit">

</form>

<?php

if(isset($_POST['submit'])) {

    $x = $_POST['t1'];

    $y = $_POST['t2'];

    for($n = $x; $n <= $y; $n++)

    {

        $count = 0;

        for($i = 2; $i <= $n/2; $i++)

        {

            if($n % $i == 0)

            {

                $count++;

                break;

            }

        }

    }

}
```

```
        if($count == 0)

            echo $n." ";

    }

}

?>

</body>

</html>
```

2. Develop a PHP program and check message passing mechanism between pages.

login.php

```
<html>

<body>

    <h1>Login Page </h1>

    <form method="post">

        <table>

            <tr><td>Name:</td><td> <input type="text"
name="name"/></td></tr>

            <tr><td>Password:</td><td> <input type="password"
name="password"/></td></tr>

            <tr><td colspan="2"><input type="submit" value="login"/>
</td></tr>

        </table>

    </form>

</body>

</html>
```

```
<?php

if(isset($_POST["submit"])){

$name=$_POST["name"];

$password=$_POST["password"];

echo "<h1>Welcome: $name, your password is:

$password</h1>";

}

?>
```

3. Write a PHP program to implement simple calculator operations.

```
<html>

<body>

<form method="post">

    Number 1:<input type="number" name="num1"><br><br>

    Number 2:<input type="number" name="num2"><br><br>

    <input type="submit" name="add" value="+">
    <input type="submit" name="sub" value="-">
    <input type="submit" name="mul" value="*">
    <input type="submit" name="div" value="/">
    <input type="submit" name="equal" value="=">

</form>

<?php

if($_SERVER["REQUEST_METHOD"]=="POST")

{
```

```
$a = $_POST['num1'];
$b = $_POST['num2'];
$result = "";

if(isset($_POST['add']))
    $result = $a + $b;
elseif(isset($_POST['sub']))
    $result = $a - $b;

elseif(isset($_POST['mul']))
    $result = $a * $b;

elseif(isset($_POST['div']))
    $result = $a / $b;

elseif(isset($_POST['equal']))
    $result = "Press any operator";

echo "<h3>Result = $result</h3>";
}
?>
</body>
</html>
```

4. Develop a PHP program to demonstrate String functions.

```
<html>

    <body>

        <form method="post">

Enter a String 1: <input type="text" name="t1"><br><br>
```

```
Enter a String 2: <input type="text" name="t2"><br><br>
<input type="submit" name="submit" value="Submit">
</form>
```

```
<?php
if(isset($_POST['submit'])) {
    $n1 = $_POST['t1'];
    $n2 = $_POST['t2'];
    echo "string1 in lower Case=".strtolower($n1)."<br>";
    echo "string1 in upper Case=".strtoupper($n1)."<br>";
    echo "string1 First letter Upper Case=".ucfirst($n1)."<br>";
    echo "string2 First letter Lower Case=".lcfirst($n2)."<br>";
    echo "Reverse of string1=".strrev($n1)."<br>";
    echo "Length of string2=".strlen($n2)."<br>";
    echo "Each word Upper Case of string1=".ucwords($n1)."<br>";
    echo "No.of words present in
String1=".str_word_count($n1)."<br>";
    echo "String1 after removing extra space=".trim($n1)."<br>";

    if (strcmp($n1, $n2) == 0)
    {
        echo "Strings are Equal";
    }
    else
    {
        echo "Strings are Not Equal";
    }
}
?>
```

```
</body>
```

```
</html>
```

5. Write a PHP program to illustrate built in Array manipulation functions

```
<?php
```

```
// Initial Array
```

```
$fruits = ["Apple","Banana","Mango"];
```

```
echo "<h3>Original Array</h3>";
```

```
print_r($fruits);
```

```
// count()
```

```
echo "<br><br>Total Elements: ".count($fruits);
```

```
// array_push()
```

```
array_push($fruits,"Orange");
```

```
echo "<br><br>After array_push(): ";
```

```
print_r($fruits);
```

```
// array_pop()
```

```
array_pop($fruits);
```

```
echo "<br><br>After array_pop(): ";
```

```
print_r($fruits);
```

```
// array_unshift()
```

```
array_unshift($fruits,"Pineapple");
```

```
echo "<br><br>After array_unshift(): ";
```

```
print_r($fruits);
```

```
// array_shift()
array_shift($fruits);
echo "<br><br>After array_shift(): ";
print_r($fruits);

// sort()
sort($fruits);
echo "<br><br>After sort(): ";
print_r($fruits);

// rsort()
rsort($fruits);
echo "<br><br>After rsort(): ";
print_r($fruits);

// implode()
$string = implode(", ", $fruits);
echo "<br><br>After implode(): ".$string;

// explode()
$newArray = explode(", ", $string);
echo "<br><br>After explode(): ";
print_r($newArray);

// array_merge()
$moreFruits = ["Grapes", "Papaya"];
$merged = array_merge($fruits, $moreFruits);
echo "<br><br>After array_merge(): ";
```

```
print_r($merged);

// in_array()
if(in_array("Apple",$merged))
{
    echo "<br><br>Apple exists in array";
}
else
{
    echo "<br><br>Apple not found";
}

// array_keys()
$keys = array_keys($merged);
echo "<br><br>Array Keys: ";
print_r($keys);

// array_values()
$values = array_values($merged);
echo "<br><br>Array Values: ";
print_r($values);

?>
```

6. Write a PHP program that displays a different message based on time of day. For example page should display "Good Morning" if it is accessed in the morning.

```
<?php
date_default_timezone_set("Asia/Kolkata"); // Set timezone
```



```
$hour = date("H"); // Get current hour (00 to 23)

if ($hour >= 5 && $hour < 12) {
    echo "Good Morning";
} elseif ($hour >= 12 && $hour < 17) {
    echo "Good Afternoon";
} elseif ($hour >= 17 && $hour < 21) {
    echo "Good Evening";
} else {
    echo "Good Night";
}

?>
```

7. Write a PHP program that accepts two numbers using a web form and calculates greatest common divisor (GCD) and least common multiple (LCM) of entered numbers. (Use recursive function)

```
<!DOCTYPE html>
<html>
<body>
<h2>GCD and LCM Calculator</h2>
<form method="post">
Enter First Number:
<input type="number" name="num1" required><br><br>
Enter Second Number:
<input type="number" name="num2" required><br><br>

<input type="submit" name="submit" value="Calculate">
</form>

<?php
// Recursive function to find GCD
function gcd($a, $b) {
if ($b == 0)
return $a;
```

```
else
return gcd($b, $a % $b);
}

if (isset($_POST['submit'])) {
$num1 = $_POST['num1'];
$num2 = $_POST['num2'];

$gcd_value = gcd($num1, $num2);

// Formula for LCM
$lcm_value = ($num1 * $num2) / $gcd_value;

echo "<h3>Results:</h3>";
echo "GCD of $num1 and $num2 is: <b>$gcd_value</b><br>";
echo "LCM of $num1 and $num2 is: <b>$lcm_value</b>";
}
?>

</body>
</html>
```

8. Develop a PHP program to demonstrate constructors and destructors.

```
<?php

class rectangle {
public $height;
public $width;

    function __construct($arg1, $arg2)
    {
        $this->height=$arg1;
        $this->width=$arg2;
    }

    public function show()
    {
        echo "Height=$this->height";
```

```
        echo "Width=$this->width";
    }
    public function __destruct()
    {
        echo "<br> Object is Destroyed";
    }
}
$obj=new rectangle(10,20);
$obj->show();
?>
```

9. Develop a PHP code to read the values entered into the form using the MySQL database.

```
<!DOCTYPE html>
<html>
<body>
<h2>Student Details</h2>

<form method="POST">
    Name: <input type="text" name="name"><br><br>

    Contact: <input type="tel" name="contact"><br><br>

    Degree:
    <select name="degree">
        <option value="">--Select--</option>
        <option>BCA</option>
```

```
<option>BBA</option>
<option>BSc</option>
<option>MCA</option>
</select><br><br>

<input type="submit" value="Submit" name="submit">
<input type="submit" value="ShowData" name="show">
</form>

</body>
</html>
<?php
//step2
if(isset($_POST['submit'])) {
    $name = $_POST['name'];
    $contact = $_POST['contact'];
    $degree = $_POST['degree'];

//step3
    $conn=mysqli_connect("localhost","root","","dbtest");
    if(!$conn){
        echo "conn failed";
    }
    else{
        echo "conn success";
    }
//step4
    $query = "INSERT INTO tblstudents (sname, scontact, sdegree)
VALUES ('$name',$contact,'$degree')";
```

```
if(mysqli_query($conn, $query)){
    echo "data inserted successfully";
}

}

elseif(isset($_POST['show'])) {
    $conn=mysqli_connect("localhost","root","","dbtest");
    if(!$conn){
        echo "conn failed";
    }
    else{
        echo "conn success";
    }
}

//step4
$query = "select * from tblstudents";
$data=mysqli_query($conn, $query);
echo "<table border=1>";
while($row=mysqli_fetch_array($data)){
    echo "<tr>";
    echo "<td>".$row['sname']. "</td>";
    echo "<td>".$row['scontact']. "</td>";
    echo "<td>".$row['sdegree']. "</td>";
    echo "</tr>";
}
}
?>
```

10.Create Laravel Project using composer display Simple "Hello World" Message on Web page.

Download composer

To change version of Laravel type- `composer create-project Laravel/Laravel myapp "10.*"`

(Laravel 10 works with PHP 8.1/8.2)

To check version of php type `"php -v"`

To check version of composer type `"composer -v"`

Steps to create laravel project -

1)type `composer create-project laravel/laravel projectName`

2) Go to project folder -type `cd projectName`

3) Start Development Server - type `php artisan serve`

4) open visual studio -> file-> open folder-> select projectName -> click on select folder button -> directory structure of your Laravel project will be displayed at left side. -> expand resources -> right click on views -> new file -> give name greeting.blade.php -> type following code

```
<html>
<body>
<h1>Hello PTES</h1>
</body>
</html>
```

Expand Routes - > go to web.php -> write following code

```
Route::get('/greeting', function () {
    return view(greeting);
});
```

To run in browser - type `php artisan serve`

Press CTRL and click on <http://127.0.0.1:8000>

Make change in url - 127.0.0.1:8000/greeting



PTES COLLEGE, BELGAUM

