



Using the ABMS Data Viewer to Forecast the Pediatric Urology and Nephrology Workforces

Modeling Supply Through 2060

Ethan Wan¹, Savannah Petrus MD², Kenneth W. Gow MD³, Ching Man Carmen Tong DO², David Joseph MD²,
Michael Ernst MD⁴

¹Heersink School of Medicine, University of Alabama at Birmingham

²Department of Urology, University of Alabama at Birmingham

³Division of Pediatric Surgery, Department of Surgery, Stony Brook Children's Hospital

⁴Department of Urology, Stony Brook University Hospital

Nothing to Disclose



Two interdependent specialties, both losing trainees

21%

of Pediatric Urology
fellowship positions went
unmatched in 2025

*Both fields are
concentrated in
urban academic
centers*

62%

of Pediatric Nephrology
fellowship positions went
unmatched in 2025



Research Question: *What does supply look like over the next four decades?*

- 1 Use the ABMS Data Viewer to project future physician supply
- 2 Test three national training-output scenarios
- 3 Compare trajectories for Pediatric Urology vs. Pediatric Nephrology and by region



New tab x +

← → ↻ 🏠

abms data viewer

🔍 AI Mode

📑 BlazerNET

🕒 abms data viewer - Google Search

🔍 source data review vs source data verification

🔍 abm viewer


🔍 abms database

🔍 abm file viewer



🔍 abm visualization

🔍 abms display agents



ment Research All Bookmarks





The Field Landscapes Right Now




The Field Landscapes Right Now



The Field Landscapes Right Now



The Field Landscapes Right Now



Three scenarios, one set of assumptions



Stable

Current fellowship training
Output held constant



Growth

+10% training output
per decade



Decline


-10% training output
per decade

Model Assumptions:

Physicians enter between ages 32-35 for Pediatric Nephrology, and between ages 33-36 for Pediatric Urology. Retirement is probabilistic based on age.



Stable and Growth scenarios recover, Decline plateaus




Key Points

- Stable output → gradual recovery
- Growth → expansion by 2060
- Decline → early drop, then plateau



Only the Growth scenario recovers workforce supply



Key Point


Pediatric nephrology does not recover by 2060



Regional Analysis




Supply gaps are not evenly distributed



- Urology in West & Southwest lag furthest behind
- Urology in Northeast & Midwest recover fastest
- Nephrology recovers **nowhere**



Supply gaps are not evenly distributed



- Urology in West & Southwest lag furthest behind
- Urology in Northeast & Midwest recover fastest
- Nephrology recovers nowhere



The ABMS Data Viewer can be used to model physician workforce trends and help anticipate future pediatric specialty care needs.

- Pediatric Urology may stabilize or recover under favorable conditions
- Pediatric Nephrology may face a supply crisis



Limitations



Limitations



Limitations



Next Steps



Next Steps



Next Steps



Questions & Discussion

Thank You!

Ethan Wan
ethanwan@uab.edu
256-337-0600