Homework #4

Kabir Kanha Arora
CSD 330 - Security Analytics
Shiv Nadar University

April 26, 2020

Reading and Exercises

1. **Construct a Markov Model for Text Generation based on the following sentences:**

   - **John walked past the shop yesterday.**
   - **The shop sells small animals.**
   - **John goes into the shop.**
   - **He saw a cat eat the fish.**
   - **A dog barked and bit the cat.**
   - **John gave the dog a bone.**
   - **The dog ate the bone.**
   - **John adopted the dog.**

   (a) **Generate a sentence of 15 words (or until it reaches a '.') whichever comes first. Start with the seed words "The shop ..."**

   (b) **Compute the probability for your sentence.**

   (c) **How can you improve the model? Give at least two ideas and explain.**

```
/*
Code written by Kabir Kanha Arora
CSD 330 - Security Analytics
Homework#4
Q1
 */

import java.util.ArrayList;
import java.util.HashMap;
import java.util.Scanner;

public class Main {
    //Global output string
```

```java
    static String str = "";

    public static void main(String[] args) {
        Scanner scanner = new Scanner(System.in);
        System.out.println("Enter the number of sentences to be used to
            construct the Markov model: ");
        int N = scanner.nextInt();
        scanner.nextLine();
        //ArrayList to store all the sentences.
        ArrayList<String[]> list = new ArrayList<>(N);
        for (int i = 0; i < N; ++i) {
            String temp = scanner.nextLine();
            String[] temp_arr = temp.split(" ");
            for (int k = 0; k < temp_arr.length; ++k) {
                temp_arr[k] = temp_arr[k].toLowerCase();
            }
            StringBuilder stringBuilder_temp = new StringBuilder();
            stringBuilder_temp.append(temp_arr[temp_arr.length - 1]);
            stringBuilder_temp.deleteCharAt(stringBuilder_temp.length() -
                1);
            String[] main_arr = new String[temp_arr.length + 1];
            System.arraycopy(temp_arr, 0, main_arr, 0, temp_arr.length -
                1);
            main_arr[main_arr.length - 2] = stringBuilder_temp.toString();
            main_arr[main_arr.length - 1] = ".";
            list.add(main_arr);
        }
        System.out.println("\nEnter seed sentence:");
        str = scanner.nextLine();
        String[] seed = str.split(" ");
        for (int k = 0; k < seed.length; ++k) {
            seed[k] = seed[k].toLowerCase();
        }
        double prob = generate(seed[seed.length - 1], list, 1.0, 0);
        System.out.println("\nThe generated sentence is: \"" + str+"\"");
        System.out.println("The probability of this sentence is: " +
            prob);
    }

    public static double generate(String seed, ArrayList<String[]> list,
        double prob, int cnt) {
        ++cnt;
        //Map to store words succeeding a given word and its frequency.
        HashMap<String, Integer> map = new HashMap<>();
        for (String[] arr : list) {
            for (int j = 0; j < arr.length - 1; ++j) {
                if (arr[j].equalsIgnoreCase(seed)) {
```

```
                    if (map.containsKey(arr[j + 1])) {
                        int x = map.get(arr[j + 1]);
                        x++;
                        map.remove(arr[j + 1]);
                        map.put(arr[j + 1], x);
                    } else {
                        map.put(arr[j + 1], 1);
                    }
                }
            }
        }
        //Finding the most frequently occurring string.
        String max_str = "";
        int max = Integer.MIN_VALUE;
        int sum = 0;
        for (String key : map.keySet()) {
            sum += map.get(key);
            if (map.get(key) > max) {
                max_str = key;
                max = map.get(key);
            }
        }
        prob *= 1.0 * max / sum;
        //Terminate when full stop reached or 15 words generated.
        if (max_str.equalsIgnoreCase(".") || cnt == 15) {
            str += max_str;
            return prob;
        } else {
            str += " " + max_str;
            return generate(max_str, list, prob, cnt);
        }
    }
}
```

Some sample outputs are shown below:

```
Enter the number of sentences to be used to construct the Markov model:
8
John walked past the shop yesterday.
The shop sells small animals.
John goes into the shop.
He saw a cat eat the fish.
A dog barked and bit the cat.
John gave the dog a bone.
The dog ate the bone.
John adopted the dog.

Enter seed sentence:
The shop

The generated sentence is: "The shop yesterday."
The probability of this sentence is: 0.3333333333333333
```

```
Enter the number of sentences to be used to construct the Markov model:
8
John walked past the shop yesterday.
The shop sells small animals.
John goes into the shop.
He saw a cat eat the fish.
A dog barked and bit the cat.
John gave the dog a bone.
The dog ate the bone.
John adopted the dog.

Enter seed sentence:
the dog

The generated sentence is: "the dog barked and bit the shop yesterday."
The probability of this sentence is: 0.02777777777777777776
```

(a) From the first sample output screenshot, we see that the sentence generated by the Markov model is *The shop yesterday.*

(b) The generated sentence has a probability of 0.33, as is shown in the first sample output.

(c) i. One obvious improvement that could be done is increasing the *order* of the Markov model i.e., looking at more than one preceding word to determine

the next word. We could combine the predictions from the lower and higher order models too. This could help us make a better prediction.

ii. Right now, the model had only 8 sentences to get trained and hence, the sentence generation is quite poor. If trained on a vast number of sentences, the model's prediction will improve quite a bit.

2. **Find one unsupervised method and one supervised method in the recent literature (last 5 years or so) for word sense disambiguation and then report in your own words, how they work. Page limit: 1 page each.**

Supervised method

Pasini, Tommaso, and Roberto Navigli. "Train-o-matic: Large-scale supervised word sense disambiguation in multiple languages without manual training data." Proceedings of the 2017 Conference on Empirical Methods in Natural Language Processing. 2017.

In this paper, the authors present Train-O-Matic, a novel method for generating huge high-quality training sets for all the words in a language's vocabulary. The approach is language-independent, thanks to its use of a multilingual knowledge resource, BabelNet (Navigli and Ponzetto, 2012), and it can be applied to any kind of corpus. The training sets produced with Train-O-Matic are shown to provide competitive performance with those of manually and semi-automatically tagged corpora. Moreover, state-of-the-art performance is also reported for low resourced languages (i.e., Italian and Spanish) and domains, where manual training data is not available

TrainO-Matic takes as input a corpus C (e.g., Wikipedia) and a semantic network $G = (V, E)$. It assumes a WordNet-like structure of G, i.e., V is the set of concepts (i.e., synsets) such that, for each word w in the vocabulary, $Senses(w)$ is the set of vertices in V that are expressed by w, e.g., the WordNet synsets that include w as one of their senses.

Train-O-Matic consists of three steps:

(a) **Lexical profiling:** for each vertex in the semantic network, they compute its Personalized PageRank vector, which provides its lexical semantic profile

(b) **Sentence scoring:** For each sentence containing a word w, they compute a probability distribution over all the senses of w based on its context.

(c) **Sentence ranking and selection:** For each sense s of a word w in the vocabulary, they select those sentences that are most likely to use w in the sense of s.

They used two different corpora to extract sentences: Wikipedia and the United Nations Parallel Corpus (Ziemski et al., 2016). The first is the largest and most up-to-date encyclopedic resource, containing definitional information, the second, on the other hand, is a public collection of parliamentary documents of the United Nations.

To show the impact of our T-O-M corpora in WSD, they compared its performance on the above gold standard datasets, against training with SemCor and OMSTI. As a traditional baseline in WSD, they used the Most Frequent Sense (MFS) baseline given by the first sense in WordNet.

Train-O-Matic removes the burden of manual intervention by leveraging the structural semantic information available in the WordNet graph enriched with additional relational information from BabelNet, and achieves performance competitive to that of semi-automatic approaches and, in some cases, of manually-curated training data. T-O-M was shown to provide training data for virtually all the target ambiguous nouns, in marked contrast to alternatives like OMSTI, which covers in many cases around half of the tokens, resorting to the MFS otherwise. Moreover Train-O-Matic has proven to scale well to low resourced languages, for which no manually annotated data set exists, surpassing the current state of the art of knowledge-based systems.

Unsupervised method

Moradi, Behzad, Ebrahim Ansari, and Zdeněk Žabokrtský. "Unsupervised Word Sense Disambiguation Using Word Embeddings." 2019 25th Conference of Open Innovations Association (FRUCT). IEEE, 2019.

This paper proposes a new unsupervised WSD method using word embeddings and a small dictionary. In contrast to most existing techniques, which resolve semantic ambiguity of a target language using the information provided by that language, they exploit rich resources from another language to overcome the problem. Based on the fact that contextual information provides useful clues for disambiguating words, they introduce an approach to resolve semantic ambiguity which uses the translation of the surrounding words of the Persian ambiguous word into English. To select the correct sense of the ambiguous word, its candidate senses (here translations) should be compared with English-translated surrounding words. The process of finding similarity between translations of the ambiguous word and the translated surrounding words is done inside the embedding space instead of using classic co-occurrence vectors. Therefore, they build their word embedding model from English Wikipedia articles.

Persian words are disambiguated using trained model of the second language, i.e., English in this work. The method is based on the fact that the context provides useful information for finding the correct sense of the ambiguous word while all words in a sentence are related to each other semantically and syntactically. Therefore, having knowledge about some words, useful clues about others could be discovered. In this study, semantic similarity is considered and is based on this hypothesis that a given polysemous word, almost all of the context words except stop words carry useful information. After preprocessing Persian raw sentences, including tokenization and stop word removal, a set C is created for the ambiguous word and the context words are put into the set. Note that this set does not include the ambiguous word. Next, each word within C is translated into English using a Persian English dictionary and the set C is created. The dictionary is a bilingual word-by-word dictionary and

sometimes there is more than one translation per each Persian word; in this situation, they pick up all candidate translations. Now, the context information is transferred into English. In the next step, the set C is compared against each candidate translation. The Persian surrounding words c_i are translated into c'_j , then these English-translated surrounding words are compared against candidate senses Si in the word embedding space.

Experiments on the data set show highly accurate results and provide a significant improvement over previous unsupervised methods. Although, the efficiency of the approach was verified for word sense disambiguation of Persian texts (using English as the supplementary language) it can be applied to any other pair of languages as well.

3. **Write code in Python to output the WordNet synset of a given word. Does NLTK have a word sense tagger?**

```
#Written by Kabir Kanha Arora
#CSD 330 - Security Analytics
#Q3

from nltk.corpus import wordnet

print('LEGEND')
print('a - Adjective')
print('n - Noun')
print('r - Adverb')
print('s - Adjective Satellite')
print('v - Verb')

word = str(input('Enter the word you wish to lookup:\n'))
word_fetch = wordnet.synsets(word)

#If word doesn't exist in WordNet
if len(word_fetch) == 0:
    print("No results found")
else:
    print("SEARCH RESULTS")
    print("--------------")
    for result in word_fetch:
        #Split the string which is of the form hello.n.01
        #Representing the word, POS, and a number.
        # print(result)
        strings = result.name().split('.')
        print("Word:\t\t", strings[0])
        print("Part of Speech:\t", strings[1])
        print("Definition:\t", result.definition())
        examples = result.examples()
        if len(examples) != 0:
```

```python
        print("Example:\t", examples)
    else:
        print("No examples found")
    print()
```

The Python code is shown above and some sample outputs are shown below:

```
(base) C:\Users\kabir\Downloads>python synset.py
LEGEND
a - Adjective
n - Noun
r - Adverb
s - Adjective Satellite
v - Verb
Enter the word you wish to lookup:
hello
SEARCH RESULTS
--------------
Word:             hello
Part of Speech:   n
Definition:       an expression of greeting
Example:          ['every morning they exchanged polite hellos']
```

```
(base) C:\Users\kabir\Downloads>python synset.py
LEGEND
a - Adjective
n - Noun
r - Adverb
s - Adjective Satellite
v - Verb
Enter the word you wish to lookup:
security
SEARCH RESULTS
--------------
Word:             security
Part of Speech:   n
Definition:       the state of being free from danger or injury
Example:          ['we support the armed services in the name of national security']

Word:             security
Part of Speech:   n
Definition:       defense against financial failure; financial independence
Example:          ['his pension gave him security in his old age', 'insurance provided protection against loss of wages due to illness']

Word:             security
Part of Speech:   n
Definition:       freedom from anxiety or fear
Example:          ['the watch dog gave her a feeling of security']

Word:             security
Part of Speech:   n
Definition:       a formal declaration that documents a fact of relevance to finance and investment; the holder has a right to receive interest or dividends
Example:          ['he held several valuable securities']

Word:             security
Part of Speech:   n
Definition:       property that your creditor can claim in case you default on your obligation
Example:          ['bankers are reluctant to lend without good security']

Word:             security
Part of Speech:   n
Definition:       a department responsible for the security of the institution's property and workers
Example:          ['the head of security was a former policeman']

Word:             security
Part of Speech:   n
Definition:       a guarantee that an obligation will be met
No examples found

Word:             security_system
Part of Speech:   n
Definition:       an electrical device that sets off an alarm when someone tries to break in
No examples found

Word:             security
Part of Speech:   n
Definition:       measures taken as a precaution against theft or espionage or sabotage etc.
Example:          ['military security has been stepped up since the recent uprising']
```

NLTK

Yes, the NLTK module does offer a word sense tagger in the form of the Lesk Algorithm. Given a sentence and a word that is 'ambiguous', the algorithm aims to provide the meaning of the word based on the context of the sentence. The algorithm can be found within the *wsd* package of the *nltk* module. Given an ambiguous word and the context in which the word occurs, Lesk returns a Synset with the highest number of overlapping words between the context sentence and different definitions from each Synset.

```
>>> from nltk.wsd import lesk
>>> sent = ['I', 'went', 'to', 'the', 'bank', 'to', 'deposit', 'money',
    '.']
>>> print(lesk(sent, 'bank', 'n'))
Synset('savings_bank.n.02')
>>> print(lesk(sent, 'bank'))
Synset('savings_bank.n.02')
```

4. **For the following situations, consider whether or not the HMM model fits the requirements of the situation? Justify your answer in 1-2 sentences.**

   (a) Malware detection.

   (b) Likelihood of a person clicking on a phishing email.

   (a) Yes. For malware detection, Hidden Markov Models (HMM) seem like a pretty decent option. Just by looking at a software, it is difficult to tell whether it is benign or malicious. But, the features of these softwares can be observed, and these observables can help us tell malware from benign software. This is how a lot of anti-virus softwares work.

   (b) Yes, this can be modelled using an HMM. The observables we have in this case are the person's history, whether he clicks on phishing mails or trashes them, whether similar mails have trapped other people too, the success rate of the email in question, etc. These observables can be used as features to get a good handle on the likelihood of the person clicking on the phishing mail.

5. **Read *either* the ICISC 2013 paper of Verma et al. on Sematic t-test, *or* the ASIA CCS 2017 paper of Baki et al. on Email Masquerade attacks, and write a one page critique. In this critique include what you learned from this paper and suggest three or more major improvements. For extra credit, read and critique both papers.**

Baki, Shahryar, et al. "Scaling and effectiveness of email masquerade attacks: Exploiting natural language generation." Proceedings of the 2017 ACM on Asia Conference on Computer and Communications Security. 2017.

Learning:

To start with, I must say that this paper was indeed a riveting read. It is written in a a very lucid and coherent manner and can be read without the excessive amount of effort that usual research papers require. The language is easy to follow and comprehend and the papers flows pretty well. The subject matter is also very interesting and it is the first time I am reading about something like this.

The most important thing I learnt from this paper is that masquerade attacks are so much more difficult to detect and once an account is compromised, just detecting that by looking at the emails can be an extremely tough task for anyone.

Among the things that surprised me the most was the result that people who are conversant with emails and are tech-savvy did not show a better detection rate of fake emails. An interesting disbelief I shed by reading this paper was that I had always thought spam emails and fake emails are so easy to detect because they stick out like a sore thumb among the regular emails, with their weird language and style. But when the attacker is trained to write in the style of the person, it becomes a different ball game altogether, especially when it even mimics spelling and grammatical errors! I didn't expect a generator to be mimicking that too.

Initially, I thought that even if people don't detect these mails, there is probably no harm since it is not asking for any personal details or asking people to install a file. But then I thought that this is indeed harmful because viruses aren't the only problem we face, one of the big challenges in today's world is false information and rumours, which can easily be spread by email masqueraders.

Since this problem hasn't yet grown out of control, it is great to see reasearch work happening in the area in anticipation, before the situation goes out of hand, which is uncharacteristic of this *reactive* field. It is fascinating that the entire research work was done without any proper data set (since none exist) and that was something I didn't consider to be possible. It is scary that educated, tech-savvy students show such a poor detection rate and seem to merely be guessing, despite the fact that emails have some kinds of errors to indicate the fakeness. When an attacker designs an email, all these will be ironed out and then the attack will be so much more potent, especially if the attacker masquerades someone whose style of writing is hard to read.

Possible improvement areas:

(a) I believe that the testing demographic was slightly skewed. To get a more precise result, people of all ages and from all walks of life need to be chosen, and not just college students and teachers, who are probably in the smarter strata of society. We would then also probably see some effect of the knowledge and background of a person using email on their detection performance.

(b) In real life, when participants could receive one masquerading mail among 20-25 that come into their inbox everyday, it is unlikely that they will be able to detect it even 50% of the time. In this case, they were in lab conditions and knew the task at hand and hence were able to detect some. A possible experiment would

be to somehow test the detection rate of people who do not know that such an experiment is running.

(c) An existing data set would greatly improve the quality of attacking emails, as and when that becomes possible.

(d) I have a feeling that a masquerade form someone one hasn't corresponded with in the past is unlikely to have any consequences, but the real hard can happen when the attack comes from a known person. But in that case, I feel that the dynamics will change quite a bit and we human beings are very perceptive and can pick up traits in writing styles and tone of the mail depending on previous conversations in a way that no computer can. So in that case, fooling someone might be a challenge.

Mandatory Practical Exercises

1. **Go to the online version of WordNet and find at least two relations for nouns and three relations for verbs along with examples.**

POS	Word	Relation	Example
Noun (n)	hello	Direct hypernym	greeting
Noun (n)	hello	Inherited hypernym	message
Noun (n)	hello	Sister term	welcome
Noun (n)	animal	Direct hyponym	female
Noun (n)	animal	Part meronym	face
Noun (n)	animal	Member holonym	Animalia
Verb (v)	start	Direct troponym	recommence
Verb (v)	start	Antonym	end
Verb (v)	fight	Entailment	compete
Verb (v)	fight	Phrasal Verb	fight off

2. **Can a noun have more than one direct hypernym in Wordnet? If yes, give at least one example. If not, submit some evidence In support of your position from WordNet documentation.**

   Both nouns andverbs can have more that one direct hypernym and examples of both are shown below:

- S: (n) **dog**, domestic dog, Canis familiaris (a member of the genus Canis (probably descended from the common wolf) that has been domesticated by man since prehistoric times; occurs in many breeds) *"the dog barked all night"*
  - *direct hyponym* / *full hyponym*
  - *part meronym*
  - *member holonym*
  - ***direct hypernym*** / *inherited hypernym* / *sister term*
    - S: (n) canine, canid (any of various fissiped mammals with nonretractile claws and typically long muzzles)
    - S: (n) domestic animal, domesticated animal (any of various animals that have been tamed and made fit for a human environment)

- S: (v) **turn** (change color) *"In Vermont, the leaves turn early"*
  - ***direct hypernym*** / *inherited hypernym* / *sister term*
    - S: (v) **turn**, grow (pass into a condition gradually, take on a specific property or attribute; become) *"The weather turned nasty"; "She grew angry"*
    - S: (v) discolor, discolour, colour, color (change color, often in an undesired manner) *"The shirts discolored"*

3. **Run the Stanford NER on 5 easy ham emails, 5 hard ham emails and 5 spam emails from the SpamAssassin dataset on Internet.**

EASY HAM

0007.c75188382f64b090022fa3b095b020b0

From martin@srv0.ems.ed.ac.uk Thu Aug 22 14:54:39 2002 Return-Path: <martin@srv0.ems.ed.ac.uk> Delivered-To: zzzz@localhost.netnoteinc.com Received: from localhost (localhost [127.0.0.1]) by phobos.labs.netnoteinc.com (Postfix) with ESMTP id 16FC743F99 for <zzzz@localhost>; Thu, 22 Aug 2002 09:54:38 -0400 (EDT) Received: from phobos [127.0.0.1] by localhost with IMAP (fetchmail-5.9.0) for zzzz@localhost (single-drop); Thu, 22 Aug 2002 14:54:39 +0100 (IST) Received: from n14.grp.scd.yahoo.com (n14.grp.scd.yahoo.com [66.218.66.69]) by dogma.slashnull.org (8.11.6/8.11.6) with SMTP id g7MDoxZ08960 for <zzzz@example.com>; Thu, 22 Aug 2002 14:50:59 +0100 X-Egroups-Return: sentto-2242572-52737-1030024261-zzzz=example.com@returns.groups.yahoo.com Received: from [66.218.66.95] by n14.grp.scd.yahoo.com with NNFMP; 22 Aug 2002 13:51:01 -0000 X-Sender: martin@srv0.ems.ed.ac.ukX-Apparently-To: zzzzteana@yahoogroups.com Received: (EGP: mail-8_1_0_1); 22 Aug 2002 13:51:00 -0000 Received: (qmail 71894 invoked from network); 22 Aug 2002 13:51:00 -0000 Received: from unknown (66.218.66.218) by m7.grp.scd.yahoo.com with QMQP; 22 Aug 2002 13:51:00 -0000 Received: from unknown (HELO haymarket.ed.ac.uk) (129.215.128.53) by mta3.grp.scd.yahoo.com with SMTP; 22 Aug 2002 13:51:00 -0000 Received: from srv0.ems.ed.ac.uk (srv0.ems.ed.ac.uk [129.215.117.0]) by haymarket.ed.ac.uk (8.11.6/8.11.6) with ESMTP id g7MDow310334 for <forteana@yahoogroups.com>; Thu, 22 Aug 2002 14:50:59 +0100 (BST) Received: from EMS-SRV0/SpoolDir by srv0.ems.ed.ac.uk (Mercury 1.44); 22 Aug 02 14:50:58 +0000 Received: from SpoolDir by EMS-SRV0 (Mercury 1.44); 22 Aug 02 14:50:31 +0000 Organization: Management School To: zzzzteana@yahoogroups.com Message-Id: <3D64FA3C.13325.63A5960@localhost> Priority: normal In-Reply-To: <3D64E94E.8060301@ee.ed.ac.uk> X-Mailer: Pegasus Mail for Windows (v4.01)
Content-Description: Mail message body
From: "Martin Adamson" <martin@srv0.ems.ed.ac.uk>
MIME-Version: 1.0
Mailing-List: list zzzzteana@yahoogroups.com; contact
forteana-owner@yahoogroups.com
Delivered-To: mailing list zzzzteana@yahoogroups.com
Precedence: bulk
List-Unsubscribe: <mailto:zzzzteana-unsubscribe@yahoogroups.com>
Date: Thu, 22 Aug 2002 14:50:31 +0100
Subject: Re: [zzzzteana] Nothing like mama used to make
Reply-To: zzzzteana@yahoogroups.com
Content-Type: text/plain; charset=US-ASCII
Content-Transfer-Encoding: 7bit

> I just had to jump in here as Carbonara is one of my favourites to make and
> ask
> what the hell are you supposed to use instead of cream?

Isn't it just basically a mixture of beaten egg and bacon (or pancetta,
really)? You mix in the raw egg to the cooked pasta and the heat of the pasta
cooks the egg. That's my understanding.

Martin

---------------------- Yahoo! Groups Sponsor ----------------------~-->
4 DVDs Free +s&p Join Now
http://us.click.yahoo.com/pt6YBB/NXiEAA/mG3HAA/7gSolB/TM
~-->

To unsubscribe from this group, send an email to:
forteana-unsubscribe@egroups.com

Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

0008.20bc0b4ba2d99aae1c7098069f611a9b

From martin@srv0.ems.ed.ac.uk Thu Aug 22 14:54:40 2002 Return-Path: <martin@srv0.ems.ed.ac.uk> Delivered-To: zzzz@localhost.netnoteinc.com Received: from localhost (localhost [127.0.0.1]) by phobos.labs.netnoteinc.com (Postfix) with ESMTP id E3D7B47C66 for <zzzz@localhost>; Thu, 22 Aug 2002 09:54:39 -0400 (EDT) Received: from phobos [127.0.0.1] by localhost with IMAP (fetchmail-5.9.0) for zzzz@localhost (single-drop); Thu, 22 Aug 2002 14:54:40 +0100 (IST) Received: from n11.grp.scd.yahoo.com (n11.grp.scd.yahoo.com [66.218.66.66]) by dogma.slashnull.org (8.11.6/8.11.6) with SMTP id g7MDt8Z09193 for <zzzz@example.com>; Thu, 22 Aug 2002 14:55:10 +0100
X-Egroups-Return: sentto-2242572-52738-1030024499-zzzz=example.com@returns.groups.yahoo.com Received: from [66.218.66.94] by n11.grp.scd.yahoo.com with NNFMP; 22 Aug 2002 13:55:03 -0000 X-Sender: martin@srv0.ems.ed.ac.uk X-Apparently-To: zzzzteana@yahoogroups.com Received: (EGP: mail-8_1_0_1); 22 Aug 2002 13:54:59 -0000 Received: (qmail 43039 invoked from network); 22 Aug 2002 13:54:58 -0000 Received: from unknown (66.218.66.216) by m1.grp.scd.yahoo.com with QMQP; 22 Aug 2002 13:54:58 -0000 Received: from unknown (HELO haymarket.ed.ac.uk) (129.215.128.53) by mta1.grp.scd.yahoo.com with SMTP; 22 Aug 2002 13:54:58 -0000 Received: from srv0.ems.ed.ac.uk (srv0.ems.ed.ac.uk [129.215.117.0]) by haymarket.ed.ac.uk (8.11.6/8.11.6) with ESMTP id g7MDsv311745 for <forteana@yahoogroups.com>; Thu, 22 Aug 2002 14:54:57 +0100 (BST) Received: from EMS-SRV0/SpoolDir by srv0.ems.ed.ac.uk (Mercury 1.44); 22 Aug 02 14:54:56 +0000 Received: from SpoolDir by EMS-SRV0 (Mercury 1.44); 22 Aug 02 14:54:29 +0000 Organization: Management School To: zzzzteana@yahoogroups.com
Message-Id: <3D64FB27.18538.63DEC17@localhost> Priority: normal X-Mailer: Pegasus Mail for Windows (v4.01) Content-Description: Mail message body From: "Martin Adamson" <martin@srv0.ems.ed.ac.uk> MIME-Version: 1.0 Mailing-List: list zzzzteana@yahoogroups.com; contact forteana-owner@yahoogroups.com Delivered-To: mailing list zzzzteana@yahoogroups.com Precedence: bulk List-Unsubscribe: <mailto:zzzzteana-unsubscribe@yahoogroups.com> Date: Thu, 22 Aug 2002 14:54:25 +0100 Subject: [zzzzteana] playboy wants to go out with a bang Reply-To: zzzzteana@yahoogroups.com
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-MIME-Autoconverted: from quoted-printable to 8bit by dogma.slashnull.org id g7MDt8Z09193

The Scotsman - 22 August 2002

Playboy wants to go out with a bang

AN AGEING Berlin playboy has come up with an unusual offer to lure women into his bed - by promising the last woman he sleeps with an inheritance of 250,000 (£160,000).

Rolf Eden, 72, a Berlin disco owner famous for his countless sex partners, said he could imagine no better way to die than in the arms of an attractive young woman - preferably under 30.

"I put it all in my last will and testament - the last woman who sleeps with me gets all the money," Mr Eden told Bild newspaper.

"I want to pass away in the most beautiful moment of my life. First a lot of fun with a beautiful woman, then wild sex, a final orgasm - and it will all end with a heart attack and then I'm gone."

Mr Eden, who is selling his nightclub this year, said applications should be sent in quickly because of his age. "It could end very soon," he said.

---------- Yahoo! Groups Sponsor ----------~-->
4 DVDs Free +s&p Join Now
http://us.click.yahoo.com/pt6YBB/NXiEAA/mG3HAA/7gSolB/TM
~---~->

To unsubscribe from this group, send an email to:
forteana-unsubscribe@egroups.com

Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

0009.435ae292d75abb1ca492dcc2d5cf1570

From Stewart.Smith@ee.ed.ac.uk Thu Aug 22 15:05:07 2002 Return-Path: <Stewart.Smith@ee.ed.ac.uk> Delivered-To: zzzz@localhost.netnoteinc.com
Received: from localhost (localhost [127.0.0.1]) by phobos.labs.netnoteinc.com (Postfix) with ESMTP id EF86747C67 for <zzzz@localhost>; Thu, 22 Aug 2002 10:05:00 -0400 (EDT) Received: from phobos [127.0.0.1] by localhost with IMAP (fetchmail-5.9.0) for zzzz@localhost (single-drop); Thu, 22 Aug 2002 15:05:01 +0100 (IST) Received: from n34.grp.scd.yahoo.com (n34.grp.scd.yahoo.com [66.218.66.102]) by dogma.slashnull.org (8.11.6/8.11.6) with SMTP id g7ME1MZ09279 for <zzzz@example.com>; Thu, 22 Aug 2002 15:01:22 +0100 X-Egroups-Return: sentto-2242572-52739-1030024883-zzzz=example.com@returns.groups.yahoo.com Received: from [66.218.67.195] by n34.grp.scd.yahoo.com with NNFMP; 22 Aug 2002 14:01:23 -0000 X-Sender: Stewart.Smith@ee.ed.ac.uk X-Apparently-To: zzzzteana@yahoogroups.com Received: (EGP: mail-8_1_0_1); 22 Aug 2002 14:01:23 -0000 Received: (qmail 45116 invoked from network); 22 Aug 2002 14:01:22 -0000 Received: from unknown (66.218.66.218) by m2.grp.scd.yahoo.com with QMQP; 22 Aug 2002 14:01:22 -0000 Received: from unknown (HELO postbox.ee.ed.ac.uk) (129.215.80.253) by mta3.grp.scd.yahoo.com with SMTP; 22 Aug 2002 14:01:22 -0000 Received: from ee.ed.ac.uk (sxs@dunblane [129.215.34.86]) by postbox.ee.ed.ac.uk (8.11.0/8.11.0) with ESMTP id g7ME1Lj02942 for <forteana@yahoogroups.com>; Thu, 22 Aug 2002 15:01:21 +0100 (BST)
Message-Id: <3D64EEB0.2050502@ee.ed.ac.uk> Organization: Scottish Microelectronics Centre User-Agent: Mozilla/5.0 (X11; U; SunOS sun4u; en-US; rv:1.1b) Gecko/20020628 X-Accept-Language: en, en-us To: zzzzteana@yahoogroups.com References: <3D64FA3C.13325.63A5960@localhost> From: Stewart Smith <Stewart.Smith@ee.ed.ac.uk> X-Yahoo-Profile: stochasticus MIME-Version: 1.0 Mailing-List: list zzzzteana@yahoogroups.com; contact forteana-owner@yahoogroups.com Delivered-To: mailing list zzzzteana@yahoogroups.com Precedence: bulk List-Unsubscribe: <mailto:zzzzteana-unsubscribe@yahoogroups.com> Date: Thu, 22 Aug 2002 15:01:20 +0100 Subject: Re: [zzzzteana] Nothing like mama used to make Reply-To: zzzzteana@yahoogroups.com
Content-Type: text/plain; charset=US-ASCII
Content-Transfer-Encoding: 7bit

Martin Adamson wrote:
>
> Isn't it just basically a mixture of beaten egg and bacon (or pancetta,
> really)? You mix in the raw egg to the cooked pasta and the heat of the pasta
> cooks the egg. That's my understanding.
>

You're probably right, mine's just the same but with the cream added to the eggs. I guess I should try it without. Actually looking on the internet for a recipe I found this one from possibly one of the scariest people I've ever seen, and he's a US Congressman:
<http://www.virtualcities.com/ons/me/gov/megvjb1.htm>

That's one of the worst non-smiles ever.

Stew
ps. Apologies if any of the list's Maine residents voted for this man, you won't do it again once you've seen this pic.

--
Stewart Smith
Scottish Microelectronics Centre, University of Edinburgh
http://www.ee.ed.ac.uk/~sxs/

---------- Yahoo! Groups Sponsor ----------~-->
4 DVDs Free +s&p Join Now
http://us.click.yahoo.com/pt6YBB/NXiEAA/mG3HAA/7gSolB/TM
~---~->

To unsubscribe from this group, send an email to:
forteana-unsubscribe@egroups.com

Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

0010.4996141de3f21e858c22f88231a9f463

From martin@srv0.ems.ed.ac.uk Thu Aug 22 15:05:07 2002 Return-Path: <martin@srv0.ems.ed.ac.uk> Delivered-To: zzzz@localhost.netnoteinc.co Received: from localhost (localhost [127.0.0.1]) by phobos.labs.netnoteinc.com (Postfix) with ESMTP id 7A0C347C68 for <zzzz@localhost>; Thu, 22 Aug 2002 10:05:03 -0400 (EDT) Received: from phobos [127.0.0.1] by localhost with IMAP (fetchmail-5.9.0) for zzzz@localhost (single-drop); Thu, 22 Aug 2002 15:05:03 +0100 (IST) Received: from n34.grp.scd.yahoo.com (n34.grp.scd.yahoo.com [66.218.66.102]) by dogma.slashnull.org (8.11.6/8.11.6) with SMTP id g7ME1rZ09290 for <zzzz@example.com>; Thu, 22 Aug 2002 15:01:54 +0100 X-Egroups-Return: sentto-2242572-52740-1030024915-zzzz=example.com@returns.groups.yahoo.com Received: from [66.218.67.194] by n34.grp.scd.yahoo.com with NNFMP; 22 Aug 2002 14:01:55 -0000 X-Sender: martin@srv0.ems.ed.ac.uk X-Apparently-To: zzzzteana@yahoogroups.com Received: (EGP: mail-8_1_0_1); 22 Aug 2002 14:01:55 -0000 Received: (qmail 59494 invoked from network); 22 Aug 2002 14:01:55 -0000 Received: from unknown (66.218.66.218) by m12.grp.scd.yahoo.com with QMQP; 22 Aug 2002 14:01:55 -0000 Received: from unknown (HELO haymarket.ed.ac.uk) (129.215.128.53) by mta3.grp.scd.yahoo.com with SMTP; 22 Aug 2002 14:01:54 -0000 Received: from srv0.ems.ed.ac.uk (srv0.ems.ed.ac.uk [129.215.117.0]) by haymarket.ed.ac.uk (8.11.6/8.11.6) with ESMTP id g7ME1r313981 for <forteana@yahoogroups.com>; Thu, 22 Aug 2002 15:01:53 +0100 (BST) Received: from EMS-SRV0/SpoolDir by srv0.ems.ed.ac.uk (Mercury 1.44); 22 Aug 02 15:01:52 +0000 Received: from SpoolDir by EMS-SRV0 (Mercury 1.44); 22 Aug 02 15:01:34 +0000Organization: Management School To: zzzzteana@yahoogroups.com Message-Id: <3D64FCD2.20705.6447320@localhost> Priority: normal X-Mailer: Pegasus Mail for Windows (v4.01) Content-Description: Mail message body From: "Martin Adamson" <martin@srv0.ems.ed.ac.uk> MIME-Version: 1.0 Mailing-List: list zzzzteana@yahoogroups.com; contact forteana-owner@yahoogroups.com Delivered-To: mailing list zzzzteana@yahoogroups.com Precedence: bulk List-Unsubscribe: <mailto:zzzzteana-unsubscribe@yahoogroups.com> Date: Thu, 22 Aug 2002 15:01:33 +0100 Subject: [zzzzteana] Meaningful sentences Reply-To: zzzzteana@yahoogroups.com Content-Type: text/plain; charset=ISO-8859-1 Content-Transfer-Encoding: 8bit X-MIME-Autoconverted: from quoted-printable to 8bit by dogma.slashnull.org id g7ME1rZ09290

The Scotsman
Thu 22 Aug 2002
Meaningful sentences
Tracey Lawson

If you ever wanted to look like "one of the most dangerous inmates in prison history", as one judge described Charles Bronson, now's your chance. Bronson - the serial hostage taker, not the movie star - has written a health and fitness guide in which he shares some of the secrets behind h is legendary muscle power.

Solitary Fitness - a title which bears testament to the fact that Bronson, 48, has spent 24 of his 28 prison years in solitary confinement - explains how he has turned himself into a lean, mean, fitness machine while living 23 hours a day in a space just 12 feet by eight feet, on a diet of scrubs grub and at virtually no cost.

The book is aimed at those who want to get fabulously fit without spending a fortune on gym memberships, protein supplements or designer trainers, and starts with a fierce attack on some of the expensive myths churned out by the exercise industry.

"I pick up a fitness mag, I start to laugh and I wipe my arse with it," is the opening paragraph penned by Bronson. "It's a joke and a big con and they call me a criminal!" You can't help feeling he has a point.

This is not the first book that Bronson has written from behind bars, having already published Birdman Opens His Mind, which features drawings and poems created by Bronson while in prison. And he is not the first prisoner to discover creative expression while residing at Her Majesty's p leasure. Jimmy Boyle, the Scots sculptor and novelist, discovered his artistic talent when he was sent to Barlinnie Prison's famous special unit, which aimed tohelp inmates put their violent pasts behind them by teaching them how to express their emotions artistically. Boyle was sentenced t o life for the murder of "Babe" Rooney in 1967. Once released, he moved to Stockbridge where he has become a respected artist. His first novel, Hero of the Underworld, was published in 1999 and his autobiography, A Sense of Freedom, was made into an award-winning film.

Hugh Collins was jailed for life in 1977 for the murder of William Mooney in Glasgow, and in his first year in Barlinnie prison stabbed three prison officers, earning him an extra seven-year sentence. But, after being transferred to the same unit that Boyle attended, he learned to sculpt and d eveloped an interest in art. He later published Autobiography of a Murderer, a frank account of Glasgow's criminal culture in the 1960s, which received critical praise. And Lord Archer doesn't seem to have had trouble continuing to write the books that have made him millions while in jail. He r ecently signed a three-book deal with Macmillan publishers worth a reported £10 million, and is no doubt scribbling away as we speak.

So why is it that men like Collins, Bronson and Boyle, who can be so destructive towards society on the outside, can become so creative once stuck on the inside? Steve Richards, Bronson's publisher, has published many books about criminal figures and believes the roots o fthisphenomenon are both pragmatic and profound. He says: "Prison is sometimes the first time some criminals will ever have known a stable environment, and this can be the first time they have the chance to focus on their creative skills. "It may also be the first time that they have really h ad the chance of an education, if their early years have been hard. It could be the first time anyone has offered them the chance to explore their creative talents." However, Richards believes the reasons are also deeper than that. He says: "Once they are behind bars, the cold light of day h its them, and they examine the very essence of who they are. "They ask themselves, am I a man who wants to be remembered for violence? Or am I a man who can contribute to society, who can be remembered for something good?"

Bronson - who was born Michael Gordon Peterson, but changed his name to that of the Hollywood star of the Death Wish films - has, so far, been remembered mainly for things bad. He was originally jailed for seven years for armed robbery in 1974, and has had a series of sentences adde d to his original term over the years as a result of attacking people in prison. In 2000 he was jailed for life after being convicted of holding a teacher hostage for nearly two days during a jail siege. Standing five feet ten and a half inches tall and weighing 210lbs, he is renowned for his streng th. He has bent metal cell doors with his bare hands and does up to 3,000 - yes, 3,000 - press-ups a day. As he puts it: "I can hit a man 20 times in four seconds, I can push 132 press ups in 60 seconds."

But judging by our current obsession with health and exercise, Solitary Fitness might be the book which will see Bronson's face sitting on every coffee table in the land. He might be the man to give us the dream body which so many so-called fitness gurus promise but fail to motivate us into. Because Bronson has learned to use words as powerfully as he can use his fists.

"All this crap about high-protein drinks, pills, diets, it's just a load of bollocks and a multi-million-pound racket," he writes, in what can only be described as a refreshingly honest style. "We can all be fat lazy bastards, it's our choice, I'm sick of hearing and reading about excuses, if you st uff your face with shit you become shit, that's logical to me."

As motivational mantras go, that might be just the kick up the, er, backside we all needed.

Solitary Fitness by Charles Bronson is published by Mirage Publishing and will be available in bookstores from October at £7.99

--------------------------- Yahoo! Groups Sponsor ----------------------~-->
4 DVDs Free +s&p Join Now
http://us.click.yahoo.com/pt6YBB/NXiEAA/mG3HAA/7gSolB/TM
---~->|
To unsubscribe from this group, send an email to:
forteana-unsubscribe@egroups.com
Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

0012.d354b2d2f24d1036caf1374dd94f4c94

From spamassassin-talk-admin@lists.sourceforge.net Thu Aug 22 15:25:29 2002 Return-Path: <spamassassin-talk-admin@example.sourceforge.net> Delivered-To: zzzz@localhost.netnoteinc.com Received: from localhost (localhost [127.0.0.1]) by phobos.labs.netnoteinc.com (Postfix) with ESMTP id B48D543F99 for <zzzz@localhost>; Thu, 22 Aug 2002 10:25:28 -0400 (EDT) Received: from phobos [127.0.0.1] by localhost with IMAP (fetchmail-5.9.0) for zzzz@localhost (single-drop); Thu, 22 Aug 2002 15:25:28 +0100 (IST) Received: from usw-sf-list2.sourceforge.net (usw-sf-fw2.sourceforge.net [216.136.171.252]) by dogma.slashnull.org (8.11.6/8.11.6) with ESMTP id g7MEI8Z09886 for <zzzz-sa@example.com>; Thu, 22 Aug 2002 15:18:08 +0100 Received: from usw-sf-list1-b.sourceforge.net ([10.3.1.13] helo=usw-sf-list1.sourceforge.net) by usw-sf-list2.sourceforge.net with esmtp (Exim 3.31-VA-mm2 #1 (Debian)) id 17hskI-0002W7-00; Thu, 22 Aug 2002 07:16:03 -0700 Received: from mail-gr-oh.networksonline.com ([65.163.204.6]) by usw-sf-list1.sourceforge.net with esmtp (Exim 3.31-VA-mm2 #1 (Debian)) id 17hskN-0008Ox-00 for <spamassassin-talk@lists.sourceforge.net>; Thu, 22 Aug 2002 07:15:39 -0700
Received: from mordor (mordor.networksonline.com [65.163.204.19]) by mail-gr-oh.networksonline.com (Postfix) with SMTP id C06C537794 for <spamassassin-talk@lists.sourceforge.net>; Thu, 22 Aug 2002 10:13:48 -0400 (EDT)
Message-Id: <001001c249e6$863c4e00$13cca341@networksonline.com>
From: "NOI Administrator" <admin@networksonline.com>
To: <spamassassin-talk@example.sourceforge.net>
MIME-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-Msmail-Priority: Normal
X-Mailer: Microsoft Outlook Express 5.50.4133.2400
X-Mimeole: Produced By Microsoft MimeOLE V5.50.4133.2400
Subject: [SAtalk] SA CGI Configurator Scripts
Sender: spamassassin-talk-admin@example.sourceforge.net
Errors-To: spamassassin-talk-admin@example.sourceforge.net
X-Beenthere: spamassassin-talk@example.sourceforge.net
X-Mailman-Version: 2.0.9-sf.net
Precedence: bulk
List-Help: <mailto:spamassassin-talk-request@example.sourceforge.net?subject=help>
List-Post: <mailto:spamassassin-talk@example.sourceforge.net>
List-Subscribe: <https://example.sourceforge.net/lists/listinfo/spamassassin-talk>,
<mailto:spamassassin-talk-request@lists.sourceforge.net?subject=subscribe>
List-Id: Talk about SpamAssassin <spamassassin-talk.example.sourceforge.net>
List-Unsubscribe: <https://example.sourceforge.net/lists/listinfo/spamassassin-talk>,
<mailto:spamassassin-talk-request@lists.sourceforge.net?subject=unsubscribe>
List-Archive: <http://www.geocrawler.com/redir-sf.php3?list=spamassassin-talk>
X-Original-Date: Thu, 22 Aug 2002 10:16:36 -0400
Date: Thu, 22 Aug 2002 10:16:36 -0400

I have been trying to research via SA mirrors and search engines if a canned script exists giving clients access to their user_prefs options via a web-based CGI interface. Numerous ISPs provide this feature to clients, but so far I can find nothing. Our configuration uses Amavis-Postfix and ClamAV for virus filtering and Procmail with SpamAssassin for spam filtering. I would prefer not to have to write a script myself, but will appreciate any suggestions.

This sf.net email is sponsored by: OSDN - Tired of that same old cell phone? Get a new here for FREE!
https://www.inphonic.com/r.asp?r=sourceforge1&refcode1=vs3390
____
Spamassassin-talk mailing list
Spamassassin-talk@lists.sourceforge.net
https://lists.sourceforge.net/lists/listinfo/spamassassin-talk

HARD HAM

0199.bdcf433ea9d96d36e5a564d787aaa926

From qtopic+admin@quicktopic.com Sun Oct 6 23:44:52 2002
Return-Path: <qtopic+admin@quicktopic.com>
Delivered-To: zzz@localhost.example.com
Received: from localhost (jalapeno [127.0.0.1])
        by example.com (Postfix) with ESMTP id 61ED816F16
        for <zzz@localhost>; Sun, 6 Oct 2002 23:44:52 +0100 (IST)
Received: from jalapeno [127.0.0.1]
        by localhost with IMAP (fetchmail-5.9.0)
        for zzz@localhost (single-drop); Sun, 06 Oct 2002 23:44:52 +0100 (IST)
Received: from pegasus.imagiware.com (pegasus.imagiware.com
    [64.49.222.14]) by dogma.slashnull.org (8.11.6/8.11.6) with ESMTP id
    g96McdK05825 for <zzz@example.com>; Sun, 6 Oct 2002 23:38:39 +0100
Received: by pegasus.imagiware.com (Postfix, from userid 15) id 0F0AD4383;
    Sun, 6 Oct 2002 17:39:25 -0500 (CDT)
Subject: testing for taint.org, part 2
Errors-To: qtopic+errors@quicktopic.com
From: Quick Topic <qtopic+admin@quicktopic.com>
To: zzz@example.com
Message-Id: <20021006223925.0F0AD4383@pegasus.imagiware.com>
Date: Sun, 6 Oct 2002 17:39:25 -0500 (CDT)
X-Spam-Status: No, hits=0.0 required=5.0
        tests=T_NONSENSE_FROM_40_50
        version=2.50-cvs
X-Spam-Level:

Here is your administrator password for your Quick Topic(SM)
topic "testing for taint.org, part 2", as you requested:
    litheers

Use your browser to follow the 'Admin/Delete' link on your topic
page, or instead go straight to the following web address, where
you can delete individual messages or delete the entire topic:
http://www.quicktopic.com/16/A/ESg5mArsyEDK

Once there, you'll be asked to enter the password given above.
If you didn't request this password, then perhaps one of your
topic's readers mistakenly requested it. In that case, you can
ignore this message. As the topic's creator, you're the only one
who received it. As a reminder, your topic is located at the
following web address:
http://www.quicktopic.com/16/H/ESg5mArsyEDK

0211.bd3cf04241bf141dff4739b94b29f61c

From nic@starflung.com Mon Jun 24 17:06:54 2002
Return-Path: 7910726.0.27May2002215326@mp.opensrs.net
Delivery-Date: Tue May 28 02:53:28 2002
Received: from mp.opensrs.net (mp.opensrs.net [216.40.33.45]) by
    dogma.slashnull.org (8.11.6/8.11.6) with ESMTP id g4S1rSe14718 for
    <zzz@example.com>; Tue, 28 May 2002 02:53:28 +0100
Received: (from popensrs@localhost) by mp.opensrs.net (8.9.3/8.9.3) id
    VAA04361; Mon, 27 May 2002 21:53:26 -0400
Message-Id: <7910726.0.27May2002215326@mp.opensrs.net>
Date: Mon, 27 May 2002 21:53:26 -0500 (EST)
From: "Starflung NIC" <nic@starflung.com>
To: <zzz@example.com>
Subject: Automated 30 day renewal reminder 2002-05-27
X-Keywords:
X-UID: 491
Status: RO
Content-Length: 299
Lines: 9

The following domains that are registered as belonging
to you are due to expire within the next 60 days. If
you would like to renew them, please contact
nic@starflung.com; otherwise they will be deactivated
and may be registered by another.

Domain Name, Expiry Date
nutmegclothing.com, 2002-06-26

0176.f2008afaf29620e7f07bb6853809d55a

From pudge@perl.org Mon Aug 19 11:29:50 2002 Return-Path: <pudge@perl.org> Delivered-To: zzz@localhost.netnoteinc.com Received: from localhost (localhost [127.0.0.1]) by phobos.labs.netnoteinc.com (Postfix) with ESMTP id 6892244206 for <zzz@localhost>; Mon, 19 Aug 2002 06:17:09 -0400 (EDT) Received: from phobos [127.0.0.1] by localhost with IMAP (fetchmail-5.9.0) for zzz@localhost (single-drop); Mon, 19 Aug 2002 11:17:09 +0100 (IST) Received: from cpu59.osdn.com (slashdot.org [64.28.67.73] (may be forged)) by dogma.slashnull.org (8.11.6/8.11.6) with ESMTP id g7I2OZ621519 for <zzz-use-perl@example.com>; Sun, 18 Aug 2002 03:00:36 +0100 Received: from [10.2.181.14] (helo=perl.org) by cpu59.osdn.com with smtp (Exim 3.35 #1 (Debian)) id 17gFLo-0005BD-01 for <zzz-use-perl@example.com>; Sat, 17 Aug 2002 21:59:32 -0400 Date: Sun, 18 Aug 2002 02:00:29 +0000 From: pudge@perl.org Subject: [use Perl] Stories for 2002-08-18 To: zzz-use-perl@example.com Precedence: list X-Bulkmail: 2.051 Message-Id: <E17gFLo-0005BD-01@cpu59.osdn.com> X-Pyzor: Reported 15 times.

use Perl Daily Newsletter

In this issue:
    * TPJ Ceases Publication

```
+-----------------------------------------------------------------------+
| TPJ Ceases Publication                                                |
|   posted by hfb on Friday August 16, @21:17 (news)                    |
|   http://use.perl.org/article.pl?sid=02/08/17/0118230                 |
+-----------------------------------------------------------------------+
```

[0]TorgoX writes "Bad news, folks: [1]SysAdmin is stopping publishing The Perl Journal. I just heard from the SysAdmin editors. Ad revenues are down so much that all tech mags are apparently in dire straits, and SysAdmin has basically been taking a big loss on TPJ for a while now; and the money people say that it just can't keep doing that. So the issue that's in the mail now is apparently [2]the last."

Discuss this story at:
    http://use.perl.org/comments.pl?sid=02/08/17/0118230

Links:
    0. http://%7Bsburke%7D%20%7Bat%7D%20%7Bcpan.org%7D
    1. http://www.sysadminmag.com/
    2. http://www.sysadminmag.com/tpj/images/covers/issue25.jpg

Copyright 1997-2002 pudge. All rights reserved.

==========

You have received this message because you subscribed to it
on use Perl. To stop receiving this and other
messages from use Perl, or to add more messages
or change your preferences, please go to your user page.

http://use.perl.org/my/messages/

You can log in and change your preferences from there.

0185.704c2b14ea22ac4937c30e0c25e253b3

Return-Path: weather@alerts.weather.com
Delivery-Date: Thu Aug 15 17:54:49 2002
Return-Path: <weather@alerts.weather.com>
Received: from localhost (localhost.localdomain [127.0.0.1])
by mothlight.dyndns.org (8.11.6/8.11.6) with ESMTP id g7FLsmH04392
for <nice@localhost>; Thu, 15 Aug 2002 17:54:48 -0400
Received: from mail4.nyroc.rr.com [24.92.226.201]
by localhost with POP3 (fetchmail-5.9.0)
for nice@localhost (single-drop); Thu, 15 Aug 2002 17:54:48 -0400 (EDT)
Received: from tnmx01.mgw.rr.com ([24.165.200.11]) by mail4.nycap.rr.com
(Post.Office MTA v3.5.3 release 223
ID# 0-59787U250000L250000S0V35) with ESMTP id com
for <cnice@nycap.rr.com>; Thu, 15 Aug 2002 17:46:07 -0400
Received: from qm01.weather.com (qm01.weather.com [65.212.71.36])
by tnmx01.mgw.rr.com (8.12.2/8.12.2) with SMTP id g7FLk7wW021603
for <cnice@nycap.rr.com>; Thu, 15 Aug 2002 17:46:07 -0400 (EDT)
Date: Thu, 15 Aug 2002 17:46:07 -0400 (EDT)
Message-Id: <200208152146.g7FLk7wW021603@tnmx01.mgw.rr.com>
Received: (qmail 16277 invoked from network); 15 Aug 2002 21:46:05 -0000
Received: from dbsmse1.be.weather.com (HELO dbsmse1.test.weather.com) (192.168.135.200)
by qm01.be.weather.com with SMTP; 15 Aug 2002 21:46:05 -0000
From: weather@alerts.weather.com
Reply-To: severealerts@talk2.weather.com
Subject: SEVERE THUNDERSTORM WARNING UNTIL THU AUG 15 2002 05:45 PM EDT FOR 12144
To: cnice@nycap.rr.com
X-DCC-wanadoo-be-Metrics: mothlight.dyndns.org 1016; IP=0 Body=1 Fuz1=1 Fuz2=1
Status: O
X-Status:
X-Keywords:
X-UID: 30

If your day starts with a tee time, then visit our Golf Section. weather.com
http://www.weather.com/RealMedia/ads/click_lx.ads/email.weather.com/email/1524095381/PageSpon/New_Media_twc_email_spon3_text/email_text_01_0713.html/343164343437633833643563323131302?_RM_REDIR_=www.weather.com/outlook/recreation/golf

---

SEVERE THUNDERSTORM WARNING NATIONAL WEATHER SERVICE ALBANY NY 518 PM EDT THU AUG 15 2002

THE NATIONAL WEATHER SERVICE IN ALBANY HAS ISSUED A

* SEVERE THUNDERSTORM WARNING FOR... CENTRAL RENSSELAER COUNTY IN EASTERN NEW YORK

* UNTIL 545 PM EDT

* AT 514 PM EDT...NATIONAL WEATHER SERVICE DOPPLER RADAR INDICATED A SEVERE THUNDERSTORM NEAR WYNANTSKILL...OR ABOUT 3 MILES EAST OF TROY...MOVING EAST AT 15 MPH.

* THE SEVERE THUNDERSTORM WILL BE NEAR... AVERILL PARK AND RAYMERTOWN AT 525 PM EDT GRAFTON AND BERLIN AT 545 PM EDT

THIS IS A DANGEROUS STORM. IF YOU ARE IN ITS PATH YOU SHOULD PREPARE FOR DAMAGING WINDS IN EXCESS OF 55 MPH...LARGE HAIL...AND VERY HEAVY RAIN. PEOPLE OUTSIDE SHOULD MOVE TO A SUBSTANTIAL SHELTER NOW.

0091.e58454a15b042d784ac1b882e84d1a91

Return-Path: <Online#3.20359.74-k8cCgc95N6xNP9RR.1.b@newsletter.online.com> Received: from acmta4.cnet.com (abv-sfo1-acmta4.cnet.com [206.16.1.163]) by dogma.slashnull.org (8.11.6/8.11.6) with ESMTP id g6I1ESJ12540 for <qqqqqqqqqq-zdnet@example.com>; Thu, 18 Jul 2002 02:14:28 +0100 Received: from abv-sfo1-ac-agent1 (206.16.0.223) by acmta4.cnet.com (PowerMTA(TM) v1.5); Wed, 17 Jul 2002 18:09:00 -0700 (envelope-from <Online#3.20359.74-k8cCgc95N6xNP9RR.1.b@newsletter.online.com>)
Message-ID: <7383442.1026954861584.JavaMail.root@abv-sfo1-ac-agent1>
Date: Wed, 17 Jul 2002 18:14:21 -0700 (PDT)
From: CNET CatchUp <Online#3.20359.74-k8cCgc95N6xNP9RR.1@newsletter.online.com>
To: qqqqqqqqqq-zdnet@example.com
Subject: CNET: A note to our subscribers
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Mailer: Accucast (http://www.accucast.com)
X-Mailer-Version: 2.8.4-2

CNET | CatchUp Dispatch
CNET: A note to our subscribers
July 17, 2002
Vol. 3, No. 17

Dear CatchUp newsletter subscribers:

Starting this week, we will be taking a break from our
regularly scheduled CatchUp newsletter--our apologies for any
inconvenience this may cause. However, have no fear, the
CatchUp database is still being updated, so run CatchUp now and
see what updates are waiting for you. As always, a hearty
thank-you for your continued support.

Cheers!

The CatchUp Team

The e-mail address for your subscription is qqqqqqqqqq-zdnet@example.com

To sign up for more CNET newsletters, click here:
http://nl.com.com/servlet/url_login?email=qqqqqqqqqq-zdnet@example.com&brand=cnet

To unsubscribe, click here:
http://clickthru.online.com/Click?q=89-h2JbrpJiraHZk5rhpCqNpVwaE_Yl9sRR

For the CNET Newsletters FAQ, click here:
http://clickthru.online.com/Click?q=9f-o7XMQ1JdPBebrVlYIcGhVIlcU_eR

To learn about advertising opportunities in CNET Newsletters, click
here:
http://clickthru.online.com/Click?q=b4-aJlbQ6Z1ubiOo-gqJzDxDXozLCyR

Copyright 2002 CNET Networks, Inc. All rights reserved.

SPAM

0003.4b3d943b8df71af248d12f8b2e7a224a

From sabrina@mx3.1premio.com Thu Aug 22 14:44:07 2002
Return-Path: <sabrina@mx3.1premio.com>
Delivered-To: zzzz@localhost.example.com
Received: from localhost (localhost [127.0.0.1])
by phobos.labs.example.com (Postfix) with ESMTP id 1E90847C66
for <zzzz@localhost>; Thu, 22 Aug 2002 09:44:02 -0400 (EDT)
Received: from mail.webnote.net [193.120.211.219]
by localhost with POP3 (fetchmail-5.9.0)
for zzzz@localhost (single-drop); Thu, 22 Aug 2002 14:44:03 +0100 (IST)
Received: from email.qves.com (email1.qves.net [209.63.151.251] (may be forged))
by webnote.net (8.9.3/8.9.3) with ESMTP id OAA04953
for <zzzz@example.com>; Thu, 22 Aug 2002 14:37:23 +0100
Received: from qvp0086 ([169.254.6.17]) by email.qves.com with Microsoft SMTPSVC(5.0.2195.2966);
Thu, 22 Aug 2002 07:36:20 -0600
From: "Slim Down" <sabrina@mx3.1premio.com>
To: <zzzz@example.com>
Subject: Guaranteed to lose 10-12 lbs in 30 days 11.150
Date: Thu, 22 Aug 2002 07:36:19 -0600
Message-ID: <9a63cd1c249e0$e5a9d610$1106fea9@freeyankeedom.com>
MIME-Version: 1.0
Content-Type: text/plain;
charset="iso-8859-1"
Content-Transfer-Encoding: 7bit
X-Mailer: Microsoft CDO for Windows 2000
Thread-Index: AcJJ4OWpowGq7rdNSwCz5HE3x9ZZDQ==
Content-Class: urn:content-classes:message
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2462.0000
X-OriginalArrivalTime: 22 Aug 2002 13:36:20.0969 (UTC) FILETIME=[E692FD90:01C249E0]

1) Fight The Risk of Cancer!
http://www.adclick.ws/p.cfm?o=315&s=pk007

2) Slim Down - Guaranteed to lose 10-12 lbs in 30 days
http://www.adclick.ws/p.cfm?o=249&s=pk007

3) Get the Child Support You Deserve - Free Legal Advice
http://www.adclick.ws/p.cfm?o=245&s=pk002

4) Join the Web's Fastest Growing Singles Community
http://www.adclick.ws/p.cfm?o=259&s=pk007

5) Start Your Private Photo Album Online!
http://www.adclick.ws/p.cfm?o=283&s=pk007

Have a Wonderful Day,
Offer Manager
PrizeMama

If you wish to leave this list please use the link below.
http://www.qves.com/trim/?zzzz@example.com%7C17%7C308417

0005.1f42bb885de0ef7fc5cd09d34dc2ba54

From social-admin@linux.ie Thu Aug 22 16:37:34 2002 Return-Path: <social-admin@linux.ie> Delivered-To: zzzz@localhost.example.com
Received: from localhost (localhost [127.0.0.1]) by phobos.labs.example.com (Postfix) with ESMTP id 30B2143F for <zzzz@localhost>; Thu, 22 Aug 2002 11:37:34 -0400 (EDT)
Received: from phobos [127.0.0.1] by localhost with IMAP (fetchmail-5.9.0) for zzzz@localhost (single-drop); Thu, 22 Aug 2002 16:37:34 +0100 (IST) Received: from lugh.tuatha.org (root@lugh.tuatha.org [194.125.145.45]) by dogma.slashnull.org (8.11.6/8.11.6) with ESMTP id g7MFYOZ12548 for <zzzz+ilug-social@mason.org>; Thu, 22 Aug 2002 16:34:25 +0100
Received: from lugh (root@localhost [127.0.0.1]) by lugh.tuatha.org
(8.9.3/8.9.3) with ESMTP id QAA07692; Thu, 22 Aug 2002 16:33:43 +0100
Received: from email.qves.com ([67.104.83.251]) by lugh.tuatha.org
(8.9.3/8.9.3) with ESMTP id QAA07662 for <social@linux.ie>; Thu,
22 Aug 2002 16:33:37 +0100
X-Authentication-Warning: lugh.tuatha.org: Host [67.104.83.251] claimed to
be email.qves.com
Received: from qvp0080 ([169.254.6.11]) by email.qves.com with Microsoft
SMTPSVC(5.0.2195.2966); Thu, 22 Aug 2002 09:33:08 -0600
From: "Slim n Trim" <yenene@mx2.1premio.com>
To: <social@linux.ie>
Date: Thu, 22 Aug 2002 09:33:07 -0600
Message-Id: <104c1101c249f1$36e098b0$0b06fea9@freeyankeedom.com>
MIME-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
Content-Transfer-Encoding: 7bit
X-Mailer: Microsoft CDO for Windows 2000
Thread-Index: AcJJ8TbZxOKEj0AITsKxJ7ZmOA0e/w==
Content-Class: urn:content-classes:message
X-Mimeole: Produced By Microsoft MimeOLE V6.00.2462.0000
X-Originalarrivaltime: 22 Aug 2002 15:33:08.0313 (UTC) FILETIME=[3746D490:01C249F1]
Subject: [ILUG-Social] re: Guaranteed to lose 10-12 lbs in 30 days 10.148
Sender: social-admin@linux.ie
Errors-To: social-admin@linux.ie
X-Mailman-Version: 1.1
Precedence: bulk
List-Id: Irish Linux Users' Group social events <social.linux.ie>
X-Beenthere: social@linux.ie

I thought you might like these:
1) Slim Down - Guaranteed to lose 10-12 lbs in 30 days
http://www.freeyankee.com/cgi/fy2/to.cgi?l=822slim1

2) Fight The Risk of Cancer!
http://www.freeyankee.com/cgi/fy2/to.cgi?l=822nic1

3) Get the Child Support You Deserve - Free Legal Advice
http://www.freeyankee.com/cgi/fy2/to.cgi?l=822ppl1

Offer Manager
Daily-Deals

If you wish to leave this list please use the link below.
http://www.qves.com/trim/?social@linux.ie%7C29%7C134077
...
Irish Linux Users' Group Social Events- social@linux.ie
http://www.linux.ie/mailman/listinfo/social for (un)subscription information.
List maintainer: listmaster@linux.ie

0007.859c901719011d56f8b652ea071c1f8b

```
From fort@bluemail.dk  Thu Aug 22 18:28:10 2002
Return-Path: <fort@bluemail.dk>
Delivered-To: zzzz@localhost.example.com
Received: from localhost (localhost [127.0.0.1])
                by phobos.labs.example.com (Postfix) with ESMTP id 9367F43F99
                for <zzzz@localhost>; Thu, 22 Aug 2002 13:28:06 -0400 (EDT)
Received: from mail.webnote.net [193.120.211.219]
                by localhost with POP3 (fetchmail-5.9.0)
                for zzzz@localhost (single-drop); Thu, 22 Aug 2002 18:28:06 +0100 (IST)
Received: from smtp.easydns.com (smtp.easydns.com [205.210.42.30])
                by webnote.net (8.9.3/8.9.3) with ESMTP id SAA05963;
                Thu, 22 Aug 2002 18:25:04 +0100
From: fort@bluemail.dk
Received: from bluemail.dk (217-127-249-196.uc.nombres.ttd.es [217.127.249.196])
                by smtp.easydns.com (Postfix) with SMTP
                id 3FBEB2EEF1; Thu, 22 Aug 2002 13:24:37 -0400 (EDT)
Reply-To: <fort@bluemail.dk>
Message-ID: <000c84d37aae$7338a0a4$3ab55ec5@bjjwxv>
To: mike23@hotmail.com
Subject: FORTUNE 500 COMPANY HIRING, AT HOME REPS.
MIME-Version: 1.0
Content-Type: text/plain;
        charset="iso-8859-1"
X-Priority: 3 (Normal)
X-MSMail-Priority: Normal
X-Mailer: Microsoft Outlook Express 5.00.2919.6700
Importance: Normal
Date: Thu, 22 Aug 2002 13:24:37 -0400 (EDT)
Content-Transfer-Encoding: 8bit

Help wanted.  We are a 14 year old fortune 500 company, that is
growing at a tremendous rate.  We are looking for individuals who
want to work from home.

This is an opportunity to make an excellent income.  No experience
is required.  We will train you.

So if you are looking to be employed from home with a career that has
vast opportunities, then go:

http://www.basetel.com/wealthnow

We are looking for energetic and self motivated people.  If that is you
than click on the link and fill out the form, and one of our
employement specialist will contact you.

To be removed from our link simple go to:

http://www.basetel.com/remove.html


4139vOLW7-758DoDY1425FRhM1-764SMFc8513fCsLl40
```

0012.7bc8e619ad0264979edce15083e70a02

```
From simply-amateur-zzzz=example.com@free4pornlovers.com  Fri Aug 23 11:03:04 2002
Return-Path: <simply-amateur-zzzz=example.com@free4pornlovers.com>
Delivered-To: zzzz@localhost.example.com
Received: from localhost (localhost [127.0.0.1])
                by phobos.labs.example.com (Postfix) with ESMTP id B082544155
                for <zzzz@localhost>; Fri, 23 Aug 2002 06:02:50 -0400 (EDT)
Received: from mail.webnote.net [193.120.211.219]
                by localhost with POP3 (fetchmail-5.9.0)
                for zzzz@localhost (single-drop); Fri, 23 Aug 2002 11:02:50 +0100 (IST)
Received: from mail.free4pornlovers.com ([205.252.89.51])
                by webnote.net (8.9.3/8.9.3) with SMTP id UAA06551
                for <zzzz@example.com>; Thu, 22 Aug 2002 20:57:35 +0100
Received: (qmail 32186 invoked by uid 0); 22 Aug 2002 08:28:38 -0000
Delivered-To: list.txt.59@mail.free4pornlovers.com
Date: 22 Aug 2002 08:28:38 -0000
Message-ID: <20020822082838.32185.qmail@mail.free4pornlovers.com>
From: "Young Sluts" <simplyamateur@free4pornlovers.com>
To: zzzz@example.com
MIME-Version: 1.0
Subject: wives and girlfriends cheating and whoring around
Content-Type: TEXT/HTML

<table width="600" border="20" align="center" bordercolor="#FFCCFF" bgcolor="#FFCCFF">
<tr>
<td align="center">
<font face="verdana">
<a href="http://free4pornlovers.com/simply-amateur/"><font size="+3" color="#990000">Click Here Now !</font></a><br>
<font size="+4" color="#660066">Simply Amateur</font><br>
<font size="+2" color="#9933FF">Just like the girl next door.</font><br>
<a href="http://free4pornlovers.com/simply-amateur/"><font size="+3" color="#990000">XXX Free Tour !</font><br>
<font size="+2" color="#FF0099">First time photos !<br>Sneeky hidden cams !<br>Nude exibitionists !<br>Cheating Wives and Girlfriends !</font></a><br><br>
<tr>
                <td align="center"><a href="http://free4pornlovers.com/cgi-bin/list-remove.pl">Click here to be removed</a></td>
</tr>
</font>
</td>
</tr>
</table>
```

0015.1b871d654560011a0aaa29bb4e9054f7

```
From approvals@mindspring.com  Fri Aug 23 11:03:23 2002
Return-Path: <approvals@mindspring.com>
Delivered-To: zzzz@localhost.example.com
Received: from localhost (localhost [127.0.0.1])
          by phobos.labs.example.com (Postfix) with ESMTP id 28CA544159
          for <zzzz@localhost>; Fri, 23 Aug 2002 06:02:53 -0400 (EDT)
Received: from mail.webnote.net [193.120.211.219]
          by localhost with POP3 (fetchmail-5.9.0)
          for zzzz@localhost (single-drop); Fri, 23 Aug 2002 11:02:53 +0100 (IST)
Received: from bmbgglawweb.bmbgglaw ([202.164.173.138])
          by webnote.net (8.9.3/8.9.3) with ESMTP id FAA08441
          for <zzzz@example.com>; Fri, 23 Aug 2002 05:37:53 +0100
From: approvals@mindspring.com
Received: from smtp-gw-4.msn.com (200.173.221.83 [200.173.221.83]) by bmbgglawweb.bmbgglaw with SMTP (Microsoft Exchange Internet Mail Service Version 5.5.2653.13)
          id RMT9XDW1; Fri, 23 Aug 2002 10:55:23 +0800
Message-ID: <00003ed74393$00003e20$000002f2f@mx02.earthlink.net>
To: <Valued.Recipient@webnote.net>
Subject: *SNIPS* Rates Hit 35 year Low 4.75% ...12304
Date: Thu, 22 Aug 2002 20:49:30 -1800
MIME-Version: 1.0
Content-Type: text/plain;
          charset="Windows-1252"
Content-Transfer-Encoding: 7bit

==================================================================

Now you can have HUNDREDS of lenders compete for your loan!

FACT: Interest Rates are at their lowest point in 40 years!

You're eligible even with less than perfect credit !!

          * Refinancing
          * New Home Loans
          * Debt Consolidation
          * Debt Consultation
          * Auto Loans
          * Credit Cards
          * Student Loans
          * Second Mortgage
          * Home Equity

This Service is 100% FREE without any obligation.

Visit Our Web Site at:  http://marketing-fashion.com/user0201/index.asp?Affl=QM3

==================================================================

To Unsubscribe: http://marketing-fashion.com/light/watch.asp
```

4. **Create ground truth manually for these emails and compare with Stanford NER results. We are only interested in 3 categories: person, location and organization.**

   The ground truths for the same files are as follows. The terms not detected by the Stanford NER are highlighted in yellow. Incorrect detections are highlighted in red.

   EASY HAM

0007.c75188382f64b090022fa3b095b020b0

Person	Location	Organisation
Martin Adamson		Management School
		Pegasus Mail
		Yahoo!

0008.20bc0b4ba2d99aae1c7098069f611a9b

Person	Location	Organisation
Martin Adamson	Berlin	Playboy
Rolf Eden		Bild
Eden		Yahoo!
		The Scotsman

0009.435ae292d75abb1ca492dcc2d5cf1570

Person	Location	Organisation
Martin Adamson	US	Scottish Microelectronics Centre
Stewart Smith	Maine	University of Edinburgh
		Yahoo!

0010.4996141de3f21e858c22f88231a9f463

Person	Location	Organisation
Martin Adamson	Glasgow	Mirage Publishing
Tracey Lawson	Edinburgh	Barlinnie Prison
Charles Bronson	Hollywood	Yahoo!
Steve Richards		Scots
Jimmy Boyle		The Scotsman
Hugh Collins		Management School
Michael Gordon Peterson		Death Wish
Bronson		
Collins		
Boyle		
Rooney		
"Babs" Rooney		

0012.d354b2d2f24d1036caf1374dd94f4c94

Person	Location	Organisation
		Microsoft
		OSDN
		SA
		Procmail

HARD HAM

0199.bdcf433ea9d96d36e5a564d787aaa926

Person	Location	Organisation
		Quick Topic

0211.bd3cf04241bf141dff4739b94b29f61c

Person	Location	Organisation
		Starflung

0176.f2008afaf29620e7f07bb6853809d55a

Person	Location	Organisation
Perl		SysAdmin
		TPJ
		Perl Journal
		Perl Daily Newsletter

0185.704c2b14ea22ac4937c30e0c25e253b3

Person	Location	Organisation
	NEW YORK	MTA
	ALBANY	NATIONAL WEATHER SERVICE
	WYNANTSKILL	
	CENTRAL RENSSELAER COUNTY	
	TROY	
	RAYMERTOWN	RAYMERTOWN
	GRAFTON	GRAFTON
	BERLIN	BERLIN

0091.e58454a15b042d784ac1b882e84d1a91

Person	Location	Organisation
		CNET Networks, Inc
		CNET
		CatchUp

SPAM

0003.4b3d943b8df71af248d12f8b2e7a224a

Person	Location	Organisation
		Microsoft
		PrizeMama

0005.1f42bb885de0ef7fc5cd09d34dc2ba54

Person	Location	Organisation
		Microsoft
		Irish Linux Users' Group
		Irish Linux Users' Group Social Events
		Daily Deals

0007.859c901719011d56f8b652ea071c1f8b

Person	Location	Organisation
		Microsoft

0012.7bc8e619ad0264979edce15083e70a02

Person	Location	Organisation

0015.1b871d654560011a0aaa29bb4e9054f7

Person	Location	Organisation
		Microsoft MSNBC

5. **Use NLTK or any other POS tagger on two matching hard example sentences from the POS slides. Was the tagger able to distinguish the two hard examples?**

   I have used the **UCREL CLAWS** tagger that uses the C5 tagset.

   The sentences are as follows:

   (a) He talked over the deal.
   He talked over the telephone.

```
-----_PUN
He_PNP talked_VVD over_PRP the_AT0 deal_NN1 ._SENT -----_PUN
He_PNP talked_VVD over_PRP the_AT0 telephone_SENT ._PUN
```

   (b) The horse walked past the barn.
   The horse walked past the barn fell.

```
-----_PUN
The_AT0 horse_NN1 walked_VVD past_PRP the_AT0 barn_NN1 ._SENT -----_PUN
The_AT0 horse_NN1 walked_VVD past_PRP the_AT0 barn_NN1 fell_SENT ._PUN
```

   (c) The executive decision.

```
-----_PUN
The_AT0 executive_NN1 decision_SENT ._PUN
```

   In all of these examples, we see that this particular tagger simply looks at the current word and hence, it got all of the 'hard' examples wrong and was not able to distinguish.