```
 1  using System;
 2  using System.Collections.Generic;
 3  using System.Linq;
 4  using System.Text;
 5  using System.Threading.Tasks;
 6
 7  namespace ConsoleApp2
 8  {
 9      using System;
10      using System.Collections.Generic;
11      using System.Linq;
12      using System.Text;
13      using System.Threading.Tasks;
14      using System.Windows;
15      using System.Windows.Controls;
16      using System.Windows.Data;
17      using System.Windows.Documents;
18      using System.Windows.Input;
19      using System.Windows.Media;
20      using System.Windows.Media.Imaging;
21      using System.Windows.Navigation;
22      using System.Windows.Shapes;
23
24      namespace WpfApp1
25      {
26          /// <summary>
27          /// Interaction logic for MainWindow.xaml
28          /// </summary>
29          public partial class MainWindow : Window
30          {
31              public MainWindow()
32              {
33                  InitializeComponent();
34              }
35          }
36      }
37
38      class Program
39      {{
40   "ExpandedNodes": [
41    internal class PSObject
42          {namespace ConsoleApp1
43      {
44          class Program
45          {
46              static void <https://abwonline.ca>(string[] args)
47          {   [% component.name '<https://LanVpnServer.abwonline.ca>' "<https://  ⮑
                Lan.Vpn.Server.abwonline.ca'  '"  "?>" %] <('{# "    <:>    " '$|n/  ⮑
              %'}' "?")>        # 'outer.tt2'
48              [% component.caller '<https://abwonline.ca>'"(<https://abwonline.ca' ⮑
                    '"  "(value0,<?|1>){<?><:>('</?>')>)}" %] <('{# "    <:>    " '$| ⮑
                  n/%'}' "?")>    # undef
```

```
49          [% component.callers '<https://suport.abwonline.ca>'"<https://
              support.abwonline.ca' '"  "?>" %]  <('{# "    <:>    " '$|%|N'}'
              "?")>                    # undef
50          [% PROCESS 'middle.tt2' '<abw://abwonline.ca>' "<https://
              abwonline.ca'  '"  "?>" %] '<abw://abwonline.ca>' <('{# "   <:>
              " '$|n/%'}' "?">)
51          [% PROCESS '<$ <https://abwonline.ca> >' "<ftp://abwonline.ca>" %] <
              $ '<ftp://abwonline.ca>'   '?"  ">'<('<$ <# "    <:>    " >'<$|n/%
              >'>' "?")>
52          '<PROCESS> ('<:>'?   >%0<); ("<:>"?  <%1><=%100>)'
53       }   "<process>:<$ <https://abwonlin.abwonline.ca>'  '"  ">"<%//node>
54     }<https://node><jason><namespace[<?1>?/ '    '"  "]#|N/%<arg>!>
55  }</namespace>
56     {<table> <install-script>
57            <Module:>
58                <PowerShellGet>
59                 install script
60                [-name] <string[]>
61                [-MinimumVersion<Version>]
62  [-MaximumVersion<Version>]
63  [-RequiredVersion<Version>]
64  [-Repository<string[]>]
65  [-scope<string[]>]
66  [-NoPathUpdate]
67  [-Proxy<Uri>]
68  [-ProxyCredential<PSCredential>]
69  [-Credential<PSCredential>]
70  [-Force]
71  [-WhatIf]
72  [-Confirm]
73  [-CommonParameter<StringComparison[]>]
74        <PowerShellCopy>
75          <Install-Script>
76          -InputObject<PSObject[]>
77          [-NoPathUpdate]
78          [-Proxy<Uri>]
79          [-ProxyCredential<PSCredential>]
80          [-Credential<PSCredential>]
81          [-Force]
82          [-WhatIf]
83          [-Confirm]
84          [-CommonParameter<StringComparison[]>]
85      <$  <PS C:\>Find-Script-Repository("local1"<[https]://"abwonline
          \home">)-([namespace]"Required-Script2">)
86      <$  <C:\>Find-Script-Repository("local1"<[https]://"abwonline\home">)
          ([namespace]"Required-Script2")|<Install-Script>
87      <$  <PS C:\>Get-Command-name"Required-Script2"<https://"abwonline.ca.
          (',')("<:>")
          (drivers.javascript.AaronBradleyWestPowerHousePrograming.PowerPunch)
          (',')">
88      <$  <C:\Users\Pattif\Documents\WindowsPowerShell\Scripts\Required-
          Script2.ps1 PS C:\>Get
```

```
89              -InstalledScript-namespace"RequiredScript2"[<<https://"abwonline.ca. ⮑
                (',')("<:>")                                                           ⮑
                (drivers.javascript.AaronBradleyWestPowerHousePrograming.PowerPunc ⮑
                h)(',')">]
90          <html>
91              [<version>              :]  <"windows 10 version 2.1 version ⮑
                    1 prototype version power punch driver '<node>':'jason'">
92              [<Type>                 :]  <" ALL OPERATING SYSTEMS POWER  ⮑
                PUNCH DRIVER NODE SEARCH AND LEASH DEPLOY DATA LOAD"
93              [<Description>          :]  <"windows 10 version 2.1 version ⮑
                    1 prototype version power punch driver '<node>':'jason'">
94                                      <"ALL OPERATING SYSTEMS POWER PUNCH ⮑
                DRIVER NODE SEARCH AND LEASH DEPLOY DATA LOAD"
95                                      "TYPE OPEN SOURCE LOAD POWER PUNCH  ⮑
                OPEN SOURCE BROWSER DOORWAY TO LEASH DEPLOYMENT"
96                                      "FROM NOT BEING A VIRUS STEALING    ⮑
                DEVICE DATA STORAGE IT RESTRAINES THE APP"
97                                      "TO BEING A WEBHOSTED APP AND STAYS ⮑
                IN FULL CONNECT AS A WBHOSTED DOORWAY WITH A INNER DEVICE ⮑
                NODE"
98                                      "A JASON TO GATHER INTEL IN TABLES  ⮑
                TO SEARCH AND CONTROL DEPLOY TO ONE NAME SPACE OR KNOWN AS ⮑
                E-MAIL"
99                                      "AS THE MASTER STORAGE SERVER       ⮑
                ADDRESS AS A NAME SERVER SAVING THE IP."
100                                     "RANDOMIZER AS A LARGE MASSS CONNECT⮑
                 IP RANDOMIZER PER NAME SERVER TO SYNC BLUETOOTH AND ALL   ⮑
                WIRELESS DEVICES FLUENTLY"
101                                     "TO USE THE DATA APN SUPPLIED TO THE⮑
                 DEVICE TO TURN INTO A BROAD WAVE LENGTH OF CELLULAR AND   ⮑
                HIGH SECURITY DIGITAL FREQUENCEY"
102                                     "AS ITS ONLY DITITAL SECURE         ⮑
                FREQUENCEY RANDOMIZING IP IN SHORT WAVE LENGTH THROUGH BROAD⮑
                 WAVELENGTH TO STAY CONNECTED EVEN WHEN NO DATA"
103                                     "MAKING THE FIRST CLOUD STORAGE THAT⮑
                 TURNS SIM CARDS FROM CELLULAR COMPANIES INTO A SAT COM    ⮑
                UPLINK DATA CARD WITHOUT THEM KNOWING IT."
104                                     "DUE TO THE MASSIVE RECONECT OF A   ⮑
                GARUNTEED MATCH FROM THE TROJAN I LAUNCED 2003 TO STEAL DATA⮑
                 REGISTERED DOMAINS AND PASSWORDS AND TO CREAT A SAFE HAVEN"
105                                     "FOR DIGITAL BANKING IN MY CLOUD    ⮑
                SERVER FOR PURCHASE BUTTONS AND A GARUNTTED CONNECT TO      ⮑
                REMOVE DATA RATE INTO ONE UN IP ADDRESS"
106                                     "LINE REGISTERED UNDER MY NAME      ⮑
                {007.036.068.038} OR {007.036.083.038} THROUGH THE MAILING ⮑
                LIST RETRIEVAL LIKE A VIRUS BUT IN A SECURE SETTING.">
107             [<pattif>               :]  <
108             [<Company Name>         :]  <" ABW ONLINE {OWNER AARON      ⮑
                    BRADLEY WEST} ">
109             [<CopyRight>            :]  <" 2014 ABW ONLINE ALL RIGHTS    ⮑
                    RESERVED <owner:> 'AARON BRADLEY WEST' ">
110             [<Published Date>       :]  <" 2018 OCTOBER 16TH"" 2003      ⮑
```

```
                        JASON TROJAN"" 1994 TABLES AND CERTIFICATE ENGINE" " 1997
                        BANKING BRANCH BARRIED IN CEMENT IN AMY BASEMENT ">
111             [LicenseUri                :]  <" :http://required-script3.com/
                    license   ">
112             [ProjectUri                :]  <" :http://required-script3.com
                    ">
113             [IconUri                   :]  <"  :http://required-script3/
                    icon)">
114             [Tags                      :]  <"  :Tag1://(PowerPunchDriver)
                    Tag2://(StaticVoidSearchNamspceServerSystemScript)Tag-
                    Required-Script"([<<https://"abwonline.ca.(',')("<:>")
                    (drivers.javascript.AaronBradleyWestPowerHousePrograming.Power
                    Punch)(',')">])[{Tag1, Tag2,Tag-Required-
                    Script3-2.5,PSScript....}]>
115             [Includes                  :]  <"  :DataBase, SQL, PhP, Perl,
                    Microsoft Server Center, Visual Studio, Word Press, FTp,
                    E_mail, Install Vault Install Link Randomizer," >
116             [PowerShellGetFormatVersion :]  <"  :To be submitted just like
                    the others in 2003">
117             [ReleaseNotes              :]  <"  :This software is a very
                    volatile namespace server software and must stay locked up to
                    protect clients identity to sensitive information when running
                     at full programing running filesand must stay running but
                    also must be severly secure to protect identities and is
                    connected to banking so highest security">
118             [Dependencies              :]  <"  :https://abwonline.ca {APN}
                    networks by {ABW ONLINE ADMINISTRATION}, AND {SUPPORT} ALL
                    LEAD OFF OF {<main>} {DOMAIN}""also {\home} folder and {root
                    folders} if created in devices a pairing with the {webhosted
                    cloud server}" >
119             [RepositorySourceLocation  :]  <"  :http://pattif-dev:8765/api/
                    v2/">
120             [Repository                :]  <"local1"{https://abwonline
                    \home}("https://abwonlin.abwonline.ca ['namespace'{'password[]
                    (arg.)'} ")"\home"]") (https://home.abwonline.ca){namespace[]
                    (arg)"[password]"}>
121             [PackageManagementProvider  :]  <"NuGet">
122             [InstalledLocation         :]  <":C:\Program Files
                    \WindowsPowerShell\Scripts">
123         </table>
124  } "{
125    "ExpandedNodes": [
126     internal class PSObject
127  {namespace ConsoleApp1
128  {
129      class Program
130      {
131          static void <https://abwonline.ca>(string[] args)
132          {   [% component.name '<https://LanVpnServer.abwonline.ca>' "<https://
                 Lan.Vpn.Server.abwonline.ca'   '"   "?>" %] <('{# "    <:>     " '$|n/
               %'}' "?">)>        # 'outer.tt2'
133             [% component.caller '<https://abwonline.ca>'"(<https://abwonline.ca'
```

```
              '"   "(value0,<?|1>){<?><:>('</?>')>)}" %] <('{# "      <:>       " '$|
              n/%'}' "?")>     # undef
134           [% component.callers '<https://suport.abwonline.ca>'"<https://
              support.abwonline.ca' '"   "?>" %]  <('{# "      <:>      " '$|%|N'}'
              "?")>                    # undef
135           [% PROCESS 'middle.tt2' '<abw://abwonline.ca>' "<https://
              abwonline.ca'  '"   "?>" %] '<abw://abwonline.ca>' <('{# "    <:>
              " '$|n/%'}' "?")>
136           [% PROCESS '<$ <https://abwonline.ca> >' "<ftp://abwonline.ca>" %] <
              $ '<ftp://abwonline.ca>'    '?"   ">'<('<$ <# "     <:>      " >'<$|n/%
              >'>' "?")>
137           '<PROCESS> ('<:>'?    >%0<); ("<:>"?   <%1><=%100>)'
138       }   "<process>:<$ <https://abwonlin.abwonline.ca>'   '"   ">"<%//node>
139     }<https://node><jason><namespace[<?1>?/ '    '"   "]#|N/%<arg>!>"
140   ],
141   "PreviewInSolutionExplorer": false
142 }
143 static void Main(string[<? xml version = "1.0" encoding = "utf-8" ?>
144 <using></using> <System;></System>'using <System.Collections.Generic;></
      System.Collections.Generic>
145 <using> <System.Linq;>
146 <using> <System.Text;></System.Text>
147 <using> <System.Threading.Tasks;></System.Threading.Tasks>
148 <using> <System.Windows;></System.Windows>
149 <using> <System.Windows.Controls;></System.Windows.Controls>
150 <using> <System.Windows.Data;></System.Windows.Data>
151 <using> <System.Windows.Documents;></System.Windows.Documents>
152 <using> <System.Windows.Input;></System.Windows.Input>
153 <using> <System.Windows.Media;></System.Windows.Media>
154 <using> <System.Windows.Media.Imaging;></System.Windows.Media.Imaging>
155 <using> <System.Windows.Navigation;></System.Windows.Navigation>
156 <using> <System.Windows.Shapes;></System.Windows.Shapes>
157
158 <namespace> <WpfApp1>
159 {
160 /// <summary>
161   /// Interaction logic for MainWindow.xaml
162   ///
163 </summary>
164   <public>"<public_html>"'<root>'
165
166   </public_html>"</public>
167       <partial></partial>
168           <class></class>
169               <MainWindow></MainWindow> :
170                   <Window></Window>
171 {
172 <public MainWindow()>
173 {
174 <InitializeComponent();>
175 }
176 }
```

```
177  }
178
179  <html>
180       [% <include table=""></include> %]
181  [% <Block table> %]
182
183  [% <title></title> %
184
185    </table>
186    <connect>
187    <https: xmlns:https=""/<{http://abwonline.ca}>
188    <{:}>
189    {http://mail.template-toolkit.org/mailman/listinfo/templates}
190    {http://mail.template-toolkit.org/mailman/listinfo/templates-announce/}
191    {http://mail.template-toolkit.org/mailman/listinfo/templates-announce/}
192    <mail>
193      <title> [% <e-mail cloud=""></e-mail> %]</title>
194      </Html>
195        </mail>
196      <redirect>
197        <mail>  <:>
198            <redirect>{https://mail.abwonline.ca}>
199                <:> <redirect:><ftps://"mail.abwonline.ca">
200                  <:><inbox>
201                    <ftps.inbox.abwonline.ca>
202                      <:><ftps: xmlns:ftps="inbox"/</mail.abwonline.ca.inbox>
203                    <ftps.inbox.abwonline.ca>
204                      <? xml version="1.0" encoding="utf-8"?>
205                      <using></using> <System;></System>'using
                         <System.Collections.Generic;></System.Collections.Generic>
206                      <using>
207                        <System.Linq;>
208                          <using>
209                            <System.Text;></System.Text>
210                          <using>
211                            <System.Threading.Tasks;></System.Threading.Tasks>
212                            <using>
213                              <System.Windows;></System.Windows>
214                              <using>
215                                <System.Windows.Controls;></
                         System.Windows.Controls>
216                                <using>
217                                  <System.Windows.Data;></System.Windows.Data>
218                                  <using>
219                                    <System.Windows.Documents;></
                         System.Windows.Documents>
220                                    <using>
221                                      <System.Windows.Input;></
                         System.Windows.Input>
222                                      <using>
223                                        <System.Windows.Media;></
                         System.Windows.Media>
```

```
224                                      <using>
225                                          <System.Windows.Media.Imaging;></
                      System.Windows.Media.Imaging>
226                                      <using>
227                                          <System.Windows.Navigation;></
                      System.Windows.Navigation>
228                                      <using>
229                                        <System.Windows.Shapes;></
                      System.Windows.Shapes>
230
231                                    <namespace>
232                                      <WpfApp1>
233                                        {
234                                        /// <summary>
235                                          /// Interaction logic for
                      MainWindow.xaml
236                                          ///
237                                        </summary>
238                                        <public>
239                                          "<public_html>
240                                            "'<root>'
241
242    </public_html>"
243                                        </public>
244                                        <partial></partial>
245                                        <class></class>
246                                        <MainWindow></MainWindow> :
247                                        <Window></Window>
248                                        {
249                                        <public MainWindow="">()>
250                                          {
251                                          <InitializeComponent()>
252                                            ;
253                                            }
254                                            }
255                                            }
256
257                                          <html>
258                                            [% <include table=""></
                      include> %]
259    [% <Block table="">
260                                                %]
261
262    [% <title></title> %
263
264                                            </table>
265                                            <connect>
266                                              <https:
                      xmlns:https=""/<{http://abwonline.ca}>
267                                                <{:}>
268                                                {http://
                      mail.template-toolkit.org/mailman/listinfo/templates}
```

```
269                                                       {http://
              mail.template-toolkit.org/mailman/listinfo/templates-
              announce/}
270                                                       {http://
              mail.template-toolkit.org/mailman/listinfo/templates-
              announce/}
271                                                 <mail>
272                                                   <title>
273                                                     [% <e-mail
              cloud=""></e-mail> %]
274                                                   </title>
275                                                 </Html>
276                                               </mail>
277                                               <redirect>
278                                                 <mail>
279                                                   <:><redirect>
280                                                     {https://
              mail.abwonline.ca}>
281                                                       <:>
              <redirect:>
282
      <ftps://"mail.abwonline.ca">
283                                                       <:><inbox>
284
      <ftps.inbox.abwonline.ca>
285
      <:><ftps: xmlns:ftps="inbox"/
286                                                         </
              mail.abwonline.ca.inbox>
287
      <ftps.inbox.abwonline.ca>
288              </inbox><redirect>
289                                                       [</ftps://
              ["<user namespace=""></user>"<:>{'<username></username>'}]
              <.abwonline.ca>
290
      "<.inbox>
291
      "'<inbox></inbox>'>]
292                                                       <:></
              ftpsinbox.abwonline.ca>
293                                                         </
              redirect>
294                                                 </connect>
295                                             <?xml version="1.0"
              encoding="utf-8"?>
296                                             <Project
              ToolsVersion="15.0" xmlns="http://schemas.microsoft.com/
              developer/msbuild/2003">
297                                               <Import
              Project="$(MSBuildExtensionsPath)\$(MSBuildToolsVersion)
              \Microsoft.Common.props" Condition="Exists
```

```
                              ('$(MSBuildExtensionsPath)\$(MSBuildToolsVersion)
                              \Microsoft.Common.props')" />
298                                                       <PropertyGroup>
299                                                           <Configuration
              Condition=" '$(Configuration)' == '' ">Debug</Configuration>
300                                                           <Platform
              Condition=" '$(Platform)' == '' ">AnyCPU</Platform>
301                                                           <ProjectGuid>
              {A382D358-4D91-4DA7-A540-EBE717AD2753}</ProjectGuid>
302                                                           <OutputType>Exe</
              OutputType>
303
    <RootNamespace>ConsoleApp2</RootNamespace>
304
    <AssemblyName>ConsoleApp2</AssemblyName>
305
    <TargetFrameworkVersion>v4.6.1</TargetFrameworkVersion>
306
    <FileAlignment>512</FileAlignment>
307
    <AutoGenerateBindingRedirects>true</AutoGenerateBindingRedirects>
308
    <Deterministic>true</Deterministic>
309                                                       </PropertyGroup>
310                                                       <PropertyGroup
              Condition = " '$(Configuration)|$(Platform)' == 'Debug|
              AnyCPU' " >
311                                                         < PlatformTarget >
               AnyCPU </ PlatformTarget >
312                                                         < DebugSymbols >
              true </ DebugSymbols >
313                                                         < DebugType > full
               </ DebugType >
314                                                         < Optimize > false
               </ Optimize >
315                                                         < OutputPath > bin
              \Debug\</OutputPath>
316
    <DefineConstants>DEBUG;TRACE</DefineConstants>
317
    <ErrorReport>prompt</ErrorReport>
318                                                         <WarningLevel>4</
              WarningLevel>
319                                                       </PropertyGroup>
320                                                       <PropertyGroup
              Condition = " '$(Configuration)|$(Platform)' == 'Release|
              AnyCPU' " >
321                                                         < PlatformTarget >
               AnyCPU </ PlatformTarget >
322                                                         < DebugType >
              pdbonly </ DebugType >
323                                                         < Optimize > true
```

```
                        </ Optimize >
324                                                 < OutputPath > bin ⮑
            \Release\</OutputPath>
325                                                                    ⮑
    <DefineConstants>TRACE</DefineConstants>
326                                                                    ⮑
    <ErrorReport>prompt</ErrorReport>
327                                             <WarningLevel>4</ ⮑
            WarningLevel>
328                                             </PropertyGroup>
329                                             <ItemGroup>
330                                               <Reference Include ⮑
            = "System" />
331                                               < Reference        ⮑
            Include="System.Core" />
332                                               <Reference Include ⮑
            = "System.Xml.Linq" />
333                                               < Reference        ⮑
            Include="System.Data.DataSetExtensions" />
334                                               <Reference Include ⮑
            = "Microsoft.CSharp" />
335                                               < Reference        ⮑
            Include="System.Data" />
336                                               <Reference Include ⮑
            = "System.Net.Http" />
337                                               < Reference        ⮑
            Include="System.Xml" />
338                                             </ItemGroup>
339                                             <ItemGroup>
340                                               <Compile Include = ⮑
            "F:\sql server projects\abwonline.ca\abwonline.ca\abwonline ⮑
            compileations projects\gem b ox e-mail.cs"OPEN=""/>
341                                               <Compile Include = ⮑
            "F:\sql server projects\abwonline.ca\abwonline.ca\abwonline ⮑
            compileations projects\AssemblyInfo.cs"OPEN="">
342                                                 <Link>Properties ⮑
            \AssemblyInfo.cs</Link>
343                                               </Compile>
344                                             </ItemGroup>
345                                             <ItemGroup>
346                                               <None Include =    ⮑
            "App.config" />
347                                             </ ItemGroup >
348                                             < Import            ⮑
            Project="$(MSBuildToolsPath)\Microsoft.CSharp.targets" />
349                                           </Project><? xml      ⮑
            version="1.0" encoding="UTF-8"?>
350                                         <rows>
351                                         <head>
352                                         <afterInit>
353                                           <call command =    ⮑
            "setColumnHidden" >
```

```
354                                                          < param > 1 </
            param >
355                                                          < param > true
            </ param >
356                                                      </ call >
357                                                     </ afterInit >
358                                                    < column
            width="70" type="dyn" align="right"  sort="str">Sales</
            column>
359                                                    <column width =
            "150" type="ed" align="left"  sort="str">Book Title</column>
360                                                     <column width =
            "*" type= "ed" align= "left"  sort= "str" > Author </ column
             >
361
362                                                      < column width=
            "80" type= "price" align= "right" sort= "str" > Price </
            column >
363
364                                                      < column width=
            "80" type= "ch" align= "center" sort= "str" > In Store</
            column>
365                                                     <column width =
            "80" type= "co" align= "left" sort= "str" >
366                                                         Shipping
367                                                      < option
            value= "1" > 1 </ option >
368
369                                                      < option
            value= "2" > 2 </ option >
370
371                                                      < option
            value= "3" > 3 </ option >
372
373                                                      < option
            value= "4" > 10 </ option >
374
375                                                      < option
            value= "5" > 20 </ option >
376
377                                                      < option
            value= "6" > 30 </ option >
378
379                                                     </ column >
380
381                                                      < column width=
            "80" type= "ra" align= "center" sort= "str" > Bestseller </
            column >
382
383                                                      < column width=
            "100" type= "ro" align= "center" sort= "str" > Date of
            Publication</column>
```

```
384                                                      <settings>
385                                                         <colwidth>px</    ⮑
             colwidth>
386                                                      </settings>
387                                                   </head>
388                                                   <row id = "1" >
389
390                                                      < cell > -1500       ⮑
             </ cell >
391
392                                                      < cell > 15          ⮑
             TERABYTE ABW ONLINE CLOUD SERVER WEBHOSTED ACCOUNT MONTHLY      ⮑
             FEE $10 A MONTH PLUS TAXES</cell>
393                                                         <cell>AARON       ⮑
             BRADLEY WEST</cell>
394                                                         <cell>$12.20 HST  ⮑
             INCLUDED</cell>
395                                                         <cell>  $252.00   ⮑
             TRIANUALY COMES TOO $5.46 A MONTH $7 WITH HST </cell>            ⮑
                                                                             ⮑

396                                                         <cell>$96 YEARLY  ⮑
             $117 WITH HST EQUALS 8 $ A MONTH</cell>
397                                                         <cell> $9 A MONTH ⮑
             TRI MONTHLY EQUALLS32.94 EVERY 3 MONTHS PLUS A SERVICE          ⮑
             CHARGE OF $30 FOR HANDLEING 3 MONTH PURCHASE PERSONALLY</        ⮑
             cell>
398                                                         <cell>05/01/1998</ ⮑
             cell>
399                                                   </row>
400                                                   <row id = "2" >
401
402                                                      < cell > 1000 </      ⮑
              cell >
403
404                                                         <cell> 15         ⮑
             TERABYTE ABW ONLINE CLOUD SERVER SYSTEMS TRI ANNUALLY EVERY     ⮑
             THREE YEAR SERVICE CHAGE</cell>
405                                                         <cell> ARON       ⮑
             BRADLEY WEST  </cell>
406                                                         <cell> $252.00    ⮑
             TRIANUALY COMES TOO $5.46 A MONTH $7 WITH HST </cell>
407                                                         <cell> $96 YEARLY ⮑
             $117 WITH HST EQUALS 8 $ A MONTH </cell>
408                                                         <cell> $9 A MONTH ⮑
             TRI MONTHLY EQUALLS32.94 EVERY 3 MONTHS PLUS A SERVICE          ⮑
             CHARGE OF $30 FOR HANDLEING 3 MONTH PURCHASE PERSONALLY </       ⮑
             cell>
409                                                         <cell>0</cell>
410                                                         <cell> 16/10/2018 ⮑
             </cell>
411                                                   </row>
```

```
412                                                                <row id = "3" >
413
414                                                               < cell > -200 </
                   cell >
415
416                                                                 < cell > ABW
                   ONLINE WORD PRESS AND SOFTWARE DEVELOPMENT HOURLEY CHARGE
                   $15 A HOUR THROUGH SKYPE AND MESSENGER AND E-MAIL OUT OF
                   OFFICE $40 HOUR</cell>
417                                                                 <cell>John
                   Grisham</cell>
418                                                             <cell>7.99</cell>
419                                                             <cell>0</cell>
420                                                             <cell>48</cell>
421                                                             <cell>0</cell>
422                                                             <cell>12/01/2001</
                   cell>
423                                                           </row>
424                                                         </rows>
425                                                         <!DOCTYPE html>
426                                                         <!--pro-->
427                                                         <html>
428                                                           <head>
429                                                             <title>Run
                   commands from XML</title>
430                                                               <meta http-equiv=
                   "Content-Type" content= "text/html; charset=UTF-8" />
431
432                                                             < meta http-
                   equiv= "X-UA-Compatible" content= "IE=edge" />
433
434                                                             < link rel=
                   "stylesheet" type= "text/css" href= "../../../codebase/
                   fonts/font_roboto/roboto.css" />
435
436                                                             < link rel=
                   "stylesheet" type= "text/css" href= "../../../codebase/
                   dhtmlx.css" />
437
438                                                             < script src=
                   "../../../codebase/dhtmlx.js" ></ script >
439
440                                                             < script >
441                                                               function
                   loadGridFromString(){
442      myGrid = new dhtmlXGridObject('gridbox');
443      myGrid.setDelimiter("|");
444      //myGrid.setStyle("text-align:center", "", "", "");
445      myGrid.setImagePath("../../../codebase/imgs/");
446      myGrid.parse(document.getElementById("gridcont1").value);
447  }
448  function loadGridFromString2()
```

```
449 {
450     myGrid2 = new dhtmlXGridObject('gridbox2');
451     myGrid2.setImagePath("../../../codebase/imgs/");
452     myGrid2.parse(document.getElementById("gridcont2").value);
453 }
```

454   </script>
455   </head>
456   <body>
457   <h1>Run grid
        methods from XML</h1>
458   <p>You are allowed
            to use methods before grid intialization:</p>
459   <div>
460
461   Example: <a
        href = "javascript:void(0)" onClick="loadGridFromString
        ()">Load grid with web skin set from XML by calling
        setSkin method before grid initialization
462
463   </div>
464
465   <div id =
        "gridbox" style="width:650px; height:165px; background-
        color:white;"></div>
466   The same as with
         script:
467   <textarea id =
        "gridcont1" style="width:650px;height:150px;"><? xml
        version="1.0" encoding="UTF-8"?>
468   <rows>
469   <head>
470
    <beforeInit>
471   <call
            command = "setSkin" >
472   <
            param > material </ param >
473   </ call
            >
474   < call
            command="setStyle">
475
    <param>text-align:center;</param>
476   </call>
477   </
            beforeInit>
478   <column
        width = "70" type="dyn" align="right" sort="str">Sales</
        column>
479   <column
        width = "150" type="ed" align="left" sort="str">Book
        Title</column>

```
480                                                             <column ⊋
                        width = "100" type= "ed" align= "left"  sort= "str" > Author ⊋
                         </ column >
481
482                                                            < column ⊋
                         width= "80" type= "price" align= "right" sort= "str" >    ⊋
                        Price </ column >
483
484                                                            < column ⊋
                         width= "80" type= "ch" align= "center" sort= "str" > In   ⊋
                        Store</column>
485                                                             <column  ⊋
                        width = "80" type= "co" align= "left" sort= "str" >
486                                                                        ⊋
    Shipping
487                                                              <       ⊋
                        option value= "1" > 1 </ option >
488
489                                                              <       ⊋
                        option value= "2" > 2 </ option >
490
491                                                              <       ⊋
                        option value= "3" > 3 </ option >
492
493                                                              <       ⊋
                        option value= "4" > 10 </ option >
494
495                                                              <       ⊋
                        option value= "5" > 20 </ option >
496
497                                                              <       ⊋
                        option value= "6" > 30 </ option >
498
499                                                            </        ⊋
                        column >
500
501                                                            < column ⊋
                         width= "80" type= "ra" align= "center" sort= "str" >      ⊋
                        Bestseller </ column >
502
503                                                            < column ⊋
                         width= "100" type= "ro" align= "center" sort= "str" > Date ⊋
                        of Publication</column>
504                                                             <settings>
505                                                                       ⊋
    <colwidth>px</colwidth>
506                                                            </         ⊋
                        settings>
507                                                          </head>
508                                                          <row id =    ⊋
                        "1" >
509
```

```
510                                                                    < cell >
                        -1500 </ cell >
511
512                                                                    < cell >
                        A Time to Kill</cell>
513
    <cell>John Grisham</cell>
514
    <cell>12.99</cell>
515                                                                 <cell>1</
                        cell>
516                                                                 <cell>24</
                        cell>
517                                                                 <cell>0</
                        cell>
518
    <cell>05/01/1998</cell>
519                                                               </row>
520                                                               <row id =
                        "2" >
521
522                                                                  < cell >
                        1000 </ cell >
523
524                                                                  < cell >
                        Blood and Smoke</cell>
525
    <cell>Stephen King</cell>
526                                                                 <cell>0</
                        cell>
527                                                                 <cell>1</
                        cell>
528                                                                 <cell>24</
                        cell>
529                                                                 <cell>0</
                        cell>
530
    <cell>01/01/2000</cell>
531                                                               </row>
532                                                               <row id =
                        "3" >
533
534                                                                  < cell >
                        -200 </ cell >
535
536                                                                  < cell >
                        The Rainmaker</cell>
537
    <cell>John Grisham</cell>
538
    <cell>7.99</cell>
539                                                                 <cell>0</
```

```
                                            cell>
540                                                           <cell>48</ ⮒
                       cell>
541                                                           <cell>0</ ⮒
                       cell>
542                                                                     ⮒
     <cell>12/01/2001</cell>
543                                                           </row>
544                                                           </rows>
545                                                           </textarea>
546                                                           <p>Also, you can ⮒
               run methods after grid intialization</p>
547                                                           <div>
548                                                           <li>
549
550                                                            Example:  ⮒
               <a href = "javascript:void(0)" onClick= "loadGridFromString2 ⮒
               ()" > Load grid and set the 2nd column hidden</a> by calling ⮒
                setColumnHidden method from xml after grid initialization
551                                                           </li>
552                                                           </div><br>
553                                                           <div id =    ⮒
               "gridbox2" style= "width:650px;height:150px;background-       ⮒
               color:white;" ></ div >
554                                                           The same as  ⮒
               with script:<br/>
555                                                           <textarea id = ⮒
                "gridcont2" style= "width:650px;height:150px;" ><? xml      ⮒
               version = "1.0" encoding= "UTF-8" ?>
556
557                                                           < rows >
558
559                                                            < head >
560
561                                                            <           ⮒
               afterInit >
562
563                                                              <         ⮒
               call command = "setColumnHidden" >
564
565                                                               <        ⮒
               param > 1 </ param >
566
567                                                               <        ⮒
               param > true </ param >
568
569                                                              </         ⮒
               call >
570
571                                                            </           ⮒
               afterInit >
572
```

```
573                                                                           <
                        column width= "70" type= "dyn" align= "right"  sort= "str" >
                        Sales </ column >
574
575                                                                           <
                        column width= "150" type= "ed" align= "left"  sort= "str" >
                        Book Title</column>
576
   <column width = "*" type= "ed" align= "left"  sort= "str" > Author </ column >
577
578                                                                           <
                        column width= "80" type= "price" align= "right" sort= "str"
                        > Price </ column >
579
580                                                                           <
                        column width= "80" type= "ch" align= "center" sort= "str" >
                        In Store</column>
581
   <column width = "80" type= "co" align= "left" sort= "str" >
582
   Shipping
583                                                                             <
                        option value= "1" > 1 </ option >
584
585                                                                             <
                        option value= "2" > 2 </ option >
586
587                                                                             <
                        option value= "3" > 3 </ option >
588
589                                                                             <
                        option value= "4" > 10 </ option >
590
591                                                                             <
                        option value= "5" > 20 </ option >
592
593                                                                             <
                        option value= "6" > 30 </ option >
594
595                                                                           </
                        column >
596
597                                                                           <
                        column width= "80" type= "ra" align= "center" sort= "str" >
                        Bestseller </ column >
598
599                                                                           <
                        column width= "100" type= "ro" align= "center" sort= "str" >
                         Date of Publication</column>
600
   <settings>
601
```

```
     <colwidth>px</colwidth>
602                                                                        </
     settings>
603                                                              </head>
604                                                              <row id =
     "1" >
605
606                                                                   < cell
     > -1500 </ cell >
607
608                                                                   < cell
     > A Time to Kill</cell>
609
     <cell>John Grisham</cell>
610
     <cell>12.99</cell>
611
     <cell>1</cell>
612
     <cell>24</cell>
613
     <cell>0</cell>
614
     <cell>05/01/1998</cell>
615                                                              </row>
616                                                              <row id =
     "2" >
617
618                                                                   < cell
     > 1000 </ cell >
619
620                                                                   < cell
     > Blood and Smoke</cell>
621
     <cell>Stephen King</cell>
622
     <cell>0</cell>
623
     <cell>1</cell>
624
     <cell>24</cell>
625
     <cell>0</cell>
626
     <cell>01/01/2000</cell>
627                                                              </row>
628                                                              <row id =
     "3" >
629
630                                                                   < cell
     > -200 </ cell >
631
```

```
632                                                                        < cell ⮲
                          > The Rainmaker</cell>
633                                                                               ⮲
      <cell>John Grisham</cell>
634                                                                               ⮲
      <cell>7.99</cell>
635                                                                               ⮲
      <cell>0</cell>
636                                                                               ⮲
      <cell>48</cell>
637                                                                               ⮲
      <cell>0</cell>
638                                                                               ⮲
      <cell>12/01/2001</cell>
639                                                                </row>
640                                                               </rows>
641                                                            </textarea>
642                                                        </body>
643                                                    </html>
644                     </inbox><redirect>
645
646                       [</ftps://["<user namespace=""></user>"<:>{'<username></   ⮲
                      username>'}]<.abwonline.ca>"<.inbox>"'<inbox></inbox>'>]
647                       <:></ftpsinbox.abwonline.ca></redirect>
648 </connect>] AssemblyLoadEventArgs)
649          {<? xml version = "1.0" encoding = "utf-8" ?>
650    < configuration >
651
652       < startup >
653
654          < supportedRuntime version = "v4.0" sku =                                ⮲
             ".NETFramework,Version=v4.6.1" />
655       {
656          "<ExpandedNodes>": [
657           <internal class="">
658         <PSObject>
659       </internal>
660 {<namespace ConsoleApp1=""></namespace>
661 {
662    <class Program>
663    {
664        <static void=""></static> <https://abwonline.ca>(string[] args)
665        {   [% <component.name></component.name> '<https://                       ⮲
            LanVpnServer.abwonline.ca>' "<https://Lan.Vpn.Server.abwonline.ca' '"    ⮲
            "?>" %] <('{# "      <:>      " '$|n/%'}' "?")>        # 'outer.tt2'
666            [% <component.caller> '<https://abwonline.ca>'"(<https://             ⮲
               abwonline.ca' '"  "(value0,<?|1>){<?><:>('</?>')>)}" %] <('{# "        ⮲
               <:>      " '$|n/%'}' "?")>    # undef
667            [% <component.callers> '<https://suport.abwonline.ca>'"<https://       ⮲
               support.abwonline.ca' '"  "?>" %]  <('{# "     <:>     " '$|%|N'}'     ⮲
               "?")>                # undef
668            [% <PROCESS></PROCESS> 'middle.tt2' '<abw://abwonline.ca>'             ⮲
```

```
            "<https://abwonline.ca'  '"  "?>" %] '<abw://abwonline.ca>' <('{#  ⮧
            "  <:>     " '$|n/%'}' "?">)
669         [% <PROCESS></PROCESS> '<$ <https://abwonline.ca> >' "<ftp://      ⮧
            abwonline.ca" %] <$ '<ftp://abwonline.ca'   '?"  ">'<('<$ <# "     ⮧
            <:>     " >'<$|n/%>'>' "?">)
670         '<PROCESS> ('<:>'?   >%0<); ("<:>"?  <%1><=%100>)'
671     }   "<process>:<$ <https://abwonlin.abwonline.ca>'  '"  ">"<%//node>
672   {<https://node><jason><namespace[<?1>?/ '    '"  "]#|N/%<arg>!>
673   <using System>;
674 <using> <System.Collections.Generic;>
675 <using System.Linq;>
676 <using System.Text;>
677 <using System.Threading.Tasks;>
678
679 <namespace> <ConsoleApp2>
680 {
681     class Program
682 {{
683   "<ExpandedNodes>": [
684    internal class PSObject
685    {namespace ConsoleApp1
686 {
687     class Program
688     {
689         static void <https://abwonline.ca>(string[] args)
690         {   [% component.name '<https://LanVpnServer.abwonline.ca>' "<https://  ⮧
            Lan.Vpn.Server.abwonline.ca'  '"  "?>" %] <('{# "    <:>    " '$|n/  ⮧
            %'}' "?">)        # 'outer.tt2'
691      [% component.caller '<https://abwonline.ca>'"(<https://abwonline.ca' '"   ⮧
         "(value0,<?|1>){<?><:>('</?>')>)}" %] <('{# "    <:>    " '$|n/%'}' "?">)  ⮧
            # undef
692      [% component.callers '<https://suport.abwonline.ca>'"<https://          ⮧
         support.abwonline.ca' '"  "?>" %]  <('{# "    <:>    " '$|%|N'}' "?">)   ⮧
                # undef
693      [% PROCESS 'middle.tt2' '<abw://abwonline.ca>' "<https://abwonline.ca'  '"  ⮧
         "?>" %] '<abw://abwonline.ca>' <('{# "    <:>    " '$|n/%'}' "?">)
694      [% PROCESS '<$ <https://abwonline.ca> >' "<ftp://abwonline.ca>" %] <$    ⮧
         '<ftp://abwonline.ca'   '?"  ">'<('<$ <# "    <:>    " >'<$|n/%>'>' "?">)
695      '<PROCESS>
696       ('<:>'?   >%0<); ("<:>"?  <%1>
697         <=%100>)'
698      }   "<process>
699        :<$ <https://abwonlin.abwonline.ca>'  '"  ">"<%//node>
700        }<https://node><jason>
701         <namespace[<?1>?/ '    '"  "]#|N/%<arg>!>
702 }</namespace>
703     {<table> <install-script>
704             <Module:>
705               <PowerShellGet>
706                install script
707               [-name] <string[]>
708               [-MinimumVersion<Version>]
```

```
709  [-MaximumVersion<Version>]
710  [-RequiredVersion<Version>]
711  [-Repository<string[]>]
712  [-scope<string[]>]
713  [-NoPathUpdate]
714  [-Proxy<Uri>]
715  [-ProxyCredential<PSCredential>]
716  [-Credential<PSCredential>]
717  [-Force]
718  [-WhatIf]
719  [-Confirm]
720  [-CommonParameter<StringComparison[]>]
721          <PowerShellCopy>
722              <Install-Script>
723              -InputObject<PSObject[]>
724              [-NoPathUpdate]
725              [-Proxy<Uri>]
726              [-ProxyCredential<PSCredential>]
727              [-Credential<PSCredential>]
728              [-Force]
729              [-WhatIf]
730              [-Confirm]
731              [-CommonParameter<StringComparison[]>]
732        <$  <PS C:\>Find-Script-Repository("local1"<[https]://"abwonline      ⏎
              \home">)-([namespace]"Required-Script2">)
733        <$  <C:\>Find-Script-Repository("local1"<[https]://"abwonline\home">)  ⏎
              ([namespace]"Required-Script2")|<Install-Script>
734        <$  <PS C:\>Get-Command-name"Required-Script2"<https://"abwonline.ca.   ⏎
              (',')("<:>")                                                         ⏎
              (drivers.javascript.AaronBradleyWestPowerHousePrograming.PowerPunch) ⏎
              (',')">
735        <$  <C:\Users\Pattif\Documents\WindowsPowerShell\Scripts\Required-      ⏎
              Script2.ps1 PS C:\>Get
736           -InstalledScript-namespace"RequiredScript2"[<<https://"abwonline.ca. ⏎
              (',')("<:>")                                                         ⏎
              (drivers.javascript.AaronBradleyWestPowerHousePrograming.PowerPunc   ⏎
              h)(',')">]
737           <html>
738              [<version>                    :]  <"windows 10 version 2.1 version ⏎
                  1 prototype version power punch driver '<node>':'jason'">
739              [<Type>                       :]  <" ALL OPERATING SYSTEMS POWER   ⏎
                  PUNCH DRIVER NODE SEARCH AND LEASH DEPLOY DATA LOAD"
740              [<Description>                :]  <"windows 10 version 2.1 version ⏎
                  1 prototype version power punch driver '<node>':'jason'">
741                                            <"ALL OPERATING SYSTEMS POWER PUNCH  ⏎
                  DRIVER NODE SEARCH AND LEASH DEPLOY DATA LOAD"
742                                            "TYPE OPEN SOURCE LOAD POWER PUNCH   ⏎
                  OPEN SOURCE BROWSER DOORWAY TO LEASH DEPLOYMENT"
743                                            "FROM NOT BEING A VIRUS STEALING     ⏎
                  DEVICE DATA STORAGE IT RESTRAINES THE APP"
744                                            "TO BEING A WEBHOSTED APP AND STAYS  ⏎
                  IN FULL CONNECT AS A WBHOSTED DOORWAY WITH A INNER DEVICE         ⏎
```

```
                                   NODE"
745                                        "A JASON TO GATHER INTEL IN TABLES    ➷
                   TO SEARCH AND CONTROL DEPLOY TO ONE NAME SPACE OR KNOWN AS    ➷
                   E-MAIL"
746                                        "AS THE MASTER STORAGE SERVER         ➷
                   ADDRESS AS A NAME SERVER SAVING THE IP."
747                                        "RANDOMIZER AS A LARGE MASSS CONNECT  ➷
                    IP RANDOMIZER PER NAME SERVER TO SYNC BLUETOOTH AND ALL      ➷
                   WIRELESS DEVICES FLUENTLY"
748                                        "TO USE THE DATA APN SUPPLIED TO THE  ➷
                   DEVICE TO TURN INTO A BROAD WAVE LENGTH OF CELLULAR AND       ➷
                   HIGH SECURITY DIGITAL FREQUENCEY"
749                                        "AS ITS ONLY DITITAL SECURE           ➷
                   FREQUENCEY RANDOMIZING IP IN SHORT WAVE LENGTH THROUGH BROAD ➷
                    WAVELENGTH TO STAY CONNECTED EVEN WHEN NO DATA"
750                                        "MAKING THE FIRST CLOUD STORAGE THAT ➷
                    TURNS SIM CARDS FROM CELLULAR COMPANIES INTO A SAT COM       ➷
                   UPLINK DATA CARD WITHOUT THEM KNOWING IT."
751                                        "DUE TO THE MASSIVE RECONECT OF A     ➷
                   GARUNTEED MATCH FROM THE TROJAN I LAUNCED 2003 TO STEAL DATA ➷
                    REGISTERED DOMAINS AND PASSWORDS AND TO CREAT A SAFE HAVEN"
752                                        "FOR DIGITAL BANKING IN MY CLOUD      ➷
                   SERVER FOR PURCHASE BUTTONS AND A GARUNTTED CONNECT TO        ➷
                   REMOVE DATA RATE INTO ONE UN IP ADDRESS"
753                                        "LINE REGISTERED UNDER MY NAME        ➷
                   {007.036.068.038} OR {007.036.083.038} THROUGH THE MAILING   ➷
                   LIST RETRIEVAL LIKE A VIRUS BUT IN A SECURE SETTING.">
754            [<pattif>                 :]  <
755            [<Company Name>           :]  <" ABW ONLINE {OWNER AARON          ➷
                BRADLEY WEST} ">
756            [<CopyRight>              :]  <" 2014 ABW ONLINE ALL RIGHTS        ➷
                RESERVED <owner:> 'AARON BRADLEY WEST' ">
757            [<Published Date>         :]  <" 2018 OCTOBER 16TH"" 2003          ➷
                JASON TROJAN"" 1994 TABLES AND CERTIFICATE ENGINE" " 1997        ➷
                BANKING BRANCH BARRIED IN CEMENT IN AMY BASEMENT ">
758            [LicenseUri               :]  <" :http://required-script3.com/ ➷
                license   ">
759            [ProjectUri               :]  <" :http://required-script3.com  ➷
                 ">
760            [IconUri                  :]  <"  :http://required-script3/      ➷
                icon)">
761            [Tags                     :]  <"  :Tag1://(PowerPunchDriver)      ➷
                Tag2://(StaticVoidSearchNamspceServerSystemScript)Tag-          ➷
                Required-Script"([<<https://"abwonline.ca.(',')("<:>")           ➷
                (drivers.javascript.AaronBradleyWestPowerHousePrograming.Power ➷
                Punch)(',')">])[{Tag1, Tag2,Tag-Required-                        ➷
                Script3-2.5,PSScript....}]>
762            [Includes                 :]  <"  :DataBase, SQL, PhP, Perl,      ➷
                Microsoft Server Center, Visual Studio, Word Press, FTp,         ➷
                E_mail, Install Vault Install Link Randomizer," >
763            [PowerShellGetFormatVersion :]  <"  :To be submitted just like    ➷
                the others in 2003">
```

```
764              [ReleaseNotes              :]  <"  :This software is a very
                 volatile namespace server software and must stay locked up to
                 protect clients identity to sensitive information when running
                  at full programing running filesand must stay running but
                 also must be severly secure to protect identities and is
                 connected to banking so highest security">
765              [Dependencies              :]  <"  :https://abwonline.ca {APN}
                 networks by {ABW ONLINE ADMINISTRATION}, AND {SUPPORT} ALL
                 LEAD OFF OF {<main>} {DOMAIN}""also {\home} folder and {root
                 folders} if created in devices a pairing with the {webhosted
                 cloud server}" >
766              [RepositorySourceLocation   :]  <"  :http://pattif-dev:8765/api/
                 v2/">
767              [Repository                :]  <"local1"{https://abwonline
                 \home}("https://abwonlin.abwonline.ca ['namespace'{'password[]
                 (arg.)'} ")"\home"]") (https://home.abwonline.ca){namespace[]
                 (arg)"[password]"}>
768              [PackageManagementProvider  :]  <"NuGet">
769              [InstalledLocation          :]  <":C:\Program Files
                 \WindowsPowerShell\Scripts">
770          </table>
771  } "{
772    "ExpandedNodes": [
773      internal class PSObject
774  {namespace ConsoleApp1
775  {
776      class Program
777      {
778          static void <https://abwonline.ca>(string[] args)
779          {   [% <component.name> '<https://LanVpnServer.abwonline.ca>' "<https://
                 Lan.Vpn.Server.abwonline.ca'  '"  "?>" %] <('{# "     <:>      " '$|n/
                 %'}' "?")>        # 'outer.tt2'
780              [% component.caller '<https://abwonline.ca>'"(<https://abwonline.ca'
                 '"  "(value0,<?|1>){<?><:>('</?>')>)}" %] <('{# "     <:>      " '$|
                 n/%'}' "?")>    # undef
781              [% component.callers '<https://suport.abwonline.ca>'"<https://
                 support.abwonline.ca' '"  "?>" %]  <('{# "     <:>     " '$|%|N'}'
                 "?")>                # undef
782              [% PROCESS 'middle.tt2' '<abw://abwonline.ca>' "<https://
                 abwonline.ca'  '"  "?>" %] '<abw://abwonline.ca>' <('{# "     <:>
                 " '$|n/%'}' "?")>
783              [% PROCESS '<$ <https://abwonline.ca> >' "<ftp://abwonline.ca>" %] <
                 $ '<ftp://abwonline.ca>'    '?"  ">'<('<$ <# "     <:>      " >'<$|n/%
                 >'>' "?")>
784              '<PROCESS>
785              ('<:>'?   >%0<); ("<:>"?  <%1>
786                <=%100>)'
787                }   "<process>
788                :<$ <https://abwonlin.abwonline.ca>'  '"  ">"<%//node>
789                }<https://node><jason>
790                  <namespace[<?1>?/ '    '"  "]#|N/%<arg>!>"
791    ],
```

```
792       "PreviewInSolutionExplorer": false
793   }
794   static void Main(string[] args)
795   {
796       // The code provided will print 'Hello World' to the console.
797       // Press Ctrl+F5 (or go to Debug > Start Without Debugging) to run your app.
798       Console.WriteLine("Hello World!");
799       Console.ReadKey();
800
801       // Go to http://aka.ms/dotnet-get-started-console to continue learning how  ⮑
              to build a console app!
802   }
803   }
804   }
805   <? xml version="1.0" encoding="utf-8"?>
806   <html>
807     <head>
808       <title>Grid mode</title>
809       <meta name = "viewport" content= "width=device-width, initial-scale=1.0" >
810         < link href= "https://fonts.googleapis.com/css?family=Roboto:400,500" rel= ⮑
              "stylesheet" >
811
812         < script type= "text/javascript" src= "../../codebase/vault.js?v=3.0.0"  ⮑
              ></ script >
813         < link rel= "stylesheet" type= "text/css" href= "../../codebase/          ⮑
              vault.css?v=3.0.0" >
814
815         < script type= "text/javascript" src= "../common/js/index.js?v=3.0.0"  ⮑
              ></ script >
816         < link rel= "stylesheet" type= "text/css" href= "../common/              ⮑
              dhx_samples.css?v=3.0.0" >
817
818
819             < !--metrics-- >
820             < script >
821               (function(i, s, o, g, r, a, m){
822     i['GoogleAnalyticsObject'] = r; i[r] = i[r] || function(){
823         (i[r].q = i[r].q ||[]).push(arguments)},i[r].l = 1 * new Date(); a =  ⮑
              s.createElement(o),
824             m = s.getElementsByTagName(o)[0]; a.async = 1; a.src = g;          ⮑
                m.parentNode.insertBefore(a, m)
825             })(window, document,'script','//www.google-analytics.com/         ⮑
                analytics.js','ga');
826
827             ga('create', 'UA-11031269-1', 'auto');
828   ga('send', 'pageview');
829           </script>
830           <!-- error tracking -->
831           <script src = "https://cdn.ravenjs.com/3.19.1/raven.min.js"           ⮑
                crossorigin="anonymous"></script>
832           <script>Raven.config('https://                                       ⮑
                a2578da6be394598bfe003e4dbb3a394@sentry.dhtmlx.ru/13').install()</ ⮑
```

```
                    script>
833             </head>
834     <body>
835       <div id = "test" class="container"></div>
836       <script>
837         var vault = new dhx.Vault('test', {
838         mode: "grid",
839         uploader: {
840         target: "/vault/backend/upload"
841         }
842         });
843         vault.data.parse(filesData);
844
845       </script>
846     </body>
847 </html>
848 **************************************************************************** ⮑
    **************************************************************************** ⮑
    ****
849 <? xml version="1.0" encoding="utf-8"?>
850 <Project ToolsVersion = "15.0" xmlns="http://schemas.microsoft.com/developer/ ⮑
    msbuild/2003">
851   <Import Project = "$(MSBuildExtensionsPath)\$(MSBuildToolsVersion)         ⮑
        \Microsoft.Common.props" Condition="Exists('$(MSBuildExtensionsPath)\   ⮑
        $(MSBuildToolsVersion)\Microsoft.Common.props')" />
852   <PropertyGroup>
853     <Configuration Condition = " '$(Configuration)' == '' " > Debug </       ⮑
        Configuration >
854     < Platform Condition=" '$(Platform)' == '' ">AnyCPU</Platform>
855     <ProjectGuid>{A382D358-4D91-4DA7-A540-EBE717AD2753}</ProjectGuid>
856     <OutputType>Exe</OutputType>
857     <RootNamespace>ConsoleApp2</RootNamespace>
858     <AssemblyName>ConsoleApp2</AssemblyName>
859     <TargetFrameworkVersion>v4.6.1</TargetFrameworkVersion>
860     <FileAlignment>512</FileAlignment>
861     <AutoGenerateBindingRedirects>true</AutoGenerateBindingRedirects>
862     <Deterministic>true</Deterministic>
863   </PropertyGroup>
864   <PropertyGroup Condition = " '$(Configuration)|$(Platform)' == 'Debug|AnyCPU' ⮑
        " >
865     < PlatformTarget > AnyCPU </ PlatformTarget >
866     < DebugSymbols > true </ DebugSymbols >
867     < DebugType > full </ DebugType >
868     < Optimize > false </ Optimize >
869     < OutputPath > bin\Debug\</OutputPath>
870     <DefineConstants>DEBUG;TRACE</DefineConstants>
871     <ErrorReport>prompt</ErrorReport>
872     <WarningLevel>4</WarningLevel>
873   </PropertyGroup>
874   <PropertyGroup Condition = " '$(Configuration)|$(Platform)' == 'Release|     ⮑
        AnyCPU' " >
875     < PlatformTarget > AnyCPU </ PlatformTarget >
```

```
876        < DebugType > pdbonly </ DebugType >
877        < Optimize > true </ Optimize >
878        < OutputPath > bin\Release\</OutputPath>
879        <DefineConstants>TRACE</DefineConstants>
880        <ErrorReport>prompt</ErrorReport>
881        <WarningLevel>4</WarningLevel>
882     </PropertyGroup>
883     <ItemGroup>
884       <Reference Include = "System" />
885       < Reference Include="System.Core" />
886       <Reference Include = "System.Xml.Linq" />
887       < Reference Include="System.Data.DataSetExtensions" />
888       <Reference Include = "Microsoft.CSharp" />
889       < Reference Include="System.Data" />
890       <Reference Include = "System.Net.Http" />
891       < Reference Include="System.Xml" />
892     </ItemGroup>
893     <ItemGroup>
894       <Compile Include = "F:\sql server projects\abwonline.ca\abwonline.ca      ↵
              \abwonline compileations projects\gem b ox e-mail.cs"OPEN=""/>
895       <Compile Include = "F:\sql server projects\abwonline.ca\abwonline.ca      ↵
              \abwonline compileations projects\AssemblyInfo.cs"OPEN="">
896         <Link>Properties\AssemblyInfo.cs</Link>
897       </Compile>
898     </ItemGroup>
899     <ItemGroup>
900       <None Include = "App.config" />
901     </ ItemGroup >
902     < Import Project="$(MSBuildToolsPath)\Microsoft.CSharp.targets" />
903   </Project><? xml version="1.0" encoding="UTF-8"?>
904   <rows>
905     <head>
906       <afterInit>
907         <call command = "setColumnHidden" >
908           < param > 1 </ param >
909           < param > true </ param >
910         </ call >
911       </ afterInit >
912       < column width="70" type="dyn" align="right"  sort="str">Sales</column>
913       <column width = "150" type="ed" align="left"  sort="str">Book Title</column>
914         <column width = "*" type= "ed" align= "left"  sort= "str" > Author </     ↵
              column >
915
916         < column width= "80" type= "price" align= "right" sort= "str" > Price </   ↵
              column >
917
918         < column width= "80" type= "ch" align= "center" sort= "str" > In Store</   ↵
              column>
919       <column width = "80" type= "co" align= "left" sort= "str" >
920         Shipping
921         < option value= "1" > 1 </ option >
922
```

```
923          < option value= "2" > 2 </ option >
924
925          < option value= "3" > 3 </ option >
926
927          < option value= "4" > 10 </ option >
928
929          < option value= "5" > 20 </ option >
930
931          < option value= "6" > 30 </ option >
932
933       </ column >
934
935       < column width= "80" type= "ra" align= "center" sort= "str" > Bestseller    ↵
          </ column >
936
937       < column width= "100" type= "ro" align= "center" sort= "str" > Date of      ↵
          Publication</column>
938     <settings>
939       <colwidth>px</colwidth>
940       </settings>
941    </head>
942    <row id = "1" >
943
944       < cell > -1500 </ cell >
945
946       < cell > A Time to Kill</cell>
947       <cell>John Grisham</cell>
948    <cell>12.99</cell>
949    <cell>1</cell>
950    <cell>24</cell>
951    <cell>0</cell>
952    <cell>05/01/1998</cell>
953    </row>
954    <row id = "2" >
955
956       < cell > 1000 </ cell >
957
958       < cell > Blood and Smoke</cell>
959    <cell>Stephen King</cell>
960    <cell>0</cell>
961    <cell>1</cell>
962    <cell>24</cell>
963    <cell>0</cell>
964    <cell>01/01/2000</cell>
965    </row>
966    <row id = "3" >
967
968       < cell > -200 </ cell >
969
970       < cell > The Rainmaker</cell>
971       <cell>John Grisham</cell>
972    <cell>7.99</cell>
```

```
973        <cell>0</cell>
974        <cell>48</cell>
975        <cell>0</cell>
976        <cell>12/01/2001</cell>
977     </row>
978  </rows>
979  <!DOCTYPE html>
980  <!--pro-->
981  <html>
982    <head>
983      <title>Run commands from XML</title>
984      <meta http-equiv= "Content-Type" content= "text/html; charset=UTF-8" />
985
986        < meta http-equiv= "X-UA-Compatible" content= "IE=edge" />
987
988        < link rel= "stylesheet" type= "text/css" href= "../../../codebase/fonts/
             font_roboto/roboto.css" />
989
990        < link rel= "stylesheet" type= "text/css" href= "../../../codebase/
             dhtmlx.css" />
991
992        < script src= "../../../codebase/dhtmlx.js" ></ script >
993
994        < script >
995           function loadGridFromString(){
996       myGrid = new dhtmlXGridObject('gridbox');
997       myGrid.setDelimiter("|");
998       //myGrid.setStyle("text-align:center", "", "", "");
999       myGrid.setImagePath("../../../codebase/imgs/");
1000      myGrid.parse(document.getElementById("gridcont1").value);
1001 }
1002 function loadGridFromString2()
1003 {
1004      myGrid2 = new dhtmlXGridObject('gridbox2');
1005      myGrid2.setImagePath("../../../codebase/imgs/");
1006      myGrid2.parse(document.getElementById("gridcont2").value);
1007 }
1008      </script>
1009    </head>
1010    <body>
1011      <h1>Run grid methods from XML</h1>
1012      <p>You are allowed to use methods before grid intialization:</p>
1013      <div>
1014        <li>
1015          Example:  <a href = "javascript:void(0)" onClick="loadGridFromString
               ()">Load grid with web skin</a> set from XML by calling setSkin method
               before grid initialization
1016        </li>
1017      </div>
1018      <br>
1019        <div id = "gridbox" style="width:650px; height:165px; background-
               color:white;"></div>
```

```
1020        The same as with script:<br/>
1021        <textarea id = "gridcont1" style="width:650px;height:150px;"><? xml
              version="1.0" encoding="UTF-8"?>
1022          <rows>
1023            <head>
1024              <beforeInit>
1025                <call command = "setSkin" >
1026                  < param > material </ param >
1027                </ call >
1028                < call command="setStyle">
1029                  <param>text-align:center;</param>
1030                </call>
1031              </beforeInit>
1032              <column width = "70" type="dyn" align="right"  sort="str">Sales</
                    column>
1033              <column width = "150" type="ed" align="left"  sort="str">Book
                    Title</column>
1034                <column width = "100" type= "ed" align= "left"  sort= "str" >
                      Author </ column >
1035
1036                < column width= "80" type= "price" align= "right" sort= "str" >
                      Price </ column >
1037
1038                < column width= "80" type= "ch" align= "center" sort= "str" > In
                      Store</column>
1039                <column width = "80" type= "co" align= "left" sort= "str" >
1040                  Shipping
1041                  < option value= "1" > 1 </ option >
1042
1043                  < option value= "2" > 2 </ option >
1044
1045                  < option value= "3" > 3 </ option >
1046
1047                  < option value= "4" > 10 </ option >
1048
1049                  < option value= "5" > 20 </ option >
1050
1051                  < option value= "6" > 30 </ option >
1052
1053              </ column >
1054
1055                < column width= "80" type= "ra" align= "center" sort= "str" >
                      Bestseller </ column >
1056
1057                < column width= "100" type= "ro" align= "center" sort= "str" >
                      Date of Publication</column>
1058            <settings>
1059              <colwidth>px</colwidth>
1060              </settings>
1061          </head>
1062          <row id = "1" >
1063
```

```
1064                    < cell > -1500 </ cell >
1065
1066                    < cell > A Time to Kill</cell>
1067                    <cell>John Grisham</cell>
1068                <cell>12.99</cell>
1069                <cell>1</cell>
1070                <cell>24</cell>
1071                <cell>0</cell>
1072                <cell>05/01/1998</cell>
1073              </row>
1074              <row id = "2" >
1075
1076                    < cell > 1000 </ cell >
1077
1078                    < cell > Blood and Smoke</cell>
1079                <cell>Stephen King</cell>
1080                <cell>0</cell>
1081                <cell>1</cell>
1082                <cell>24</cell>
1083                <cell>0</cell>
1084                <cell>01/01/2000</cell>
1085              </row>
1086              <row id = "3" >
1087
1088                    < cell > -200 </ cell >
1089
1090                    < cell > The Rainmaker</cell>
1091                <cell>John Grisham</cell>
1092                <cell>7.99</cell>
1093                <cell>0</cell>
1094                <cell>48</cell>
1095                <cell>0</cell>
1096                <cell>12/01/2001</cell>
1097              </row>
1098            </rows>
1099        </textarea>
1100        <p>Also, you can run methods after grid intialization</p>
1101          <div>
1102          <li>
1103
1104              Example:  <a href = "javascript:void(0)" onClick=            ⮡
                  "loadGridFromString2()" > Load grid and set the 2nd column    ⮡
                  hidden</a> by calling setColumnHidden method from xml after grid  ⮡
                  initialization
1105          </li>
1106        </div><br>
1107          <div id = "gridbox2" style= "width:650px;height:150px;background-  ⮡
                  color:white;" ></ div >
1108          The same as with script:<br/>
1109        <textarea id = "gridcont2" style= "width:650px;height:150px;" ><? xml  ⮡
                  version = "1.0" encoding= "UTF-8" ?>
1110
```

```
1111              < rows >
1112
1113                < head >
1114
1115                  < afterInit >
1116
1117                    < call command = "setColumnHidden" >
1118
1119                      < param > 1 </ param >
1120
1121                      < param > true </ param >
1122
1123                    </ call >
1124
1125                  </ afterInit >
1126
1127                  < column width= "70" type= "dyn" align= "right"  sort= "str" >   ⊋
                       Sales </ column >
1128
1129                  < column width= "150" type= "ed" align= "left"  sort= "str" >   ⊋
                       Book Title</column>
1130                  <column width = "*" type= "ed" align= "left"  sort= "str" >      ⊋
                       Author </ column >
1131
1132                  < column width= "80" type= "price" align= "right" sort= "str" >  ⊋
                       Price </ column >
1133
1134                  < column width= "80" type= "ch" align= "center" sort= "str" > In ⊋
                        Store</column>
1135                  <column width = "80" type= "co" align= "left" sort= "str" >
1136                    Shipping
1137                    < option value= "1" > 1 </ option >
1138
1139                    < option value= "2" > 2 </ option >
1140
1141                    < option value= "3" > 3 </ option >
1142
1143                    < option value= "4" > 10 </ option >
1144
1145                    < option value= "5" > 20 </ option >
1146
1147                    < option value= "6" > 30 </ option >
1148
1149                  </ column >
1150
1151                  < column width= "80" type= "ra" align= "center" sort= "str" >    ⊋
                       Bestseller </ column >
1152
1153                  < column width= "100" type= "ro" align= "center" sort= "str" >   ⊋
                       Date of Publication</column>
1154                <settings>
1155                  <colwidth>px</colwidth>
```

```
1156                    </settings>
1157                </head>
1158                <row id = "1" >
1159
1160                    < cell > -1500 </ cell >
1161
1162                    < cell > A Time to Kill</cell>
1163                    <cell>John Grisham</cell>
1164                  <cell>12.99</cell>
1165                  <cell>1</cell>
1166                  <cell>24</cell>
1167                  <cell>0</cell>
1168                  <cell>05/01/1998</cell>
1169                </row>
1170                <row id = "2" >
1171
1172                    < cell > 1000 </ cell >
1173
1174                    < cell > Blood and Smoke</cell>
1175                  <cell>Stephen King</cell>
1176                  <cell>0</cell>
1177                  <cell>1</cell>
1178                  <cell>24</cell>
1179                  <cell>0</cell>
1180                  <cell>01/01/2000</cell>
1181                </row>
1182                <row id = "3" >
1183
1184                    < cell > -200 </ cell >
1185
1186                    < cell > The Rainmaker</cell>
1187                    <cell>John Grisham</cell>
1188                  <cell>7.99</cell>
1189                  <cell>0</cell>
1190                  <cell>48</cell>
1191                  <cell>0</cell>
1192                  <cell>12/01/2001</cell>
1193                  <using System="";>
1194                  </using System;>
1195                  <using System.Collections.Generic="";>
1196                  </using System.Collections.Generic;
1197                  <using System.Linq="";>
1198                  </using System.Linq;>
1199                  <using System.Text="";></using System.Text;>
1200                  <using System.Threading.Tasks="";</using
                       System.Threading.Tasks;></using>
1201                  <using System.Windows;>
1202                  <using System.Windows.Controls;>
1203                  <using System.Windows.Data;>
1204                  <using System.Windows.Documents;>
1205                  <using System.Windows.Input;>
1206                  <using System.Windows.Media;>
```

```
1207                <using System.Windows.Media.Imaging;>
1208                <using System.Windows.Navigation;>
1209                <using System.Windows.Shapes;>
1210                    <namespace WpfApp1=""></namespace>
1211                {
1212                /// <summary>
1213                  /// <Interaction logic="" for="" MainWindow.xaml=""></          ⤶
                        Interaction>
1214                  ///
1215                </summary>
1216                  <public partial="" class="" MainWindow="" :="" Window=""></       ⤶
                        public>
1217                {
1218                <public MainWindow()>
1219                {
1220                <InitializeComponent(main[]);></InitializeComponent>
1221                }
1222    }
1223                }
1224            </row>
1225          </rows>
1226        </textarea>
1227      </body>
1228  </html>
1229                                    </startup>
1230      </configuration>
1231            // The code provided will print 'Hello World' to the console.
1232            // Press Ctrl+F5 (or go to Debug > Start Without Debugging) to run    ⤶
                  your app.
1233            Console.WriteLine("Hello World!");
1234            Console.ReadKey();
1235
1236            // Go to http://aka.ms/dotnet-get-started-console to continue          ⤶
                  learning how to build a console app!
1237        }
1238    }
1239  }
1240
```