

```

1  <? xml version="1.0" encoding="utf-8"?>
2  <using></using> <System>></System>'using <System.Collections.Generic>></
    System.Collections.Generic>
3  <using> <System.Linq>
4  <using> <System.Text>></System.Text>
5  <using> <System.Threading.Tasks>></System.Threading.Tasks>
6  <using> <System.Windows>></System.Windows>
7  <using> <System.Windows.Controls>></System.Windows.Controls>
8  <using> <System.Windows.Data>></System.Windows.Data>
9  <using> <System.Windows.Documents>></System.Windows.Documents>
10 <using> <System.Windows.Input>></System.Windows.Input>
11 <using> <System.Windows.Media>></System.Windows.Media>
12 <using> <System.Windows.Media.Imaging>></System.Windows.Media.Imaging>
13 <using> <System.Windows.Navigation>></System.Windows.Navigation>
14 <using> <System.Windows.Shapes>></System.Windows.Shapes>
15
16 <namespace> <WpfApp1>
17 {
18     /// <summary>
19     ///     Interaction logic for MainWindow.xaml
20     ///
21 </summary>
22     <public>"<public_html>"'<root>'
23
24     </public_html>"</public>
25     <partial></partial>
26     <class></class>
27     <MainWindow></MainWindow> :
28     <Window></Window>
29 {
30 <public MainWindow()>
31 {
32 <InitializeComponent()>;
33 }
34 }
35 }
36
37 <html>
38     [% <include table=""></include> %]
39 [% <Block table> %]
40
41 [% <title></title> %]
42
43 </table>
44 <connect>
45 <https: xmlns:https=""/><{http://abwonline.ca}>
46 <{:}>
47 {http://mail.template-toolkit.org/mailman/listinfo/templates}
48 {http://mail.template-toolkit.org/mailman/listinfo/templates-announce/}
49 {http://mail.template-toolkit.org/mailman/listinfo/templates-announce/}
50 <mail>
51     <title> [% <e-mail cloud=""></e-mail> %]</title>

```

```

52     </Html>
53     </mail>
54     <redirect>
55         <mail> <:>
56             <redirect>{https://mail.abwonline.ca}>
57                 <:> <redirect:><ftps://"mail.abwonline.ca">
58                     <:><inbox>
59                         <ftps.inbox.abwonline.ca>
60                             <:><ftps: xmlns:ftps="inbox"/></mail.abwonline.ca.inbox>
61                             <ftps.inbox.abwonline.ca>
62                         </inbox><redirect>
63                             [</ftps://["<user namespace=""></user>"<:>{'<username></
64                             username>'}]<.abwonline.ca"><.inbox>"'<inbox></inbox>'>]
65                             <:></ftpsinbox.abwonline.ca></redirect>
66 </connect>
67 using System;
68 using System.Collections.Generic;
69 using System.Linq;
70 using System.Text;
71 using System.Threading.Tasks;
72 using System.Windows;
73 using System.Windows.Controls;
74 using System.Windows.Data;
75 using System.Windows.Documents;
76 using System.Windows.Input;
77 using System.Windows.Media;
78 using System.Windows.Media.Imaging;
79 using System.Windows.Navigation;
80 using System.Windows.Shapes;
81 namespace WpfApp1
82 {
83     /// <summary>
84     /// Interaction logic for MainWindow.xaml
85     /// </summary>
86     public partial class MainWindow : Window
87     {
88         public MainWindow()
89         {
90             InitializeComponent();
91         }
92     }<? xml version="1.0" encoding="utf-8"?>
93 <using></using> <System>></System>'using <System.Collections.Generic>></
94 <using>
95     <System.Linq>
96     <using>
97     <System.Text>></System.Text>
98     <using>
99     <System.Threading.Tasks>></System.Threading.Tasks>
100     <using>
101     <System.Windows>></System.Windows>

```

```

102     <using>
103     <System.Windows.Controls;></System.Windows.Controls>
104     <using>
105     <System.Windows.Data;></System.Windows.Data>
106     <using>
107     <System.Windows.Documents;></System.Windows.Documents>
108     <using>
109     <System.Windows.Input;></System.Windows.Input>
110     <using>
111     <System.Windows.Media;></System.Windows.Media>
112     <using>
113     <System.Windows.Media.Imaging;></
114     System.Windows.Media.Imaging>
115     <using>
116     <System.Windows.Navigation;></System.Windows.Navigation>
117     <using>
118     <System.Windows.Shapes;></System.Windows.Shapes>
119
120     <namespace>
121     <WpfApp1>
122     {
123         /// <summary>
124         /// Interaction logic for MainWindow.xaml
125         ///
126         </summary>
127         <public>
128         "<public_html>
129         "'<root>'
130     </public_html>"
131
132     </public>
133     <partial></partial>
134     <class></class>
135     <MainWindow></MainWindow> :
136     <Window></Window>
137     {
138     <public MainWindow=""()>
139     {
140     <InitializeComponent()>
141     ;
142     }
143     }
144
145     <html>
146     [% <include table=""></include> %]
147 [% <Block table="">
148     %]
149
150 [% <title></title> %
151
152     </table>

```

```

153         <connect>
154             <https: xmlns:https=""/><{http://
            abwonline.ca}>
155                 <{:}>
156                 {http://mail.template-toolkit.org/
            mailman/listinfo/templates}
157                 {http://mail.template-toolkit.org/
            mailman/listinfo/templates-announce/}
158                 {http://mail.template-toolkit.org/
            mailman/listinfo/templates-announce/}
159             <mail>
160                 <title>
161                 [% <e-mail cloud=""></e-mail> %]
162                 </title>
163                 </Html>
164             </mail>
165             <redirect>
166                 <mail>
167                     <:><redirect>
168                     {https://mail.abwonline.ca}>
169                     <:> <redirect:>
170                     <https://"mail.abwonline.ca">
171                     <:><inbox>
172                     <https.inbox.abwonline.ca>
173                     <:><https: xmlns:https="inbox"/
174                     </mail.abwonline.ca.inbox>
175                     <https.inbox.abwonline.ca>
176                 </inbox><redirect>
177                 [</https://["<user
            namespace=""></user>"<:>{'<username></username>'}]
            <.abwonline.ca>
178                 "<.inbox>
179                 "'<inbox></inbox>'>]
180                 <:></
            ftpsinbox.abwonline.ca>
181                 </redirect>
182             </connect>
183 <?xml version="1.0" encoding="utf-8"?>
184 <Project ToolsVersion="15.0" xmlns="http://schemas.microsoft.com/developer/
            msbuild/2003">
185     <Import Project="$(MSBuildExtensionsPath)\$(MSBuildToolsVersion)
            \Microsoft.Common.props" Condition="Exists('$(MSBuildExtensionsPath)\
            $(MSBuildToolsVersion)\Microsoft.Common.props')"/>
186     <PropertyGroup>
187         <Configuration Condition=" '$(Configuration)' == '' ">Debug</Configuration>
188         <Platform Condition=" '$(Platform)' == '' ">AnyCPU</Platform>
189         <ProjectGuid>{A382D358-4D91-4DA7-A540-EBE717AD2753}</ProjectGuid>
190         <OutputType>Exe</OutputType>
191         <RootNamespace>ConsoleApp2</RootNamespace>
192         <AssemblyName>ConsoleApp2</AssemblyName>
193         <TargetFrameworkVersion>v4.6.1</TargetFrameworkVersion>
194         <FileAlignment>512</FileAlignment>

```

```
195     <AutoGenerateBindingRedirects>true</AutoGenerateBindingRedirects>
196     <Deterministic>true</Deterministic>
197 </PropertyGroup>
198 <PropertyGroup Condition = " '$(Configuration)|$(Platform)' == 'Debug|AnyCPU' " ?
    >
199     < PlatformTarget > AnyCPU </ PlatformTarget >
200     < DebugSymbols > true </ DebugSymbols >
201     < DebugType > full </ DebugType >
202     < Optimize > false </ Optimize >
203     < OutputPath > bin\Debug</OutputPath>
204     <DefineConstants>DEBUG;TRACE</DefineConstants>
205     <ErrorReport>prompt</ErrorReport>
206     <WarningLevel>4</WarningLevel>
207 </PropertyGroup>
208 <PropertyGroup Condition = " '$(Configuration)|$(Platform)' == 'Release|AnyCPU' ?
    " >
209     < PlatformTarget > AnyCPU </ PlatformTarget >
210     < DebugType > pdbonly </ DebugType >
211     < Optimize > true </ Optimize >
212     < OutputPath > bin\Release</OutputPath>
213     <DefineConstants>TRACE</DefineConstants>
214     <ErrorReport>prompt</ErrorReport>
215     <WarningLevel>4</WarningLevel>
216 </PropertyGroup>
217 <ItemGroup>
218     <Reference Include = "System" />
219     < Reference Include="System.Core" />
220     <Reference Include = "System.Xml.Linq" />
221     < Reference Include="System.Data.DataSetExtensions" />
222     <Reference Include = "Microsoft.CSharp" />
223     < Reference Include="System.Data" />
224     <Reference Include = "System.Net.Http" />
225     < Reference Include="System.Xml" />
226 </ItemGroup>
227 <ItemGroup>
228     <Compile Include = "F:\sql server projects\abwonline.ca\abwonline.ca \abwonline
    \abwonline compilations projects\gem b ox e-mail.cs"OPEN/>
229     <Compile Include = "F:\sql server projects\abwonline.ca\abwonline.ca \abwonline
    \abwonline compilations projects\AssemblyInfo.cs"OPEN>
230     <Link>Properties\AssemblyInfo.cs</Link>
231 </Compile>
232 </ItemGroup>
233 <ItemGroup>
234     <None Include = "App.config" />
235 </ ItemGroup >
236 < Import Project="$(MSBuildToolsPath)\Microsoft.CSharp.targets" />
237 </Project><? xml version="1.0" encoding="UTF-8"?>
238 <rows>
239     <head>
240         <afterInit>
241             <call command = "setColumnHidden" >
242                 < param > 1 </ param >
```

```

243     < param > true </ param >
244     </ call >
245     </ afterInit >
246     < column width="70" type="dyn" align="right" sort="str">Sales</column>
247     <column width = "150" type="ed" align="left" sort="str">Book Title</column>
248     <column width = "*" type= "ed" align= "left" sort= "str" > Author </ ?
        column >
249
250     < column width= "80" type= "price" align= "right" sort= "str" > Price </ ?
        column >
251
252     < column width= "80" type= "ch" align= "center" sort= "str" > In Store</ ?
        column>
253     <column width = "80" type= "co" align= "left" sort= "str" >
254     Shipping
255     < option value= "1" > 1 </ option >
256
257     < option value= "2" > 2 </ option >
258
259     < option value= "3" > 3 </ option >
260
261     < option value= "4" > 10 </ option >
262
263     < option value= "5" > 20 </ option >
264
265     < option value= "6" > 30 </ option >
266
267     </ column >
268
269     < column width= "80" type= "ra" align= "center" sort= "str" > Bestseller </ ?
        column >
270
271     < column width= "100" type= "ro" align= "center" sort= "str" > Date of ?
        Publication</column>
272     <settings>
273     <colwidth>px</colwidth>
274     </settings>
275 </head>
276 <row id = "1" >
277
278     < cell > -1500 </ cell >
279
280     < cell > A Time to Kill</cell>
281     <cell>John Grisham</cell>
282     <cell>12.99</cell>
283     <cell>1</cell>
284     <cell>24</cell>
285     <cell>0</cell>
286     <cell>05/01/1998</cell>
287 </row>
288 <row id = "2" >
289

```

```
290     < cell > 1000 </ cell >
291
292     < cell > Blood and Smoke</cell>
293     <cell>Stephen King</cell>
294     <cell>0</cell>
295     <cell>1</cell>
296     <cell>24</cell>
297     <cell>0</cell>
298     <cell>01/01/2000</cell>
299 </row>
300 <row id = "3" >
301
302     < cell > -200 </ cell >
303
304     < cell > The Rainmaker</cell>
305     <cell>John Grisham</cell>
306     <cell>7.99</cell>
307     <cell>0</cell>
308     <cell>48</cell>
309     <cell>0</cell>
310     <cell>12/01/2001</cell>
311 </row>
312 </rows>
313 <!DOCTYPE html>
314 <!--pro-->
315 <html>
316     <head>
317         <title>Run commands from XML</title>
318         <meta http-equiv= "Content-Type" content= "text/html; charset=UTF-8" />
319
320         < meta http-equiv= "X-UA-Compatible" content= "IE=edge" />
321
322         < link rel= "stylesheet" type= "text/css" href= "../.../codebase/fonts/  ↗
323             font_roboto/roboto.css" />
324
325         < link rel= "stylesheet" type= "text/css" href= "../.../codebase/  ↗
326             dhtmlx.css" />
327
328         < script src= "../.../codebase/dhtmlx.js" ></ script >
329
330         < script >
331             function loadGridFromString(){
332                 myGrid = new dhtmlXGridObject('gridbox');
333                 myGrid.setDelimiter("|");
334                 //myGrid.setStyle("text-align:center", "", "", "");
335                 myGrid.setImagePath("../.../codebase/imgs/");
336                 myGrid.parse(document.getElementById("gridcont1").value);
337             }
338         function loadGridFromString2()
339         {
340             myGrid2 = new dhtmlXGridObject('gridbox2');
341             myGrid2.setImagePath("../.../codebase/imgs/");
```

```

340     myGrid2.parse(document.getElementById("gridcont2").value);
341 }
342     </script>
343 </head>
344 <body>
345     <h1>Run grid methods from XML</h1>
346     <p>You are allowed to use methods before grid intialization:</p>
347     <div>
348         <li>
349             Example: <a href = "javascript:void(0)" onClick="loadGridFromString
350                 ()">Load grid with web skin</a> set from XML by calling setSkin method
351                 before grid initialization
352         </li>
353     </div>
354     <br>
355     <div id = "gridbox" style="width:650px; height:165px; background-
356         color:white;"></div>
357     The same as with script:<br>
358     <textarea id = "gridcont1" style="width:650px;height:150px;"><? xml
359         version="1.0" encoding="UTF-8"?>
360         <rows>
361             <head>
362                 <beforeInit>
363                     <call command = "setSkin" >
364                         < param > material </ param >
365                     </ call >
366                     < call command="setStyle">
367                         <param>text-align:center;</param>
368                     </call>
369                 </beforeInit>
370                 <column width = "70" type="dyn" align="right" sort="str">Sales</
371                 column>
372                 <column width = "150" type="ed" align="left" sort="str">Book Title</
373                 column>
374                 <column width = "100" type= "ed" align= "left" sort= "str" >
375                 Author </ column >
376
377                 < column width= "80" type= "price" align= "right" sort= "str" >
378                 Price </ column >
379
380                 < column width= "80" type= "ch" align= "center" sort= "str" > In
381                 Store</column>
382                 <column width = "80" type= "co" align= "left" sort= "str" >
383                     Shipping
384                     < option value= "1" > 1 </ option >
385
386                     < option value= "2" > 2 </ option >
387
388                     < option value= "3" > 3 </ option >
389
390                     < option value= "4" > 10 </ option >

```



```
383         < option value= "5" > 20 </ option >
384
385         < option value= "6" > 30 </ option >
386
387     </ column >
388
389     < column width= "80" type= "ra" align= "center" sort= "str" > ?
390         Bestseller </ column >
391
392     < column width= "100" type= "ro" align= "center" sort= "str" > Date ?
393         of Publication</column>
394     <settings>
395     <colwidth>px</colwidth>
396     </settings>
397 </head>
398 <row id = "1" >
399
400     < cell > -1500 </ cell >
401
402     < cell > A Time to Kill</cell>
403     <cell>John Grisham</cell>
404     <cell>12.99</cell>
405     <cell>1</cell>
406     <cell>24</cell>
407     <cell>0</cell>
408     <cell>05/01/1998</cell>
409 </row>
410 <row id = "2" >
411
412     < cell > 1000 </ cell >
413
414     < cell > Blood and Smoke</cell>
415     <cell>Stephen King</cell>
416     <cell>0</cell>
417     <cell>1</cell>
418     <cell>24</cell>
419     <cell>0</cell>
420     <cell>01/01/2000</cell>
421 </row>
422 <row id = "3" >
423
424     < cell > -200 </ cell >
425
426     < cell > The Rainmaker</cell>
427     <cell>John Grisham</cell>
428     <cell>7.99</cell>
429     <cell>0</cell>
430     <cell>48</cell>
431     <cell>0</cell>
432     <cell>12/01/2001</cell>
433 </row>
434 </rows>
```

```

433     </textarea>
434     <p>Also, you can run methods after grid initialization</p>
435     <div>
436         <li>
437
438             Example: <a href = "javascript:void(0)" onClick=
                        "loadGridFromString2()" > Load grid and set the 2nd column hidden</
                        a> by calling setColumnHidden method from xml after grid
                        initialization
439         </li>
440     </div><br>
441     <div id = "gridbox2" style= "width:650px;height:150px;background-
                        color:white;" ></ div >
442     The same as with script:<br/>
443     <textarea id = "gridcont2" style= "width:650px;height:150px;" ><? xml
                        version = "1.0" encoding= "UTF-8" ?>
444
445         < rows >
446
447         < head >
448
449             < afterInit >
450
451                 < call command = "setColumnHidden" >
452
453                     < param > 1 </ param >
454
455                     < param > true </ param >
456
457                 </ call >
458
459             </ afterInit >
460
461             < column width= "70" type= "dyn" align= "right" sort= "str" >
                        Sales </ column >
462
463             < column width= "150" type= "ed" align= "left" sort= "str" >
                        Book Title</column>
464             <column width = "*" type= "ed" align= "left" sort= "str" >
                        Author </ column >
465
466             < column width= "80" type= "price" align= "right" sort= "str" >
                        Price </ column >
467
468             < column width= "80" type= "ch" align= "center" sort= "str" > In
                        Store</column>
469             <column width = "80" type= "co" align= "left" sort= "str" >
                        Shipping
470                 < option value= "1" > 1 </ option >
471
472                 < option value= "2" > 2 </ option >
473
474

```

```
475         < option value= "3" > 3 </ option >
476
477         < option value= "4" > 10 </ option >
478
479         < option value= "5" > 20 </ option >
480
481         < option value= "6" > 30 </ option >
482
483     </ column >
484
485     < column width= "80" type= "ra" align= "center" sort= "str" > ?
        Bestseller </ column >
486
487     < column width= "100" type= "ro" align= "center" sort= "str" > ?
        Date of Publication</column>
488     <settings>
489         <colwidth>px</colwidth>
490     </settings>
491 </head>
492 <row id = "1" >
493
494     < cell > -1500 </ cell >
495
496     < cell > A Time to Kill</cell>
497     <cell>John Grisham</cell>
498     <cell>12.99</cell>
499     <cell>1</cell>
500     <cell>24</cell>
501     <cell>0</cell>
502     <cell>05/01/1998</cell>
503 </row>
504 <row id = "2" >
505
506     < cell > 1000 </ cell >
507
508     < cell > Blood and Smoke</cell>
509     <cell>Stephen King</cell>
510     <cell>0</cell>
511     <cell>1</cell>
512     <cell>24</cell>
513     <cell>0</cell>
514     <cell>01/01/2000</cell>
515 </row>
516 <row id = "3" >
517
518     < cell > -200 </ cell >
519
520     < cell > The Rainmaker</cell>
521     <cell>John Grisham</cell>
522     <cell>7.99</cell>
523     <cell>0</cell>
524     <cell>48</cell>
```

```
525         <cell>0</cell>
526         <cell>12/01/2001</cell>
527     </row>
528 </rows>
529 </textarea>
530 </body>
531 </html>
532 }
533
```